

Student Number	
Mark / 39	

Chemistry

Preliminary Course

Final Examination • 2006

General Instructions

- Reading time 5 minutes
- Working time 45 minutes
- Write using black or blue pen
- Draw diagrams using pencil
- Board-approved calculators may be used
- A Data Sheet and a Periodic Table are provided
- Write your Student Number at the top of this page

Total Marks - 39

Part A - 10 marks

- Attempt Questions 1 − 10
- Allow about 10 minutes for this part

Part B - 29 marks

- Attempt Questions 11 19
- Allow about 35 minutes for this part

Part A - 10 marks Attempt Questions 1 - 10 Allow about 10 minutes for this part

Select the alternative A, B, C or D that best answers the question. Fill in the response oval completely.

Sample: $2 + 4 = (A) \ 2 (B) \ 6 (C) \ 8 (D) \ 9$ $A \bigcirc B \bigcirc C \bigcirc D \bigcirc$

If you think you have made a mistake, put a cross through the incorrect answer and fill in the new answer.

 $A lueble{lue} B lueble{lue} C \bigcirc D \bigcirc$

If you change your mind and have crossed out what you consider to be the correct answer, then indicate the correct answer by writing the word **correct** and drawing an arrow as follows.



Ans	wer Bo	x for Qu	uestions	s 1 – 10
1	A O	вО	C O	D O
2	A O	вО	C O	DO
3	A O	вО	C O	D O
4	A O	вО	C O	D O
5	A O	вО	C O	D O
6	A O	вО	C O	D O
7	A O	вО	C O	D O
8	A O	вО	C O	D O
9	A O	вО	C O	D O
10	A O	вО	C O	D O

1 The law of combining volumes states that the ratio of gases involved in a chemical reaction can be expressed in simple whole number ratios.

Identify who proposed this law?

- (A) Dalton
- Gay-Lussac (B)
- Avogadro (C)
- Mendeleev (D)
- 2 Which statement is correct for NO₂ gas?
 - (A) One molecule has a mass of 46 g.
 - (B) One molecule occupies a volume of 24.79 L at 0°C and 100 kPa.
 - One mole contains 6.02×10^{23} atoms of oxygen. One mole contains 6.02×10^{23} molecules. (C)
 - (D)
- 3 The extraction of a metal from its ore involves a series of steps as shown...


mine ore \rightarrow concentrate ore \rightarrow extract metal via smelting \rightarrow purify the metal

Which chemical equation represents a reaction that would be appropriate for the metal extraction step for copper from its ore?

- (A) $FeO(s) + SiO_2(s) \rightarrow FeSiO_3(l)$
- $2\text{CuFeS}_2(s) + 5\text{O}_2(g) \rightarrow 2\text{Cu}(l) + 2\text{FeO}(s) + 4\text{SO}_2(g)$ (B)
- $Cu \rightarrow Cu^{2+} + 2e^{-}$ (C)
- $CuO(s) + Mg(s) \rightarrow MgO(s) + Cu(s)$ (D)
- Which of these processes is endothermic? 4
 - (A) decomposition of silver chloride to silver and chlorine
 - burning methane (B)
 - (C) condensing steam
 - adding sodium metal to water (D)

5 Which graph represents the change in potential energy for the reaction...

$$2NO_2(g) \rightarrow N_2(g) + 2O_2(g)$$



 $\Delta H = +33.7 \text{ kJ mol}^{-1}$

- (A) Graph A
- (B) Graph B
- (C) Graph C
- (D) Graph D
- A compound contains potassium, sulfur and oxygen only. A sample of the compound is found to contain 41.1 mg of potassium, 33.8 mg of sulfur and 25.2 mg of oxygen.

Which of the following represents the empirical formula of the compound?

- (A) K_2SO_4
- (B) K_2SO_3
- (C) $K_2S_2O_3$
- (D) K_2SO_2
- In a calorimeter, a 1.000 g sample of magnesium is burned to form MgO, and in so doing, releases 6.075 kJ of energy. What is the heat of combustion, in kJ, of one mole of magnesium?
 - (A) 6.075
 - (B) 72.90
 - (C) 147.7
 - (D) 3.65×10^{25}

8 10 mL of hydrogen fluoride gas reacts with 5 mL of dinitrogen difluoride gas to form 10 mL of a gas. All gas volumes are measured at the same temperature and pressure.

Which of the following is the most likely equation for the reaction?

- (A) $HF(g) + N_2F_2(g) \rightarrow N_2HF_3(g)$
- (B) $2HF(g) + N_2F_2(g) \rightarrow N_2H_2F_4(g)$
- (C) $2HF(g) + N_2F_2(g) \rightarrow 2NHF_2(g)$
- (D) $HF(g) + 2N_2F_2(g) \rightarrow N_4HF_5(g)$
- 9 The table shows the solubility of salts in water at 25°C.

ANION	CATION	COMPOUND
All	Group I metals	soluble
All	Ammonium, NH ₄ ⁺	soluble
Nitrate, NO ₃	All	soluble
Acetate/ethanoate CH ₃ COO ⁻	All except Ag ⁺	soluble
Chloride, CI - Bromide, Br -	Ag ⁺ , Pb ²⁺ , Hg ₂ ²⁺ , Cu ⁺	insoluble
lodide, I	All others	soluble
Sulfate, SO ₄ ²⁻	Ca ²⁺ , Sr ²⁺ , Ba ²⁺ , Pb ²⁺ , Ag ⁺ , Hg ₂ ²⁺	insoluble
Sunate, 304	All others	soluble
Sulfide, S ²⁻	Group I and II metals, NH ₄ ⁺	soluble
Sullide, S	All others	insoluble
Hydroxide, OH -	Group I metals, NH ₄ ⁺ , Sr ²⁺ , Ba ²⁺	soluble
Tiyuloxide, Oli	All others	insoluble
Carbonate, CO ₃ ²⁻	Group I metals, NH ₄ ⁺	soluble
Phosphate, PO ₄ ³⁻ Sulfite, SO ₃ ²⁻	All others	insoluble

A student mixed several salt solutions as described in the table.

Mixture number	Salt solutions mixed
1	sodium sulfate + magnesium nitrate
2	sodium chloride + magnesium iodide
3	calcium nitrate + ammonium sulfate

In which mixture(s) will a precipitate occur?

- (A) 1 only
- (B) 1 and 3
- (C) 1 and 2
- (D) 3 only

A single piece of zinc was put into 2 mol L^{-1} hydrochloric acid. It was observed that the rate of production of hydrogen gas soon reached a maximum and then decreased.

The following reasons were put forward for the decrease in the rate of formation of hydrogen...

- I The concentration of the acid decreased as the reaction proceeded.
- II The surface area of the zinc decreased as the reaction proceeded.
- III The reaction was exothermic.


Which of the above three suggestions explains the decreasing reaction rate?

- (A) I, II and III
- (B) I and II only
- (C) I only
- (D) II only

► Sh	how all relevant working in questions involving calculations.				
Quest	Question 11 (2 marks)				
Descr	Describe the energy changes involved in the dissolving of copper(II) sulfate crystals in water.				
Quest	tion 12 (3 marks)				
Durin	g a chemical reaction, chemical bonds are broken and then reformed.				
(a)	Outline the role of activation energy in this process. (1 mark)				
(b)	Compare the overall energy involved in breaking and reforming bonds in the combustion of methane. (2 marks)				

Question 13 (6 marks)

A group of students were assigned to verify the value of the specific heat capacity of water. The diagram shows their experimental set—up...



The immersion heater provided 75.7~kJ of heat which raised the temperature of the water in the beaker from $25^{\circ}C$ to $85^{\circ}C$.

	the experimental v			e reference value	for the specific heat
Outline v	vays to improve the	e experimental s	set-up to obtain	n a more valid res	ult. (2 marks)

Question 14	(2 marks)
-------------	-----------

Explain why ethanol	H H H - C - C - O - H I I H H	totally dissolves in water.	(2 marks)	

Question 15 (4 marks)

Identify the molecular shapes and draw the Lewis electron dot structures of water and hydrogen sulfide.

water	hydrogen sulfide

Ques	ation 16 (3 marks)				
Hydr	Hydrogen gas can be generated by reacting an acid with an active metal.				
(a)	Write an equation for the reaction between magnesium and hydrochloric acid. (1 mark)				
(b)	Calculate the volume of hydrogen gas generated at 25°C and 100 kPa when 4.86 g of magnesium are reacted with excess 1.00 mol L ⁻¹ hydrochloric acid. (2 marks)				
	reacted with excess 1.00 mol L hydrochloric acid. (2 marks)				
Ques	ation 17 (2 marks)				
Lead	is a toxic heavy metal that is carefully monitored in waterways.				
An el	lectric probe measured the concentration of lead ions (Pb ²⁺) in a creek as 0.07 ppm.				
Calcu	alate the mass of lead ions that would be found in 3 L of the creek water.				

	dent prepared a sugar solution by dissolving 1.71 g of sucrose ($C_{12}H_{22}O_{11}$) in water and making the ne up to 100 mL.
(a)	Calculate the concentration of the sucrose solution in moles per litre. (2 marks)
(b)	The student then diluted the sucrose solution to 250 mL.
	Calculate the concentration of the new sucrose solution in moles per litre. (1 mark)
_	tion 19 (4 marks)
BaSO reacti) ₄ is frequently used as a radiocontrast agent for X-ray imaging. It can be prepared using precipitation ons.
	g of barium chloride was dissolved in water to make 50 mL of solution and then added to 50 mL of ation containing 2.84 g of sodium sulfate. A white precipitate formed.
(a)	Write a net ionic equation for the reaction forming the precipitate. (1 mark)
(b)	What is the mass of the precipitate formed? (2 marks)
(c)	Calculate the concentration, in moles per litre, of the sulfate ions in the final solution. (1 mark)

Question 18 (3 marks)