

Student Number:	
-----------------	--

HIGHER SCHOOL CERTIFICATE

Sample Examination Paper

PHYSICS

General Instructions

- Reading time 5 minutes
- Working time 3 hours
- Write using black or blue pen
- Draw diagrams using pencil
- Board-approved calculators may be used
- A data sheet, formula sheets and Periodic Table are provided at the back of this paper

Total Marks - 100

Section I Pages 2-11

75 Marks

This section has two parts, Part A and Part B

Part A - 15 marks

- Attempt Questions 1 − 15
- Allow about 30 minutes for this part

Part B - 60 marks

- Attempt Questions 16 26
- Allow about 1 hour and 45 minutes for this part

Section II Pages 12 - 18 **25 Marks**

- Attempt ONE question from Questions 32 36
- Allow about 45 minutes for this section

Directions to School or College

To ensure maximum confidentiality and security, examination papers must NOT be removed from the examination room. Examination papers may not be returned to students or used for revision purposes till September 2002. These examination papers are supplied Copyright Free, as such the purchaser may photocopy and/or cut and paste same for educational purposes within the confines of the school or college.

All care has been taken to ensure that this examination paper is error free and that it follows the style, format and material content of previous Higher School Certificate Examination. Candidates are advised that authors of this examination paper cannot in any way guarantee that the 2002 HSC Examination will have a similar content or format.

Section I

75 Marks

Part A – 15 marks

Attempt Questions 1 – 15

Allow about 30 minutes for this part

1

Weight is best defined as:

- A how much of something there is.
- B the mass of an object.
- C the force on an object due to a gravitational field.
- D the attractive force between two objects.

2

The horizontal component of the motion of a projectile on the Earth consists of:

- A A changing velocity and constant acceleration.
- B A changing velocity and zero acceleration.
- C A constant velocity and changing acceleration.
- D A constant velocity and zero acceleration.

3

The radius of the orbit of some satellites will decrease with time. This is due to

- A aging of solar panels and therefore a loss of power.
- B the solar wind changing the path of the satellite.
- C loss of momentum because of collisions with particles in the upper reaches of the atmosphere.
- D Attraction of ferromagnetic objects on the satellite towards the magnetic field of the Earth.

The aether model for the transmission of light was adopted because

- A light was found to have wave characteristics and it was thought waves need a medium in which to propagate.
- B the speed of light was found to be constant.
- C time and distance were found to be relative to the motion of the aether.
- D light was found to have particulate nature and momentum needed to be conserved as it was discovered that light slowed on its journey from the Sun to the Earth.

5

Oscar has a weight of 675 N on Earth. Calculate his weight on Mars which has an acceleration due to gravity of 8.9 ms⁻².

- A 589 N
- B 613 N
- C 656 N
- D 743 N

6

A transformer has 2000 turns in its primary winding. If it's purpose is to step down the potential difference from 240 V to 3 V, the number of turns in the secondary winding would be:

- A 25
- B 80
- C 6 000
- D 160 000

7

AC motors usually produce

- A high power
- B low power
- C medium power
- D either low or medium power

When electricity is fed through the power lines from the generator to the consumer, energy is not lost through

- A heat being given off from the wires
- B heat being generated by eddy currents in the transformers
- C electrons being used up in the appliances
- D heat being generated by moving parts in appliances.


9

The physicist who discovered the generation of an electric current by a moving magnet was

- A Hertz
- B Ampere
- C Galvani
- D Faraday

10

The magnitude of the turning moment in the following diagram would be



- A 1.2 Nm
- B 3.8 Nm
- C 11.7 Nm
- D 37.2 Nm

The energy that is possessed by a photon of light of wavelength 20 nm is

A
$$1.0 \times 10^{-13} \text{ J}$$

B
$$1.0 \times 10^{-14} \text{ J}$$

C
$$1.0 \times 10^{-17} J$$

Questions 12 and 13 refer to the following information.

A charged particle is travelling in a straight line between two parallel charged plates and a magnetic field. The magnetic field is 0.012 T and is directed in towards the page. The parallel charged plates are 1 cm apart and have a potential difference of 200 V.

12

The particle is charged

- A positively
- B neutrally
- C negatively
- D but there is not enough information to determine the sign.

13

The velocity of the charged particle is

A
$$4.2 \times 10^2 \text{ ms}^{-1}$$

B
$$2.4 \times 10^5 \text{ ms}^{-1}$$

C
$$1.7 \times 10^6 \text{ ms}^{-1}$$

D
$$5.8 \times 10^7 \text{ ms}^{-1}$$

Germanium was used in early transistors because

- A it had a relatively low melting point and was therefore easier to work with.
- B technologists were unable to produce othr semiconductors of suitable purity.
- C it could be doped more easily than other semiconductors.
- D it has a lower volatility than other semiconductors.

15

The de Broglie model of the atom is best described as

- A electrons orbiting the atom in fixed energy states
- B electrons orbiting the atom in standing waves.
- C protons and neutrons in the nucleus and electrons surrounding the nucleus.
- D the more massive subatomic particles being made up of quarks and the less massive are leptons.

Section I (continued)

Part B - 60 marks

Attempt Question 15 – 31

Allow about 1 hour and 45 minutes for this part

16

Marks


6

Describe an experiment which you have performed that shows the relationship between the radius of a satellite and the velocity of its motion and qualitatively discuss the results you would expect to obtain from such an experiment. The formula for the linear velocity of an object undergoing circular motion is $v = 2\pi r/T$

6

17

The following diagram shows a DC electric motor.



Describe how the motor works.

18

Describe how Lenz's Law has been utilised in improving the efficiency of transformers.

3

Marks


Describe some of the effects of the development of generators on society.

5

20

The diagram below shows two parallel, current-carrying wires, both of length 1.2 m. One wire is carrying a current of 3 A and the other is carrying a current of 2 A. They are 4 cm apart. Determine the force that is experienced between the two wires.

2



21


There are different styles of AC induction motors. Outline how movement is created in the induction motor.

3

22

A ball is thrown at speed 38 ms⁻¹ at an angle of 57° above the horizontal from the top of a cliff. It travels a horizontal distance of 59 m.

4



Calculate the height of the cliff.

incident light	
The following diagram shows a photovoltaic (solar) cell.	6
28	
utilised in one type of technology today.	
photoelectric effect. Describe his contribution and explain how it is	
Einstein made a valuable contribution ot our understanding of the	. 7
27	
Recall the purpose of a step-up transformer in an electric circuit?	. 1
26	
scientific thinking with regards to motion.	
Outline how the Michelson-Morley experiment changed the nature of	2
25	
twins when the brother arrives and determine who will be older?	
twins when the brother arrives and determine who will be older?	
twin brother who is part of the settlment crew leaves at the same time but travels at a speed of 0.4c. Calculate the age difference between the	
light years away. She will travel to the system at a speed of 0.9c. Her	
An engineer is part of a mission to travel to a system of planets 6.8	5
24	
this is the case.	
Currently extended space travel is not viable. Describe reasons why	3
23	Marks
Physics HSC - 2002	

Describe in detail how the photovoltaic cell works.

29	Marks
Outline how electrons are able to travel unimpeded through YBCO	3
when it is cooled to an extremely low temperature.	
30	
Explain why it was important to use germanium in early transistors.	2
1 Section of the sect	2
31	
Outline two benefits of the development of oscilloscopes for	•
•	2
experimental physics and/or the community.	

Section II

25 marks

Attempt ONE question from Question 32 – 36

Allow about 45 minutes for this section


		Pages
Question 32	Geophysics	12
Question 33	Medical Physics	13
Question 34	Astrophysics	14
Question 35	From Quanta to Quarks	15 – 16
Question 36	The Age of Silicon	17 – 18

Geophysics	Marks
32a	
Outline what type of information seismic tomography will yield about	2
the Earth.	
32b	
Describe how a gravity meter works, corrections that need to be made	7
to it and what sort of information it might yield to an archaeologist.	
32e	
Idenitfy the evidence for a liquid outer core and a solid inner core.	4
32d	
Identify the evidence that supports the idea that the Earth's magnetic	6
field varies over time and explain how the magnetic time scale can be	
used to determine the age of the oceanic floor.	
32e	
Define what role have geophysicists played in the monitoring of	2
nuclear test ban treaties?	
32f	
Summarise the geophysical evidence that supports the theory of plate	4
tectonics.	

Me	edical Physics	Marks
33a		
Computed axial tomography scans have superceded	conventional	7
X-rays in their ability to produce an image. Describe h	ow X-rays are	
produced, how both images mentioned above are create	d and where a	
CAT scan would be superior to a conventional X-ray a	as a diagnostic	
tool.		
33b		
Carbon-11 is an isotope that glucose can be labeled with	and is used to	5
study the brain using positron emission tomography. E	xplain how an	
image of the brain is produced using positron emission to	omography.	
33c		
Describe how the Doppler effect works and how it of	can be used in	6
ultrasonics to determine if a patient has a blood clot.		
33d		
Describe why MRI can be used to distinguish between	white and gray	7
matter in the brain.		

Astrophysics	Marks
34a	
Discuss the limitations of viewing the stars from the surface of the	6
Earth and one way in which astronomers overcome these limitations.	
34b	
The star, Canopus has an observable parallax of 10.43 milli arc	1
seconds. Calculate how far away the star Canopus is?	
34c	
Explain how the absorption spectra of a star is produced and the type	-
of information that the spectra would yield.	5
or mismation that the spectra would yield.	
34d	
A star has an absolute magnitude of 3.78 and an apparent magnitude of	1
7.92. Calculate the distance the star is from the Earth in parsecs.	
34e	
Describe why two colour values are used to yield useful information	4
about stars.	
34f	
	_
Sirius A and Sirius B are binary stars and are observed to be 3.0 x 10 ⁹	2
km. If the period of their rotation is 18 300 days, Calculate the combined mass of the system.	
comonica mass of the system.	
34g	
Explain the process of star death for a star that has a core of mass	6
$2.5 \mathrm{M}_{\odot}$.	

rnysics HSC - 2002	
From Quanta to Quarks	Marks
35a	
Summarise Bohr's postulates and outline how they helped explain the	5
visible Hydrogen emission spectrum.	
35b	
Calculate by what factor is the wavelength of an electron travelling at	2
$4 \times 10^5 \text{ ms}^{-1}$ shorter than the wavelength of violet light ($\lambda = 400 \text{ nm}$).	
35c	
Outline Davisson and Germer's confirmation of the wave nature of	2
electrons.	
35d	
Describe how an image is produced with a transmission electron	6
microscope and explain how this can produce a greater magnification	
than an optical microscope.	
75-	
Vou hove investigated at the Control of the Control	_
You have investigated the use of isotopes in various industries.	3
Identify an isotope you have studied that is utilised in the medical	
industry and outline how it is used.	
35f	
The diagram below illustrates a nuclear fission reactor.	2
	3
control rods fuel rods	
idei iods	



Outline where the electrical energy that the reactor generates comes from.

35g

Marks

The following information is necessary to determine the answer to this question.

Isotope	Atomic mass
La-139	138.8061
Mo-95	94.9057
U-235	235.0439


U-235 and a neutron react to produce Mo-95, La-139, 2 neutrons and a quantity of another subatomic particle. Identify what the subatomic particle is, calculate its quantity and the energy released in MeV for the reaction.

The Silicon Age Marks 36a Recount why the silicon chip was invented and summarise why its invention was so important to the development of electronics.

36b

i

The following diagram shows a potential divider.



ii Explain how the variable resistor allows a range of voltages to be supplied and Calculate the range of voltages in this potential divider (assume the variable resistor has no maximum resistance).

2


Calculate the value of the variable resistor if the desired output

- 36c Describe how a light dependent resistor would be used in a camera.
- Explain how a light emitting diode works in terms of p and n semiconductors.

Marks

5

36e The following diagram shows a logic gate.



Gates 1 and 2 are NOT gates.

Gates 3 and 4 are AND gates.

Gate 5 is a or gate.

Construct a truth table for each of the five gates.

Outline what the difference between an inverting and a non-inverting amplifier is.

18