



Search all repositories

My Repositories

+

✓ stevekinney/re-noted # 8

⌚ Duration: 1 min 42 sec

📅 Finished: about 6 hours ago

! mike-works/pwa-fundamental # 1281

⌚ Duration: 1 min 1 sec

📅 Finished: a day ago

! sendgrid/sendgrid-ruby # 462

⌚ Duration: 1 hr 3 min 37 sec

📅 Finished: 2 days ago

✓ sendgrid/sendgrid-csharp # 918

⌚ Duration: 7 min 55 sec

📅 Finished: 2 days ago

✗ sendgrid/sendgrid-nodejs # 1038

⌚ Duration: 9 min 51 sec

📅 Finished: 2 days ago

stevekinney / re-noted



build unknown

Current

Branches

Build History

Pull Requests

More options



✓ master Actually add the right file

🔄 #8 passed

🔄 Restart build

🔗 Commit 7ce0660

⌚ Ran for 1 min 42 sec

🔗 Compare 8426867..7ce0660

📅 about 6 hours ago

🔗 Branch master

👤 Steve Kinney authored and committed

Job log

View config

✕ Remove log

⌵ Raw log

1 Worker information

worker\_info

6 Build system information

system\_info

403

404

405

406

407

412

413

414

415

Network availability confirmed.

\$ git clone --depth=50 --branch=master https://github.com/stevekinney/re-noted.git

git.checkout

0.48s

Setting environment variables from repository settings

\$ export AWS\_ACCESS\_KEY\_ID=[secure]

\$ export AWS\_SECRET\_ACCESS\_KEY=[secure]



## MY ACCOUNT



Steve Kinney

[Sync account](#)

## ORGANIZATIONS



SendGrid Operations



SendGrid



MDN Web Docs



Ruby-Processing



Turing School Projects



Turing School of Software &amp; Design



Turing School of Software &amp; Design



Scholars' Academy



Jumpstart Lab



Steve Kinney

@stevekinney

[Repositories](#)[Settings](#)

We're only showing your public repositories. You can find your private projects on [travis-ci.com](#).

[Legacy Service Integration](#)

advanced-js-fundamentals-ck

[Settings](#)

algorithms

[Settings](#)

audiophonic

[Settings](#)

awesome-electron

[Settings](#)

aws-amplify

[Settings](#)

AWS-for-Frontend-Engineers

[Settings](#)

babel-lab

[Settings](#)



## MY ACCOUNT



Steve Kinney

[Sync account](#)

## ORGANIZATIONS



SendGrid Operations



SendGrid



MDN Web Docs



Ruby-Processing



Turing School Projects



Turing School of Software &amp; Design



Turing School of Software &amp; Design



Scholars' Academy



Jumpstart Lab




Steve Kinney

@stevekinney

[Repositories](#)[Settings](#)

We're only showing your public repositories. You can find your private projects on [travis-ci.com](#).

## Legacy Services Integration

 noted noted re-noted noted-dryrun react-serialize-unsupported-attributes[Settings](#)[Settings](#)[Settings](#)[Settings](#)



Search all repositories



My Repositories +

✓ stevekinney/re-noted # 8

⌚ Duration: 1 min 42 sec  
📅 Finished: about 6 hours ago

! mike-works/pwa-fundamental # 1281

⌚ Duration: 1 min 1 sec  
📅 Finished: a day ago

! sendgrid/sendgrid-ruby # 462

⌚ Duration: 1 hr 3 min 37 sec  
📅 Finished: 2 days ago

✓ sendgrid/sendgrid-csharp # 918

⌚ Duration: 7 min 55 sec  
📅 Finished: 2 days ago

✗ sendgrid/sendgrid-nodejs # 1038

⌚ Duration: 9 min 51 sec  
📅 Finished: 2 days ago

stevekinney / noted-dryrun

build unknown

Current Branches Build History Pull Requests Settings

More options

General

✓ Build pushed branches ?

✗ Limit concurrent jobs ?

✓ Build pushed pull requests ?

Auto Cancellation

Auto Cancellation allows you to only run builds for the latest commits in the queue. This setting can be applied to builds for Branch builds and Pull Request builds separately. Builds will only be canceled if they are waiting to run, allowing for any running jobs to finish.

✓ Auto cancel branch builds

✓ Auto cancel pull request builds

Environment Variables

Notice that the values are not escaped when your builds are executed. Special characters (for bash) should be escaped accordingly.



Please make sure your secret key is never related to the repository, branch name, or any other guessable string. For more tips on generating keys

Finished: 2 days ago

✗ sendgrid/sendgrid-nodejs

# 1038

Duration: 9 min 51 sec

Finished: 2 days ago

✗ sendgrid/sendgrid-java

# 672

Duration: 15 min 2 sec

Finished: 2 days ago

✓ sendgrid/sendgrid-php

# 1116

Duration: 6 min 58 sec

Finished: 2 days ago

✓ sendgrid/sendgrid-go

# 517

Duration: 1 hr 1 min 14 sec

Finished: 2 days ago

✓ sendgrid/sendgrid-python

# 1312

Duration: 12 min 51 sec

Finished: 2 days ago

✓ turingschool-projects/census

# 1222

Duration: 2 min 22 sec

Finished: 4 days ago

✓ turingschool/full-circle

# 370

Duration: 2 min 43 sec

Environment Variables

Notice that the values are not escaped when your builds are executed. Special characters (for bash) should be escaped accordingly.

Please make sure your secret key is never related to the repository, branch name, or any other guessable string. For more tips on generating keys read our [documentation](#).

Name

Value

☐ Display value in build log

Add

Cron Jobs

Branch

master

Interval

monthly

Options

Always run

Add

Finished: 2 days ago

✖ sendgrid/sendgrid-nodejs # 1038

Duration: 9 min 51 sec

Finished: 2 days ago

✖ sendgrid/sendgrid-java # 672

Duration: 15 min 2 sec

Finished: 2 days ago

✓ sendgrid/sendgrid-php # 1116

Duration: 6 min 58 sec

Finished: 2 days ago

✓ sendgrid/sendgrid-go # 517

Duration: 1 hr 1 min 14 sec

Finished: 2 days ago

✓ sendgrid/sendgrid-python # 1312

Duration: 12 min 51 sec

Finished: 2 days ago

✓ turingschool-projects/census # 1222

Duration: 2 min 22 sec

Finished: 4 days ago

✓ turingschool/full-circle # 370

Duration: 2 min 43 sec

Environment Variables

Notice that the values are not escaped when your builds are executed. Special characters (for bash) should be escaped accordingly.

AWS\_ACCESS\_KEY\_ID

••••••••••

AWS\_SECRET\_ACCESS\_KEY

••••••••••

Please make sure your secret key is never related to the repository, branch name, or any other guessable string. For more tips on generating keys read our documentation.

CLOUDFRONT\_ID

E1TQOFM4QT5LYF

☒ Display value in build log

Add

Cron Jobs

Branch master Interval monthly Options Always run

Add



Finished: 2 days ago

✗ sendgrid/sendgrid-nodejs

# 1038

Duration: 9 min 51 sec

Finished: 2 days ago

✗ sendgrid/sendgrid-java

# 672

Duration: 15 min 2 sec

Finished: 2 days ago

✓ sendgrid/sendgrid-php

# 1116

Duration: 6 min 58 sec

Finished: 2 days ago

✓ sendgrid/sendgrid-go

# 517

Duration: 1 hr 1 min 14 sec

Finished: 2 days ago

✓ sendgrid/sendgrid-python

# 1312

Duration: 12 min 51 sec

Finished: 2 days ago

✓ turing-school-projects/census

# 1222

Duration: 2 min 22 sec

Finished: 4 days ago

✓ turing-school/full-circle

# 370

Duration: 2 min 43 sec

Environment Variables

Notice that the values are not escaped when your builds are executed. Special characters (for bash) should be escaped accordingly.

AWS\_ACCESS\_KEY\_ID

••••••••••

AWS\_SECRET\_ACCESS\_KEY

••••••••••

CLOUDFRONT\_ID

E1TQOFM4QT5LYF

S3\_BUCKET

mysuperfunwebsite.com

Please make sure your secret key is never related to the repository, branch name, or any other guessable string. For more tips on generating keys read our documentation.

Name

Value

Display value in build log

Add

Cron Jobs

Branch

master

Interval

monthly

Options


Always run

Add




github.com/stevekinney/noted-dryrun

stevekinney/noted-dryrun - Travis CI

stevekinney/noted-dryrun



[Pull requests](#) [Issues](#) [Marketplace](#) [Explore](#)

stevekinney / noted-dryrun

[Unwatch](#) 1 [Star](#) 0 [Fork](#) 0

[Code](#) [Issues 0](#) [Pull requests 0](#) [Projects 0](#) [Wiki](#) [Insights](#) [Settings](#)

No description, website, or topics provided. [Edit](#)

[Add topics](#)

2 commits

1 branch

0 releases

1 contributor

Branch: master


New pull request

Create new file

Upload files

Find file

Clone or download

 **stevekinney** Remove .travis.yml

Latest commit d05b73c 2 hours ago

config	Initial commit	2 hours ago
public	Initial commit	2 hours ago
src	Initial commit	2 hours ago
.babelrc	Initial commit	2 hours ago
.eslintrc	Initial commit	2 hours ago
.gitignore	Initial commit	2 hours ago
package.json	Initial commit	2 hours ago
yarn.lock	Initial commit	2 hours ago

Help people interested in this repository understand your project by adding a README.

Add a README



GitHub, Inc. github.com/stevekinney/noted-dryrun/new/master

stevekinney/noted-dryrun - Travis CI

Search or jump to... Pull requests Issues Marketplace Explore

stevekinney / noted-dryrun

Unwatch 1 Star 0 Fork 0

Code Issues 0 Pull requests 0 Projects 0 Wiki Insights Settings

noted-dryrun / .travis.yml or cancel

Edit new file Preview Spaces 2 No wrap

```
1 language: node_js
2 node_js:
3   - '8'
4 cache:
5   yarn: true
6   directories:
7     - node_modules
8 script:
9   - yarn test
10 before_deploy:
11   - yarn global add travis-ci-cloudfront-invalidation
12   - yarn run build
13 deploy:
14   provider: s3
15   access_key_id: $AWS_ACCESS_KEY_ID
16   secret_access_key: $AWS_SECRET_ACCESS_KEY
17   bucket: $S3_BUCKET
18   skip_cleanup: true
19   local-dir: dist
20   on:
21     branch: master
22 after_deploy:
23   - travis-ci-cloudfront-invalidation -a $AWS_ACCESS_KEY_ID -s $AWS_SECRET_ACCESS_KEY -c $CLOUDFRONT_ID -i '/*' -b $TRAVIS_BRANCH
```



## Commit new file

Create .travis.yml

Add an optional extended description...

 ?

- ☒ Commit directly to the `master` branch.
- ☐ Create a new branch for this commit and start a pull request. [Learn more about pull requests.](#)

Commit new file

Cancel

Travis CI

About UsBlogStatusHelp

Steve Kinney

Search all repositories

My Repositories

stevekinney/noted-dryrun # 1

Duration: 12 sec

stevekinney/re-noted # 8

Duration: 1 min 42 sec

Finished: about 6 hours ago

mike-works/pwa-fundamental # 1281

Duration: 1 min 1 sec

Finished: a day ago

sendgrid/sendgrid-ruby # 462

Duration: 1 hr 3 min 37 sec

Finished: 2 days ago

sendgrid/sendgrid-csharp # 918

Duration: 7 min 55 sec

Finished: 2 days ago

stevekinney / noted-dryrun

build unknown

CurrentBranchesBuild HistoryPull RequestsSettings

More options

General

Build pushed branches

Limit concurrent jobs

Build pushed pull requests

Auto Cancellation

Auto Cancellation allows you to only run builds for the latest commits in the queue. This setting can be applied to builds for Branch builds and Pull Request builds separately. Builds will only be canceled if they are waiting to run, allowing for any running jobs to finish.

Auto cancel branch builds

Auto cancel pull request builds

Environment Variables

Notice that the values are not escaped when your builds are executed. Special characters (for bash) should be escaped accordingly.

AWS\_ACCESS\_KEY\_ID

.....