

Model Guide – Common Tasks – Feb 2026

One more time ...

- Create simple images (text-to-image basics): Use **Flux.1 Dev** or **Z-Image Turbo bf16** for quick photoreal generation; fallback to SDXL Base 1.0 for legacy compatibility.
- Change brightness (global adjustments): Use **Qwen-Image-Edit-2511** with a prompt like "increase brightness"; or **Flux.1 Kontext Dev** for text-based tweaks without masks.
- Change background: Use **Flux.1 Fill Dev** for inpainting the background area; or **Qwen-Image-Edit-2509** for precise object-preserving edits.
- Add a person/thing: Use **Qwen-Image-Edit-2511** for seamless addition via prompts/masks; or **Flux.1 Kontext Dev** for context-aware integration.
- Delete a person/thing: Use **Flux.1 Fill Dev** for masking and inpainting removal; or **Qwen-Image-Edit-2509** for clean, photoreal deletions.
- Combine two images: Use **Flux.2 Dev** for multi-reference img2img blending; or **Z-Image Turbo Fun ControlNet Union with depth/canny** for guided merging.
- Restore an old photograph: Use **Qwen-Image-Edit-2511** for expert fixes (scratches, color, details); or **Realistic Vision V5.1 (SD1.5)** with **ControlNet depth** for structure preservation.
- Turn a realistic photograph into a fun image (e.g., puppets or stylized): Use **Flux.1 Kontext Dev** with style LoRAs like **Master-Claymation**; or **Juggernaut XL Ragnarok (SDXL)** with **ColoringBookRedmond LoRA** for cartoon/puppet effects.
- Upscale an image: Use **4x-UltraSharp.pth** or **4x_NMKD-Siax_200k.pth** with **ESRGAN nodes** for high-res detail enhancement.
- Face enhancement or swap: Use **IP-Adapter-FaceID SDXL** with **Insightface** models for identity preservation/swaps in edits.
- Guided pose/structure editing: Use **ControlNet SD1.5 (canny/openpose)** with **Juggernaut Reborn (SD1.5)** for pose adjustments in photoreal scenes.
- Text addition/typography: Use **SD3 Medium incl Clips T5XXL fp16** for accurate text overlays in images.
- Outpainting is an AI image editing technique that extends an image beyond its original borders, generating new content (e.g., backgrounds, scenes) while seamlessly matching the style, lighting, and details of the source image. It's great for expanding cropped photos, creating panoramic views, or restoring incomplete images in your photoreal workflows. Recommended Model: Use your **Flux.1 Fill Dev (flux1-fill-dev.safetensors or Q8 gguf variant)** – it's specialized for outpainting and inpainting, producing high-quality, photoreal results with good coherence. For

alternatives, try [Qwen-Image-Edit-2511](#) (for prompt-based extensions) or [Z-Image Turbo bf16](#) (with ControlNet for guided outpainting).

NOTES ON OUTPAINTING:

Basic ComfyUI Workflow Steps: Load your source image (use "Load Image" node).

Add "Pad Image for Outpainting" node: Set padding pixels (e.g., left=0, right=512, top=0, bottom=0 to extend right side) and feathering (e.g., 64 pixels) for smooth blending.

Connect to "Inpaint Model Conditioning" or "Flux Guidance" node for control.

Use your Flux.1 Fill Dev as the checkpoint; add a positive prompt describing the new area (e.g., "seamless extension of forest landscape, photorealistic, matching lighting").

Decode with VAEDecode and your ae.safetensors VAE.

Run the queue (Ctrl+Enter); adjust denoising strength (0.6–0.8) and steps (20–30) for best results.