SauceDemo Bug Triage Test Plan

1. Project Overview

Item	Details
Project	Next Gen Capstone – Bug Triage Exercise
Application	SauceDemo / Swag Labs
URL	https://www.saucedemo.com/
Test Plan ID	TP-SD-001
Test type	Functional, exploratory, compatibility, UI and basic performance testing
Automation	Cypress
Platform	Desktop web application

2. Purpose and Objectives

This test plan defines how SauceDemo will be tested to identify, reproduce, document and triage defects. The standard_user account will establish the expected behaviour, while the other provided accounts will be compared against this baseline.

The objectives are to:

1. Verify the complete shopping journey from login to order completion.
2. Test authentication, product sorting, product details, cart management and checkout validation.
3. Confirm that product information, cart contents and order totals remain accurate throughout the journey.
4. identify reproducible functional, performance and visual defects across the different SauceDemo accounts.
5. Assign appropriate severity, priority and triage decisions to confirmed defects.
6. Automate the most stable and important user journeys with Cypress.

3. Test Scope

In scope

Area	What will be tested
Login and session	Valid, invalid, blank and locked-out login attempts; logout and restricted-page access
Product inventory	Six products, names, prices, descriptions, images and Add to Cart actions
Product sorting	Name A–Z, Name Z–A, Price low–high and Price high–low
Product details	Opening a product, matching product information and returning to the inventory
Shopping cart	Adding and removing products, cart badge, multiple products and cart persistence
Checkout information	First Name, Last Name and Zip/Postal Code validation
Checkout overview	Products, quantities, item total, tax and final total
Order completion	Completing an order, confirmation message and cart reset
Navigation	All Items, About, Logout and Reset App State
Account comparison	Functional, performance and visual differences across the provided accounts
Browser compatibility	Critical shopping journey on two desktop browsers

Out of scope

- Backend and database testing
- API testing with Postman
- Real payment or shipping processing
- User registration and password recovery
- Load and stress testing with JMeter

- Mobile application testing
- Full accessibility or penetration-security audits
- Detailed testing of external websites opened from SauceDemo

These areas are excluded because SauceDemo does not provide access to real backend services, payment systems or public APIs.

4. Test Approach

Baseline functional testing

The complete shopping journey will first be tested with standard_user. This establishes the expected behaviour for login, inventory, sorting, product details, cart, checkout, order completion and logout.

Negative testing

Negative scenarios will include:

- Empty username or password
- Incorrect username or password
- Locked-out account
- Missing checkout information
- Accessing restricted pages without being logged in
- Using the browser Back button after logout
- Opening an invalid product URL
- Attempting checkout with an empty cart

Account-specific exploratory testing

Account	Testing focus
standard_user	Baseline and complete purchase journey
locked_out_user	Login restriction and error message
problem_user	Product, sorting, cart and checkout inconsistencies
performance_glitch_user	Page-loading delays compared with the baseline

error_user	Failed actions and error handling
visual_user	Images, prices, alignment and layout consistency

The account names will not automatically be treated as proof of defects. Every issue must be reproduced through the user interface and compared with standard_user.

Compatibility and performance testing

The critical purchase journey will be tested primarily in Google Chrome and repeated in Microsoft Edge or Mozilla Firefox.

Performance testing will be comparative only. Page-loading times for performance_glitch_user will be compared with standard_user under the same network conditions. No formal performance limit will be claimed because SauceDemo provides no published performance requirement.

Automation

Approximately five to six stable scenarios will be automated with Cypress:

1. Successful standard-user login
2. Rejected locked-user login
3. Product sorting
4. Adding and removing a product
5. Checkout required-field validation
6. Complete purchase journey

Account-specific visual and unstable behaviours will remain manual because they require human comparison.

5. Test Environment and Data

Item	Configuration
Environment	Live SauceDemo website
Operating system	Windows 10 or Windows 11
Primary browser	Google Chrome

Secondary browser	Microsoft Edge or Mozilla Firefox
Screen sizes	1366 × 768 and 1920 × 1080
Automation tool	Cypress with JavaScript
Supporting tools	Browser Developer Tools and Google Sheets or Excel
Evidence	Screenshots, short recordings and Cypress results

Exact browser and operating-system versions will be recorded during execution.

All provided accounts use the public password secret_sauce.

The main multi-product checkout will use:

- Sauce Labs Backpack — $29.99
- Sauce Labs Bike Light — $9.99
- Expected item subtotal before tax — $39.98

Test checkout information:

- First Name: Amina
- Last Name: Okafor
- Zip/Postal Code: 100001

Application state and browser data will be reset before comparing different accounts.

Approximately 25–35 manual test cases will be created. The final number will be confirmed after the detailed test cases are designed.

6. Bug Reporting and Triage

A failed test will only be reported as a confirmed bug after the tester:

1. Resets the application state.
2. Repeat the test steps.
3. Attempts reproduction three times where practical.
4. Records the reproduction rate, such as 3/3.
5. Compare the result with standard_user.
6. Check the secondary browser where relevant.

7. Captures screenshot, video or browser evidence.
8. Confirms that the failure was not caused by incorrect test data or tester error.

Each bug report will include a bug ID, title, module, account, environment, preconditions, steps, expected result, actual result, reproduction rate, evidence, severity, priority, status and related test-case ID.

Severity

Level	Definition
Critical	The application is unavailable, all valid users cannot log in or the complete purchase process fails for all users
High	A valid affected user cannot add products, use the cart or complete checkout, or order totals are incorrect
Medium	Sorting, navigation, product details, form behaviour or cart state is incorrect, but a workaround exists
Low	Cosmetic problems involving images, text, spacing or alignment that do not prevent checkout

Priority

Level	Meaning
P0	Immediate correction required
P1	Correct in the next development cycle
P2	Schedule after critical shopping functions are stable
P3	Keep in the backlog for later correction

Severity and priority will be assigned separately because a highly visible problem may require urgent attention even when it does not stop the shopping journey.

The triage workflow will be:

New → Confirmed, Rejected or Duplicate → Triaged → Open or Deferred → Retest → Closed or Reopened

Because the tester cannot deploy corrections to the public SauceDemo application, valid unresolved defects may finish as **Confirmed–Open** or **Deferred**.

7. Entry and Exit Criteria

Entry criteria

Testing can begin when:

- SauceDemo is accessible.
- The test plan has been reviewed.
- Test cases and public credentials are available.
- The browsers, evidence tools and Cypress environment are ready.
- Application state has been reset.

Exit criteria

Testing will be complete when:

- All planned manual tests have been executed.
- All selected account-specific exploratory tests are completed.
- All planned Cypress tests have been executed.
- Every failed test has been checked again.
- Confirmed bugs contain evidence, severity, priority and triage status.
- No Critical or High bug remains untriaged.
- The test summary and 2–3 minute demonstration video are completed.

Testing does not require every test to pass because the purpose of the project is to discover and triage defects rather than fix SauceDemo.

8. Risks and Mitigation

Risk	Mitigation
The public application may change during the project	Record execution dates, browser versions and evidence
Account names may reveal expected failures	Test through the interface and report only independently reproduced issues

Cart or login state may remain between sessions	Reset App State and clear browser data before account comparisons
There is no formal requirements document	Use visible requirements and standard_user as the baseline
Network delay may be mistaken for a performance defect	Repeat measurements under the same conditions
Existing SauceDemo projects may make the work appear copied	Use original test cases, screenshots, reproduction rates and triage reasoning

9. Deliverables

The project will produce:

1. Approved SauceDemo test plan
2. Detailed manual test cases
3. Exploratory testing records
4. Evidence-supported bug reports
5. Severity and priority classifications
6. Bug triage log
7. Cypress automation scripts and results
8. Final test summary
9. A 2–3 minute demonstration video