

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Este documento será escrito em / *This document will be written in:*

☐ Português/Portuguese / ☒ Inglês/English / ☐ Português-Inglês/Portuguese-English

PRODUCTS - CLASS IIb - RULE 8 - Abutments

Manufacturer
SRN: BR-MF-000014512 JJGC Indústria e Comércio de Materiais Dentários S/A
Av. Juscelino Kubitschek de Oliveira, 3291 - Curitiba-PR - Brazil

European Representative
Etkon GmbH,
Lochhamer Schlag 6, 82166 Gräfelfing, Germany.

Notified Body Number
DEKRA Certification B.V., Meander 1051, 6825 MJ Arnhem, 6802 ED Arnhem, The Netherlands

Intended Purpose / Intended Use
The Neodent Implant System is intended to be surgically placed in the bone of the upper or lower jaw to provide support for prosthetic devices, such as artificial teeth, to restore chewing function. It may be used with single-stage or two-stage procedures, for single or multiple unit restorations, and may be loaded immediately when good primary stability is achieved and with appropriate occlusal loading.

We declare for our exclusive responsibility the medical devices presented below, of **class IIb - rule 8**, according to Annex IX of Directive 93/42/EEC, in accordance with all the provisions of Directive 93/42/EEC and the corresponding Directive 2007/47/EC, applicable.

Item	Description	GMDN Code
102.060	MINI BALL ATTACHMENT 4.1X2 mm	44879
102.061	MINI BALL ATTACHMENT 4.1X3 mm	44879
102.062	MINI BALL ATTACHMENT 4.1X4 mm	44879
102.063	MINI BALL ATTACHMENT 4.3X2 mm	44879
102.064	MINI BALL ATTACHMENT 4.3X3 mm	44879
102.065	MINI BALL ATTACHMENT 4.3X4 mm	44879
102.066	MINI BALL ATTACHMENT 5.0X2 mm	44879
102.067	MINI BALL ATTACHMENT 5.0X3 mm	44879
102.068	MINI BALL ATTACHMENT 5.0X4 mm	44879
102.069	CM MINI BALL ATTACHMENT 1.5 mm	44879
102.070	CM MINI BALL ATTACHMENT 2.5 mm	44879
102.071	CM MINI BALL ATTACHMENT 3.5 mm	44879
102.084	MINI BALL ATTACHMENT II 4.3X2 mm	44879
102.085	MINI BALL ATTACHMENT II 4.3X3 mm	44879
102.086	MINI BALL ATTACHMENT II 4.3X4 mm	44879
102.087	MINI BALL ATTACHMENT II 5.0X2 mm	44879
102.088	MINI BALL ATTACHMENT II 5.0X3 mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapas / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
102.089	MINI BALL ATTACHMENT II 5.0X4 mm	44879
102.090	MINI BALL ATTACHMENT II PLUS 2.0 mm	44879
102.091	MINI BALL ATTACHMENT II PLUS 3.0 mm	44879
102.092	MINI BALL ATTACHMENT II PLUS 4.0 mm	44879
102.093	MINI BALL ATTACHMENT 4.1X5 mm	44879
102.094	MINI BALL ATTACHMENT 4.3X5 mm	44879
102.095	MINI BALL ATTACHMENT 5.0X5 mm	44879
102.096	MINI BALL ATTACHMENT II PLUS 5.0 mm	44879
102.097	CM MINI BALL ATTACHMENT 4.5 mm	44879
102.098	CM MINI BALL ATTACHMENT 5.5 mm	44879
102.100	FACILITY EQUATOR ATTACHMENT 1.5 mm	44879
102.102	FACILITY EQUATOR ATTACHMENT 2.5 mm	44879
102.104	FACILITY EQUATOR ATTACHMENT 3.5 mm	44879
102.105	FACILITY EQUATOR ATTACHMENT 4.5 mm	44879
102.120	EQUATOR ATTACHMENT 4.1X2 mm	44879
102.121	EQUATOR ATTACHMENT 4.1X3 mm	44879
102.122	EQUATOR ATTACHMENT 4.1X4 mm	44879
102.123	EQUATOR ATTACHMENT 4.1X5 mm	44879
102.124	EQUATOR ATTACHMENT 4.3X2 mm	44879
102.125	EQUATOR ATTACHMENT 4.3X3 mm	44879
102.126	EQUATOR ATTACHMENT 4.3X4 mm	44879
102.127	EQUATOR ATTACHMENT 4.3X5 mm	44879
102.128	EQUATOR ATTACHMENT 5.0X2 mm	44879
102.129	EQUATOR ATTACHMENT 5.0X3 mm	44879
102.130	EQUATOR ATTACHMENT 5.0X4 mm	44879
102.131	EQUATOR ATTACHMENT 5.0X5 mm	44879
102.132	CM EQUATOR ATTACHMENT 1.5 mm	44879
102.133	CM EQUATOR ATTACHMENT 2.5 mm	44879
102.134	CM EQUATOR ATTACHMENT 3.5 mm	44879
102.135	CM EQUATOR ATTACHMENT 4.5 mm	44879
102.136	CM EQUATOR ATTACHMENT 5.5 mm	44879
102.137	II PLUS EQUATOR ATTACHMENT 2.0 mm	44879
102.138	II PLUS EQUATOR ATTACHMENT 3.0 mm	44879
102.139	II PLUS EQUATOR ATTACHMENT 4.0 mm	44879
102.140	II PLUS EQUATOR ATTACHMENT 5.0 mm	44879
102.143	GM EQUATOR ATTACHMENT 1.5 mm	44879
102.144	GM EQUATOR ATTACHMENT 2.5 mm	44879
102.145	GM EQUATOR ATTACHMENT 3.5 mm	44879
102.146	GM EQUATOR ATTACHMENT 4.5 mm	44879
102.147	GM EQUATOR ATTACHMENT 5.5 mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
102.161	GM NOVALOC 0.8 mm	44879
102.162	GM NOVALOC 1.5 mm	44879
102.163	GM NOVALOC 2.5 mm	44879
102.164	GM NOVALOC 3.5 mm	44879
102.165	GM NOVALOC 4.5 mm	44879
102.166	GM NOVALOC 5.5 mm	44879
102.167	GM NOVALOC 15 DEGREES 0.8 mm	44879
102.168	GM NOVALOC 15 DEGREES 1.5 mm	44879
102.169	GM NOVALOC 15 DEGREES 2.5 mm	44879
102.170	GM NOVALOC 15 DEGREES 3.5 mm	44879
102.171	GM NOVALOC 15 DEGREES 4.5 mm	44879
102.172	GM NOVALOC 15 DEGREES 5.5 mm	44879
106.060	PARALLEL HEALING ABUTMENT 3.3X2 mm	44880
106.061	PARALLEL HEALING ABUTMENT 3.3X3 mm	44880
106.062	PARALLEL HEALING ABUTMENT 3.3X4 mm	44880
106.063	PARALLEL HEALING ABUTMENT 3.3X5 mm	44880
106.065	DIVERGENT HEALING ABUTMENT 3.3X2 mm	44880
106.066	DIVERGENT HEALING ABUTMENT 3.3X3 mm	44880
106.067	DIVERGENT HEALING ABUTMENT 3.3X4 mm	44880
106.068	DIVERGENT HEALING ABUTMENT 3.3X5 mm	44880
106.092	DIVERGENT HEALING ABUTMENT 4.1X2 mm	44880
106.093	DIVERGENT HEALING ABUTMENT 4.1X3 mm	44880
106.094	DIVERGENT HEALING ABUTMENT 4.1X4 mm	44880
106.095	DIVERGENT HEALING ABUTMENT 4.1X5 mm	44880
106.097	PARALLEL HEALING ABUTMENT 5.0X2 mm	44880
106.098	PARALLEL HEALING ABUTMENT 5.0X3 mm	44880
106.099	PARALLEL HEALING ABUTMENT 5.0X4 mm	44880
106.127	DIVERGENT HEALING ABUTMENT 5.0X2 mm	44880
106.128	DIVERGENT HEALING ABUTMENT 5.0X3 mm	44880
106.129	DIVERGENT HEALING ABUTMENT 5.0X4 mm	44880
106.130	DIVERGENT HEALING ABUTMENT 5.0X5 mm	44880
106.132	PARALLEL HEALING ABUTMENT 4.3X2 mm	44880
106.133	PARALLEL HEALING ABUTMENT 4.3X3 mm	44880
106.134	PARALLEL HEALING ABUTMENT 4.3X4 mm	44880
106.135	PARALLEL HEALING ABUTMENT 4.3X5 mm	44880
106.140	DIVERGENT HEALING ABUTMENT 4.3X2 mm	44880
106.141	DIVERGENT HEALING ABUTMENT 4.3X3 mm	44880
106.142	DIVERGENT HEALING ABUTMENT 4.3X4 mm	44880
106.143	DIVERGENT HEALING ABUTMENT 4.3X5 mm	44880
106.168	CM HEALING ABUTMENT 3.3X1.5 mm	44880

Tipo de Documento / Document Type:	SGQ - Registro	Etapas / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
106.169	CM HEALING ABUTMENT 3.3X2.5 mm	44880
106.170	CM HEALING ABUTMENT 3.3X3.5 mm	44880
106.171	CM HEALING ABUTMENT 4.5X1.5 mm	44880
106.172	CM HEALING ABUTMENT 4.5X2.5 mm	44880
106.173	CM HEALING ABUTMENT 4.5X3.5 mm	44880
106.174	CM HEALING ABUTMENT 4.5X4.5 mm	44880
106.175	CM HEALING ABUTMENT 4.5X0.8 mm	44880
106.176	HEALING ABUTMENT II PLUS 2.0 mm	44880
106.177	HEALING ABUTMENT II PLUS 3.0 mm	44880
106.178	HEALING ABUTMENT II PLUS 4.0 mm	44880
106.179	HEALING ABUTMENT II PLUS 5.0 mm	44880
106.180	CM HEALING ABUTMENT 4.5X5.5 mm	44880
106.181	CM HEALING ABUTMENT 4.5X6.5 mm	44880
106.182	CM HEALING ABUTMENT 3.3X0.8 mm	44880
106.183	CM HEALING ABUTMENT 3.3X4.5 mm	44880
106.184	CM HEALING ABUTMENT 3.3X5.5 mm	44880
106.185	CM HEALING ABUTMENT 3.3X6.5 mm	44880
106.186	WS HEALING ABUTMENT 0.8 mm	44880
106.187	WS HEALING ABUTMENT 1.5 mm	44880
106.188	WS HEALING ABUTMENT 2.5 mm	44880
106.189	WS HEALING ABUTMENT 3.5 mm	44880
106.190	SF HEALING ABUTMENT 4.1X2 mm	44880
106.191	SF HEALING ABUTMENT 4.1X3 mm	44880
106.192	SF HEALING ABUTMENT 4.1X4 mm	44880
106.193	SF HEALING ABUTMENT 4.1X5 mm	44880
106.194	SF HEALING ABUTMENT 4.1X6 mm	44880
106.195	SF HEALING ABUTMENT 5.0X2 mm	44880
106.196	SF HEALING ABUTMENT 5.0X3 mm	44880
106.197	SF HEALING ABUTMENT 5.0X4 mm	44880
106.198	SF HEALING ABUTMENT 5.0X5 mm	44880
106.200	FACILITY HEALING ABUTMENT 1.5 mm	44880
106.201	FACILITY HEALING ABUTMENT 2.5 mm	44880
106.202	FACILITY HEALING ABUTMENT 3.5 mm	44880
106.203	FACILITY HEALING ABUTMENT 4.5 mm	44880
106.207	GM HEALING ABUTMENT 3.3X0.8 mm	44880
106.208	GM HEALING ABUTMENT 3.3X1.5 mm	44880
106.209	GM HEALING ABUTMENT 3.3X2.5 mm	44880
106.210	GM HEALING ABUTMENT 3.3X3.5 mm	44880
106.211	GM HEALING ABUTMENT 3.3X4.5 mm	44880
106.212	GM HEALING ABUTMENT 3.3X5.5 mm	44880

Tipo de Documento / Document Type:	SGQ - Registro	Etapas / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
106.213	GM HEALING ABUTMENT 4.5X0.8 mm	44880
106.214	GM HEALING ABUTMENT 4.5X1.5 mm	44880
106.215	GM HEALING ABUTMENT 4.5X2.5 mm	44880
106.216	GM HEALING ABUTMENT 4.5X3.5 mm	44880
106.217	GM HEALING ABUTMENT 4.5X4.5 mm	44880
106.218	GM HEALING ABUTMENT 4.5X5.5 mm	44880
106.223	GM CUSTOMIZABLE HEALING ABUTMENT 5.5X1.5 mm	44880
106.224	GM CUSTOMIZABLE HEALING ABUTMENT 5.5X2.5 mm	44880
106.225	GM CUSTOMIZABLE HEALING ABUTMENT 5.5X3.5 mm	44880
106.226	GM CUSTOMIZABLE HEALING ABUTMENT 5.5X4.5 mm	44880
106.227	GM CUSTOMIZABLE HEALING ABUTMENT 5.5X5.5 mm	44880
106.228	GM CUSTOMIZABLE HEALING ABUTMENT 7.0X2.5 mm	44880
106.229	GM CUSTOMIZABLE HEALING ABUTMENT 7.0X3.5 mm	44880
106.230	GM CUSTOMIZABLE HEALING ABUTMENT 7.0X4.5 mm	44880
106.231	GM CUSTOMIZABLE HEALING ABUTMENT 7.0X5.5 mm	44880
106.232	GM CUSTOMIZABLE HEALING ABUTMENT 7.0X6.5 mm	44880
106.233	ZIRCONIA IMPLANT HEALING ABUTMENT 3.75 X 1.5 mm	44880
106.234	ZIRCONIA IMPLANT HEALING ABUTMENT 3.75 X 2.5 mm	44880
106.235	ZIRCONIA IMPLANT HEALING ABUTMENT 4.5 X 1.5 mm	44880
106.236	ZIRCONIA IMPLANT HEALING ABUTMENT 4.5 X 2.5 mm	44880
106.237	GM HEALING FOR COCR ABUTMENT 3.5/3.75	44880
106.238	GM HEALING FOR COCR ABUTMENT 4.0/4.3	44880
106.239	GM HEALING FOR COCR ABUTMENT 5.0/6.0	44880
114.052	CUSTOMIZABLE ABUTMENT II 4.3/5.0 mm	44879
114.077	CM UNIVERSAL ABUTMENT (1 PIECE) 3.3X4X1.5 mm	44879
114.078	CM UNIVERSAL ABUTMENT (1 PIECE) 3.3X4X2.5 mm	44879
114.079	CM UNIVERSAL ABUTMENT (1 PIECE) 3.3X4X3.5 mm	44879
114.080	CM UNIVERSAL ABUTMENT (1 PIECE) 4.5X4X1.5 mm	44879
114.081	CM UNIVERSAL ABUTMENT (1 PIECE) 4.5X4X2.5 mm	44879
114.082	CM UNIVERSAL ABUTMENT (1 PIECE) 4.5X4X3.5 mm	44879
114.083	CM UNIVERSAL ABUTMENT (1 PIECE) 4.5X6X1.5 mm	44879
114.084	CM UNIVERSAL ABUTMENT (1 PIECE) 4.5X6X2.5 mm	44879
114.085	CM UNIVERSAL ABUTMENT (1 PIECE) 4.5X6X3.5 mm	44879
114.086	CM UNIVERSAL ABUTMENT (1 PIECE) 3.3X6X1.5 mm	44879
114.087	CM UNIVERSAL ABUTMENT (1 PIECE) 3.3X6X2.5 mm	44879
114.088	CM UNIVERSAL ABUTMENT (1 PIECE) 3.3X6X3.5 mm	44879
114.089	CM UNIVERSAL ABUTMENT 17 3.3X4X1.5 mm	44879
114.090	CM UNIVERSAL ABUTMENT 17 3.3X4X2.5 mm	44879
114.091	CM UNIVERSAL ABUTMENT 17 3.3X4X3.5 mm	44879
114.092	CM UNIVERSAL ABUTMENT 17 3.3X6X1.5 mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
114.093	CM UNIVERSAL ABUTMENT 17 3.3X6X2.5 mm	44879
114.094	CM UNIVERSAL ABUTMENT 17 3.3X6X3.5 mm	44879
114.095	CM UNIVERSAL ABUTMENT 17 4.5X4X1.5 mm	44879
114.096	CM UNIVERSAL ABUTMENT 17 4.5X4X2.5 mm	44879
114.097	CM UNIVERSAL ABUTMENT 17 4.5X4X3.5 mm	44879
114.098	CM UNIVERSAL ABUTMENT 17 4.5X6X1.5 mm	44879
114.099	CM UNIVERSAL ABUTMENT 17 4.5X6X2.5 mm	44879
114.100	CM UNIVERSAL ABUTMENT 17 4.5X6X3.5 mm	44879
114.101	CM UNIVERSAL ABUTMENT 30 3.3X4X1.5 mm	44879
114.102	CM UNIVERSAL ABUTMENT 30 3.3X4X2.5 mm	44879
114.103	CM UNIVERSAL ABUTMENT 30 3.3X4X3.5 mm	44879
114.104	CM UNIVERSAL ABUTMENT 30 3.3X6X1.5 mm	44879
114.105	CM UNIVERSAL ABUTMENT 30 3.3X6X2.5 mm	44879
114.106	CM UNIVERSAL ABUTMENT 30 3.3X6X3.5 mm	44879
114.107	CM UNIVERSAL ABUTMENT 30 4.5X4X1.5 mm	44879
114.108	CM UNIVERSAL ABUTMENT 30 4.5X4X2.5 mm	44879
114.109	CM UNIVERSAL ABUTMENT 30 4.5X4X3.5 mm	44879
114.110	CM UNIVERSAL ABUTMENT 30 4.5X6X1.5 mm	44879
114.111	CM UNIVERSAL ABUTMENT 30 4.5X6X2.5 mm	44879
114.112	CM UNIVERSAL ABUTMENT 30 4.5X6X3.5 mm	44879
114.115	CM UNIVERSAL ABUTMENT (2 PIECES) 4.5X4X0.8 mm	44879
114.116	CM UNIVERSAL ABUTMENT (2 PIECES) 4.5X6X0.8 mm	44879
114.117	CM UNIVERSAL ABUTMENT (2 PIECES) 4.5X4X1.5 mm	44879
114.118	CM UNIVERSAL ABUTMENT (2 PIECES) 4.5X4X2.5 mm	44879
114.119	CM UNIVERSAL ABUTMENT (2 PIECES) 4.5X4X3.5 mm	44879
114.120	CM UNIVERSAL ABUTMENT (2 PIECES) 4.5X6X1.5 mm	44879
114.121	CM UNIVERSAL ABUTMENT (2 PIECES) 4.5X6X2.5 mm	44879
114.122	CM UNIVERSAL ABUTMENT (2 PIECES) 4.5X6X3.5 mm	44879
114.123	UNIVERSAL ABUTMENT II PLUS 4.5X4X1 mm	44879
114.124	UNIVERSAL ABUTMENT II PLUS 4.5X4X2 mm	44879
114.125	UNIVERSAL ABUTMENT II PLUS 4.5X4X3 mm	44879
114.126	UNIVERSAL ABUTMENT II PLUS 4.5X6X1 mm	44879
114.127	UNIVERSAL ABUTMENT II PLUS 4.5X6X2 mm	44879
114.128	UNIVERSAL ABUTMENT II PLUS 4.5X6X3 mm	44879
114.129	CM UNIVERSAL ABUTMENT (1 PIECE) 3.3X4X0.8 mm	44879
114.130	CM UNIVERSAL ABUTMENT (1 PIECE) 3.3X6X0.8 mm	44879
114.131	CM UNIVERSAL ABUTMENT (1 PIECE) 4.5X4X0.8 mm	44879
114.132	CM UNIVERSAL ABUTMENT (1 PIECE) 4.5X6X0.8 mm	44879
114.136	CM UNIVERSAL ABUTMENT (1 PIECE) 3.3X4X4.5 mm	44879
114.137	CM UNIVERSAL ABUTMENT (1 PIECE) 3.3X4X5.5 mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapas / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
114.138	CM UNIVERSAL ABUTMENT (1 PIECE) 3.3X4X6.5 mm	44879
114.139	CM UNIVERSAL ABUTMENT (1 PIECE) 3.3X6X4.5 mm	44879
114.140	CM UNIVERSAL ABUTMENT (1 PIECE) 3.3X6X5.5 mm	44879
114.141	CM UNIVERSAL ABUTMENT (1 PIECE) 3.3X6X6.5 mm	44879
114.142	CM UNIVERSAL ABUTMENT (1 PIECE) 4.5X4X4.5 mm	44879
114.143	CM UNIVERSAL ABUTMENT (1 PIECE) 4.5X4X5.5 mm	44879
114.144	CM UNIVERSAL ABUTMENT (1 PIECE) 4.5X4X6.5 mm	44879
114.145	CM UNIVERSAL ABUTMENT (1 PIECE) 4.5X6X4.5 mm	44879
114.146	CM UNIVERSAL ABUTMENT (1 PIECE) 4.5X6X5.5 mm	44879
114.147	CM UNIVERSAL ABUTMENT (1 PIECE) 4.5X6X6.5 mm	44879
114.148	CM UNIVERSAL ABUTMENT (2 PIECES) 3.3X4X0.8 mm	44879
114.149	CM UNIVERSAL ABUTMENT (2 PIECES) 3.3X4X1.5 mm	44879
114.150	CM UNIVERSAL ABUTMENT (2 PIECES) 3.3X4X2.5 mm	44879
114.151	CM UNIVERSAL ABUTMENT (2 PIECES) 3.3X4X3.5 mm	44879
114.152	CM UNIVERSAL ABUTMENT (2 PIECES) 3.3X4X4.5 mm	44879
114.153	CM UNIVERSAL ABUTMENT (2 PIECES) 3.3X4X5.5 mm	44879
114.154	CM UNIVERSAL ABUTMENT (2 PIECES) 3.3X4X6.5 mm	44879
114.155	CM UNIVERSAL ABUTMENT (2 PIECES) 3.3X6X0.8 mm	44879
114.156	CM UNIVERSAL ABUTMENT (2 PIECES) 3.3X6X1.5 mm	44879
114.157	CM UNIVERSAL ABUTMENT (2 PIECES) 3.3X6X2.5 mm	44879
114.158	CM UNIVERSAL ABUTMENT (2 PIECES) 3.3X6X3.5 mm	44879
114.159	CM UNIVERSAL ABUTMENT (2 PIECES) 3.3X6X4.5 mm	44879
114.160	CM UNIVERSAL ABUTMENT (2 PIECES) 3.3X6X5.5 mm	44879
114.161	CM UNIVERSAL ABUTMENT (2 PIECES) 3.3X6X6.5 mm	44879
114.162	CM UNIVERSAL ABUTMENT (2 PIECES) 4.5X4X4.5 mm	44879
114.163	CM UNIVERSAL ABUTMENT (2 PIECES) 4.5X4X5.5 mm	44879
114.164	CM UNIVERSAL ABUTMENT (2 PIECES) 4.5X4X6.5 mm	44879
114.165	CM UNIVERSAL ABUTMENT (2 PIECES) 4.5X6X4.5 mm	44879
114.166	CM UNIVERSAL ABUTMENT (2 PIECES) 4.5X6X5.5 mm	44879
114.167	CM UNIVERSAL ABUTMENT (2 PIECES) 4.5X6X6.5 mm	44879
114.168	CM CUSTOMIZABLE ABUTMENT 3.3X4 mm	44879
114.169	CM CUSTOMIZABLE ABUTMENT 3.3X6 mm	44879
114.171	ABUTMENT II PLUS 17 2.0 mm	44879
114.172	ABUTMENT II PLUS 17 3.0 mm	44879
114.173	ABUTMENT II PLUS 17 4.0 mm	44879
114.174	ABUTMENT II PLUS 30 3.0 mm	44879
114.175	ABUTMENT II PLUS 30 4.0 mm	44879
114.176	ABUTMENT II PLUS 30 5.0 mm	44879
114.183	WS UNIVERSAL ABUTMENT 4.5X4X0.8 mm	44879
114.184	WS UNIVERSAL ABUTMENT 4.5X4X1.5 mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
114.185	WS UNIVERSAL ABUTMENT 4.5X4X2.5 mm	44879
114.186	WS UNIVERSAL ABUTMENT 4.5X4X3.5 mm	44879
114.187	WS UNIVERSAL ABUTMENT 4.5X6X0.8 mm	44879
114.188	WS UNIVERSAL ABUTMENT 4.5X6X1.5 mm	44879
114.189	WS UNIVERSAL ABUTMENT 4.5X6X2.5 mm	44879
114.190	WS UNIVERSAL ABUTMENT 4.5X6X3.5 mm	44879
114.234	CM CUSTOMIZABLE ABUTMENT 4.5X4 mm	44879
114.235	CM CUSTOMIZABLE ABUTMENT 4.5X6 mm	44879
114.328	CM ANATOMIC ABUTMENT 1.5 mm	44879
114.329	CM ANATOMIC ABUTMENT 2.5 mm	44879
114.330	CM ANATOMIC ABUTMENT 3.5 mm	44879
114.340	CM EXACT UNIVERSAL ABUTMENT 4.5X6X1.5 mm	44879
114.341	CM EXACT UNIVERSAL ABUTMENT 4.5X6X2.5 mm	44879
114.342	CM EXACT UNIVERSAL ABUTMENT 4.5X6X3.5 mm	44879
114.357	CM EXACT UNIVERSAL ABUTMENT 4.5X4X1.5 mm	44879
114.358	CM EXACT UNIVERSAL ABUTMENT 4.5X4X2.5 mm	44879
114.359	CM EXACT UNIVERSAL ABUTMENT 4.5X4X3.5 mm	44879
114.360	CM EXACT UNIVERSAL ABUTMENT 3.3X4X1.5 mm	44879
114.361	CM EXACT UNIVERSAL ABUTMENT 3.3X4X2.5 mm	44879
114.362	CM EXACT UNIVERSAL ABUTMENT 3.3X4X3.5 mm	44879
114.363	CM EXACT UNIVERSAL ABUTMENT 3.3X4X4.5 mm	44879
114.364	CM EXACT UNIVERSAL ABUTMENT 3.3X4X5.5 mm	44879
114.365	CM EXACT UNIVERSAL ABUTMENT 3.3X4X6.5 mm	44879
114.366	CM EXACT UNIVERSAL ABUTMENT 3.3X6X1.5 mm	44879
114.367	CM EXACT UNIVERSAL ABUTMENT 3.3X6X2.5 mm	44879
114.368	CM EXACT UNIVERSAL ABUTMENT 3.3X6X3.5 mm	44879
114.369	CM EXACT UNIVERSAL ABUTMENT 3.3X6X4.5 mm	44879
114.370	CM EXACT UNIVERSAL ABUTMENT 3.3X6X5.5 mm	44879
114.371	CM EXACT UNIVERSAL ABUTMENT 3.3X6X6.5 mm	44879
114.372	CM EXACT UNIVERSAL ABUTMENT 4.5X4X4.5mm	44879
114.373	CM EXACT UNIVERSAL ABUTMENT 4.5X4X5.5mm	44879
114.374	CM EXACT UNIVERSAL ABUTMENT 4.5X4X6.5mm	44879
114.375	CM EXACT UNIVERSAL ABUTMENT 4.5X6X4.5mm	44879
114.376	CM EXACT UNIVERSAL ABUTMENT 4.5X6X5.5mm	44879
114.377	CM EXACT UNIVERSAL ABUTMENT 4.5X6X6.5mm	44879
114.384	CM EXACT UNIVERSAL ABUTMENT 17 3.3X4X1.5 mm	44879
114.385	CM EXACT UNIVERSAL ABUTMENT 17 3.3X4X2.5 mm	44879
114.386	CM EXACT UNIVERSAL ABUTMENT 17 3.3X4X3.5 mm	44879
114.387	CM EXACT UNIVERSAL ABUTMENT 17 3.3X6X1.5 mm	44879
114.388	CM EXACT UNIVERSAL ABUTMENT 17 3.3X6X2.5 mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapas / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
114.389	CM EXACT UNIVERSAL ABUTMENT 17 3.3X6X3.5 mm	44879
114.390	CM EXACT UNIVERSAL ABUTMENT 17 4.5X4X1.5 mm	44879
114.391	CM EXACT UNIVERSAL ABUTMENT 17 4.5X4X2.5 mm	44879
114.392	CM EXACT UNIVERSAL ABUTMENT 17 4.5X4X3.5 mm	44879
114.393	CM EXACT UNIVERSAL ABUTMENT 17 4.5X6X1.5 mm	44879
114.394	CM EXACT UNIVERSAL ABUTMENT 17 4.5X6X2.5 mm	44879
114.395	CM EXACT UNIVERSAL ABUTMENT 17 4.5X6X3.5 mm	44879
114.396	CM EXACT UNIVERSAL ABUTMENT 30 3.3X4X1.5 mm	44879
114.397	CM EXACT UNIVERSAL ABUTMENT 30 3.3X4X2.5 mm	44879
114.398	CM EXACT UNIVERSAL ABUTMENT 30 3.3X4X3.5 mm	44879
114.399	CM EXACT UNIVERSAL ABUTMENT 30 3.3X6X1.5 mm	44879
114.400	CM EXACT UNIVERSAL ABUTMENT 30 3.3X6X2.5 mm	44879
114.401	CM EXACT UNIVERSAL ABUTMENT 30 3.3X6X3.5 mm	44879
114.402	CM EXACT UNIVERSAL ABUTMENT 30 4.5X4X1.5 mm	44879
114.403	CM EXACT UNIVERSAL ABUTMENT 30 4.5X4X2.5 mm	44879
114.404	CM EXACT UNIVERSAL ABUTMENT 30 4.5X4X3.5 mm	44879
114.405	CM EXACT UNIVERSAL ABUTMENT 30 4.5X6X1.5 mm	44879
114.406	CM EXACT UNIVERSAL ABUTMENT 30 4.5X6X2.5 mm	44879
114.407	CM EXACT UNIVERSAL ABUTMENT 30 4.5X6X3.5 mm	44879
114.408	CM EXACT UNIVERSAL ABUTMENT 3.3X4X0.8 mm	44879
114.409	CM EXACT UNIVERSAL ABUTMENT 3.3X6X0.8 mm	44879
114.410	CM EXACT UNIVERSAL ABUTMENT 4.5X4X0.8 mm	44879
114.411	CM EXACT UNIVERSAL ABUTMENT 4.5X6X0.8 mm	44879
114.419	CM LATERAL ANATOMIC ABUTMENT 1.5 mm	44879
114.420	CM LATERAL ANATOMIC ABUTMENT 2.5 mm	44879
114.421	CM LATERAL ANATOMIC ABUTMENT 3.5 mm	44879
114.422	CM EXACT ANATOMIC ABUTMENT 1.5 mm	44879
114.423	CM EXACT ANATOMIC ABUTMENT 2.5 mm	44879
114.424	CM EXACT ANATOMIC ABUTMENT 3.5 mm	44879
114.425	CM EXACT LATERAL ANATOMIC ABUTMENT 1.5 mm	44879
114.426	CM EXACT LATERAL ANATOMIC ABUTMENT 2.5 mm	44879
114.427	CM EXACT LATERAL ANATOMIC ABUTMENT 3.5 mm	44879
114.442	FACILITY ANATOMIC ABUTMENT 1.5 mm	44879
114.443	FACILITY ANATOMIC ABUTMENT 2.5 mm	44879
114.444	FACILITY ANATOMIC ABUTMENT 3.5 mm	44879
114.454	CM EXACT ANATOMIC ABUTMENT 17 1.5 mm	44879
114.455	CM EXACT ANATOMIC ABUTMENT 17 2.5 mm	44879
114.456	CM EXACT ANATOMIC ABUTMENT 17 3.5 mm	44879
114.457	CM EXACT LATERAL ANATOMIC ABUTMENT 17 1.5 mm	44879
114.458	CM EXACT LATERAL ANATOMIC ABUTMENT 17 2.5 mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
114.459	CM EXACT LATERAL ANATOMIC ABUTMENT 17 3.5 mm	44879
114.460	CM ANATOMIC ABUTMENT 17 1.5 mm	44879
114.461	CM ANATOMIC ABUTMENT 17 2.5 mm	44879
114.462	CM ANATOMIC ABUTMENT 17 3.5 mm	44879
114.463	CM LATERAL ANATOMIC ABUTMENT 17 1.5 mm	44879
114.464	CM LATERAL ANATOMIC ABUTMENT 17 2.5 mm	44879
114.465	CM LATERAL ANATOMIC ABUTMENT 17 3.5 mm	44879
114.530	PRO PEEK ABUTMENT 4.5X0.8 mm	44880
114.531	PRO PEEK ABUTMENT 4.5X1.5 mm	44880
114.532	PRO PEEK ABUTMENT 4.5X2.5 mm	44880
114.533	PRO PEEK ABUTMENT 4.5X3.5 mm	44880
114.534	PRO PEEK ABUTMENT 4.5X4.5 mm	44880
114.535	PRO PEEK ABUTMENT 4.5X5.5 mm	44880
114.536	PRO PEEK ABUTMENT 6.0X0.8 mm	44880
114.537	PRO PEEK ABUTMENT 6.0X1.5 mm	44880
114.538	PRO PEEK ABUTMENT 6.0X2.5 mm	44880
114.539	PRO PEEK ABUTMENT 6.0X3.5 mm	44880
114.540	PRO PEEK ABUTMENT 6.0X4.5 mm	44880
114.541	PRO PEEK ABUTMENT 6.0X5.5 mm	44880
114.738	GM PRO PEEK ABUTMENT 4.5X0.8 mm	44880
114.739	GM PRO PEEK ABUTMENT 4.5X1.5 mm	44880
114.740	GM PRO PEEK ABUTMENT 4.5X2.5 mm	44880
114.741	GM PRO PEEK ABUTMENT 4.5X3.5 mm	44880
114.742	GM PRO PEEK ABUTMENT 4.5X4.5 mm	44880
114.743	GM PRO PEEK ABUTMENT 4.5X5.5 mm	44880
114.744	GM PRO PEEK ABUTMENT 6.0X0.8 mm	44880
114.745	GM PRO PEEK ABUTMENT 6.0X1.5 mm	44880
114.746	GM PRO PEEK ABUTMENT 6.0X2.5 mm	44880
114.747	GM PRO PEEK ABUTMENT 6.0X3.5 mm	44880
114.748	GM PRO PEEK ABUTMENT 6.0X4.5 mm	44880
114.749	GM PRO PEEK ABUTMENT 6.0X5.5 mm	44880
114.802	GM UNIVERSAL ABUTMENT 17 REMOVABLE SCREW 3.3X4X1.5 mm	44879
114.803	GM UNIVERSAL ABUTMENT 17 REMOVABLE SCREW 3.3X4X2.5 mm	44879
114.804	GM UNIVERSAL ABUTMENT 17 REMOVABLE SCREW 3.3X4X3.5 mm	44879
114.805	GM UNIVERSAL ABUTMENT 17 REMOVABLE SCREW 3.3X6X1.5 mm	44879
114.806	GM UNIVERSAL ABUTMENT 17 REMOVABLE SCREW 3.3X6X2.5 mm	44879
114.807	GM UNIVERSAL ABUTMENT 17 REMOVABLE SCREW 3.3X6X3.5 mm	44879
114.808	GM UNIVERSAL ABUTMENT 17 REMOVABLE SCREW 4.5X4X1.5 mm	44879
114.809	GM UNIVERSAL ABUTMENT 17 REMOVABLE SCREW 4.5X4X2.5 mm	44879
114.810	GM UNIVERSAL ABUTMENT 17 REMOVABLE SCREW 4.5X4X3.5 mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
114.811	GM UNIVERSAL ABUTMENT 17 REMOVABLE SCREW 4.5X6X1.5 mm	44879
114.812	GM UNIVERSAL ABUTMENT 17 REMOVABLE SCREW 4.5X6X2.5 mm	44879
114.813	GM UNIVERSAL ABUTMENT 17 REMOVABLE SCREW 4.5X6X3.5 mm	44879
114.814	GM UNIVERSAL ABUTMENT 30 REMOVABLE SCREW 3.3X4X1.5 mm	44879
114.815	GM UNIVERSAL ABUTMENT 30 REMOVABLE SCREW 3.3X4X2.5 mm	44879
114.816	GM UNIVERSAL ABUTMENT 30 REMOVABLE SCREW 3.3X4X3.5 mm	44879
114.817	GM UNIVERSAL ABUTMENT 30 REMOVABLE SCREW 3.3X6X1.5 mm	44879
114.818	GM UNIVERSAL ABUTMENT 30 REMOVABLE SCREW 3.3X6X2.5 mm	44879
114.819	GM UNIVERSAL ABUTMENT 30 REMOVABLE SCREW 3.3X6X3.5 mm	44879
114.820	GM UNIVERSAL ABUTMENT 30 REMOVABLE SCREW 4.5X4X1.5 mm	44879
114.821	GM UNIVERSAL ABUTMENT 30 REMOVABLE SCREW 4.5X4X2.5 mm	44879
114.822	GM UNIVERSAL ABUTMENT 30 REMOVABLE SCREW 4.5X4X3.5 mm	44879
114.823	GM UNIVERSAL ABUTMENT 30 REMOVABLE SCREW 4.5X6X1.5 mm	44879
114.824	GM UNIVERSAL ABUTMENT 30 REMOVABLE SCREW 4.5X6X2.5 mm	44879
114.825	GM UNIVERSAL ABUTMENT 30 REMOVABLE SCREW 4.5X6X3.5 mm	44879
114.826	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 3.3X4X0.8 mm	44879
114.827	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 3.3X4X1.5 mm	44879
114.828	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 3.3X4X2.5 mm	44879
114.829	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 3.3X4X3.5 mm	44879
114.830	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 3.3X4X4.5 mm	44879
114.831	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 3.3X4X5.5 mm	44879
114.832	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 3.3X6X0.8 mm	44879
114.833	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 3.3X6X1.5 mm	44879
114.834	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 3.3X6X2.5 mm	44879
114.835	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 3.3X6X3.5 mm	44879
114.836	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 3.3X6X4.5 mm	44879
114.837	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 3.3X6X5.5 mm	44879
114.838	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 4.5X4X0.8 mm	44879
114.839	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 4.5X4X1.5 mm	44879
114.840	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 4.5X4X2.5 mm	44879
114.841	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 4.5X4X3.5 mm	44879
114.842	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 4.5X4X4.5 mm	44879
114.843	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 4.5X4X5.5 mm	44879
114.844	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 4.5X6X0.8 mm	44879
114.845	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 4.5X6X1.5 mm	44879
114.846	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 4.5X6X2.5 mm	44879
114.847	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 4.5X6X3.5 mm	44879
114.848	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 4.5X6X4.5 mm	44879
114.849	GM UNIVERSAL ABUTMENT REMOVABLE SCREW 4.5X6X5.5 mm	44879
114.854	NARROW ZIRCONIA CR ABUTMENT 1.5 mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
114.855	NARROW ZIRCONIA CR ABUTMENT 2.5 mm	44879
114.856	REGULAR ZIRCONIA CR ABUTMENT 1.5 mm	44879
114.857	REGULAR ZIRCONIA CR ABUTMENT 2.5 mm	44879
114.858	NARROW ZIRCONIA CR 17D ABUTMENT 1.5 mm	44879
114.859	NARROW ZIRCONIA CR 17D ABUTMENT 2.5 mm	44879
114.860	REGULAR ZIRCONIA CR 17D ABUTMENT 1.5 mm	44879
114.861	REGULAR ZIRCONIA CR 17D ABUTMENT 2.5 mm	44879
114.862	GM ANATOMIC ABUTMENT REMOVABLE SCREW 1.5 mm	44879
114.863	GM ANATOMIC ABUTMENT REMOVABLE SCREW 2.5 mm	44879
114.864	GM ANATOMIC ABUTMENT REMOVABLE SCREW 3.5 mm	44879
114.865	GM ANATOMIC ABUTMENT 17 REMOVABLE SCREW 1.5 mm	44879
114.866	GM ANATOMIC ABUTMENT 17 REMOVABLE SCREW 2.5 mm	44879
114.867	GM ANATOMIC ABUTMENT 17 REMOVABLE SCREW 3.5 mm	44879
114.868	GM LATERAL ANATOMIC ABUTMENT REMOVABLE SCREW 1.5 mm	44879
114.869	GM LATERAL ANATOMIC ABUTMENT REMOVABLE SCREW 2.5 mm	44879
114.870	GM LATERAL ANATOMIC ABUTMENT REMOVABLE SCREW 3.5 mm	44879
114.871	GM LATERAL ANATOMIC ABUTMENT 17 REMOVABLE SCREW 1.5 mm	44879
114.872	GM LATERAL ANATOMIC ABUTMENT 17 REMOVABLE SCREW 2.5 mm	44879
114.873	GM LATERAL ANATOMIC ABUTMENT 17 REMOVABLE SCREW 3.5 mm	44879
114.874	GM PROPEEK ABUTMENT REMOVABLE SCREW 4.5X0.8 mm	44880
114.875	GM PROPEEK ABUTMENT REMOVABLE SCREW 4.5X1.5 mm	44880
114.876	GM PROPEEK ABUTMENT REMOVABLE SCREW 4.5X2.5 mm	44880
114.877	GM PROPEEK ABUTMENT REMOVABLE SCREW 4.5X3.5 mm	44880
114.878	GM PROPEEK ABUTMENT REMOVABLE SCREW 4.5X4.5 mm	44880
114.879	GM PROPEEK ABUTMENT REMOVABLE SCREW 4.5X5.5 mm	44880
114.880	GM PROPEEK ABUTMENT REMOVABLE SCREW 6.0X0.8 mm	44880
114.881	GM PROPEEK ABUTMENT REMOVABLE SCREW 6.0X1.5 mm	44880
114.882	GM PROPEEK ABUTMENT REMOVABLE SCREW 6.0X2.5 mm	44880
114.883	GM PROPEEK ABUTMENT REMOVABLE SCREW 6.0X3.5 mm	44880
114.884	GM PROPEEK ABUTMENT REMOVABLE SCREW 6.0X4.5 mm	44880
114.885	GM PROPEEK ABUTMENT REMOVABLE SCREW 6.0X5.5 mm	44880
114.886	PEEK CR ABUTMENT REGULAR 1.5mm	44879
114.887	PEEK CR ABUTMENT REGULAR 2.5mm	44879
114.888	PEEK CR ABUTMENT NARROW 1.5mm	44879
114.889	PEEK CR ABUTMENT NARROW 2.5mm	44879
114.890	CM PROPEEK ABUTMENT 4.5X0.8 mm	44880
114.891	CM PROPEEK ABUTMENT 4.5X1.5 mm	44880
114.892	CM PROPEEK ABUTMENT 4.5X2.5 mm	44880
114.893	CM PROPEEK ABUTMENT 4.5X3.5 mm	44880
114.894	CM PROPEEK ABUTMENT 4.5X4.5 mm	44880

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
114.895	CM PROPEEK ABUTMENT 4.5X5.5 mm	44880
114.896	CM PROPEEK ABUTMENT 6.0X0.8 mm	44880
114.897	CM PROPEEK ABUTMENT 6.0X1.5 mm	44880
114.898	CM PROPEEK ABUTMENT 6.0X2.5 mm	44880
114.899	CM PROPEEK ABUTMENT 6.0X3.5 mm	44880
114.900	CM PROPEEK ABUTMENT 6.0X4.5 mm	44880
114.901	CM PROPEEK ABUTMENT 6.0X5.5 mm	44880
115.007	CONICAL ABUTMENT 5.0X1 mm	44879
115.008	CONICAL ABUTMENT 5.0X2 mm	44879
115.009	CONICAL ABUTMENT 5.0X3 mm	44879
115.023	TRANSEPITHELIAL ABUTMENT 4.1X3 mm	44879
115.024	TRANSEPITHELIAL ABUTMENT 4.1X4 mm	44879
115.025	TRANSEPITHELIAL ABUTMENT 4.1X5 mm	44879
115.026	TRANSEPITHELIAL ABUTMENT 4.1X6 mm	44879
115.051	CONICAL ABUTMENT 4.3X1 mm	44879
115.052	CONICAL ABUTMENT 4.3X2 mm	44879
115.053	CONICAL ABUTMENT 4.3X3 mm	44879
115.054	MINI CONICAL ABUTMENT 4.3X1 mm	44879
115.055	MINI CONICAL ABUTMENT 4.3X2 mm	44879
115.056	MINI CONICAL ABUTMENT 4.3X3 mm	44879
115.057	MINI CONICAL ABUTMENT 4.3X4 mm	44879
115.058	MINI CONICAL ABUTMENT 4.3X5 mm	44879
115.066	MINI CONICAL ABUTMENT II 4.3X1 mm	44879
115.067	MINI CONICAL ABUTMENT II 4.3X2 mm	44879
115.068	MINI CONICAL ABUTMENT II 4.3X3 mm	44879
115.069	MINI CONICAL ABUTMENT II 4.3X4 mm	44879
115.070	MINI CONICAL ABUTMENT II 4.3X5 mm	44879
115.074	MINI CONICAL ABUTMENT 17 4.1X3 mm	44879
115.075	MINI CONICAL ABUTMENT 17 4.1X4 mm	44879
115.076	MINI CONICAL ABUTMENT 17 4.3X2 mm	44879
115.077	MINI CONICAL ABUTMENT 17 4.3X3 mm	44879
115.078	MINI CONICAL ABUTMENT 17 4.3X4 mm	44879
115.084	MINI CONICAL ABUTMENT 17 4.1X2 mm	44879
115.085	MINI CONICAL ABUTMENT II 5.0X1 mm	44879
115.086	MINI CONICAL ABUTMENT II 5.0X2 mm	44879
115.087	MINI CONICAL ABUTMENT II 5.0X3 mm	44879
115.088	CONICAL ABUTMENT 3.3X1 mm	44879
115.089	CONICAL ABUTMENT 3.3X2 mm	44879
115.090	CONICAL ABUTMENT 3.3X3 mm	44879
115.094	MINI CONICAL ABUTMENT 17 5.0X2 mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapas / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
115.095	MINI CONICAL ABUTMENT 17 5.0X3 mm	44879
115.096	MINI CONICAL ABUTMENT 17 5.0X4 mm	44879
115.097	CONICAL ABUTMENT II 4.3X1 mm	44879
115.098	CONICAL ABUTMENT II 4.3X2 mm	44879
115.099	CONICAL ABUTMENT II 4.3X3 mm	44879
115.100	CONICAL ABUTMENT II 5.0X1 mm	44879
115.101	CONICAL ABUTMENT II 5.0X2 mm	44879
115.102	CONICAL ABUTMENT II 5.0X3 mm	44879
115.103	CONICAL ABUTMENT II 17 4.3X2 mm	44879
115.104	CONICAL ABUTMENT II 17 4.3X3 mm	44879
115.105	CONICAL ABUTMENT II 17 4.3X4 mm	44879
115.111	MINI CONICAL ABUTMENT 30 4.3X3 mm	44879
115.112	MINI CONICAL ABUTMENT 30 4.3X4 mm	44879
115.113	MINI CONICAL ABUTMENT 30 4.3X5 mm	44879
115.134	MINI CONICAL ABUTMENT 3.3X1 mm	44879
115.135	MINI CONICAL ABUTMENT 3.3X2 mm	44879
115.136	MINI CONICAL ABUTMENT 3.3X3 mm	44879
115.137	MINI CONICAL ABUTMENT 17 3.3X2 mm	44879
115.138	MINI CONICAL ABUTMENT 17 3.3X3 mm	44879
115.139	MINI CONICAL ABUTMENT 17 3.3X4 mm	44879
115.140	MINI CONICAL ABUTMENT 30 4.1X3 mm	44879
115.141	MINI CONICAL ABUTMENT 30 4.1X4 mm	44879
115.142	MINI CONICAL ABUTMENT 30 4.1X5 mm	44879
115.143	MINI CONICAL ABUTMENT 30 5.0X3 mm	44879
115.144	MINI CONICAL ABUTMENT 30 5.0X4 mm	44879
115.145	MINI CONICAL ABUTMENT 30 5.0X5 mm	44879
115.147	CM ABUTMENT 1.5 mm	44879
115.148	CM ABUTMENT 2.5 mm	44879
115.149	CM MINI CONICAL ABUTMENT 1.5 mm	44879
115.150	CM MINI CONICAL ABUTMENT 2.5 mm	44879
115.151	CM MINI CONICAL ABUTMENT 3.5 mm	44879
115.152	CM ABUTMENT 3.5 mm	44879
115.153	CM MINI CONICAL ABUTMENT 4.5 mm	44879
115.154	CM MINI CONICAL ABUTMENT 0.8 mm	44879
115.155	MINI CONICAL ABUTMENT II PLUS 1.0 mm	44879
115.156	MINI CONICAL ABUTMENT II PLUS 2.0 mm	44879
115.157	MINI CONICAL ABUTMENT II PLUS 3.0 mm	44879
115.158	MINI CONICAL ABUTMENT II PLUS 4.0 mm	44879
115.159	MINI CONICAL ABUTMENT II PLUS 5.0 mm	44879
115.160	CM MINI CONICAL ABUTMENT 5.5 mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapas / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
115.161	CM MINI CONICAL ABUTMENT 6.5 mm	44879
115.162	CM ABUTMENT 0.8 mm	44879
115.163	CM ABUTMENT 4.5 mm	44879
115.164	CM ABUTMENT 5.5 mm	44879
115.165	CM ABUTMENT 6.5 mm	44879
115.166	CM MINI CONICAL ABUTMENT 17 1.5 mm	44879
115.167	CM MINI CONICAL ABUTMENT 17 2.5 mm	44879
115.168	CM MINI CONICAL ABUTMENT 17 3.5 mm	44879
115.169	CM MINI CONICAL ABUTMENT 30 1.5 mm	44879
115.170	CM MINI CONICAL ABUTMENT 30 2.5 mm	44879
115.171	CM MINI CONICAL ABUTMENT 30 3.5 mm	44879
115.172	CM ZYGOMATIC TRANSEPITHELIAL ABUTMENT 3.0 mm	44879
115.173	CM ZYGOMATIC TRANSEPITHELIAL ABUTMENT 4.0 mm	44879
115.174	CM ZYGOMATIC TRANSEPITHELIAL ABUTMENT 5.0 mm	44879
115.175	CM ZYGOMATIC TRANSEPITHELIAL ABUTMENT 6.0 mm	44879
115.176	WS MINI CONICAL ABUTMENT 0.8 mm	44879
115.177	WS MINI CONICAL ABUTMENT 1.5 mm	44879
115.178	WS MINI CONICAL ABUTMENT 2.5 mm	44879
115.179	WS MINI CONICAL ABUTMENT 3.5 mm	44879
115.180	WS ABUTMENT 0.8 mm	44879
115.181	WS ABUTMENT 1.5 mm	44879
115.182	WS ABUTMENT 2.5 mm	44879
115.183	WS ABUTMENT 3.5 mm	44879
115.184	CONICAL ABUTMENT II PLUS 1.0 mm	44879
115.185	CONICAL ABUTMENT II PLUS 2.0 mm	44879
115.186	CONICAL ABUTMENT II PLUS 3.0 mm	44879
115.187	SF MINI CONICAL ABUTMENT 4.1X1 mm	44879
115.188	SF MINI CONICAL ABUTMENT 4.1X2 mm	44879
115.189	SF MINI CONICAL ABUTMENT 4.1X3 mm	44879
115.190	SF MINI CONICAL ABUTMENT 4.1X4 mm	44879
115.191	SF MINI CONICAL ABUTMENT 4.1X5 mm	44879
115.192	SF CONICAL ABUTMENT 4.1X1 mm	44879
115.193	SF CONICAL ABUTMENT 4.1X2 mm	44879
115.194	SF CONICAL ABUTMENT 4.1X3 mm	44879
115.197	SF MINI CONICAL ABUTMENT 5.0X1.0 mm	44879
115.198	SF MINI CONICAL ABUTMENT 5.0X2.0 mm	44879
115.199	SF MINI CONICAL ABUTMENT 5.0X3.0 mm	44879
115.200	CM MICRO CONICAL ABUTMENT 1.5 mm	44879
115.201	CM MICRO CONICAL ABUTMENT 2.5 mm	44879
115.202	CM MICRO CONICAL ABUTMENT 3.5 mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
115.203	CONICAL ABUTMENT II PLUS 17 2.0 mm	44879
115.204	CONICAL ABUTMENT II PLUS 17 3.0 mm	44879
115.205	CONICAL ABUTMENT II PLUS 17 4.0 mm	44879
115.206	17 CM EXACT MINI CONICAL ABUTMENT 1.5 mm	44879
115.207	17 CM EXACT MINI CONICAL ABUTMENT 2.5 mm	44879
115.208	17 CM EXACT MINI CONICAL ABUTMENT 3.5 mm	44879
115.209	30 CM EXACT MINI CONICAL ABUTMENT 1.5 mm	44879
115.210	30 CM EXACT MINI CONICAL ABUTMENT 2.5 mm	44879
115.211	30 CM EXACT MINI CONICAL ABUTMENT 3.5 mm	44879
115.212	CM MICRO CONICAL ABUTMENT 0.8 mm	44879
115.213	CM MICRO CONICAL ABUTMENT 4.5 mm	44879
115.215	FACILITY MICRO CONICAL ABUTMENT 1.5 mm	44879
115.216	FACILITY MICRO CONICAL ABUTMENT 2.5 mm	44879
115.217	FACILITY MICRO CONICAL ABUTMENT 3.5 mm	44879
115.224	FACILITY MICRO CONICAL ABUTMENT 4.5 mm	44879
115.237	GM EXACT ABUTMENT 4.8X0.8 mm	44879
115.238	GM EXACT ABUTMENT 4.8X1.5 mm	44879
115.239	GM EXACT ABUTMENT 4.8X2.5 mm	44879
115.240	GM EXACT ABUTMENT 4.8X3.5 mm	44879
115.241	GM EXACT ABUTMENT 4.8X4.5 mm	44879
115.242	GM EXACT ABUTMENT 4.8X5.5 mm	44879
115.243	GM MINI CONICAL ABUTMENT 0.8 mm	44879
115.244	GM MINI CONICAL ABUTMENT 1.5 mm	44879
115.245	GM MINI CONICAL ABUTMENT 2.5 mm	44879
115.246	GM MINI CONICAL ABUTMENT 3.5 mm	44879
115.247	GM MINI CONICAL ABUTMENT 4.5 mm	44879
115.248	GM MINI CONICAL ABUTMENT 5.5 mm	44879
115.249	17 GM EXACT MINI CONICAL ABUTMENT 1.5 mm	44879
115.250	17 GM EXACT MINI CONICAL ABUTMENT 2.5 mm	44879
115.251	17 GM EXACT MINI CONICAL ABUTMENT 3.5 mm	44879
115.252	30 GM EXACT MINI CONICAL ABUTMENT 1.5 mm	44879
115.253	30 GM EXACT MINI CONICAL ABUTMENT 2.5 mm	44879
115.254	30 GM EXACT MINI CONICAL ABUTMENT 3.5 mm	44879
115.255	GM MICRO ABUTMENT 0.8 mm	44879
115.256	GM MICRO ABUTMENT 1.5 mm	44879
115.257	GM MICRO ABUTMENT 2.5 mm	44879
115.258	GM MICRO ABUTMENT 3.5 mm	44879
115.259	GM MICRO ABUTMENT 4.5 mm	44879
115.260	GM MICRO ABUTMENT 5.5 mm	44879
115.261	GM EXACT ABUTMENT 3.5X0.8 mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
115.262	GM EXACT ABUTMENT 3.5X1.5 mm	44879
115.263	GM EXACT ABUTMENT 3.5X2.5 mm	44879
115.264	GM EXACT ABUTMENT 3.5X3.5 mm	44879
115.265	GM EXACT ABUTMENT 3.5X4.5 mm	44879
115.266	GM EXACT ABUTMENT 3.5X5.5 mm	44879
115.267	GM EXACT MINI CONICAL ABUTMENT 45 DEGREES 1.5 mm	44879
115.268	GM EXACT MINI CONICAL ABUTMENT 45 DEGREES 2.5 mm	44879
115.269	GM EXACT ABUTMENT REMOVABLE SCREW 4.8, 0.8 mm	44879
115.270	GM EXACT ABUTMENT REMOVABLE SCREW 4.8, 1.5 mm	44879
115.271	GM EXACT ABUTMENT REMOVABLE SCREW 4.8, 2.5 mm	44879
115.272	GM EXACT ABUTMENT REMOVABLE SCREW 4.8, 3.5 mm	44879
115.273	GM EXACT ABUTMENT REMOVABLE SCREW 4.8, 4.5 mm	44879
115.274	GM EXACT ABUTMENT REMOVABLE SCREW 4.8, 5.5 mm	44879
115.275	GM MINI CONICAL ABUTMENT 17 WITH REMOVABLE SCREW 1.5 mm	44879
115.276	GM MINI CONICAL ABUTMENT 17 WITH REMOVABLE SCREW 2.5 mm	44879
115.277	GM MINI CONICAL ABUTMENT 17 WITH REMOVABLE SCREW 3.5 mm	44879
115.278	GM MINI CONICAL ABUTMENT 30 WITH REMOVABLE SCREW 1.5 mm	44879
115.279	GM MINI CONICAL ABUTMENT 30 WITH REMOVABLE SCREW 2.5 mm	44879
115.280	GM MINI CONICAL ABUTMENT 30 WITH REMOVABLE SCREW 3.5 mm	44879
115.281	GM MINI CONICAL ABUTMENT 45 WITH REMOVABLE SCREW 1.5 mm	44879
115.282	GM MINI CONICAL ABUTMENT 45 WITH REMOVABLE SCREW 2.5 mm	44879
116.194	SELF-DRILLING GRAFT SCREW 1.5X6 mm	46638
116.196	SELF-DRILLING GRAFT SCREW 1.5X8 mm	46638
116.198	SELF-DRILLING GRAFT SCREW 1.5X10 mm	46638
116.199	SELF-DRILLING GRAFT SCREW 1.5X12 mm	46638
116.200	SELF-DRILLING GRAFT SCREW 1.5X14 mm	46638
116.203	SELF-DRILLING GRAFT SCREW 2.0X6 mm	46638
116.205	SELF-DRILLING GRAFT SCREW 2.0X8 mm	46638
116.207	SELF-DRILLING GRAFT SCREW 2.0X10 mm	46638
116.209	SELF-DRILLING GRAFT SCREW 2.0X12 mm	46638
116.210	SELF-DRILLING GRAFT SCREW (WIDE) 1.5X8 mm	46638
116.211	SELF-DRILLING GRAFT SCREW (WIDE) 1.5X10 mm	46638
116.212	SELF-DRILLING GRAFT SCREW (WIDE) 1.5X12 mm	46638
116.213	SELF-DRILLING GRAFT SCREW (WIDE) 1.5X14 mm	46638
116.214	SELF-DRILLING GRAFT SCREW (WIDE) 2.0X8 mm	46638
116.215	SELF-DRILLING GRAFT SCREW (WIDE) 2.0X10 mm	46638
116.216	SELF-DRILLING GRAFT SCREW (WIDE) 2.0X12 mm	46638
116.245	SCREW FOR GINGIVAL GRAFT 1.6X5 mm	46638
117.001	COVER SCREW 3.3 mm	44880
117.003	COVER SCREW 5.0 mm	44880

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
117.006	COVER SCREW 4.3 mm	44880
117.013	CM COVER SCREW	44880
117.014	II PLUS COVER SCREW	44880
117.016	CM ZYGOMATIC AND WS COVER SCREW	44880
117.017	CM COVER SCREW 2 mm	44880
117.018	SF COVER SCREW 4.1 mm	44880
117.021	GM COVER SCREW	44880
117.022	GM COVER SCREW 2 mm	44880
118.008	UCLA ABUTMENT FOR CROWN 3.3 mm	44880
118.009	UCLA ABUTMENT FOR CROWN 4.1X1 mm	44880
118.030	UCLA ABUTMENT FOR BRIDGE 4.1X1 mm	44880
118.040	UCLA ABUTMENT FOR CROWN 5.0X1 mm	44880
118.097	UCLA ABUTMENT FOR CROWN 4.3X1 mm	44880
118.152	UCLA ABUTMENT FOR BRIDGE 4.3X1 mm	44880
118.158	UCLA ABUTMENT II FOR BRIDGE 4.3X1 mm	44880
118.185	II PLUS UCLA ABUTMENT 1.0 mm	44880
118.211	UCLA ABUTMENT FOR BRIDGE 3.3 mm	44879
118.212	UCLA ABUTMENT FOR CROWN 3.3 mm	44879
118.213	UCLA ABUTMENT II FOR BRIDGE	44879
118.214	UCLA ABUTMENT II FOR CROWN	44879
118.234	UCLA ABUTMENT FOR BRIDGE 4.1/4.3 mm	44879
118.235	UCLA ABUTMENT FOR CROWN 4.1/4.3 mm	44879
118.236	UCLA ABUTMENT FOR BRIDGE 5.0 mm	44879
118.237	UCLA ABUTMENT FOR CROWN 5.0 mm	44879
118.238	UCLA ABUTMENT II FOR CROWN 4.3 mm	44879
118.239	UCLA ABUTMENT II FOR CROWN 5.0 mm	44879
118.309	GM EXACT COCR ABUTMENT FOR CROWN SET 3.5/3.75 mm	44879
118.310	GM EXACT COCR ABUTMENT FOR CROWN SET 4.0/4.3 mm	44879
118.311	GM EXACT COCR ABUTMENT FOR CROWN SET 5.0/6.0 mm	44879
118.344	GM TEMPORARY ABUTMENT FOR CROWN 3.5X0.8 mm	44880
118.345	GM TEMPORARY ABUTMENT FOR CROWN 3.5X1.5 mm	44880
118.346	GM TEMPORARY ABUTMENT FOR CROWN 3.5X2.5 mm	44880
118.347	GM TEMPORARY ABUTMENT FOR CROWN 3.5X3.5 mm	44880
118.348	GM TEMPORARY ABUTMENT FOR CROWN 4.5X0.8 mm	44880
118.349	GM TEMPORARY ABUTMENT FOR CROWN 4.5X1.5 mm	44880
118.350	GM TEMPORARY ABUTMENT FOR CROWN 4.5X2.5 mm	44880
118.351	GM TEMPORARY ABUTMENT FOR CROWN 4.5X3.5 mm	44880
118.352	GM TEMPORARY ABUTMENT FOR BRIDGE 3.5X0.8 mm	44880
118.353	GM TEMPORARY ABUTMENT FOR BRIDGE 3.5X1.5 mm	44880
118.354	GM TEMPORARY ABUTMENT FOR BRIDGE 3.5X2.5 mm	44880

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
118.355	GM TEMPORARY ABUTMENT FOR BRIDGE 3.5X3.5 mm	44880
118.356	GM TEMPORARY ABUTMENT FOR BRIDGE 4.5X0.8 mm	44880
118.357	GM TEMPORARY ABUTMENT FOR BRIDGE 4.5X1.5 mm	44880
118.358	GM TEMPORARY ABUTMENT FOR BRIDGE 4.5X2.5 mm	44880
118.359	GM TEMPORARY ABUTMENT FOR BRIDGE 4.5X3.5 mm	44880
117.023	ZIRCONIA IMPLANT COVER SCREW	44880
135.009	EXTERNAL HEX TITANIUM BASE FOR CROWN 3.3X4X0,5 mm	44879
135.010	EXTERNAL HEX TITANIUM BASE FOR CROWN 3.3X4X2 mm	44879
135.011	EXTERNAL HEX TITANIUM BASE FOR CROWN 3.3X4X3 mm	44879
135.012	EXTERNAL HEX TITANIUM BASE FOR CROWN 3.3X4X4 mm	44879
135.017	EXTERNAL HEX TITANIUM BASE FOR CROWN 4.1/4.3X4X0,5 mm	44879
135.018	EXTERNAL HEX TITANIUM BASE FOR CROWN 4.1/4.3X4X2 mm	44879
135.019	EXTERNAL HEX TITANIUM BASE FOR CROWN 4.1/4.3X4X3 mm	44879
135.020	EXTERNAL HEX TITANIUM BASE FOR CROWN 4.1/4.3X4X4 mm	44879
135.025	EXTERNAL HEX TITANIUM BASE FOR CROWN 5.0X4X0,5 mm	44879
135.026	EXTERNAL HEX TITANIUM BASE FOR CROWN 5.0X4X2 mm	44879
135.027	EXTERNAL HEX TITANIUM BASE FOR CROWN 5.0X4X3 mm	44879
135.028	EXTERNAL HEX TITANIUM BASE FOR CROWN 5.0X4X4 mm	44879
135.059	II PLUS TITANIUM BASE FOR CROWN 4X0,5 mm	44879
135.060	II PLUS TITANIUM BASE FOR CROWN 4X2 mm	44879
135.061	II PLUS TITANIUM BASE FOR CROWN 4X3 mm	44879
135.062	II PLUS TITANIUM BASE FOR CROWN 4X4 mm	44879
135.067	EXTERNAL HEX TITANIUM BASE FOR BRIDGE 3.3X4X0,5 mm	44879
135.068	EXTERNAL HEX TITANIUM BASE FOR BRIDGE 3.3X4X2 mm	44879
135.069	EXTERNAL HEX TITANIUM BASE FOR BRIDGE 3.3X4X3 mm	44879
135.070	EXTERNAL HEX TITANIUM BASE FOR BRIDGE 3.3X4X4 mm	44879
135.075	EXTERNAL HEX TITANIUM BASE FOR BRIDGE 4.1/4.3X4X0,5 mm	44879
135.076	EXTERNAL HEX TITANIUM BASE FOR BRIDGE 4.1/4.3X4X2 mm	44879
135.077	EXTERNAL HEX TITANIUM BASE FOR BRIDGE 4.1/4.3X4X3 mm	44879
135.078	EXTERNAL HEX TITANIUM BASE FOR BRIDGE 4.1/4.3X4X4 mm	44879
135.083	EXTERNAL HEX TITANIUM BASE FOR BRIDGE 5.0X4X0,5 mm	44879
135.084	EXTERNAL HEX TITANIUM BASE FOR BRIDGE 5.0X4X2 mm	44879
135.085	EXTERNAL HEX TITANIUM BASE FOR BRIDGE 5.0X4X3 mm	44879
135.086	EXTERNAL HEX TITANIUM BASE FOR BRIDGE 5.0X4X4 mm	44879
135.101	II PLUS TITANIUM BASE FOR BRIDGE 4X0,5 mm	44879
135.102	II PLUS TITANIUM BASE FOR BRIDGE 4X2 mm	44879
135.103	II PLUS TITANIUM BASE FOR BRIDGE 4X3 mm	44879
135.104	II PLUS TITANIUM BASE FOR BRIDGE 4X4 mm	44879
135.109	CM EXACT PREFACE Ø11,5mm	44879
135.110	CM EXACT PREFACE Ø15,8mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
135.111	EXTERNAL HEX PREFACE Ø11,5mm	44879
135.112	EXTERNAL HEX PREFACE Ø15,8mm	44879
135.113	CM EXACT TITANIUM BASE 3.5X4X0.8 mm	44879
135.114	CM EXACT TITANIUM BASE 3.5X4X1.5 mm	44879
135.115	CM EXACT TITANIUM BASE 3.5X4X2.5 mm	44879
135.116	CM EXACT TITANIUM BASE 3.5X4X3.5 mm	44879
135.117	CM EXACT TITANIUM BASE 3.5X4X4.5 mm	44879
135.183	TITANIUM BASE C FOR EXTERNAL HEX 3.3 0.5 mm	44879
135.184	TITANIUM BASE C FOR EXTERNAL HEX 3.3 2.0mm	44879
135.185	TITANIUM BASE C FOR EXTERNAL HEX 3.3 3.0mm	44879
135.186	TITANIUM BASE C FOR EXTERNAL HEX 3.3 4.0mm	44879
135.187	TITANIUM BASE C FOR EXTERNAL HEX 4.1/4.3 0.5mm	44879
135.188	TITANIUM BASE C FOR EXTERNAL HEX 4.1/4.3 2.0mm	44879
135.189	TITANIUM BASE C FOR EXTERNAL HEX 4.1/4.3 3.0mm	44879
135.190	TITANIUM BASE C FOR EXTERNAL HEX 4.1/4.3 4.0mm	44879
135.191	TITANIUM BASE C FOR CM EXACT 0.8mm	44879
135.192	TITANIUM BASE C FOR CM EXACT 1.5mm	44879
135.193	TITANIUM BASE C FOR CM EXACT 2.5mm	44879
135.194	TITANIUM BASE C FOR CM EXACT 3.5mm	44879
135.195	TITANIUM BASE C FOR CM EXACT 4.5mm	44879
135.196	TITANIUM BASE C FOR CM EXACT 5.5mm	44879
135.197	TITANIUM BASE C FOR CM EXACT 6.5mm	44879
135.198	TITANIUM BASE C FOR II PLUS 0.5mm	44879
135.199	TITANIUM BASE C FOR II PLUS 2.0mm	44879
135.200	TITANIUM BASE C FOR II PLUS 3.0mm	44879
135.201	TITANIUM BASE C FOR II PLUS 4.0mm	44879
135.202	GM EXACT TITANIUM BASE 3.5X4X0.8 mm	44879
135.203	GM EXACT TITANIUM BASE 3.5X4X1.5 mm	44879
135.204	GM EXACT TITANIUM BASE 3.5X4X2.5 mm	44879
135.205	GM EXACT TITANIUM BASE 3.5X4X3.5 mm	44879
135.206	GM EXACT TITANIUM BASE 3.5X4X4.5 mm	44879
135.207	GM EXACT TITANIUM BASE 3.5X4X5.5 mm	44879
135.208	GM EXACT TITANIUM BASE 3.5X6X0.8 mm	44879
135.209	GM EXACT TITANIUM BASE 3.5X6X1.5 mm	44879
135.210	GM EXACT TITANIUM BASE 3.5X6X2.5 mm	44879
135.211	GM EXACT TITANIUM BASE 3.5X6X3.5 mm	44879
135.212	GM EXACT TITANIUM BASE 3.5X6X4.5 mm	44879
135.213	GM EXACT TITANIUM BASE 3.5X6X5.5 mm	44879
135.214	GM EXACT TITANIUM BASE 4.5X4X0.8 mm	44879
135.215	GM EXACT TITANIUM BASE 4.5X4X1.5 mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
135.216	GM EXACT TITANIUM BASE 4.5X4X2.5 mm	44879
135.217	GM EXACT TITANIUM BASE 4.5X4X3.5 mm	44879
135.218	GM EXACT TITANIUM BASE 4.5X4X4.5 mm	44879
135.219	GM EXACT TITANIUM BASE 4.5X4X5.5 mm	44879
135.220	GM EXACT TITANIUM BASE 4.5X6X0.8 mm	44879
135.221	GM EXACT TITANIUM BASE 4.5X6X1.5 mm	44879
135.222	GM EXACT TITANIUM BASE 4.5X6X2.5 mm	44879
135.223	GM EXACT TITANIUM BASE 4.5X6X3.5 mm	44879
135.224	GM EXACT TITANIUM BASE 4.5X6X4.5 mm	44879
135.225	GM EXACT TITANIUM BASE 4.5X6X5.5 mm	44879
135.226	GM EXACT TITANIUM BLOCK FOR AG HOLDER Ø12 mm	44879
135.227	CM EXACT TITANIUM BLOCK FOR AG HOLDER Ø12 mm	44879
135.228	HEX TITANIUM BLOCK FOR AG HOLDER 4.1/4.3X12 mm	44879
135.229	TITANIUM BASE C FOR GM EXACT 0.8 mm	44879
135.230	TITANIUM BASE C FOR GM EXACT 1.5 mm	44879
135.231	TITANIUM BASE C FOR GM EXACT 2.5 mm	44879
135.232	TITANIUM BASE C FOR GM EXACT 3.5 mm	44879
135.233	TITANIUM BASE C FOR GM EXACT 4.5 mm	44879
135.234	TITANIUM BASE C FOR GM EXACT 5.5 mm	44879
135.247	WS TITANIUM BLOCK FOR AG HOLDER Ø12 mm	44879
135.248	HEX TITANIUM BLOCK FOR AG HOLDER 3.3X12 mm	44879
135.249	HEX TITANIUM BLOCK FOR AG HOLDER 5.0X12 mm	44879
135.250	II PLUS TITANIUM BLOCK FOR AG HOLDER Ø12 mm	44879
135.252	GM EXACT TITANIUM BLOCK FOR MEDENTIKA HOLDER Ø11,5 mm	44879
135.253	GM EXACT TITANIUM BLOCK FOR MEDENTIKA HOLDER Ø15,8 mm	44879
135.254	ZIRCONIA BASE 3.75X4.0X1.5 mm	44879
135.255	ZIRCONIA BASE 3.75X4.0X2.5 mm	44879
135.256	ZIRCONIA BASE 4.5X4.0X1.5 mm	44879
135.257	ZIRCONIA BASE 4.5X4.0X2.5 mm	44879
135.258	ZIRCONIA BASE FOR C 1.5mm	44879
135.259	ZIRCONIA BASE FOR C 2.5mm	44879
135.260	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 3.5X4X0.8 mm	44879
135.261	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 3.5X4X1.5 mm	44879
135.262	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 3.5X4X2.5 mm	44879
135.263	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 3.5X4X3.5 mm	44879
135.264	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 3.5X4X4.5 mm	44879
135.266	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 3.5X6X0.8 mm	44879
135.267	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 3.5X6X1.5 mm	44879
135.268	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 3.5X6X2.5 mm	44879
135.269	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 3.5X6X3.5 mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
135.270	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 3.5X6X4.5 mm	44879
135.272	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 4.5X4X0.8 mm	44879
135.273	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 4.5X4X1.5 mm	44879
135.274	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 4.5X4X2.5 mm	44879
135.275	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 4.5X4X3.5 mm	44879
135.276	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 4.5X4X4.5 mm	44879
135.278	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 4.5X6X0.8 mm	44879
135.279	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 4.5X6X1.5 mm	44879
135.280	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 4.5X6X2.5 mm	44879
135.281	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 4.5X6X3.5 mm	44879
135.282	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 4.5X6X4.5 mm	44879
135.284	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 5.5X4X0.8 mm	44879
135.285	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 5.5X4X1.5 mm	44879
135.286	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 5.5X4X2.5 mm	44879
135.287	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 5.5X4X3.5 mm	44879
135.288	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 5.5X4X4.5 mm	44879
135.290	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 5.5X6X0.8 mm	44879
135.291	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 5.5X6X1.5 mm	44879
135.292	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 5.5X6X2.5 mm	44879
135.293	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 5.5X6X3.5 mm	44879
135.294	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 5.5X6X4.5 mm	44879
135.296	GM COCR BLOCK FOR MEDENTIKA HOLDER Ø11.5 mm	44879
135.297	GM COCR BLOCK FOR MEDENTIKA HOLDER Ø15.3 mm	44879
135.298	HE COCR BLOCK FOR MEDENTIKA HOLDER Ø11.5, 3.3 mm	44879
135.299	HE COCR BLOCK FOR MEDENTIKA HOLDER Ø15.3, 3.3 mm	44879
135.300	HE COCR BLOCK FOR MEDENTIKA HOLDER Ø11.5, 4.1/4.3 mm	44879
135.301	HE COCR BLOCK FOR MEDENTIKA HOLDER Ø15.3, 4.1/4.3 mm	44879
135.302	HE COCR BLOCK FOR MEDENTIKA HOLDER Ø11.5, 5.0 mm	44879
135.303	HE COCR BLOCK FOR MEDENTIKA HOLDER Ø15.3, 5.0 mm	44879
135.304	GM TITANIUM BASE FOR BRIDGE 3.5X0.8 mm	44879
135.305	GM TITANIUM BASE FOR BRIDGE 3.5X1.5 mm	44879
135.306	GM TITANIUM BASE FOR BRIDGE 3.5X2.5 mm	44879
135.307	GM TITANIUM BASE FOR BRIDGE 3.5X3.5 mm	44879
135.308	GM TITANIUM BASE FOR BRIDGE 3.5X4.5 mm	44879
135.309	GM TITANIUM BASE FOR BRIDGE 4.5X0.8 mm	44879
135.310	GM TITANIUM BASE FOR BRIDGE 4.5X1.5 mm	44879
135.311	GM TITANIUM BASE FOR BRIDGE 4.5X2.5 mm	44879
135.312	GM TITANIUM BASE FOR BRIDGE 4.5X3.5 mm	44879
135.313	GM TITANIUM BASE FOR BRIDGE 4.5X4.5 mm	44879
135.314	GM TITANIUM BASE FOR BRIDGE 5.5X0.8 mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
135.315	GM TITANIUM BASE FOR BRIDGE 5.5X1.5 mm	44879
135.316	GM TITANIUM BASE FOR BRIDGE 5.5X2.5 mm	44879
135.317	GM TITANIUM BASE FOR BRIDGE 5.5X3.5 mm	44879
135.318	GM TITANIUM BASE FOR BRIDGE 5.5X4.5 mm	44879
135.319	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 6.5X4X1.5	44879
135.320	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 6.5X4X2.5	44879
135.321	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 6.5X4X3.5	44879
135.322	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 6.5X4X4.5	44879
135.323	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 6.5X6X1.5	44879
135.324	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 6.5X6X2.5	44879
135.325	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 6.5X6X3.5	44879
135.326	GM EXACT TITANIUM BASE WITH REMOVABLE SCREW 6.5X6X4.5	44879
135.327	GM TITANIUM BASE AS 4.0X4X0.8 mm	44879
135.328	GM TITANIUM BASE AS 4.0X4X1.5 mm	44879
135.329	GM TITANIUM BASE AS 4.0X4X2.5 mm	44879
135.330	GM TITANIUM BASE AS 4.0X6X0.8 mm	44879
135.331	GM TITANIUM BASE AS 4.0X6X1.5 mm	44879
135.332	GM TITANIUM BASE AS 4.0X6X2.5 mm	44879
135.333	GM TITANIUM BASE AS 4.5X4X0.8 mm	44879
135.334	GM TITANIUM BASE AS 4.5X4X1.5 mm	44879
135.335	GM TITANIUM BASE AS 4.5X4X2.5 mm	44879
135.336	GM TITANIUM BASE AS 4.5X6X0.8 mm	44879
135.337	GM TITANIUM BASE AS 4.5X6X1.5 mm	44879
135.338	GM TITANIUM BASE AS 4.5X6X2.5 mm	44879
135.339	GM TITANIUM BASE AS 5.5X4X0.8 mm	44879
135.340	GM TITANIUM BASE AS 5.5X4X1.5 mm	44879
135.341	GM TITANIUM BASE AS 5.5X4X2.5 mm	44879
135.342	GM TITANIUM BASE AS 5.5X6X0.8 mm	44879
135.343	GM TITANIUM BASE AS 5.5X6X1.5 mm	44879
135.344	GM TITANIUM BASE AS 5.5X6X2.5 mm	44879
135.349	GM TITANIUM BASE C WITH NEO REMOVABLE SCREW 0.8 mm	44879
135.350	GM TITANIUM BASE C WITH NEO REMOVABLE SCREW 1.5 mm	44879
135.351	GM TITANIUM BASE C WITH NEO REMOVABLE SCREW 2.5 mm	44879
135.352	GM TITANIUM BASE C WITH NEO REMOVABLE SCREW 3.5 mm	44879
135.353	GM TITANIUM BASE C WITH NEO REMOVABLE SCREW 4.5 mm	44879
135.354	GM TITANIUM BASE C WITH NEO REMOVABLE SCREW 5.5 mm	44879
135.355	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 3.5X4X0.8 mm	44879
135.356	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 3.5X4X1.5 mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
135.357	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 3.5X4X2.5 mm	44879
135.358	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 3.5X4X3.5 mm	44879
135.359	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 3.5X4X4.5 mm	44879
135.361	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 3.5X6X0.8 mm	44879
135.362	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 3.5X6X1.5 mm	44879
135.363	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 3.5X6X2.5 mm	44879
135.364	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 3.5X6X3.5 mm	44879
135.365	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 3.5X6X4.5 mm	44879
135.367	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 4.5X4X0.8 mm	44879
135.368	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 4.5X4X1.5 mm	44879
135.369	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 4.5X4X2.5 mm	44879
135.370	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 4.5X4X3.5 mm	44879
135.371	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 4.5X4X4.5 mm	44879
135.373	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 4.5X6X0.8 mm	44879
135.374	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 4.5X6X1.5 mm	44879
135.375	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 4.5X6X2.5 mm	44879
135.376	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 4.5X6X3.5 mm	44879
135.377	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 4.5X6X4.5 mm	44879
135.379	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 5.5X4X0.8 mm	44879
135.380	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 5.5X4X1.5 mm	44879
135.381	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 5.5X4X2.5 mm	44879
135.382	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 5.5X4X3.5 mm	44879
135.383	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 5.5X4X4.5 mm	44879
135.385	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 5.5X6X0.8 mm	44879
135.386	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 5.5X6X1.5 mm	44879
135.387	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 5.5X6X2.5 mm	44879
135.388	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 5.5X6X3.5 mm	44879
135.389	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 5.5X6X4.5 mm	44879
135.391	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 6.5X4X1.5 mm	44879
135.392	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 6.5X4X2.5 mm	44879
135.393	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 6.5X4X3.5 mm	44879
135.394	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 6.5X4X4.5 mm	44879
135.395	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 6.5X6X1.5 mm	44879
135.396	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 6.5X6X2.5 mm	44879
135.397	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 6.5X6X3.5 mm	44879
135.398	GM TITANIUM BASE WITH NEO REMOVABLE SCREW 6.5X6X4.5 mm	44879
135.399	GM TITANIUM BASE FOR BRIDGE WITH NEO REMOVABLE SCREW 3.5X0.8 mm	44879

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

Item	Description	GMDN Code
135.400	GM TITANIUM BASE FOR BRIDGE WITH NEO REMOVABLE SCREW 3.5X1.5	44879
135.401	GM TITANIUM BASE FOR BRIDGE WITH NEO REMOVABLE SCREW 3.5X2.5	44879
135.402	GM TITANIUM BASE FOR BRIDGE WITH NEO REMOVABLE SCREW 3.5X3.5	44879
135.403	GM TITANIUM BASE FOR BRIDGE WITH NEO REMOVABLE SCREW 3.5X4.5	44879
135.404	GM TITANIUM BASE FOR BRIDGE WITH NEO REMOVABLE SCREW 4.5X0.8	44879
135.405	GM TITANIUM BASE FOR BRIDGE WITH NEO REMOVABLE SCREW 4.5X1.5	44879
135.406	GM TITANIUM BASE FOR BRIDGE WITH NEO REMOVABLE SCREW 4.5X2.5	44879
135.407	GM TITANIUM BASE FOR BRIDGE WITH NEO REMOVABLE SCREW 4.5X3.5	44879
135.408	GM TITANIUM BASE FOR BRIDGE WITH NEO REMOVABLE SCREW 4.5X4.5	44879
135.409	GM TITANIUM BASE FOR BRIDGE WITH NEO REMOVABLE SCREW 5.5X0.8	44879
135.410	GM TITANIUM BASE FOR BRIDGE WITH NEO REMOVABLE SCREW 5.5X1.5	44879
135.411	GM TITANIUM BASE FOR BRIDGE WITH NEO REMOVABLE SCREW 5.5X2.5	44879
135.412	GM TITANIUM BASE FOR BRIDGE WITH NEO REMOVABLE SCREW 5.5X3.5	44879
135.413	GM TITANIUM BASE FOR BRIDGE WITH NEO REMOVABLE SCREW 5.5X4.5	44879

The above listed medical devices are in compliance with the Essential Requirements as defined by the provisions of Council Directive 93/42/EEC. These medical devices have been classified according to the classification rules and have met all the applicable conformity assessment elements.

The conformity assessment procedure has been applied according to MDR Article 120(3) for Legacy Device, which is based on Council Directive 93/42/EEC modified by 2007/47/EC annex II (except section 4). Applied harmonized standards are listed in the essential requirements checklist of the medical devices.

The CE marking was applied for the first time on 14 April 2005.

This Declaration of Conformity is valid until 31 December 2027 for class IIb implantable devices excluding WET (Well-established technologies) items and 31 December for 2028 for others class IIb devices*.

Check the electronic signatures field

Name, Function and Date

VERSÃO VERSION	DATA DATE	DESCRIÇÃO DAS ALTERAÇÕES DESCRIPTION OF CHANGES
01	May/2021	Elaboration.
02	July/2022	Correct a typing error in order to make the content clear.
03	November/2023	Include the information “The conformity assessment procedure has been applied according to MDR Article 120(3) for Legacy Device” and the Note below this table.
04	Abril/2024	Adequation due to formulary version update.

Tipo de Documento / Document Type:	SGQ - Registro	Etapa / Phase:	Homologado
Identificador / ID:	REC-133138	Revisão / Revision:	5
Responsável / Owner:	Patricia Salles (U120934)	Publicação / Effective Date:	fev. 18, 2026
Título / Title:	DoC MDD ND_Class IIb Rule 8_abut		

VERSÃO VERSION	DATA DATE	DESCRIÇÃO DAS ALTERAÇÕES DESCRIPTION OF CHANGES
		Update to remove the devices which migrate to MDR according to 2197651CN17, EC Certificate under MDR 745/2017 n°2224396CE01.
05	February/2026	Removal os items due to migration to MDR according to 2224396CE01(CN25): 102.073 and 102.107. Update of the formulary template and date of expiration of the DoC, according to formal written agreement for MDD Directive 93/42/EEC Certification Extension in the framework of Regulation EU 2023/607 amending Regulation (EU) 2017/745.

*Note: This DoC was reviewed to remove the items which have migrated to MDR. The expiration date of this document has changed according to formal written agreement of JJGC and the Notified Body for MDD Directive 93/42/EEC Certification Extension in the framework of Regulation EU 2023/607 amending Regulation (EU) 2017/745 as regards the transitional provisions for certain medical devices.

REVISÃO REVISION	DESCRIÇÃO DAS ALTERAÇÕES DESCRIPTION OF CHANGES
08	Update the formulary template according to the ETQ system flow and update the note information below the change description table.
09	Update to correct the formulary template code in the header of the document.
10	Update of the form template due to FRM-000922 Rev.2 update, including the addition of the SRN number and the intended purpose / intended use field.

Assinaturas / Signatures

Assinatura Eletrônica / Electronic Signature

Jucilene Sequinel (U137647);Aprovacao;fev. 17, 2026 1:56:14 PM BRT

Mariana Hartmann (U113689);Aprovacao;fev. 18, 2026 5:05:11 PM BRT