

SYMPTOM CHECKER PDF REPORT

PERSONAL INFORMATION

NAME : Seckin

SSN : 1234567890


REPORT INFORMATION

DATE : week3

SYMPTOMS : CONCUSSION

SYMPTOM PATH : permanent teeth->no displacement-
>no mobility->tenderness to percussion-
>CONCUSSION

CURE :  No treatment is needed.

 Monitor pulpal condition for at least one year.

FAVORABLE OUTCOMES :  Asymptomatic

 Positive response to pulp testing

 False negative possible up to 3 months.

 Continuing root development in immature teeth

 Intact lamina dura

UNFAVORABLE OUTCOMES : ◆ Symptomatic

◆ Negative response to pulp testing

◆ False negative possible up to 3 months

◆ No continuing root development in immature teeth, signs of apical periodontitis.

◆ Endodontic therapy appropriate for stage of root development is indicated.

FOLLOW UP : 4 Weeks clinical and radiographic examination.

6-8 Weeks clinical and radiographic examination.

1 Year C

Example of a Decision:

INFRACTION

ENAMEL FRACTION

ENAMEL DENTIN FRACTURE

ENAMEL DENTIN PULP FRACTURE

CONCUSSION

Tenderness to Percussion

SUBLUXATION

CROWN ROOT FRACTURE WITH PULP EXPOSURE

CROWN ROOT FRACTURE WITHOUT PULP EXPOSURE

INTRUSIVE LUXATION

LATERAL LUXATION

EXTRUSIVE LUXATION

ROOT FRACTURE

ALVEOLAR FRACTURE

AVULSION

No Mobility

No Displacement

CONCUSSION

N



Other illnesses paths



Diagnosed illness path



Shows symptom path