

DISCOVERY & INVENTORY · SOURCE OF TRUTH FOR V1 COMPLETION

Dentfluence V1 Module Inventory

Every sidebar entry, module hierarchy, automation and data flow in Dentfluence OS, derived line-by-line from the current codebase — not from memory, documentation or the gap register. This is the map the module manuals and smoke tests will be written against.

CODEBASE READ E:\Dentfluence\...\Dentfluence Web	DATE OF READ 27 August 2026	SIDEBAR ENTRIES 23 across 6 sections	NAMED WEB ROUTES 895 statements
API V1 ROUTES 243 statements	CONTROLLERS / MODELS 163 / 178	MIGRATIONS / TABLES 436 / ~290	CODE CHANGED None — read only

00 · PREFACE

How this was built, and how much to trust each line

Everything below was read out of the working tree: `routes/*.php` and the two module route files required from them, `app/Http/Controllers`, `app/Services`, `app/Modules`, `app/Observers`, `app/Console/Commands`, `config/*.php`, `database/migrations` and `resources/views`. Route names, URIs, middleware chains and group prefixes were extracted with a parser over the route files rather than typed by hand.

Three limits are worth stating plainly, because they change how you should read a status:

- No commands were executed.** Per project rule, nothing was run — no `artisan route:list`, no migrations, no tests. Where a claim depends on runtime resolution (route collision order, DB state, feature-flag rows), it is marked **VERIFY AT RUNTIME** rather than asserted.

The local `.env` is not production. `APP_ENV=local`, `WHATSAPP_DRY_RUN=true`, `MAIL_MAILER=log`, `FEATURE_CASE_ACCEPTANCE=true`, `FEATURE_BLOG_HUB=true`. Flag state and send behaviour on the VPS must be read from the VPS.

Feature flags resolve from the database first. `config/features.php` gives the defaults recorded here; a `feature_flags` row for a clinic or a global override beats them. Every flag state below is “config default”, not “live value”.

Status pills carry a fixed meaning throughout:

- COMPLETE** wired end to end: UI → route → controller → persistence → read-back

PARTIAL works, but a documented gap, mismatch or unwired branch exists

BROKEN a path that cannot succeed as written

NOT IN V1 dormant, retired, or flag-off by design

A

Actual sidebar inventory

The production sidebar is `resources/views/components/sidebar.blade.php`, included by `layouts/app.blade.php` line 684. `resources/views/partials/sidebar.blade.php` also exists but is included by nothing — it is a dead file. Order below is the literal render order.

6 SECTIONS	23 NAV ITEMS	20 MODULE ROWS	2 MODULES WITH NO NAV	6 GATING ANOMALIES
---------------	-----------------	-------------------	--------------------------	-----------------------

Sidebar order · sidebar gate = the `@if` in the blade · route gate = the middleware actually enforced

#	SECTION	LABEL	ROUTE NAME	URL	SIDEBAR GATE	ROUTE GATE	MODULE SLUG	V1	STATUS
1	Overview	Dashboard	dashboard	/dashboard	always shown	auth	dashboard	Yes	COMPLETE
2	Overview	Daily Huddle	huddle.index	/huddle	daily_huddle	auth · web · module:daily_huddle	daily_huddle	Yes	PARTIAL
3	Clinical	Patients	patients.index	/patients	patients	auth · module:patients	patients	Yes	COMPLETE
4	Clinical	Appointments	appointments.index	/appointments	appointments	auth · module:appointments	appointments	Yes	COMPLETE

#	SECTION	LABEL	ROUTE NAME	URL	SIDEBAR GATE	ROUTE GATE	MODULE SLUG	V1	STATUS
5	Clinical	Treatments	treatments.index	/treatments	treatments	auth · module:treatments	treatments	Yes	COMPLETE
6	Clinical	Prescriptions	prescriptions.index	/prescriptions	patients OR treatments	auth · module:prescriptions	prescriptions	Yes	PARTIAL
7	Clinical	Clinical Library	cms.dashboard	/clinical-library	cms	auth · module:cms	cms	Yes	PARTIAL
8	Communication	Relationships	relationship.dashboard	/relationship/dashboard	none — always shown	web · auth · module:relationship	relationship	Yes	PARTIAL
9	Communication	Marketing	marketing.overview	/marketing	marketing	marketing.active · module:marketing	marketing	Partly	PARTIAL
10	Operations	Accounts & Finance	finance.dashboard	/finance	finance	auth · module:finance	finance	Yes	PARTIAL
11	Operations	Inventory	inventory.index	/inventory	inventory	auth · module:inventory	inventory	Yes	COMPLETE
12	Operations	Lab	lab.index	/lab	lab	auth · module:lab	lab	Yes	COMPLETE
13	Operations	Tasks	tasks.index	/tasks	tasks	auth · module:tasks	tasks	Yes	PARTIAL
14	Operations	Practice Protocols	practice-protocols.index	/practice-protocols	practice_protocols	auth · web · module:practice_protocols	practice_protocols	Yes	PARTIAL
15	Operations	HR	hr.dashboard	/hr	hr	auth · module:hr	hr	Yes	PARTIAL
16	Insights	Reports	reports.index	/reports	reports	auth · module:reports	reports	Yes	COMPLETE
17	Insights	Analytics	analytics.index	/analytics	analytics	auth · module:analytics	analytics	Yes	PARTIAL
18	System	Settings	settings.index	/settings	settings	auth · module:settings	settings	Yes	COMPLETE
19	System	Consent (DPDP)	consent.purposes	/consent/purposes	settings	auth only	—	Yes	PARTIAL
20	System	Patient Rights	data-rights.index	/data-rights	settings	auth only	—	Yes	PARTIAL
21	System	Breach Register	breaches.index	/breaches	settings	auth only	—	Yes	PARTIAL
22	System	Data Retention	retention.index	/retention	settings	auth only	—	Yes	PARTIAL
23	System	Help & Guide	help.index	/help	settings	auth only	—	Yes	PARTIAL

Gating anomalies visible in the sidebar itself

Six places where the sidebar's `@if` and the route's middleware disagree. None of these is a guess — each is a direct read of the two files side by side.

ID	ITEM	SIDEBAR SAYS	ROUTE SAYS	CONSEQUENCE
SB-1	Prescriptions	patients OR treatments	module:prescriptions	A role with Patients-view but no Prescriptions grant sees the item and gets Access Denied on click. The two gates were never reconciled after the <code>prescriptions</code> module row was added (migration 2026-07-25).
SB-2	Relationships	ungated — always shown	module:relationship	Same failure, opposite direction. The blade comment still describes PRE as "an ungated core feature"; it stopped being one on 2026-07-25 when the <code>relationship</code> module row landed.
SB-3	Practice Protocols, HR	inside the Operations wrapper <code>@if(finance inventory lab tasks)</code>	their own module gates	A role granted <i>only</i> HR (or only Practice Protocols) sees no Operations section at all — the whole block is skipped before their own <code>@if</code> is reached.
SB-4	Consent · Patient Rights · Breach · Retention	inside the System wrapper <code>@if(settings)</code>	auth only	Compliance surfaces are hidden from non-admins but <i>not protected</i> from them: any logged-in user reaching the URL directly gets in. DPDP registers are the wrong place for a nav-only gate.
SB-5	Help & Guide	inside <code>@if(settings)</code>	auth only	The staff help page is invisible to exactly the staff who need it — anyone without the Settings module.
SB-6	Analytics	analytics	module:analytics	Gate is consistent, but the <i>destination</i> is not: <code>analytics.*</code> and <code>finance.analytics.*</code> are the same <code>Finance\AnalyticsController</code> methods rendering the same <code>finance.analytics.*</code> views behind two different permissions. Nine pages, two doors, no divergence guard.

Permission-catalogue modules with no sidebar entry

The `modules` table carries 20 rows (18 from `RolePermissionSeeder`, plus `relationship` and `prescriptions` added by migration `2026_07_25_120000`). Two of them are configurable in Settings → Roles but have nowhere to go.

MODULE SLUG	CATALOGUE NAME	WHY THERE IS NO NAV ITEM	STILL REACHABLE?	STATUS
presentations	Smart Presentation	Retired from the sidebar 2026-07-15 in favour of the Case Acceptance Journey, opened per-plan from the Treatment Plan tab. Blade comment at <code>sidebar.blade.php</code> documents the decision.	Yes — <code>/presentations</code> , <code>/presentations/{id}</code> , <code>/presentations/links</code> , <code>/presentations/settings</code> all still route. Also the permission that gates <code>case-journeys.*</code> .	NOT IN V1 NAV
communication	Communication (PRE)	Communication OS was superseded by PRE across 2026-07-03 → 07-06. No nav item was ever added back.	Yes — the whole <code>/communication/*</code> tree is live behind <code>communication.access + module:communication</code> , reachable only by direct URL or contextual links.	NOT IN V1 NAV

A third surface sits outside the module system entirely: **Dentfluence HQ** (`app/Modules/Hq`, `/hq/*`, 15 routes) — the internal command centre for clinics, subscriptions, plans and tickets, gated by the `superadmin` middleware on the `is_superadmin` flag. It is not a clinic-facing module and should not appear in any clinic manual.

B

Module → sub-module → workflow hierarchy

Derived from route groups, controller methods and the blade tree — not from an assumed shape. Every leaf below corresponds to a real route, a real tab in a real view, or a real

controller action. Sub-modules that exist only as retired code are marked as such rather than omitted.

Click a module to expand. In print, all modules are expanded.

— 1 · Dashboard DashboardController · views/dashboard/index COMPLETE
Today strip — appointment counts by status: total / check-in / in-chair / done, branch-scoped Alert cards — three computed nudges, each with a deep link Overdue lab cases → lab.index No-shows today → appointments.index Outstanding balance across invoices → finance.income Global chrome hosted here — rendered by layouts/app on every page, not owned by Dashboard Topbar + notification bell (notifications.*), universal search Global appointment modal, create-task modal, dental notation, access-denied modal Yesterday follow-up card, Today's flow card, clinical-library file viewer Tulip Assistant drawer (assistant.*)
— 2 · Daily Huddle app/Modules/Huddle · 19 routes PARTIAL
Board GET /huddle Today's appointments — patient, doctor, assistant, treatment, staff instruction, prep item, medical alert Collections target — scheduled appointments only; walk-ins excluded by design Yesterday's flow — resolved through ClinicFlowRange so Monday looks back to Saturday (and Sunday if the clinic opened) Yesterday's appointments + whether a visit/consultation was logged against each Staff instruction editing PATCH /huddle/appointments/{id}/instruction Huddle notes POST /huddle/notes Yesterday's-Flow quick action POST /huddle/yesterday-flow/log — logs a task and/or follow-up call Push selected comms to the follow-up queue POST /huddle/comms/push Tasks /huddle/tasks — index, store, status, assign, proof upload, carry-forward Comments /huddle/comments — index, store, resolve, destroy Accountability GET /huddle/accountability — JSON Report GET /huddle/report — weekly / monthly / quarterly / annual performance tabs Settings — GET redirects to settings.index?tab=huddle; PATCH kept for API Mobile / Tulip surface — /api/v1/huddle, /huddle/tasks, /huddle/staff, /huddle/comms/push, yesterday-flow log Legacy widget endpoints — communication.huddle.widgets / overdue / alerts live in the Communication OS tree, separate controller

— 3 · Patients PatientController + 8 satellites · 64 named routes COMPLETE

Patient list /patients — index, AJAX search, quick-store, scan-form (OCR intake), import preview

Patient profile /patients/{id} — one eager tab + 10 lazy tabs loaded via /patients/{id}/tab/{tab}

- Profile (eager) — demographics, contact, sticky financial header, rapport notes, opportunities, quick-pay modal, Journey Timeline
- Consultation — consultation history for this patient
- Treatment Plan — plans, items, per-tooth mapping, decisions
- Visits — treatment visits + visit items
- Lab — this patient's lab cases
- Prescriptions
- Billing — extra gate: requires finance,view or 403
- Wallet — same finance gate
- Membership
- Documents — clinical files, upload modal
- Notes

Journey Timeline GET /patients/{id}/timeline — cursor-paged JSON from PatientJourneyService, grouped all / clinical / financial / comms / consent / reviews, permission-filtered per event

Consultations — four typed workflows, each with its own create/edit pair

- Standard — Visit Type → Chief Complaint → Examination Findings → Diagnosis → Investigations → Prescription → Follow-up; plus HOPI, Findings Summary, Risk Assessment, Treatment Done sections
- Same Issue consultations.same-issue.* — update notes + additional findings
- Minor Visit consultations.minor-visit.*
- Emergency consultations.emergency.*
- COHA coha.create / store / edit / update / report — comprehensive oral health assessment + printable report
- Consult Assist consult-assist.suggest / section-guidance / tooth-timeline — AI assist endpoints
- Standalone edit consultations.show / edit / update / destroy / print
- Retired: the consultations.index listing was removed 2026-08-03 — the profile tab is the listing.

Treatment Plans treatment-plans.*

- Create from consultation · AI-suggest · items editor · per-tooth items
- Lifecycle: mark-presented → accept | partial-accept | reject | defer → revert
- Consent document print · plan print · plan → invoice (billing.fromPlan) · plan → Case Journey
- States: draft, decision_pending, accepted, treatment_started, treatment_complete, deferred, declined, closed

Treatment Visits visits.* — create, edit, update, delete (cascades items + prompts), print case sheet, "none today"

Clinical Files clinical-files.* — upload, list, show, update, soft-delete; served through secure.media.file

Family & identity

- Family links + guardians patients.family.*
- Merge (admin only) patients.merge.create / preview / store / undo
- ABHA / ABDM identifiers patients.abha.edit / update
- Deactivate / reactivate · soft delete

Relationship surface on the patient — rapport notes, opportunities, logged communications, tags

Print patients.print

— 4 · Appointments AppointmentController + AppointmentService · 20 routes COMPLETE

Calendar /appointments — the module home; doctors open on their own list via the per-role data_scope column

Today view /appointments/today · **Today queue** /appointments/queue/today

Booking — create, store, conflict check (appointments.check.conflict), quick view, edit, update

Status lifecycle — scheduled → checkin → in_chair → checkout → done; plus cancelled, no_show

- updateStatus, cancel (with reason), revert, reschedule
- Status counts endpoint for the board header

Chair / operator — assignOperator; operator master lives in Settings

Blocked slots — block-slot, blocked-slots, DoctorBlockedSlot model

Hide from calendar PATCH /appointments/{id}/hide

Record-level authorization — AppointmentPolicy, the app's first policy; all and own_default both allow whole-branch access

Mobile — /api/v1 appointment endpoints share AppointmentService

— 5 · Treatments (clinic knowledge base) TreatmentController · 18 routes · 10 tabs COMPLETE		
Catalogue — index, create, store, price list, patient search, delete Treatment record — 10 tabs /treatments/{id}?tab= Overview · Intelligence (saved via intelligence.save) SOP — doctor steps, pre-instructions (sop.save) Consent — split out of SOP 2026-07-13, own save route so it never touches SOP fields Stages · Rules (e.g. consent_required) Media — upload / delete Patient Materials · Review (review.mark) · Usage Categories treatment-categories.store / update / destroy Print /treatments/{id}/print/{type} — pre_op, post_op, consent API detail /treatments/{id}/api — feeds the plan builder and billing auto-fill Supporting tables — treatment_sops, treatment_rules, treatment_media, treatment_knowledge, treatment_options, treatment_consents, diagnosis_treatment_options		
— 6 · Prescriptions Prescription/* · 39 rx.* + 12 patient-scoped routes PARTIAL		
Global index GET /prescriptions Patient-scoped Rx /patients/{p}/prescriptions/* index · create · store · show · edit · update · destroy Repeat prescription POST .../repeat Print · PDF download · WhatsApp send Quick form + pedo dose helper partials Rx masters /settings/prescription/* — reached from Settings, named rx.settings.* Drug categories · Generics · Routes of administration Food instructions · Dose templates · Duration templates Warning rules · Prescription templates (+ items) Drug register rx.drugs.* — CRUD, soft-delete + restore, search API Safety layer — rx_allergy_rules, rx_drug_interaction_rules, prescription_overrides, prescription_audit_logs ABDM — AbdmPrescriptionObserver mirrors prescriptions into FHIR documents		
— 7 · Clinical Library (CMS) ContentManagement/* · 25 routes · two front doors PARTIAL		
Clinical Library dashboard /clinical-library — the sidebar destination Upload POST /clinical-library/upload File approval queue — files.approve / files.reject Protocol steps AJAX for the upload modal Content Management /content-management — five tabs Case Library — search, filters, results table, case viewer, media gallery, case notes, case timeline, visit history Education — categories, treatments, media upload; manage screen Marketing — tag/untag a case for marketing use Teaching · Research Watermark settings POST /content-management/watermark-settings — consumed by the GenerateWatermark job Patient-facing view /content-management/patient/{id} Tables — cms_media, cms_treatment_cases, cms_tags, cms_edu_categories, cms_edu_items, education_*, clinical_media, media_assets		

— 8 · Relationships (PRE) Relationship/* · 71 routes · 9 tabs PARTIAL

Tab bar (relationship/layouts/app.blade.php) — Dashboard · Today's Actions · Pipeline · Opportunities · Recalls · WhatsApp · All Relationships · Analytics · Settings

Today's Actions /relationship/today — the reception work board

- 15 live categories: new_enquiries · lead_followups · opportunities · recall_calls · follow_up_calls · appointment_reminders · pending_estimates · membership_renewals · lab_ready · payment_reminders · wellness_check_yesterday · logged_communications · tasks (system) · missed_calls_yesterday · missed_appointments_yesterday
- Retired category: **birthdays** (2026-07-26) — the reader is kept for future automation; birthday *recalls* still surface under recall_calls
- Pending Calls board /today/pending — same cards, overdue-only window
- Call workflow drawer with per-category checklists (config/relationship_rules.php)
- Actions: log outcome · dismiss · close · add note · summary · birthday WhatsApp
- Missed calls board — ignore / unignore / bulk dismiss
- Per-category fault tolerance: a failing category logs a warning and returns `[]` rather than breaking the board

Reception /relationship/reception — front-desk view (not in the tab bar)

Lead Pipeline /relationship/pipeline

- Stage board with drag-to-move · activity log · detail modal
- Quick-add lead · full add lead · edit lead
- Convert to patient (additionally requires module:patients,edit — it mints a Patient)
- AI: re-enrich · draft reply · log reply

Opportunity Pipeline — board, store, patient search, detail modal, stage update, convert to lead, notes

Recall Pipeline — board, manual recall, ignore / unignore, bulk dismiss, bulk assign, convert to opportunity

WhatsApp overview /relationship/whatsapp — sidebar slot removed 2026-08-25; reachable from the PRE tab and every contextual WhatsApp button

All Relationships · Relationship profile /relationship/{id} · **Universal search**

Notifications /relationship/notifications — index, read, read-all

Templates — index, create, edit, update, destroy, for-type deep link

Referral rewards POST /relationship/{id}/referral-reward

Settings — flag toggles, Today's-Actions config, referral config, recall effective-from, recall general, per-treatment recall, birthday recall, call-outcome options, dismiss reasons

Engine layer — 25 services under app/Services/Relationship: ActivityEngine, RulesEngine, TaskEngine, ReminderEngine, NotificationEngine, CommunicationEngine, CommunicationGuard, TodayActionsEngine + Projector, YesterdayReviewService, OutcomeAutomationService, IdentityResolver, RelationshipEngine, MergeService, JourneyService, RelationshipScoreEngine, UnifiedTimelineService, TimelineParityService ...

— 9 · Marketing Marketing/* · 71 routes · 6 subnav tabs (+ Blog) PARTIAL

Dashboard /marketing

Content / Publish — composer, save draft, per-platform variants, scheduling

Calendar — month view, export, drag-reschedule

Reviews /marketing/reviews — native page (replaced the old link into Communication OS)

Analytics · Settings (+ integrated-mode toggle)

Blog Marketing Hub — 22 routes, gated by feature flag `blog.hub` inside BlogController (404 when off)

- CRUD · draft · autosave · duplicate · archive / unarchive
- Versioning — index, restore, destroy
- Publishing ledger — publications index, publish, retry, destroy; ProcessBlogPublication job
- Taxonomy — categories, tags; media assets
- Route key is the post **uuid**, never the slug or id

Brainstorm & Ideas — idea CRUD, convert to post, convert to campaign, create from review

Campaigns — CRUD, goals, team add/remove

Library & Assets — folders, upload, storage usage, tags

Brand Kit — settings + logo upload

Integrations — WhatsApp setup, WordPress setup, generic OAuth connect / callback / disconnect / health-check per platform

Provider abstraction — flag `marketing.integrated_providers` switches Revenue / Patient / Treatment / Media / Review / Appointment interfaces between Standalone (manual) and Integrated (real Dentfluence records)

Access — EnsureMarketingActive only checks that a `marketing` row exists in `modules` ; the real permission is module:marketing

— 10 · Accounts & Finance (incl. Billing) Finance/* + BillingController · 81 + 25 routes PARTIAL

Finance dashboard /finance — KPIs, recent transactions, quick actions, income-tax estimator

Income — register, export, and a restore-from-trash trio (invoice / receipt / final bill)

Expenses — list, create, receipt scan, store, edit, update, mark-paid, export, delete; expense categories

Vendors — CRUD + quick-store; staff are mirrored in automatically by UserVendorSyncObserver

Payroll · Cashbook · Banking (accounts CRUD + toggle)

GST · CA Export · Finance Reports

Vouchers — index, show, print, export, destroy

Wallet

Wallet index · register · register export

Per-patient: show, credit form, credit, credit note, receive advance, refund, adjust

Wallet campaigns — create, preview, apply, cancel

Nightly wallet:recalculate at 00:30

Membership — plans CRUD, toggle, members list, enrolment delete; enrol from billing

Coupons — CRUD, toggle; validated at billing time

Finance Analytics — 9 pages: overview, vendors, expenses, lab, procurement, cashflow, outstanding, business intelligence, audit log

Billing (invoice engine) billing.*

Bill from treatment plan — fromPlan / storeFromPlan

Bill from billing prompt — createFromPrompt, dismissPrompt

Payments — record on invoice, record patient-level payment (allocation), update, mark provider paid

Receipts — show, void; patient allocation receipt, void

Discounts — coupon validate, membership benefits, manual discount apply / remove

Documents — invoice print, panel, final bill (+ delete)

Cancellation & authorised destructive ops — cancel, cancelWithReason, deleteAuth, editAuth

EMI — providers, schemes, cost pass-through, schedules (masters in Settings)

Audit — billing_audit_logs, finance_audit_log, chain verified daily by audit:verify

— 11 · Inventory InventoryController + InventoryService · 74 routes · 11 tabs COMPLETE

Dashboard · Items — stock list, adjust (admin-only reversal), per-item history

Products — catalogue cards, show, store, update, destroy (admin), CSV import (template → preview → store)

Purchase Orders — create, mark ordered, receive (GRN), print, update, destroy, reverse last GRN

Stock Movement — stock-in, stock-out, movement register, reverse adjustment

Stock Count — start session, count sheet, save, complete; live snapshot

Implants — catalogue CRUD + placement CRUD; placements are written automatically from treatment visits

Alerts — out of stock, critical, low, expiring within 90 days, expired, dead stock (90 days no movement)

Received Stock — GRN register + print

Reports · Stock check · Assets (reusable assets + status)

Vendor invoices — index, create, store, show, destroy

Inventory Settings — categories, locations, sub-types, variants (+ AJAX variant creation), vendors, general settings

Interactive guide /inventory/guide/demo — trilingual walkthrough embedded in the subnav

Canonical status — StockStatusService + StockStatus enum (in_stock / low / critical / out / min_not_set) is the single source for every screen

— 12 · Lab LabController + Reconciliation + Vendors · 42 routes COMPLETE	
Case list /lab · Dashboard /lab/dashboard Lab case Create / store (also from a patient: patients.lab.store) · subtypes AJAX Show · edit · update · duplicate · destroy · restore Status transitions POST /lab/{case}/status/{to} via LabCaseTransitionService Attachments — store / destroy · Print work order Lab prescription — store / update, built from lab_prescription_templates Vendor rating POST /lab/{case}/rate Event trail — lab_case_events Templates — index, store, destroy Monthly reconciliation — create, eligible cases, store, show, item update, submit, approve, dispute, destroy Lab vendors lab-vendors.* — vendor CRUD, contacts, services (incl. bulk), price lists Automation services — LabAlertService, LabNotificationService, LabExpenseService, LabCaseObserver	
— 13 · Tasks Communication\TaskController · 7 routes PARTIAL	
All tasks /tasks · My tasks /tasks/my · Overdue /tasks/overdue Create — from the global create-task modal or from a patient context Complete POST /tasks/{task}/done · Evidence upload · Escalate Task types — human (reception-facing) vs system (automation output). The split is behind flag tasks.human_system_split ; the task_type column exists and TodayActionsEngine::systemTasks() already reads system tasks into Today's Actions (Sprint A / G-27). Task producers — 9 distinct call sites: RulesEngine → TaskEngine, LabAlertService (×2), InventoryService + InventoryController (PO tasks), ReminderAutomationRunner, ProtocolGenerationService, HuddleController, Assistant CreateTaskTool, API RelationshipController Escalation — escalations table; comm:auto-escalate every 30 min	
— 14 · Practice Protocols app/Modules/PracticeProtocols · 8 routes PARTIAL	
Protocol catalogue — index, create, store, edit, update, destroy. Standard recurring duties defined per role. Materials — attach SOP step / file / link to a protocol; destroy Generation — protocols:generate runs at 00:10 daily; ProtocolGenerationService turns due protocols into Tasks Reminders — tasks:shift-reminder every 5 min, tasks:periodic-reminder every 2 h Tables — practice_protocols, practice_protocol_materials, documentation_protocols, documentation_protocol_steps	
— 15 · HR HR/* · 47 routes · 8 subnav tabs PARTIAL	
Overview /hr Doctors / Staff — one resource (hr.staff.*) split by ?view=doctors staff Staff profile — documents (store / destroy), HPR identifiers for doctors Finance per staff member — salary, incentive rule, advances (store / close), bonuses (store / destroy) Attendance — register, mark, bulk mark; QR check-in /hr/checkin/{token}; scan page + scan log; hr:mark-absent daily at 10:30 Training — sessions CRUD, enrol / unenrol, mark attendance, mark complete Periodic training — requirements + records (hr.periodic.*, not in the subnav) Calendar — index + events feed Memos — performance memos: create, show, acknowledge, destroy Roles & Permissions — admin.only; the same screen as Settings → Staff & Roles, served by RolePermissionController, plus the per-role data_scope control Tables — 18 hr_* tables covering profiles, shifts, attendance, entry/exit, salary components, advances, bonuses, incentive rules, documents, training, memos	

— 16 · Reports ReportsController · 1 route · 6 tabs COMPLETE	
One page, six tabs, one date range GET /reports?period=&from=&to= Appointments — totals, completed, cancelled, no-show, walk-ins, completion rate, daily series, status breakdown, by category / doctor / day-of-week, recent list Revenue — KPIs, daily series, by payment mode, top patients, outstanding Patients — new by month, gender, source, city, total, return rate Treatments — visits by status / doctor / procedure, plans by status, monthly visits, completion rate Lab — by status / vendor / category, turnaround, open + overdue counts Inventory — low stock, movements, by category, expiring Charts lazy-init per tab; the page heading still reads "Appointment Reports" from before the tabs existed.	
— 17 · Analytics Finance\AnalyticsController · 9 routes · duplicate door PARTIAL	
Overview · Vendor · Expense · Lab · Procurement · Cashflow · Outstanding · Business Intelligence · Audit Log There is no <code>resources/views/analytics/</code> directory. All nine render <code>finance.analytics.*</code> views — the identical pages served at <code>/finance/analytics/*</code> behind <code>module:finance</code>. Shadow projection — <code>analytics:rebuild-snapshots</code> refills <code>analytics_snapshots</code> every 15 min; nothing reads it yet (shadow only, by design).	
— 18 · Settings SettingsController + 5 satellites · ~65 routes · 21 nav entries COMPLETE	
In-page panels (18) Clinic Profile (incl. patient-ID numbering, logo / letterhead) · Operatories · Staff & Roles (staff sub-tab + roles sub-tab) Feature Flags · Import / Export · Masters · Knowledge Bank · Clinical · Patient Defaults Billing & Invoice (GST, invoice numbering, EMI providers & schemes) · Printing · Notifications Growth & Comms · Inventory · Huddle · Personalisation · Calendar Link-out entries (3) — Health Facility (HFR/ABDM), Banking, Audit Logs, Clinical Library Masters — treatments, complaints, diagnoses, investigations, materials, brands, medicines, medical conditions, dental conditions, patient sources, message templates Knowledge Bank — per-diagnosis treatment options: manage, store, update, destroy Tags — CRUD (see observation INV-02: registered twice) Data — patient import preview / store / template per source; export is <code>admin.only</code> Activity log — <code>staff_activity_logs</code> + <code>audit_logs</code> Settings search index — 16 keyword → tab mappings; two entries (Working Hours, Slot Duration) are flagged <code>available => false</code>: searched for, not built.	
— 19 · DPDP cluster — Consent · Patient Rights · Breach · Retention 4 controllers · 24 routes PARTIAL	
Consent (DPDP) — purposes register (index, store, update, toggle); per-patient consent (view, update, audit trail) Patient Rights — data requests: index, create, store, show, update, complete, reject, download, erase Breach Register — index, create, store, show, update, report-to-board, notify affected Data Retention — single page over <code>retention_policies</code>; <code>retention:report</code> command; <code>logs:prune --apply weekly Sunday 03:30</code> Consent enforcement — <code>CommunicationGuard</code> + WhatsApp <code>consentGate()</code>; flags <code>guard.consent_required</code> and <code>guard.fail_closed</code> both default OFF	
— 20 · Help & Guide HelpController · 1 route PARTIAL	
Help index /help — plus the in-app components/help-guide overlay included by <code>layouts/app</code> This is the natural home for the module manuals this inventory precedes.	

Live surfaces outside the sidebar

— 21 · Communication OS

routes/communication.php · 65 routes · no nav entry

SUPERSEDED

Module home /communication

Live sub-modules

- Manager — log a communication, patient search, bulk action, show, update, assign, move, log attempt, close with outcome. The tabbed inbox at /manager now **redirects** to PRE Today's Actions.
- Follow-up Engine — index, queue, overdue, calendar, recalls, schedule, complete, reschedule, note, change status, convert to patient, create case
- Recall Engine — index + run-now
- B2B — vendor/lab communications: index, create, store, show, log attempt, close, lab-cases-for-vendor AJAX
- KPI dashboard
- Reviews / Reputation — index, send request, reply
- WhatsApp two-way inbox — link builder, thread list, thread, reply, send template
- Huddle widgets — widgets, overdue summary, alerts

Retired to redirects — Recall Settings (→ PRE Settings), Templates (→ PRE Templates), Opportunity Engine (→ PRE Opportunities). Controllers and views left in place, unreachable.

Unregistered — Communication Timeline: routes commented out 2026-07-14 because TimelineController still renders hardcoded sample patients; the controller aborts 404 as a backstop.

Dead shell — layouts/partials/communication.blade.php (its own 10-item sidebar + topbar) is included by nothing. Live Communication views extend layouts/communication, which extends the main app layout.

— 22 · Case presentation — Smart Presentation & Case Acceptance

PresentationController + CaseJourneyController · 20 + 11 routes

TWO ENGINES

Smart Presentation (older engine, nav item retired 2026-07-15)

- Index · builder · create from plan · update · generate summary · finalize · destroy
- Send · resend · mark declined · mark follow-up
- Access links — list, revoke, regenerate · Settings
- Public microsite /present/{token} — show, accept, decline, request callback (no login)

Case Acceptance Journey (newer engine, flag `case_acceptance.enabled`, opened per-plan from the Treatment Plan tab)

- Create from plan · builder · preview · curation · custom options · send
- Public microsite /p/{token} — show, select material, accept, decline, request callback
- Odontogram + content blocks in the patient view
- Tables — journey_curations, journey_custom_options, journey_sent_snapshots, case_selections, case_consent_snapshots, plan_decisions, plan_decision_items

Both are gated by the same `presentations` permission and both are live simultaneously when the flag is on.

— 23 · Platform surfaces

assistant · notifications · profile · media · API · HQ

SUPPORTING

Tulip AI Assistant assistant.* — chat, conversation, confirm / reject a proposed action, voice transcription. Tables: ai_conversations, ai_messages, ai_action_logs, voice_notes. Tools include CreateTaskTool.

Notifications — index, unread, mark read, mark all read, and nav-badges which feeds the 30-second sidebar poller for pending billing prompts and draft lab cases

Profile & auth — profile, password, avatar; 2FA setup / enable / disable / challenge; mobile OTP; forgot-PIN

Secure media secure.media.file / legacy — the only route that serves clinical images

Mobile / Tulip API — /api/v1/*, 243 route statements, auth:sanctum + api.role, throttled 120/min (login 5/min). Thin controllers over the same services the web uses.

Inbound webhooks — website leads, Meta lead ads, WhatsApp Cloud, chatbot. Signature-verified, outside auth by necessity.

Dentfluence HQ — clinics, subscriptions, plans, tickets; superadmin gate; internal, not a clinic module

C

Bells & automations — what actually fires

Only automations found in code are listed. Where an automation is the obvious thing to expect and does *not* exist, it is recorded as absent rather than quietly omitted — that list is at the end of this section and is the most useful part of it.

The four spines

Dentfluence has no single event bus. Work reaches other modules through four distinct mechanisms, and knowing which one carries a given bell tells you where to look when it doesn't ring.

#	SPINE	ENTRY POINT	WHAT IT DOES	REACH
S1	Activity ledger → Rules Engine	ActivityEngine::log(\$subject, \$event, ...)	Writes an <code>activities</code> row — Activity IS the Timeline . Then, on <code>DB::afterCommit : (a) RulesEngine::evaluate(\$event, ...)</code> , (b) <code>RecalculateRelationshipScoreJob</code> if the event is score-relevant, (c) publishes a domain event on <code>DomainEventBus</code> . Never throws — every step is wrapped.	~40 event names; 13 rules subscribe to 12 of them
S2	Model observers	Model::observe(...)	Synchronous side-effects on create/update. Nine registered; eight in <code>AppServiceProvider / AbdmServiceProvider / SearchServiceProvider</code> , one (<code>LeadObserver</code>) via the <code>#[ObservedBy]</code> attribute on the model.	Consultation ×3, TreatmentVisit, LabCase, Lead, User, Relationship
S3	The scheduler	routes/console.php	24 scheduled commands. This is where every time-based bell lives — recalls, reminders, briefings, absence marking, projections, integrity checks, pruning.	Requires <code>schedule:run</code> to be wired on the host — VERIFY AT RUNTIME
S4	In-service side-effects	TreatmentVisitService, BillingController, ...	Direct calls inside a service or controller — no event, no listener. The largest cluster of cross-module behaviour in the app sits here, which is why grepping for events under-reports what the system does.	Visit → <code>billing / lab / stock / plan / recall</code> ; PO → <code>tasks</code> ; outcome → <code>appointment</code>

Event register — event → trigger → automation → destination

BUSINESS EVENT	FIRES?	PRODUCER (CODE)	SPINE	AUTOMATION	LANDS IN
Patient created	YES	PatientService:274 → PatientRelationshipLinker::link()	S4	Creates or links the master <code>Relationship</code> row. Gated by flag <code>identity.link_patient</code> (default ON — the only flag that is).	PRE relationship list, relationship profile, Today's Actions. Patients created before the flag was turned on need a one-time <code>relationship:backfill</code> .
Lead captured (webhook or manual)	YES	LeadObserver::created	S2	Four side-effects: link to the relationship spine · auto-assign owner · create a follow-up · dispatch <code>EnrichLeadJob</code> . Then logs <code>lead.created</code> . Each is individually try/caught and logs a warning on failure.	PRE Lead Pipeline, Today's Actions <code>new_enquiries</code>
Appointment booked / rescheduled / cancelled / checked-in / completed / reverted / deleted	YES	AppointmentService → AppointmentActivityLogger	S1	Activity ledger entry only — no rule subscribes to any of these seven.	Patient Journey Timeline, Insights, Huddle board
Appointment missed (no-show)	YES	AppointmentActivityLogger:75 → 'appointment.missed'	S1	Rule <code>missed_appointment_followup</code> → <code>create_task</code> .	Tasks, Today's Actions (<code>tasks</code> + <code>missed_appointments_yesterday</code>), Dashboard alert card
Consultation saved	YES	ConsultationClinicalWiringObserver · ConsultationActivityObserver · AbdmConsultationObserver	S2	Three parallel effects: (1) advances <code>patients.last_visit_date</code> — the recall engine's key column, which had no writer before 2026-08-03; (2) closes the linked appointment (status → <code>done</code>); (3) logs <code>consultation.completed</code> (no rule matches — Insights only); (4) mirrors to a FHIR document for ABDM.	Recall engine, Appointments, Journey Timeline, Insights, ABDM
Consultation billing handoff	YES	ConsultationController:710 → BillingPrompt::create	S4	Creates a pending billing prompt.	Finance sidebar badge (30-s poller), patient Billing tab, <code>billing.createFromPrompt</code>
Treatment plan accepted	YES	TreatmentPlanAcceptanceService::accept()	S1 + S4	Logs <code>treatment_plan.accepted</code> (no rule) and syncs the linked Opportunity to <code>COMMITTED</code> . Partial-accept and reject follow the same shape (<code>COMMITTED / DECLINED</code>); defer clears the opportunity.	Opportunity Pipeline, Journey Timeline, billing (<code>billing.fromPlan</code>), recall generator <code>recall_approved_plan</code>
Treatment visit saved — the busiest hub in the app	YES	TreatmentVisitService::create() / update()	S4 + S1 + S2	Seven side-effects in one call: visit items → BillingPrompt ; lab section → draft LabCase ; implant fields → ImplantPlacement + stock deduction (idempotent per component per visit); clinical fact reported to the Treatment Plan so it re-derives progress; "mark plan complete" → plan completed + auto 6-month recall task (skipped if one exists); <code>treatment.completed</code> → rules <code>implant_followup</code> and <code>post_treatment_followup</code> → Tasks ; observer advances <code>patients.last_visit_date</code> . A Workflow-Engine shadow run also observes <code>current_stage</code> (flag <code>workflow.engine</code> , OFF — log only).	Finance, Lab, Inventory, Treatment Plan, Recalls, Tasks, Journey Timeline
Invoice created	LOG ONLY	BillingController:397 → 'invoice.created'	S1	Activity entry only. The code comment states plainly: <i>no rule currently matches</i> . Feeds Insights.	Journey Timeline, Insights
Payment received	LOG ONLY	BillingController:1210 · InvoicePaymentService:366	S1	Activity entry only; same comment. Money movement itself is handled synchronously by <code>InvoicePaymentService / PatientPaymentAllocationService / WalletService</code> .	Journey Timeline, receipts, wallet, Insights
Payment overdue	YES	payments:scan-overdue (07:15) → 'payment.overdue'	S3 → S1	The scanner exists <i>because</i> nothing emitted this event, so the enabled rule had never fired. Rule <code>payment_overdue_3d</code> → task, with a 7-day cooldown.	Tasks, Today's Actions <code>payment_reminders</code> (₹500 threshold)
Recall becomes due	YES	recall:run (07:00) → RecallEngineService::runAll()	S3	Six generators, each writing a <code>CommunicationQueue</code> row with a purpose: <code>recall_no_visit</code> (6+ months) · <code>recall_approved_plan</code> · <code>recall_post_op</code> · <code>recall_lab_received</code> · <code>recall_7day_followup</code> · <code>recall_birthday</code> . Plus <code>recall_manual</code> from the UI. Every one is dedup-guarded on (patient, purpose) with a per-source <code>*_queued_at</code> cooldown. Logs <code>recall.queued</code> .	PRE Recalls board, Today's Actions <code>recall_calls</code> , Journey Timeline
Follow-up becomes due	YES	relationship:requeue-due (06:45)	S3	Re-surfaces open call-debt whose due date has passed, through <code>OutcomeAutomationService</code> .	Today's Actions <code>follow_up_calls</code> , Pending Calls board
Lab case created	SILENT	TreatmentVisitService:512 · LabController:263	S4	A draft case is created from the visit. No event, no task, no notification — the only signal is the draft-lab-case count on the sidebar badge poller.	Lab list, sidebar badge
Lab case status changes	YES	LabCaseObserver::updated	S2 → S1	Writes <code>CommActivityLog</code> entries; on receipt fires <code>lab.received</code> → rule <code>lab_ready_call</code> → task (dedup-guarded).	Tasks, Today's Actions <code>lab_ready</code> , recall generator <code>recall_lab_received</code> , B2B comms
Lab case overdue / trial stale	YES	lab:create-overdue-tasks (09:00) → LabAlertService	S3	Creates an urgent task per overdue case (priority escalates past 7 days) and per trial-received case idle 2+ days. Dedup via <code>lab_cases.active_task_id</code> ; writes a <code>task_created</code> case event.	Tasks, Dashboard alert card, Lab case timeline
Stock reaches reorder level	NO AUTOMATION	StockStatusService (read-time classification)	—	Status is computed when a screen asks for it. Crossing the threshold creates no task, no notification, no message . The Inventory Alerts page and the dashboard action list are pull-only.	Inventory → Alerts (only if someone opens it)
Purchase order marked "ordered"	YES	InventoryController::storePurchaseOrder · InventoryService::createPurchaseOrder	S4	Creates a "Confirm PO with {vendor}" task on the order date, and a "Delivery follow-up" task one day before the expected date. Implemented twice — see INV-05.	Tasks
Communication outcome recorded	YES	OutcomeAutomationService::apply()	S4	One engine shared by web, mobile and the requeue command. Always writes a Timeline entry first, then runs the outcome's action — create appointment, close recall, schedule follow-up, mark invalid contact, disable automations. Outcomes with no defined action (<code>shifted</code> , <code>other</code> , <code>under_treatment_elsewhere</code> , <code>rejected</code>) log and stay open rather than inventing behaviour. Side-effects are best-effort: a failed appointment creation never blocks the outcome being recorded.	Appointments, Recalls, Follow-ups, Journey Timeline

BUSINESS EVENT	FIRES?	PRODUCER (CODE)	SPINE	AUTOMATION	LANDS IN
Membership expiring	YES	membership:scan-expiring (07:10) → 'membership.expiring'	S3 → S1	Rule membership_renewal_30d → task, 25-day cooldown.	Tasks, Today's Actions membership_renewals
Birthday approaching	YES	birthdays:scan (07:20) → 'birthday.approaching'	S3 → S1	Rule birthday_3d → task, category whatsapp , 360-day cooldown. The Today's-Actions birthdays category was retired 2026-07-26 — greetings are automation's job, not reception's. The one-click send endpoint and templates remain.	Tasks; birthday recalls separately via recall_birthday
Estimate / presentation sent	YES	PresentationController:280,323 → 'presentation.sent'	S1	Rule estimate_followup_3d → task.	Tasks, Today's Actions pending_estimates
Case journey opened by patient	YES	PublicCaseController:58 → 'case.opened'	S1	Rule case_opened_followup_2d → task.	Tasks
Patient asks for more time on a case	YES	PublicCaseController:244 → 'case.more_time_requested'	S1	Rule case_more_time_requested → task.	Tasks
Patient requests a callback	CHAIN BROKEN	PublicPresentationController → 'presentation.follow_up_requested'	S1	The enabled rule presentation_callback_requested listens for opportunity.callback_requested — an event no code in the repository emits . The event that <i>is</i> emitted has no rule. Net effect: a callback request writes a timeline entry and produces no task for anyone. See INV-04.	Journey Timeline only
Case accepted / declined / material selected	LOG ONLY	PublicCaseController	S1	Activity entries; no rule subscribes. Plan-side state is written directly by the controller.	Journey Timeline, plan decisions
Opportunity created	YES	TreatmentPlanOpportunitySync:96	S1	Rule opportunity_nudge_7d → task, only when stage is prospect . Stage changes emit opportunity.stage_changed (no rule).	Tasks, Today's Actions opportunities
Patient merged / merge undone	YES	PatientMergeService	S1 + domain events	Activity entries plus PatientMerged / PatientMergeUndone published on the DomainEventBus .	Journey Timeline, merge audit, Insights
Family link / guardian changed	LOG ONLY	FamilyLinkService	S1	Four Activity events; no rule subscribes.	Journey Timeline
Task generated (any source)	YES	9 producers	S1/S3/S4	RulesEngine → TaskEngine · LabAlertService (x2) · InventoryService + InventoryController · ReminderAutomationRunner · ProtocolGenerationService · Huddle · Assistant CreateTaskTool · API RelationshipController.	Tasks module; system tasks additionally surface in Today's Actions (tasks category, added Sprint A)
Staff member created	YES	UserVendorSyncObserver	S2	Mirrors every staff member into finance_vendors as vendor_type = staff .	Finance → Expense form vendor dropdown
Relationship changed	FLAG-GATED	RelationshipSearchIndexObserver → RebuildSearchIndexEntryJob	S2	Keeps search_index current. Reads only switch to the index when flag search.index is ON (default OFF), so the projection is built but unread.	Universal search (when enabled)

Scheduled jobs — the time-based bells

24 commands in routes/console.php . All use withoutOverlapping() ; most run in the background and append to their own log. Two run in the foreground deliberately so a non-zero exit reaches onFailure : audit:verify and relationship:appointment-reminders — the latter because it had been failing silently.

TIME	COMMAND	WHAT IT DOES	FEEDS
00:10	protocols:generate	Turns due practice protocols into tasks	Tasks
00:30	wallet:recalculate	Recomputes wallet balances	Finance → Wallet
02:00	app:crawl-routes	Logs in and crawls every route, reporting broken pages	Ops report
06:30	audit:verify	Verifies the tamper-evident audit chain; logs critical on failure	Audit log integrity
06:45	relationship:requeue-due	Re-surfaces due follow-up call-debt	Today's Actions, Pending Calls
07:00	recall:run	Runs all six recall generators	Recalls, Today's Actions
07:05	comm:morning-briefing	Morning briefing	Communication OS
07:10	membership:scan-expiring	Emits membership.expiring	Rules → Tasks
07:15	payments:scan-overdue	Emits payment.overdue	Rules → Tasks
07:20	birthdays:scan	Emits birthday.approaching	Rules → Tasks
08:00	relationship:appointment-reminders	Tomorrow's appointment reminders (foreground, alerts on failure)	Reminders
08:00	tulip:huddle	Pushes the daily huddle	Huddle / Tulip
09:00	lab:create-overdue-tasks	Overdue + stale-trial lab tasks	Tasks
10:00	whatsapp:send-reminders	Sends WhatsApp reminders	WhatsApp — subject to the send gate below
10:30	hr:mark-absent	Marks unmarked staff absent	HR → Attendance
11:00	reviews:request	Sends review requests	Reviews — same send gate
14:00	comm:sla-alert	SLA breach alerts	Communication OS
18:00	comm:evening-summary	Evening summary	Communication OS
every 5 min	tasks:shift-reminder	Shift-based task reminders	Tasks
every 15 min	today:rebuild-projection	Rebuilds today_actions ; reads only switch to it when today.projection is ON	Reception dashboard, Huddle snapshot
every 15 min	analytics:rebuild-snapshots	Rebuilds analytics_snapshots — shadow only, nothing reads it	—
every 30 min	comm:auto-escalate	Escalates high-value leads	Escalations
every 2 h	tasks:periodic-reminder	Periodic task reminders	Tasks
Sun 03:30	logs:prune --apply	Prunes log tables per retention policy	Data Retention

The send gate sits above every outbound bell. Nothing reaches a patient unless whatsapp.enabled is true and whatsapp.dry_run is false. In dry-run the payload is built, logged and stored with status dry_run — the message record exists, the message does not.

In this working copy: `WHATSAPP_ENABLED=true` , `WHATSAPP_DRY_RUN=true` , `MAIL_MAILER=log` . **Read the production values before writing any manual that tells staff a message "goes out".**

All six `integration.*` flags default OFF, so sends bypass the Integration Engine boundary and call `WhatsAppCloudService` directly; `comm.single_gateway` is also OFF, so there is not yet one gateway for all sends.

Observers — the nine registered

OBSERVER	MODEL	REGISTERED IN	EFFECT
ConsultationClinicalWiringObserver	Consultation	AppServiceProvider:80	Advances <code>patients.last_visit_date</code> ; closes the linked appointment
ConsultationActivityObserver	Consultation	AppServiceProvider:75	Logs <code>consultation.completed</code> (Insights only — no rule matches)
AbdmConsultationObserver	Consultation	AbdmServiceProvider:67	Mirrors to a FHIR document
AbdmPrescriptionObserver	Prescription	AbdmServiceProvider:68	Mirrors to a FHIR document
TreatmentVisitClinicalWiringObserver	TreatmentVisit	AppServiceProvider:86	Advances <code>patients.last_visit_date</code> — added Sprint A because patients under active treatment were being recalled as "not seen in 6 months"
LabCaseObserver	LabCase	AppServiceProvider:71	Syncs comm status with case status; fires <code>lab.received</code>
LeadObserver	Lead	<code>#[ObservedBy]</code> on the model	Link · auto-assign · follow-up · enrich job · <code>lead.created</code>
UserVendorSyncObserver	User	AppServiceProvider:91	Mirrors staff into <code>finance_vendors</code>
RelationshipSearchIndexObserver	Relationship	SearchServiceProvider:21	Queues <code>RebuildSearchIndexEntryJob</code>

Rule registry — `config/relationship_rules.php`

Thirteen rules, twelve enabled. Each has its own cooldown; failures dispatch `RelationshipAutomationFailedJob` and never propagate to the caller.

RULE	TRIGGER EVENT	ACTION	ENABLED	PRODUCER EXISTS?
implant_followup	<code>treatment.completed</code>	<code>create_task</code> (implant only)	Yes	YES
post_treatment_followup	<code>treatment.completed</code>	<code>create_task</code> (all types)	Yes	YES
membership_renewal_30d	<code>membership.expiring</code>	<code>create_task</code>	Yes	YES
birthday_3d	<code>birthday.approaching</code>	<code>create_task</code> (whatsapp)	Yes	YES
opportunity_nudge_7d	<code>opportunity.created</code>	<code>create_task</code>	Yes	YES
estimate_followup_3d	<code>presentation.sent</code>	<code>create_task</code>	Yes	YES
missed_appointment_followup	<code>appointment.missed</code>	<code>create_task</code>	Yes	YES
lab_ready_call	<code>lab.received</code>	<code>create_task</code>	Yes	YES
payment_overdue_3d	<code>payment.overdue</code>	<code>create_task</code>	Yes	YES
case_opened_followup_2d	<code>case.opened</code>	<code>create_task</code>	Yes	YES
case_more_time_requested	<code>case.more_time_requested</code>	<code>create_task</code>	Yes	YES
presentation_callback_requested	<code>opportunity.callback_requested</code>	<code>create_task</code>	Yes	NO PRODUCER
recall_6months	<code>visit.completed</code>	<code>create_reminder</code>	No (deliberate)	DELIBERATELY NOT EMITTED

Bells that do NOT exist

Each of the following was looked for specifically and is not implemented. None of them is a defect by itself — several are deliberate — but a module manual must not describe them as if they ring.

EXPECTED BELL	REALITY	DELIBERATE?
Stock crosses reorder / minimum level → alert someone	Read-time classification only. No task, notification or message is produced. Staff must open Inventory → Alerts.	Not documented as a decision
Lab case created → notify the lab or the front desk	Draft case is created silently; the only signal is a sidebar badge count.	Implied by the "draft, then send" design
Invoice created / payment received → any downstream automation	Activity entry only. Explicitly commented as "no rule currently matches".	Yes — additive logging by design
Patient created → welcome message / consent request	Only the relationship-spine link happens. No communication is triggered.	Not documented
Appointment booked / rescheduled → confirmation to the patient	No per-event send. Reminders are a scheduled sweep the morning before (<code>relationship:appointment-reminders</code> , <code>whatsapp:send-reminders</code>).	Yes — batch by design
Treatment plan accepted → notify finance to bill	No prompt. The billing prompt comes from the <i>visit</i> , not the acceptance. Billing from a plan is a manual navigation.	Consistent with "the visit establishes the fact"
Patient requests a callback → task for reception	Broken chain — the rule listens for an event nothing emits. See INV-04.	No
Call outcome closes the matching task	<code>SyncCallOutcomeClosesTask</code> exists as a command but is not scheduled — it is a manual/backfill tool.	VERIFY INTENT
Real-time push / websockets anywhere	None. The sidebar badge poller (30 s) and page reloads are the whole of it — "no websockets in V1 by decree" per the sidebar comment.	Yes
Automation Engine owning recalls/reminders/retries	<code>AutomationEngine</code> , <code>RecallAutomationRunner</code> , <code>ReminderAutomationRunner</code> and <code>RecallShadowRunner</code> all exist behind flag <code>automation.engine</code> (OFF). The legacy paths are live.	Yes — staged cutover
Workflow Engine driving multi-step processes	<code>WorkflowEngine</code> + <code>WorkflowShadowRunner</code> exist behind <code>workflow.engine</code> (OFF). Shadow-runs only, log-only.	Yes

D

Cross-module data-flow map

Inventory level only, as scoped: what each module writes, which tables own it, who reads it, and what changes elsewhere as a result. ~290 tables across 436 migrations; only the canonical ones are named.

MODULE	CREATES	UPDATES	CANONICAL TABLES / MODELS	CONSUMED BY	DOWNSTREAM EFFECTS
Patients	Patient, PatientNote, PatientRelationshipNote, TreatmentOpportunity, PatientCommunication, PatientAlert, PatientAllergy, PatientLink, PatientIdentifier, PatientMerge	<code>last_visit_date</code> (via observers), <code>relationship_id</code> , consent state, <code>merged_into_id</code> , active/inactive	<code>patients</code> · <code>patient_notes</code> · <code>patient_relationship_notes</code> · <code>patient_links</code> · <code>patient_identifiers</code> · <code>patient_merges</code> · <code>treatment_opportunities</code> · <code>patient_tag</code>	Every module. Appointments, Consultations, Plans, Visits, Billing, Lab, PRE, Recalls, Reports, Analytics	Creating a patient mints a <code>Relationship</code> ; <code>last_visit_date</code> is the recall engine's key input; merging rewrites references across ~20 tables with an undo path
Appointments	Appointment, DoctorBlockedSlot	status, operatory, doctor, time, <code>amount_to_collect</code> , <code>staff_instruction</code> , <code>prep_item</code>	<code>appointments</code> · <code>doctor_blocked_slots</code> · <code>operatories</code>	Huddle board, Dashboard, PRE (reminders + missed), Reports, Analytics, Consultation wiring	Missed → task; completion feeds Huddle "yesterday"; a saved consultation closes the appointment automatically
Consultations	Consultation, ClinicalFinding, ConsultationPhotograph, ConsultationScan, ConsultationCohaReport, Investigation, BillingPrompt, FhirDocument	<code>patients.last_visit_date</code> , appointment status, plan linkage	<code>consultations</code> · <code>clinical_findings</code> · <code>consultation_*</code> · <code>investigations</code> · <code>billing_prompts</code>	Treatment Plan builder, patient profile, Journey Timeline, ABDM, Insights	Three observers fire on save; a billing prompt reaches the front desk; the recall clock resets
Treatment Plans	TreatmentPlan, TreatmentPlanItem, TreatmentPlanItemTooth, TreatmentConsent, PlanDecision, PlanDecisionItem	Lifecycle state, progress (derived), presented/accepted timestamps	<code>treatment_plans</code> · <code>treatment_plan_items</code> · <code>treatment_plan_item_teeth</code> · <code>plan_decisions</code> · <code>treatment_consent</code> s	Billing (bill-from-plan), Visits, Case Journey / Presentation, PRE opportunities, Recalls, Reports	Acceptance commits the Opportunity; an accepted plan with no appointment becomes a recall; a visit re-derives plan progress
Treatment Visits	TreatmentVisit, TreatmentVisitItem, BillingPrompt, LabCase (draft), ImplantPlacement, StockMovement, Task (recall)	Plan status + progress, <code>patients.last_visit_date</code> , stock quantities	<code>treatment_visits</code> · <code>treatment_visit_items</code> · <code>billing_prompts</code> · <code>lab_cases</code> · <code>implant_placements</code> · <code>stock_movements</code>	Finance, Lab, Inventory, Plans, PRE, Reports	The single widest fan-out in the app — see spine S4. Deleting a visit cascades its items and prompts, and is blocked once items are invoiced
Billing & Finance	Invoice, InvoiceItem, InvoicePayment, Receipt, FinalBill, WalletTransaction, EmiSchedule, CouponUsage, Voucher, Expense, Payroll, BankTransaction	Invoice status, balance due, wallet balance, prompt status, membership enrolment	<code>invoices</code> · <code>invoice_items</code> · <code>invoice_payments</code> · <code>receipts</code> · <code>final_bills</code> · <code>wallets</code> · <code>wallet_transactions</code> · <code>finance_*</code> (20 tables) · <code>billing_prompts</code> · <code>billing_audit_logs</code>	Patient Billing/Wallet tabs, Dashboard outstanding alert, Reports Revenue tab, Finance Analytics, PRE payment reminders, GST & CA export	Overdue invoices become recall/task work at 07:15; wallet recalculated nightly; every money mutation writes to the audit chain verified at 06:30
Lab	LabCase, LabCaseItem, LabCaseEvent, LabCaseAttachment, LabCasePrescription, LabCaseRating, LabMonthlyReconciliation, Task (alerts)	Case status, <code>active_task_id</code> , <code>recall_queued_at</code> , vendor pricing	<code>lab_cases</code> · <code>lab_case_*</code> · <code>lab_vendors</code> · <code>lab_vendor_services</code> · <code>lab_vendor_price_lists</code> · <code>lab_monthly_reconciliations</code>	Patient Lab tab, Huddle, Dashboard, PRE <code>lab_ready</code> , Finance (lab expense + analytics), B2B comms, Reports	Receipt fires <code>lab.received</code> → task + recall; reconciliation approval creates the vendor expense
Inventory	InventoryItem, StockMovement, PurchaseOrder, GoodsReceiptNote, StockCountSession, ImplantCatalog, ImplantPlacement, VendorInvoice, Task (PO)	Available quantity, stock status (derived), PO status, asset status	<code>inventory_items</code> · <code>inventory_stocks</code> · <code>stock_movements</code> · <code>purchase_orders</code> · <code>goods_receipt_notes</code> · <code>stock_count_*</code> · <code>implant_*</code> · <code>vendor_invoices</code>	Treatment Visits (implant deduction), Finance (procurement analytics), Reports Inventory tab, Dashboard	GRN receipt raises stock and is reversible; implant placement from a visit deducts stock idempotently
Relationships (PRE)	Relationship, Lead, LeadActivity, CommunicationQueue, FollowUp, Activity, TodayAction, RelationshipNotification, ReferralReward, RelationshipJourney	Journey/pipeline stage, call-debt due dates, dismissals, relationship score	<code>relationships</code> · <code>leads</code> · <code>lead_activities</code> · <code>communication_queue</code> · <code>follow_ups</code> · <code>activities</code> · <code>today_actions</code> · <code>today_action_dismissals</code> · <code>relationship_journeys</code> · <code>relationship_rule_logs</code>	Today's Actions, Huddle snapshot, patient Journey Timeline, Analytics, mobile API	<code>activities</code> is the Timeline <i>and</i> the rules trigger — every write here can create work elsewhere
Tasks	Task, Escalation, task evidence files	Status, assignee, due date, carry-forward	<code>tasks</code> · <code>escalations</code> · <code>huddle_task_logs</code>	Tasks module, Huddle, Today's Actions (<code>system</code> tasks), HR accountability	The common sink for nine producers — if a bell "does nothing", check whether it lands here
Clinical Library / CMS	ClinicalFile, ClinicalMedia, CmsMedia, CmsTreatmentCase, EducationMedia, MediaAsset	Approval state, tags, watermark status	<code>clinical_files</code> · <code>clinical_media</code> · <code>cms_media</code> · <code>cms_treatment_cases</code> · <code>cms_tags</code> · <code>education_*</code>	Patient Documents tab, case viewer, Case Journey / Presentation content, Marketing (tagged cases)	Uploads queue a watermark job; every image is served only through <code>secure.media.*</code>
Prescriptions	Prescription, PrescriptionItem, PrescriptionOverride, FhirDocument	Rx status, repeat lineage	<code>prescriptions</code> · <code>prescription_items</code> · <code>prescription_audit_logs</code> · <code>rx_*</code> (14 master tables)	Patient Rx tab, print/PDF, WhatsApp send, ABDM	Allergy and interaction rules gate saving; overrides are recorded, not silent
HR	HrStaffProfile, HrAttendance, HrShift, HrTrainingSession, HrPerformanceMemo, HrStaffAdvance, HrBonus	Attendance state, salary components, incentive rules, training completion	<code>hr_*</code> (18 tables) · <code>users</code> · <code>roles</code> · <code>role_module_permissions</code>	Finance (payroll), Huddle (staff), Tasks (shift reminders), Settings → Roles	Every staff row is mirrored into <code>finance_vendors</code> ; role changes immediately re-gate the whole app through <code>canAccess()</code>
Marketing	MktPost, MktCampaign, MktIdea, MktAsset, BlogPost + versions + publications, PlatformConnection	Post schedule and status, publication ledger, brand kit	<code>mkt_*</code> (17 tables) · <code>blog_*</code> (8 tables)	Marketing dashboard, calendar, analytics; Reviews page reads the shared reviews system	Publishing is queued (<code>ProcessScheduledPost</code> , <code>ProcessBlogPublication</code>); <code>marketing.integrated_providers</code> decides whether clinic data is real or manually entered
Compliance (DPDP)	ConsentPurpose, ConsentLog, PatientConsent, DataRequest, DataBreach, RetentionPolicy	Consent grants/withdrawals, request state, breach state	<code>consent_purposes</code> · <code>consent_logs</code> · <code>patient_consent</code> s · <code>data_requests</code> · <code>data_breaches</code> · <code>retention_policies</code>	WhatsApp consent gate, CommunicationGuard, Journey Timeline (consent group), log pruning	Consent can never be overridden by urgency (guard design); erasure requests write across patient data
Insights / Search / Workflow (projections)	InsightSignal, SearchIndexEntry, AnalyticsSnapshot, TodayAction, WorkflowInstance + step logs	Rebuilt wholesale on a schedule	<code>insight_signals</code> · <code>search_index</code> · <code>analytics_snapshots</code> · <code>today_actions</code> · <code>workflow_*</code> · <code>*_shadow_log</code>	Only when their flags are ON: <code>insights.signals</code> , <code>search.index</code> , <code>today.projection</code> , <code>workflow.engine</code> — all default OFF	These are built continuously and read almost nowhere. Cost is real; benefit is deferred to the cutover

E

V1 completeness, with evidence

A status here describes the *module as a whole*. "Partial" almost never means the core is broken — in every case below the core workflow runs and the gap is at an edge: a mismatched gate, a second door, a projection nobody reads. Nothing in this section is a new

audit; it is what the read surfaced, offered as candidate rows for the frozen register rather than a parallel one.

8 COMPLETE	12 PARTIAL	2 LIVE, NO SIDEBAR	14 OBSERVATIONS	28 FEATURE FLAGS	1 FLAGS ON BY DEFAULT
---------------	---------------	-----------------------	--------------------	---------------------	--------------------------

MODULE	STATUS	EVIDENCE FOR THE CLASSIFICATION
Dashboard	COMPLETE	Single controller, single view, three computed alert cards each with a working deep link, branch-scoped counts. Nothing unwired.
Daily Huddle	PARTIAL	Board, tasks, comments, report and accountability are all wired, with a matching mobile API. Two soft spots: <code>lab_sent</code> / <code>lab_received</code> in the yesterday summary are hardcoded to <code>0</code> and read by nothing (INV-07); the legacy <code>communication.huddle.*</code> widget endpoints are a second implementation of the same idea.
Patients	COMPLETE	Deepest module in the app: profile + 10 lazy tabs, cursor-paged permission-filtered Journey Timeline, four typed consultation workflows each with its own edit pair, family links, admin merge with undo, ABHA, import/export. Money tabs carry their own finance gate. Caveat: clinical-file routes are duplicated (INV-01).
Appointments	COMPLETE	Full status lifecycle with revert, conflict checking, operatory assignment, blocked slots, per-role <code>data_scope</code> , and the app's only record-level policy. Shared service with the mobile API.
Treatments	COMPLETE	Ten tabs, all with buttons and panels present; separate save routes per tab so SOP and Consent can't overwrite each other; print variants; API detail endpoint consumed by the plan builder and billing.
Prescriptions	PARTIAL	Rx capture, repeat, print, PDF, WhatsApp send and 14 master tables are complete, with allergy/interaction rules and an audit log. The gap is access, not function: the sidebar shows the item on <code>patients</code> OR <code>treatments</code> while the routes require <code>module:prescriptions</code> (SB-1).
Clinical Library (CMS)	PARTIAL	Two front doors under one module — <code>/clinical-library</code> (sidebar) and <code>/content-management</code> (five tabs) — with overlapping concepts (case library vs clinical files). Upload, approval, tagging, watermarking and secure serving all work; the split is a navigation and training problem, not a functional one.
Relationships (PRE)	PARTIAL	The most heavily engineered module: 71 routes, 25 services, 15 live Today's-Actions categories with per-category fault tolerance, four pipelines, owner-configurable settings. Partial because (a) the sidebar shows it ungated while routes require <code>module:relationship</code> (SB-2), (b) its projection (<code>today_actions</code>) is rebuilt every 15 minutes but not read (<code>today.projection</code> OFF), (c) several engine layers behind it are shadow-only.
Marketing	PARTIAL	Six subnav tabs plus a 22-route Blog Hub behind <code>blog.hub</code> . The provider abstraction (<code>marketing.integrated_providers</code> , default OFF) means Revenue/Patient/Treatment/Review data is manually entered unless flipped — a manual written against the ON state would be wrong for a default install. Integrations are OAuth scaffolding whose live state must be verified per clinic.
Accounts & Finance	PARTIAL	The money <i>engine</i> is thorough — invoices, allocations, receipts with void, final bills, wallet with campaigns, EMI, coupons, membership, GST, CA export, and a verified audit chain. Partial for reach, not correctness: the Finance dashboard links to only a handful of its own sub-modules, so Wallet, Membership, Coupons, Banking, Cashbook, Vouchers and Analytics are effectively URL-only or reached from elsewhere.
Inventory	COMPLETE	Eleven tabs, canonical <code>StockStatusService</code> , idempotent GRN receipt with reversal, stock count sessions, implant traceability wired to treatment visits, CSV import, its own trilingual guide. One structural wrinkle: PO creation is implemented twice (INV-05).
Lab	COMPLETE	Case lifecycle with a transition service and event trail, attachments, lab prescriptions from templates, vendor ratings, vendor master with price lists, and full monthly reconciliation (submit → approve/dispute). Automation is real: overdue and stale-trial tasks with dedup.
Tasks	PARTIAL	Nine producers write here; the module itself has only seven routes (list, mine, overdue, create, done, evidence, escalate). The human/system split exists as a column and is already read by Today's Actions, but its flag (<code>tasks.human_system_split</code>) is OFF, so the two populations are not yet formally separated in the UI.
Practice Protocols	PARTIAL	Catalogue + materials + daily generation into Tasks is complete and scheduled. Partial only because the nav item sits inside an Operations wrapper that hides it from a role granted <i>only</i> this module (SB-3).
HR	PARTIAL	Eight subnav tabs over 18 tables; staff finance, attendance with QR check-in, training with enrolment and periodic requirements, memos with acknowledgement, roles. Partial for the same wrapper reason as Practice Protocols (SB-3), plus Periodic Training has no subnav entry of its own.
Reports	COMPLETE	One route, six fully populated tabs over a shared date range, charts lazy-initialised per tab. Only cosmetic drift: the page heading still reads "Appointment Reports" from before the tabs existed.
Analytics	PARTIAL	Nine working pages, but they are the same nine pages as Finance → Analytics, from the same controller and the same views, behind a different permission (INV-03). There is no <code>views/analytics/</code> directory. Its snapshot projection is shadow-only.
Settings	COMPLETE	Eighteen in-page panels plus three link-outs, a keyword search index, and masters for eleven entity types. Two search entries advertise features that don't exist (INV-10).
Compliance (DPDP cluster)	PARTIAL	All four registers are functionally complete — purposes, per-patient consent with trail, data requests through to erasure, breach reporting, retention with scheduled pruning. Partial because their route gate is <code>auth</code> only while the nav gate is <code>settings</code> (SB-4): hidden, not protected. Separately, both consent-enforcement flags default OFF.
Help & Guide	PARTIAL	The page exists; it is gated in the sidebar behind Settings, so the staff most likely to need it can't see it (SB-5). It is also the natural destination for the manuals this inventory precedes, and is currently near-empty.
Case presentation (Smart Presentation + Case Journey)	TWO ENGINES LIVE	Both are functional and both are reachable under the same <code>presentations</code> permission whenever <code>case_acceptance.enabled</code> is ON — it is ON in this working copy. Smart Presentation lost its sidebar item but kept its routes; Case Journey is opened per-plan. Two patient-facing microsites (<code>/present/{token}</code> and <code>/p/{token}</code>) do the same job.
Communication OS	SUPERSEDED, STILL LIVE	65 routes still registered with no nav entry. Three sub-modules are redirect-only stubs, Timeline is deliberately unregistered because it renders fabricated patients, and its entire alternate shell (sidebar + topbar) is dead code containing references to undefined route names (INV-09). Live and useful within it: WhatsApp inbox, Reviews, B2B, Follow-up Engine, KPI.
Dentfluence HQ	NOT A CLINIC MODULE	Internal superadmin console for clinics, subscriptions, plans and tickets. Correctly excluded from the module catalogue and from any clinic manual.
Projections & engines behind flags	DORMANT BY DESIGN	Automation Engine, Workflow Engine, Insights signals, Search index, Today projection, single communication gateway, all six Integration connectors — built, tested, shadow-run, and switched off. 27 of 28 flags default OFF.

Observation register

Findings surfaced by this read, each with the file and line that produced it. These are offered as **candidate rows** for the existing frozen gap register — deliberately not a competing register, and deliberately not prioritised here.

ID	TYPE	OBSERVATION	EVIDENCE	CONFIDENCE
INV-01	Duplicate route registration	Patient clinical files may be effectively <code>auth</code> -only. The same five URIs are registered twice with different gates. Laravel keys its route collection by method+URI, so the <i>later</i> registration is expected to win — and <code>clinical-library.php</code> is loaded from the <code>bootstrap/app.php</code> then: <code>callback</code> , i.e. after <code>web.php</code> . <code>ClinicalFileController</code> performs no module check of its own; its only guard is that the file belongs to the patient in the URL.	<code>web.php:232–236</code> (<code>module:patients</code> + <code>edit/delete</code>) vs <code>clinical-library.php:23–35</code> (<code>auth</code>); <code>ClinicalFileController:149,181,231</code>	VERIFY WITH ROUTE:LIST
INV-02	Duplicate route registration	<code>settings.tags.*</code> is registered twice with identical controllers, URIs and gates. Harmless at runtime; one of the two files is redundant and route listings show duplicates.	<code>tags-routes.php:12–15</code> · <code>web.php:467–470</code>	CONFIRMED
INV-03	Duplicate surface	Analytics has two doors and one room. Nine <code>analytics.*</code> routes and nine <code>finance.analytics.*</code> routes call the same <code>Finance\AnalyticsController</code> methods and render the same <code>finance.analytics.*</code> views, behind <code>module:analytics</code> and <code>module:finance</code> respectively. There is no <code>resources/views/analytics/</code> directory at all.	<code>web.php:594–604</code> vs <code>web.php:1065–1073</code> ; <code>AnalyticsController</code> view returns	CONFIRMED
INV-04	Broken automation chain	A patient asking for a callback produces no work for anyone. The enabled rule <code>presentation_callback_requested</code> listens for <code>opportunity.callback_requested</code> ; grep across <code>app/</code> finds that string only in the config that declares the rule. The event actually emitted on callback request is <code>presentation.follow_up_requested</code> , which no rule matches.	<code>config/relationship_rules.php:420–421</code> ; <code>PublicPresentationController::requestCallback</code>	CONFIRMED
INV-05	Duplicate implementation	Purchase-order creation exists twice , including the two auto-created vendor tasks. The web controller has its own copy; the mobile API uses the service. <code>receivePurchaseOrder</code> and <code>reverseLastGrn</code> were consolidated on 2026-07-14 — creation was not, so web and mobile can drift.	<code>InventoryController::storePurchaseOrder</code> (~1195+) vs <code>InventoryService::createPurchaseOrder</code> (461–543)	CONFIRMED

ID	TYPE	OBSERVATION	EVIDENCE	CONFIDENCE
INV - 06	Nav vs route gate	Six sidebar gating mismatches, listed in full as SB-1 ... SB-6 in section A. Two produce visible "Access Denied" for roles that can see the item; one hides two whole modules from single-module roles; three leave compliance and help pages hidden-but-open.	components/sidebar.blade.php vs the route files	CONFIRMED
INV - 07	Dead write	Huddle's yesterday summary sets <code>lab_sent</code> and <code>lab_received</code> to a hardcoded <code>0</code> ; neither key is read anywhere, including the view.	Modules/Huddle/Controllers/HuddleController.php:113–114	CONFIRMED
INV - 08	Dead files	Views included by nothing: <code>partials/sidebar.blade.php</code> (472 lines — an entire second sidebar), <code>relationship/_tabs.blade.php</code> (self-documented as unused), <code>labs/index.blade.php</code> , <code>crm/index.blade.php</code> (its route is now a redirect), <code>layouts/app.blade.php.bak</code> , and the whole <code>layouts/partials/communication*</code> shell.	grep for includes across resources/views	CONFIRMED
INV - 09	Latent 500	Unreachable views call undefined route names — <code>communication.manager.queue / .overdue</code> (rendered only by the unrouted <code>ManagerController</code>) and <code>communication.timeline.*</code> (deliberately unregistered). Inert today; they would throw <code>RouteNotFoundException</code> the moment either controller is wired back up.	communication/manager/{queue,overdue}.blade.php; communication/timeline/*.blade.php; routes/timeline.php	CONFIRMED
INV - 10	UI promises absent feature	The Settings search index advertises Working Hours and Appointment Slot Duration with <code>'available' => false</code> and <code>'tab' => null</code> — searchable, unreachable, unbuilt.	settings/index.blade.php:255–256	CONFIRMED
INV - 11	Two engines, one job	Smart Presentation and the Case Acceptance Journey are both live under the same permission whenever <code>case_acceptance.enabled</code> is ON (true in this working copy), with two separate patient microsites. Training and smoke tests need to name which one V1 ships.	web.php:790–864; config/features.php <code>case_acceptance.enabled</code> ; <code>.env</code> <code>FEATURE_CASE_ACCEPTANCE=true</code>	CONFIRMED (LOCAL)
INV - 12	Cost without benefit	Four projections are rebuilt continuously and read by nothing at default flag state: <code>analytics_snapshots</code> (every 15 min, explicitly "shadow only"), <code>today_actions</code> , <code>search_index</code> , and the workflow/integration/automation shadow logs.	routes/console.php:349,368; config/features.php	CONFIRMED
INV - 13	Unscheduled automation	<code>SyncCallOutcomeClosesTask</code> exists as a console command but appears in no <code>Schedule::command</code> call — it is a manual/backfill tool, not a running automation. Worth confirming whether that is the intent.	app/Console/Commands/SyncCallOutcomeClosesTask.php; routes/console.php	VERIFY INTENT
INV - 14	Copy drift	The Reports page still titles itself "Appointment Reports" although it now carries six tabs. Cosmetic, but it is the first thing a trainee reads.	reports/index.blade.php:14	CONFIRMED

One thing this read did not find. No module in the sidebar is a shell. Every one of the 23 entries resolves to a real controller, real persistence and a real read-back path. The V1 risk in this codebase is not missing function — it is *duplicate* function (INV-01, 03, 05, 11), *unreachable* function (SB-3, SB-5, Finance sub-modules, Communication OS), and *built-but-off* function (27 of 28 flags). That is a very different completion problem from "finish the modules", and it should shape the manuals: each manual needs to state which door is canonical.

F

Standard module manual template

The structure every module manual will follow. Not populated here — this is the agreed shape, with a note on what each section must contain so that fourteen manuals come out consistent enough to be read side by side.

#	SECTION	WHAT GOES IN IT	SOURCE IN THIS INVENTORY
1	Purpose	One paragraph. What this module is for in clinic terms, and the one question it answers that no other module does.	\$B module summary
2	Who uses it	Named roles from the six seeded roles (Admin, Manager, Doctor, Assistant, Front Desk, Accounts), and what each of them does here. State the module permission slug and what view / edit / delete each unlock.	\$A permission columns
3	Sidebar location	Exact section and label as rendered, the URL, and — where they differ — the nav gate versus the route gate.	\$A
4	Module structure	The sub-module → workflow tree, using the module's own terminology, not renamed for tidiness.	\$B
5	How it works	The happy path, start to finish, as a clinic day actually runs it. One path per persona if they differ.	\$B + \$D
6	Data entry / update training	Field-by-field for the screens staff type into: what is required, what is validated, what a good entry looks like, and which fields other modules depend on (e.g. <code>amount_to_collect</code> , <code>expected_return_date</code>).	\$D "Creates / Updates"
7	Automation / Bells	Only automations from \$C. Each written as <i>event</i> → <i>what fires</i> → <i>where it lands</i> → <i>how long it takes</i> . Bells that do not exist must be named as such if staff would otherwise assume them.	\$C
8	Inputs → Processing → Outputs	A three-column table. Inputs include data arriving from other modules, not just typed input.	\$D
9	Where the data goes	Named destination modules and screens. "The Journey Timeline", "the front desk billing badge" — surfaces staff recognise, not table names.	\$D "Consumed by"
10	Expected output / benefit	What the clinic gets when this module is used properly, against the five-question test: saves time · reduces mistakes · improves patient experience · increases revenue · improves decisions.	—
11	What staff should NOT do	Concrete prohibitions with the reason. Deletions that break downstream records, duplicate entry across two doors, editing through the wrong form, bypassing an approval.	\$E observations
12	Known limitations / incomplete features	Straight from \$E for this module, in plain language. A manual that hides a gap gets discovered by a receptionist on a busy Tuesday.	\$E
13	Troubleshooting	Symptom → likely cause → fix. Seed it from the real failure modes: permission denied on a visible menu item, a badge that won't clear, an automation that didn't fire because its flag is off, a message that says "sent" in dry-run.	\$A anomalies + \$C send gate
14	V1 status	The pill from \$E plus one sentence of evidence, so a reader knows how much to trust the rest of the manual.	\$E

Two conventions to fix before the first manual is written, because they will otherwise be decided fourteen times: (1) when a module has two doors — Analytics, Clinical Library, Case Presentation, Communication OS — the manual names **one canonical door** and says the other exists; (2) every automation statement carries its **flag state and send gate**, so no manual claims a message reaches a patient that dry-run is swallowing.

Dentfluence V1 Module Inventory · compiled 27 August 2026 from the working tree at `E:\Dentfluence\Dentfluence_05\Dentfluence Web` . Read-only: no file was modified, no command executed, no migration or test run. Route data extracted programmatically from `routes/*.php` plus `app/Modules/Huddle` , `app/Modules/PracticeProtocols` and `app/Modules/Hq` route files; everything else read directly from source.

Items marked **VERIFY AT RUNTIME** depend on runtime resolution or production configuration and are stated as candidates, not conclusions.