GETTING STARTED: A HANDS ON LOOK (PART 1)


ARDUINO

BY DAN DENTINGER

WHAT IS ARDUINO

- Open Source electronics platform.
- Easy to use
 - hardware
 - software
- C based programming language
- Simple for beginners; flexible for advanced
- Inexpensive

A CLOSER LOOK



WHY ARDUINO

- ▶ Simple for beginners; flexible for advanced
- Inexpensive
- Easy to interact with the real world
 - So many sensors
 - SparkFun: 237 different sensors
 - Adafruit: 176 different sensors
 - Build your own...
 - So many effectors:
 - ▶ SparkFun and Adafruit: over 500 each
- Walk on the shoulders of others

GETTING STARTED

- ▶ IDE vs Simulator
 - For start, use simulator
 - need to know both
- Sign up at http://www.tinkercad.com
- Download IDE or use new Web based IDE from www.arduino.cc

ARDUINO PROGRAMMING 101

- Based on C
- Programs referred to as sketches
- Global variables are your frenemy
 - advanced projects consider Structs and Classes
- remember your ;
- ▶ Built in functions (https://www.arduino.cc/reference/en/)
- Can use interrupts

TWO TRUTHS

- void setup() { }
- void loop() { }

COMMON METHODS AND VARIABLES

- pinMode(PIN_NUMBER, MODE)
 - ▶ INPUT, OUTPUT, INPUT_PULLUP
- HIGH, LOW
- Serial.begin(9600);
- Serial.println();
- delay
- digitalRead, digitalWrite
- analogRead, analogWrite

ANATOMY OF A SKETCH

- import libraries and define any global variables
- setup function
 - set pin modes appropriately
 - turn on serial debugging if desired
 - execute some code once and only once
- loop
 - main body of work

- Blinky -> arduino version of HelloWorld
 - Turn on internal led for 1 second; turn off for 1 second
- In Tinkercad, Create a new circuit
- add an arduino
- click on "Code" to see solution
- click Run Simulation

- Blinky -> arduino version of HelloWorld
 - Turn on internal led for 1 second; turn off for 1 second
- In Tinkercad, Create a new circuit
- add an arduino
- click on "Code" to see solution
- click Run Simulation

- Modify Blinky from before to power an external LED
- Add a bread board
- Add a LED (Anode is +, Cathode is -)
- Add a resistor
 - What value?
- Wire them together

- Modify Blinky from before to power an external LED
- Add a bread board
- Add a LED (Anode is +, Cathode is -)
- Add a resistor
 - What value?
- Wire them together

FIZZBUZZ THE ARDUINO EDITION

- Lets get used to arduino a little more
- Create a new circuit
 - Arduino, breadboard, resistor, led
- Edit code to turn led:
 - % 3 on for 1 second
 - % 5 blink 2 times in a second
 - %3 and %5 both

DIMMING A LED

- a little more advanced
- ▶ How do you dim a LED?
 - Increase resistance
 - Fake it
- Lets try both ways

DIMMING A LED

- Build a simple LED circuit with and Arduino and resistor and turn LED on all the time
- Try to increase resistance of LED from 330 ohms to larger values

DIMMING A LED

- Build a simple LED circuit with and Arduino and resistor and turn LED on all the time
- LEDs can be pulsed to simulate dimming
- Lets try this in the loop digitalWrite(LED_PIN, HIGH); delay(100); digitalWrite(LED_PIN, LOW); delay(100);
- Try changing the delay to have difference times?

What was wrong with doing your own PWM?

What was wrong with doing your own PWM?

What was wrong with doing your own PWM?

Built in PWM on certain pins (~)

What was wrong with doing your own PWM?

Built in PWM on certain pins (~)

What was wrong with doing your own PWM?

Built in PWM on certain pins (~)

use analogWrite on a digital pin

PWM EXAMPLES

- analogWrite(LED_PIN, 255);
- analogWrite(LED_PIN, 50);
- Color LEDs
 - Create a simple function

```
void showColor(byte r, byte g, byte b) {
  analogWrite(led_1, r);
  analogWrite(led_2, g);
  analogWrite(led_3, b);
}
```

Now call showColor to control

SLIGHT SIDE TRACK (NOTHING ARDUINO HERE)

- Check this out for later:
 - https://www.tinkercad.com/bricks



THINGS OF NOTE

- http://www.arduino.cc
- http://tinkercad.com
- https://create.arduino.cc/projecthub/hwhardsoft/crazyarduino-hose-display-7ba425