

Demo Merchandising Schema Documentation


This schema manages purchase order hierarchies, linking child purchase orders to parent definitions, while maintaining a master list of valid market codes.

Schema Overview

- Database: `demo_merchandising`
- Tables documented: 3
- Relationships documented: 2


ERD

market_master		
VARCHAR	market_code	PK
VARCHAR	market_name	



parent_po_definition		
VARCHAR	parent_po_no	PK
VARCHAR	season	
VARCHAR	market	FK
DATETIME	created_at	
VARCHAR	created_by	
DATETIME	updated_at	
VARCHAR	updated_by	
BIGINT	history_no	
INT	version_no	
CHAR	delete_flag	

+



child_po		
VARCHAR	child_po_no	PK
VARCHAR	parent_po_no	FK
VARCHAR	vendor_code	
DECIMAL	po_amount	

parent_po_definition

Logical Name: Parent Purchase Order Definition

Stores parent purchase order definitions used to group downstream purchase orders.

No	Column Name (Physical)	Column Name (Logical)	Data Type	Length/Precision	PK	FK Reference	Not Null	Default	Description
1	parent_po_no	Parent PO Number	VARCHAR	50	Y		Y		Parent PO identifier. One parent PO can have multiple POs.
2	season	Season	VARCHAR	20	N		Y		Season of the PO (for example, HO25).
3	market	Market Code	VARCHAR	200	N	market_master.market_code	Y		Market code such as US, EMEA, or ROW.
4	created_at	Created Timestamp	DATETIME		N		Y	CURRENT_TIMESTAMP	Timestamp when the record was created.
5	created_by	Created By	VARCHAR	50	N		Y		User ID or process name that created the record.
6	updated_at	Updated Timestamp	DATETIME		N		Y	CURRENT_TIMESTAMP	Timestamp when the record was last updated.
7	updated_by	Updated By	VARCHAR	50	N		Y		User ID or process name that last updated the record.
8	history_no	History Number	BIGINT	19	N		Y		Surrogate key for the history record.
9	version_no	Version Number	INT	10	N		Y	1	Version sequence for the same parent PO record.
10	delete_flag	Delete Flag	CHAR	1	N		Y	0	Logical delete flag. '0' active, '1' deleted.

market_master

Logical Name: Market Master

Master table for valid market codes.

No	Column Name (Physical)	Column Name (Logical)	Data Type	Length/Precision	PK	FK Reference	Not Null	Default	Description
1	market_code	Market Code	VARCHAR	200	Y		Y		Unique market code.
2	market_name	Market Name	VARCHAR	200	N		Y		Business-readable market name.

child_po

Logical Name: Child Purchase Order

Child purchase orders linked to a parent PO definition.

No	Column Name (Physical)	Column Name (Logical)	Data Type	Length/Precision	PK	FK Reference	Not Null	Default	Description
1	child_po_no	Child PO Number	VARCHAR	50	Y		Y		Child PO identifier.
2	parent_po_no	Parent PO Number	VARCHAR	50	N	parent_po_definition.parent_po_no	Y		Parent PO linked to this child PO.
3	vendor_code	Vendor Code	VARCHAR	50	N		Y		Vendor code for the child PO.
4	po_amount	PO Amount	DECIMAL	12,2	N		Y	0.00	Total amount of the purchase order.

Notes / Open Questions

- The schema uses a soft-delete pattern via the 'delete_flag' column in the parent_po_definition table.
- The 'history_no' and 'version_no' columns in parent_po_definition suggest an audit or versioning tracking mechanism.