Stroop Effect Investigation

In a stroop task, participants are asked to read the word of a color based on the text (congruent condition) and the time to read the list of words is recorded. In the second test, participants are asked to read the color of the word based on the text color rather than the actual text itself (incongruent condition). The text may read "BLACK" but the color of the text is red, and the participant will need to call out the "red" color instead of reading the word "BLACK". The time is recorded for the second list of words.

1. What is the independent variable? What is the dependent variable?

Independent variable: the word conditions of the test, congruent vs incongruent

Dependent variable: the recorded times it takes to complete the test

2. What is an appropriate set of hypotheses for this task? What kind of statistical test do you expect to perform? Justify your choices.

Null Hypothesis ($H_0 : \mu_1 = \mu_2$)

The mean difference between the two sets of data are equal.

Alternative Hypothesis ($H_1 : \mu_1 \neq \mu_2$)

The average times to complete the test will not be equal.

Statistical Test : paired sample t-test, two-sided

- The two groups we are compared are related, so we will use a paired sample t-test. This type of t-test compares two means and will give you information if the difference between these two averages are zero
- The alternative condition will be two-sided since we are comparing the equality of two means.
- We are assuming distributions are approximately normal.
- Our sample size less is than 30.

3. Report some descriptive statistics regarding this dataset. Include at least one measure of central tendency and at least one measure of variability.

In [18]:
```python
import pandas as pd
```

```python
from scipy import stats as stats
import pingouin as pt
import seaborn as sns #for plotting
import matplotlib.pyplot as plt #for plotting
%matplotlib inline

# read file and save to df
df = pd.read_csv('stroopdata.txt')

# showing the data
print(df)

# Showing a quick summary of statistical values for the data
df.describe()
```

```
    Congruent  Incongruent
0      12.079      19.278
1      16.791      18.741
2       9.564      21.214
3       8.630      15.687
4      14.669      22.803
5      12.238      20.878
6      14.692      24.572
7       8.987      17.394
8       9.401      20.762
9      14.480      26.282
10     22.328      24.524
11     15.298      18.644
12     15.073      17.510
13     16.929      20.330
14     18.200      35.255
15     12.130      22.158
16     18.495      25.139
17     10.639      20.429
18     11.344      17.425
19     12.369      34.288
20     12.944      23.894
21     14.233      17.960
22     19.710      22.058
23     16.004      21.157
```

Out[18]:

	Congruent	Incongruent
count	24.000000	24.000000
mean	14.051125	22.015917
std	3.559358	4.797057
min	8.630000	15.687000
25%	11.895250	18.716750
50%	14.356500	21.017500
75%	16.200750	24.051500
max	22.328000	35.255000

In [3]:
```python
#print one measure of central tendency
df.mean()
```

```
Congruent      14.051125
```

```
Out[3]:   Incongruent    22.015917
          dtype: float64
```

```
In [4]:   #print one measure of variable tendecy
          df.std()
```

```
Out[4]:   Congruent      3.559358
          Incongruent    4.797057
          dtype: float64
```

4. Visuals that show distributions of the data

```
In [15]:  x1 = df["Congruent"]
          x2 = df["Incongruent"]
          x3= df
          kwargs= dict(alpha=0.5, bins=5)

          plt.figure(figsize=(10,7), dpi= 80)
          plt.hist(x1, **kwargs, color='g', label='Congruent')
          plt.hist(x2, **kwargs, color='b', label='Incongruent')
          plt.gca().set(title='Histogram of Congruent and Incongruent Results', xlabel='Recorded
          plt.legend();

          sns.displot(x3, kind="kde", fill="true")
          plt.axvline(x = df.Congruent.mean(), label="Congruent Mean")
          plt.axvline(x = df.Incongruent.mean(), color="orange", label="Incongruent Mean")
          plt.gca().set(title='Distribution of Congruent and Incongruent Results', xlabel='Record
          plt.legend();
          plt.show
```

```
Out[15]:  <function matplotlib.pyplot.show(close=None, block=None)>
```

Histogram of Congruent and Incongruent Results

Distribution of Congruent and Incongruent Results

In [17]:
```python
df.plot(kind='box')
```

Out[17]: <AxesSubplot:>

Observations

From the histogram we can see the overlapping data from the congruent and incongruent results. We can see that the incongruent results appear to have longer recorded times, as well as 2 outliers in the data.

From the distribution and box plot we can observe that the data appears normally distributed, and that the incongruent group has a higher mean for completed test times. We can also observe the two outliers present in the incongruent data.

5. Perform the statistical test and report your results

Next we will test our hypothesis using a t-test with the Pingouin package. This package provides more statistical information to test our hypothesis.

Our confidence interval is 95% and critical statistic value p = 0.05

We will run a paired sample t-test, as the two sets of observations are related.

```
In [13]:  #paired sample t-test
          pt.ttest(df['Congruent'], df['Incongruent'], paired=True, alternative="two-sided")
```

Out[13]:

	T	dof	alternative	p-val	CI95%	cohen-d	BF10	power
T-test	-8.020707	23	two-sided	4.103001e-08	[-10.02, -5.91]	1.885698	3.444e+05	1.0

Results

From our t-test we can see that p < 0.05, allowing us to reject our null hypothesis. Further more, the Cohen-d > 0.05 indicating there is a significant effect on test times when the incongruent words condition is tested.

The Bayes factor os 3.44 indicates that there is moderate evidence to support our alternative hypothesis $H_1 : \mu_1 \neq \mu_2$.

References

https://www.statisticshowto.com/bayes-factor-definition/ https://pingouin-stats.org/generated/pingouin.ttest.html https://www.machinelearningplus.com/plots/matplotlib-histogram-python-examples/ https://seaborn.pydata.org/generated/seaborn.displot.html?highlight=displot#seaborn.displot

In [ ]: