Denzel Esambe

LOCAL-SWITCH#show run
Building configuration...

Current configuration : 1523 bytes
!
version 15.0
no service timestamps log datetime msec
no service timestamps debug datetime msec
service password-encryption
!
hostname LOCAL-SWITCH
!
enable secret 5 1mERr$hx5rVt7rPNoS4wqbXKX7m0
!
!
!
!
!
!
spanning-tree mode pvst
spanning-tree extend system-id
!
interface FastEthernet0/1
!
interface FastEthernet0/2
!
interface FastEthernet0/3
!
interface FastEthernet0/4
!
interface FastEthernet0/5
!
interface FastEthernet0/6
!
interface FastEthernet0/7
!
interface FastEthernet0/8
!
interface FastEthernet0/9
!
interface FastEthernet0/10
!
interface FastEthernet0/11

Denzel Esambe

```
!
interface FastEthernet0/12
!
interface FastEthernet0/13
!
interface FastEthernet0/14
!
interface FastEthernet0/15
!
interface FastEthernet0/16
!
interface FastEthernet0/17
!
interface FastEthernet0/18
!
interface FastEthernet0/19
!
interface FastEthernet0/20
!
interface FastEthernet0/21
!
interface FastEthernet0/22
!
interface FastEthernet0/23
!
interface FastEthernet0/24
!
interface GigabitEthernet0/1
!
interface GigabitEthernet0/2
!
interface Vlan1
 ip address 192.168.1.1 255.255.255.0
 shutdown
!
ip default-gateway 192.168.1.0
!
banner motd ^C
Unauthorized access is forbidden^C
!
!
!
line con 0
 password 7 0822455D0A160B041D0709
```

Denzel Esambe

```
 logging synchronous
 login
 history size 15
 exec-timeout 6 45
!
line vty 0 4
 exec-timeout 8 20
 password 7 0822455D0A1611121E050910
 logging synchronous
 login
 history size 15
line vty 5 15
 exec-timeout 8 20
 password 7 0822455D0A1611121E050910
 logging synchronous
 login
 history size 15
!
!
!
!
end
```

Denzel Esambe

PC0 — □ ✕

Physical   Config   Desktop   Programming   Attributes

Command Prompt ✕

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.1.1

Pinging 192.168.1.1 with 32 bytes of data:

Reply from 192.168.1.1: bytes=32 time=9ms TTL=128
Reply from 192.168.1.1: bytes=32 time=17ms TTL=128
Reply from 192.168.1.1: bytes=32 time=17ms TTL=128
Reply from 192.168.1.1: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.1.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 17ms, Average = 10ms

C:\>
```