# Mystore

## Execution Environment

| | |
|---|---|
| Host name | TEST - DESKTOP-5E4IS0E |
| Local OS | Windows 10 64bit |
| Katalon version | 8.4.1.208 |
| Browser | Chrome 106.0.0.0 |

## Summary

| | |
|---|---|
| ID | Test Suites/Mystore |
| Description | |

| | | | |
|---|---|---|---|
| Total | 3 | | |
| Passed | 2 | Failed | 1 |
| Error | 0 | Incomplete | 0 |
| Skipped | 0 | | |
| Start | 2022-10-16 20:21:56 | End | 2022-10-16 20:23:13 |
| Elapsed | 1m - 17,194s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/LogIn | | PASSED |
| 2 | Test Cases/Ordine | | FAILED |
| 3 | Test Cases/LogOut | | PASSED |

# LogIn

## Information

| | | | |
|---|---|---|---|
| ID | Test Cases/LogIn | | |
| Description | | | |
| Tag | | | |
| Start | 2022-10-16 20:21:56 | End | 2022-10-16 20:22:17 |
| Elapsed | 20,521s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | openBrowser("") <br><br> Browser is opened with url: '' | 3,178s | PASSED |
| 2 | navigateToUrl("http://automationpractice.com/index.php") <br><br> Navigate to 'http://automationpractice.com/index.php' successfully | 7,338s | PASSED |
| 3 | click(findTestObject("Object Repository/Page_My Store/a_Sign in")) <br><br> Object: 'Object Repository/Page_My Store/a_Sign in' is clicked on | 4,506s | PASSED |
| 4 | setText(findTestObject("Object Repository/Page_Login - My Store/input_Email address_email"), "test.test@demo.it") <br><br> Text 'test.test@demo.it' is set on object 'Object Repository/Page_Login - My Store/input_Email address_email' | 1,010s | PASSED |
| 5 | setEncryptedText(findTestObject("Object Repository/Page_Login - My Store/input_Password_passwd"), "p4y+y39Ir5Oy1MY8jPt0uQ==") <br><br> Text ****** has been set on object 'Object Repository/Page_Login - My Store/input_Password_passwd' | 0,494s | PASSED |
| 6 | click(findTestObject("Object Repository/Page_Login - My Store/span_Sign in")) <br><br> Object: 'Object Repository/Page_Login - My Store/span_Sign in' is clicked on | 2,570s | PASSED |

# LogIn

| # | Description | Elapsed | Status |
|---|---|---|---|
| 7 | waitForElementPresent(findTestObject("Object Repository/Page_My account - My Store/a_test test"), 0)<br><br>Object 'Object Repository/Page_My account - My Store/a_test test' is present | 0,460s | PASSED |
| 8 | verifyElementText(findTestObject("Object Repository/Page_My account - My Store/span_test test"), "test test")<br><br>Actual text and expected text of test object 'Object Repository/Page_My account - My Store/span_test test' are matched. | 0,403s | PASSED |

# Ordine

## Information

| | |
|---|---|
| ID | Test Cases/Ordine |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2022-10-16 20:22:17 | End | 2022-10-16 20:23:09 |
| Elapsed | 51,780s | | |
| Status | FAILED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | click(findTestObject("Object Repository/Page_My account - My Store/a_T-shirts")) | 2,260s | PASSED |
| | Object: 'Object Repository/Page_My account - My Store/a_T-shirts' is clicked on | | |
| 2 | click(findTestObject("Object Repository/Page_T-shirts - My Store/input_(1)_layered_id_attribute_group_3")) | 0,515s | PASSED |
| | Object: 'Object Repository/Page_T-shirts - My Store/input_(1)_layered_id_attribute_group_3' is clicked on | | |
| 3 | verifyElementText(findTestObject("Object Repository/Page_T-shirts  Size L - My Store/a_Faded Short Sleeve T-shirts"), "Faded Short Sleeve T-shirts") | 1,573s | PASSED |
| | Actual text and expected text of test object 'Object Repository/Page_T-shirts  Size L - My Store/a_Faded Short Sleeve T-shirts' are matched. | | |
| 4 | verifyElementText(findTestObject("Page_T-shirts  Size L - My Store/span_Importo"), "$16.51") | 0,352s | PASSED |
| | Actual text and expected text of test object 'Object Repository/Page_T-shirts  Size L - My Store/span_Importo' are matched. | | |
| 5 | verifyElementPresent(findTestObject("Object Repository/Page_T-shirts  Size L - My Store/span_In stock"), 0) | 0,365s | PASSED |
| | Object 'Object Repository/Page_T-shirts  Size L - My Store/span_In stock' is present | | |

# Ordine

| # | Description | Elapsed | Status |
|---|---|---|---|
| 6 | click(findTestObject("Object Repository/Page_T-shirts  Size L - My Store/span_Add to cart"))<br><br>Object: 'Object Repository/Page_T-shirts  Size L - My Store/span_Add to cart' is clicked on | 0,447s | PASSED |
| 7 | verifyElementPresent(findTestObject("Object Repository/Page_T-shirts  Size L - My Store/h2_Product successfully added to your shopp_45f75f"), 0)<br><br>Object 'Object Repository/Page_T-shirts  Size L - My Store/h2_Product successfully added to your shopp_45f75f' is present | 1,554s | PASSED |
| 8 | verifyElementPresent(findTestObject("Object Repository/Page_T-shirts  Size L - My Store/span_Importo_1"), 0)<br><br>Object 'Object Repository/Page_T-shirts  Size L - My Store/span_Importo_1' is present | 0,361s | PASSED |
| 9 | verifyElementPresent(findTestObject("Object Repository/Page_T-shirts  Size L - My Store/span_Faded Short Sleeve T-shirts"), 0)<br><br>Object 'Object Repository/Page_T-shirts  Size L - My Store/span_Faded Short Sleeve T-shirts' is present | 0,332s | PASSED |
| 10 | click(findTestObject("Object Repository/Page_T-shirts  Size L - My Store/span_Proceed to checkout"))<br><br>Object: 'Object Repository/Page_T-shirts  Size L - My Store/span_Proceed to checkout' is clicked on | 8,304s | PASSED |
| 11 | verifyElementText(findTestObject("Object Repository/Page_Order - My Store/a_Faded Short Sleeve T-shirts"), "Faded Short Sleeve T-shirts")<br><br>Actual text and expected text of test object 'Object Repository/Page_Order - My Store/a_Faded Short Sleeve T-shirts' are matched. | 0,462s | PASSED |
| 12 | verifyElementText(findTestObject("Object Repository/Page_Order - My Store/span_Importo"), "$16.51")<br><br>Actual text and expected text of test object 'Object Repository/Page_Order - My Store/span_Importo' are matched. | 0,366s | PASSED |

# Ordine

| # | Description | Elapsed | Status |
|---|---|---|---|
| 13 | verifyElementText(findTestObject("Object Repository/Page_Order - My Store/span_Totale"), "$19.25") | 0,370s | PASSED |
| | Actual text and expected text of test object 'Object Repository/Page_Order - My Store/span_Totale' are matched. | | |
| 14 | click(findTestObject("Object Repository/Page_Order - My Store/span_Proceed to checkout")) | 2,705s | PASSED |
| | Object: 'Object Repository/Page_Order - My Store/span_Proceed to checkout' is clicked on | | |

# Ordine

| # | Description | Elapsed | Status |
|---|---|---|---|
| 15 | click(findTestObject("Object Repository/Page_Order - My Store/span_Proceed to checkout")) | 31,503s | FAILED |

Unable to click on object 'Object Repository/Page_Order - My Store/span_Proceed to checkout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_Order - My Store/span_Proceed to checkout'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call (Unknown Source)
        at Ordine.run(Ordine:51)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1665944510125.run(TempTestSuite1665944510125.groovy:36)
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Page_Order - My Store/span_Proceed to checkout' located by '//div[@id='center_column']/p[2]/a/span' not found
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:65)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

| # | Description | Elapsed | Status |
|---|---|---|---|

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:620)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call(Unknown Source)

at Script1665944147687.run(Script1665944147687.groovy:51)

... 13 more

)

# LogOut

## Information

| | |
|---|---|
| ID | Test Cases/LogOut |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2022-10-16 20:23:09 | End | 2022-10-16 20:23:13 |
| Elapsed | 4,536s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | click(findTestObject("Object Repository/Page_My account - My Store/a_Sign out")) | 3,138s | PASSED |
| | Object: 'Object Repository/Page_My account - My Store/a_Sign out' is clicked on | | |
| 2 | verifyElementPresent(findTestObject("Object Repository/Page_Login - My Store/a_Sign in"), 0) | 0,429s | PASSED |
| | Object 'Object Repository/Page_Login - My Store/a_Sign in' is present | | |
| 3 | closeBrowser() | 0,669s | PASSED |
| | Browser is closed | | |