

# VSP External SLO Report

14-day period ending 2021-05-04


This document captures (reflective) SLO performance for VSP external service partners.

- [14d SLI Dashboard](#)
- [Product Documentation](#)

## All Services - Availability (Uptime)




## All Services - Overview



# ArcGIS SLO Document

This document describes the (reflective) SLOs for the ArcGIS external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs


Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.99 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; ms, ms, ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; ms</li><li>• 90% of requests ms</li><li>• 99% of requests &lt; ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# Benefits Gateway Service SLO Document

This document describes the (reflective) SLOs for the BGS external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs


Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	SUCCESS
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; ms, ms, ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; ms</li><li>• 90% of requests ms</li><li>• 99% of requests &lt; ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# Caseflow SLO Document

This document describes the (reflective) SLOs for the Caseflow external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs

Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.9847 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; 1300ms, 1300ms, 1300ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; 1300ms</li><li>• 90% of requests &lt; 1300ms</li><li>• 99% of requests &lt; 1300ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# Central Mail SLO Document

This document describes the (reflective) SLOs for the Central Mail external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs

Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.9998 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; 500ms, 500ms, 500ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; 500ms</li><li>• 90% of requests &lt; 500ms</li><li>• 99% of requests &lt; 500ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# Enterprise Military Information Service SLO Document

This document describes the (reflective) SLOs for the EMIS external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs

Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.9995 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; 300ms, 300ms, 300ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; 300ms</li><li>• 90% of requests 300ms</li><li>• 99% of requests &lt; 300ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# Eligibility Office Automation System SLO Document

This document describes the (reflective) SLOs for the EOAS external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs

Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	<p>0.9937999999999999</p> <p>success</p>
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; 500ms, 500ms, 500ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; 500ms</li><li>• 90% of requests &lt; 500ms</li><li>• 99% of requests &lt; 500ms</li></ul>

# Enrollment Service SLO Document

This document describes the (reflective) SLOs for the ES external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs

Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the haproxy metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.9523999999999999 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; 500ms, 500ms, 500ms as measured by the haproxy metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; 500ms</li><li>• 90% of requests &lt; 500ms</li><li>• 99% of requests &lt; 500ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# GI Bill Data Service SLO Document

This document describes the (reflective) SLOs for the GIDS external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs

Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.9979 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; 50ms, 50ms, 50ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; 50ms</li><li>• 90% of requests 50ms</li><li>• 99% of requests &lt; 50ms</li></ul>

# GovDelivery SLO Document

This document describes the (reflective) SLOs for the GovDelivery external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs

Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the haproxy metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.991 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; 200ms, 200ms, 200ms as measured by the haproxy metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; 200ms</li><li>• 90% of requests &lt; 200ms</li><li>• 99% of requests &lt; 200ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# HCA EE SLO Document

This document describes the (reflective) SLOs for the HCA EE external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs

Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.99 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; ms, ms, ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; ms</li><li>• 90% of requests ms</li><li>• 99% of requests &lt; ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# ID.me SLO Document

This document describes the (reflective) SLOs for the ID.me external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs

Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.99 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; ms, ms, ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; ms</li><li>• 90% of requests ms</li><li>• 99% of requests &lt; ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# Lighthouse SLO Document

This document describes the (reflective) SLOs for the Lighthouse APIs external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs


Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.99 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; ms, ms, ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; ms</li><li>• 90% of requests ms</li><li>• 99% of requests &lt; ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# Loan Guaranty SLO Document

This document describes the (reflective) SLOs for the Loan Guaranty external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs

Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.99 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; ms, ms, ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; ms</li><li>• 90% of requests ms</li><li>• 99% of requests &lt; ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# Medical Devices Ordering Tool SLO Document

This document describes the (reflective) SLOs for the MDOT external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs


Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	SUCCESS
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; ms, ms, ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; ms</li><li>• 90% of requests ms</li><li>• 99% of requests &lt; ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# MyHealtheVet SLO Document

This document describes the (reflective) SLOs for the MHV external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs


Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.99 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; ms, ms, ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; ms</li><li>• 90% of requests ms</li><li>• 99% of requests &lt; ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# Master Person Index SLO Document

This document describes the (reflective) SLOs for the MPI external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs

Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.99 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; ms, ms, ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; ms</li><li>• 90% of requests ms</li><li>• 99% of requests &lt; ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# OKTA SLO Document

This document describes the (reflective) SLOs for the OKTA external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs

Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.99 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; ms, ms, ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; ms</li><li>• 90% of requests ms</li><li>• 99% of requests &lt; ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# PagerDuty SLO Document

This document describes the (reflective) SLOs for the Pagerduty external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs


Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.99 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; ms, ms, ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; ms</li><li>• 90% of requests ms</li><li>• 99% of requests &lt; ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# Provider Profile Management System SLO Document

This document describes the (reflective) SLOs for the PPMS external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs


Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.99 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; ms, ms, ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; ms</li><li>• 90% of requests ms</li><li>• 99% of requests &lt; ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# Salesforce SLO Document

This document describes the (reflective) SLOs for the Salesforce-GIBFT external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs

Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.99 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; ms, ms, ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; ms</li><li>• 90% of requests ms</li><li>• 99% of requests &lt; ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# Search.gov SLO Document

This document describes the (reflective) SLOs for the Search.gov external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs

Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the haproxy metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.9929000000000001 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; 550ms, 550ms, 550ms as measured by the haproxy metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; 550ms</li><li>• 90% of requests 550ms</li><li>• 99% of requests &lt; 550ms</li></ul>

# VA Mobile SLO Document

This document describes the (reflective) SLOs for the VA Mobile external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs

Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.9972 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; 800ms, 700ms, 600ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; 600ms</li><li>• 90% of requests 700ms</li><li>• 99% of requests &lt; 800ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# VA Profile SLO Document

This document describes the (reflective) SLOs for the VA Profile external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)




## SLIs and SLOs

Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.99 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; 3000ms, 2750ms, 2500ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; 2500ms</li><li>• 90% of requests 2750ms</li><li>• 99% of requests &lt; 3000ms</li></ul>

# Veterans Benefits Management System SLO Document

This document describes the (reflective) SLOs for the VBMS external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs

Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	SUCCESS
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; ms, ms, ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; ms</li><li>• 90% of requests ms</li><li>• 99% of requests &lt; ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021

# VHA SLO Document

This document describes the (reflective) SLOs for the VHA external service.

- [14d SLI Dashboard](#)
- [Integration Details](#)



## SLIs and SLOs

Category	SLI	SLO
Availability	<p>The proportion of successful HTTP requests as measured by the <code>haproxy</code> metrics.</p> <p>Any HTTP status other than 500-599 is considered successful.</p>	0.9998999999999999 success
Latency	<p>The proportion of sufficiently fast requests.</p> <p>"Sufficiently fast" is defined as &lt; 100ms, 100ms, 100ms as measured by the <code>haproxy</code> metrics.<sup>1</sup></p>	<ul style="list-style-type: none"><li>• 50% of requests &lt; 100ms</li><li>• 90% of requests 100ms</li><li>• 99% of requests &lt; 100ms</li></ul>

This document was autogenerated on Tue May 4 11:09:18 CDT 2021