

## Web Service: VeteranWebService

This service is used to retrieve award-related data for a veteran from the Corporate database for a veteran file number entered in the GUI by the Share user.

### WSDL Link

<http://bepdev.vba.va.gov/VeteranWebServiceBean/VeteranWebService?WSDL>

### Methods

#### ***findVeteranByFileNumber***

This service is used to retrieve award-related data for a veteran (PERSON, BNFT\_CLAIM, PTCPNT\_ADDRS, PTCPNT\_DPOSIT\_ACNT, PTCPNT\_PHONE, SNTVTY\_LEVEL, AWARD\_BENE, and ORG) from the Corporate database by veteran file number, as well as the relationships to that veteran file number.

**Method:** findVeteranByFileNumber  
**Input:** findVeteranByFileNumber  
**Output:** findVeteranByFileNumberResponse

**Input: *findVeteranByFileNumber: findVeteranByFileNumber***

Attribute Name	Attribute Type	Field Length	Description	Details	Required
fileNumber	String	15	Veteran File Number	The file number of the veteran claimant.	Yes

**Output: *findVeteranByFileNumberResponse: findVeteranByFileNumberResponse***

Attribute Name	Attribute Type	Description	Details
return	Array List veteranDTO	Contains the associated data fields.	Contains the award-related data corresponding with the fileNumber entered by the user. Refer to the Objects Used (Outputs) section for more information.

### ***Business Rules: findVeteranByFileNumber***

1. A sensitivity check is performed for all inquiry Tuxedo services. The sensitive check is built in at the Tuxedo layer. The returns from the sensitive check procedure include:
  - "-" (a dash) means the participant is not sensitive
  - "Y" means the participant is sensitive but the user has access
  - "O" means the participant is sensitive, the user has access, but the user is trying to view their own record
  - "S" means the participant is sensitive, the user has access, but the user is trying to view the record of another user at their station
  - "P" means there is a parameter error
  - "E" means there was a general error
  - A number 1-9 means the participant is sensitive, the user cannot view the record, and the user would need that level to access the record
2. A POA check is performed by this service as follows:
  - If the user is a VSO user, he/she must have a POA that matches the Veteran's POA in order to view the data.
  - The logic first checks to see if the user is a VSO.
  - If so, it pulls every POA assigned to that VSO and checks to see if any of them match the Veteran's POA.
  - If no match is found, the user will not have the appropriate security level to view the data.
  - An error message will display, and the data will not be retrieved by the service.

### ***Example: findVeteranByFileNumber Request***

#### **REQUEST**

```
- <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:q0="http://veteran.services.vetsnet.vba.va.gov/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
- <soapenv:Header>
- <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd">
- <wsse:UsernameToken xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
  <wsse:Username>281CEASL</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-token-profile-1.0#PasswordText">Buda110!</
wsse:Password>
  </wsse:UsernameToken>
- <vaws:VaServiceHeaders xmlns:vaws="http://vbawebsservices.vba.va.gov/vawss">
  <vaws:CLIENT_MACHINE>10.224.104.174</vaws:CLIENT_MACHINE>
  <vaws:STN_ID>281</vaws:STN_ID>
  <vaws:applicationName>VBMS</vaws:applicationName>
  </vaws:VaServiceHeaders>
</wsse:Security>
</soapenv:Header>
- <soapenv:Body>
- <q0:findVeteranByFileNumber>
  <fileNumber>000000000</fileNumber>
</q0:findVeteranByFileNumber>
</soapenv:Body>
</soapenv:Envelope>
```

### ***Example: findVeteranByFileNumber Response***

#### **RESPONSE**

```
- <S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
- <S:Body>
- <ns2:findVeteranByFileNumberResponse xmlns:ns2="http://veteran.services.vetsnet.vba.va.gov/">
- <return>
- <address>
  <addrsOneTxt>123 ROME ST</addrsOneTxt>
  <efctvDt>2012-06-22T11:03:41-05:00</efctvDt>
  <jrnDt>2012-06-22T11:03:41-05:00</jrnDt>
  <jrnLctnId>317</jrnLctnId>
  <jrnObjId>SHARE - CEST</jrnObjId>
  <jrnStatusTypeCd>I</jrnStatusTypeCd>
  <jrnUserId>281MGOTT</jrnUserId>
  <mltyPostOfficeTypeCd>APO</mltyPostOfficeTypeCd>
  <mltyPostalTypeCd>AE</mltyPostalTypeCd>
  <ptcpntAddrId>14756264</ptcpntAddrId>
  <ptcpntAddrTypeNm>Mailing</ptcpntAddrTypeNm>
  <ptcpntId>600037530</ptcpntId>
  <sharedAddrInd>N</sharedAddrInd>
  <trsuryAddrOneTxt>TERRENCE BARNETT</trsuryAddrOneTxt>
  <trsuryAddrThreeTxt>APO AE</trsuryAddrThreeTxt>
  <trsuryAddrTwoTxt>123 ROME ST</trsuryAddrTwoTxt>
  <trsurySeqNbr>1</trsurySeqNbr>
  <zipPrefixNbr>09003</zipPrefixNbr>
</address>
- <address>
  <addrsOneTxt>123 ROME ST</addrsOneTxt>
  <efctvDt>2012-06-22T11:03:41-05:00</efctvDt>
  <jrnDt>2012-06-22T11:03:41-05:00</jrnDt>
  <jrnLctnId>317</jrnLctnId>
  <jrnObjId>SHARE - CEST</jrnObjId>
  <jrnStatusTypeCd>I</jrnStatusTypeCd>
  <jrnUserId>281MGOTT</jrnUserId>
  <mltyPostOfficeTypeCd>APO</mltyPostOfficeTypeCd>
  <mltyPostalTypeCd>AE</mltyPostalTypeCd>
  <ptcpntAddrId>14756265</ptcpntAddrId>
  <ptcpntAddrTypeNm>CP Payment</ptcpntAddrTypeNm>
  <ptcpntId>600037530</ptcpntId>
  <sharedAddrInd>N</sharedAddrInd>
  <trsuryAddrOneTxt>TERRENCE BARNETT</trsuryAddrOneTxt>
  <trsuryAddrThreeTxt>APO AE</trsuryAddrThreeTxt>
  <trsuryAddrTwoTxt>123 ROME ST</trsuryAddrTwoTxt>
  <trsurySeqNbr>1</trsurySeqNbr>
```

<zipPrefixNbr>09003</zipPrefixNbr>  
</address>  
- <address>  
<efctvDt>2012-06-14T10:26:03-05:00</efctvDt>  
<emailAdrsTxt>[terrence.barnett@mailinator.com](mailto:terrence.barnett@mailinator.com)</emailAdrsTxt>  
<jrnDt>2012-06-14T10:26:03-05:00</jrnDt>  
<jrnLctnId>317</jrnLctnId>  
<jrnObjId>SHARE - CORR</jrnObjId>  
<jrnStatusTypeCd>I</jrnStatusTypeCd>  
<jrnUserId>281MGOTT</jrnUserId>  
<ptcpntAdrsId>14755746</ptcpntAdrsId>  
<ptcpntAdrsTypeNm>Email</ptcpntAdrsTypeNm>  
<ptcpntId>600037530</ptcpntId>  
<sharedAdrsInd>N</sharedAdrsInd>  
<trsurySeqNbr>1</trsurySeqNbr>  
</address>  
- <award>  
<awardBeneTypeCd>PB</awardBeneTypeCd>  
<awardOverrideInd>N</awardOverrideInd>  
- <compld>  
<awardTypeCd>CPL</awardTypeCd>  
<awardTypeNm>Compensation/Pension Live</awardTypeNm>  
<ptcpntBenId>600037530</ptcpntBenId>  
<ptcpntBeneNm>TERRENCE BARNETT</ptcpntBeneNm>  
<ptcpntRecipId>600037530</ptcpntRecipId>  
<ptcpntRecipNm>TERRENCE BARNETT</ptcpntRecipNm>  
<ptcpntVetId>600037530</ptcpntVetId>  
<ptcpntVetNm>TERRENCE BARNETT</ptcpntVetNm>  
</compld>  
<frqncyTypeCd>MO</frqncyTypeCd>  
<jrnDt>2012-07-25T15:29:10-05:00</jrnDt>  
<jrnLctnId>317</jrnLctnId>  
<jrnObjId>fa\_rp\_ip\_bt\_prcr\_prc</jrnObjId>  
<jrnStatusTypeCd>U</jrnStatusTypeCd>  
<jrnUserId>FARPBTPrcrCPCHK1</jrnUserId>  
<lastPaidDt>2012-08-01T00:00:00-05:00</lastPaidDt>  
<paidThruDt>2012-07-31T00:00:00-05:00</paidThruDt>  
<payeeTypeCd>00</payeeTypeCd>  
<prposdNetAmt>1945.0</prposdNetAmt>  
<ptcpntMailAdrsId>14756264</ptcpntMailAdrsId>  
<ptcpntPymtAdrsId>14756265</ptcpntPymtAdrsId>  
<rtoctvDt>2012-02-01T00:00:00-06:00</rtoctvDt>  
</award>  
- <benefitClaim>  
<bnftClaimId>238850</bnftClaimId>  
<bnftClaimTypeCd>110LCOMP</bnftClaimTypeCd>

<bnftClaimTypeLabel>Compensation and Pension</bnftClaimTypeLabel>  
<bnftClaimTypeNm>Initial Live Comp/Pension</bnftClaimTypeNm>  
<bnftClaimUserDisplay>YES</bnftClaimUserDisplay>  
<claimJrsdtnLctnId>347</claimJrsdtnLctnId>  
<claimRcvdDt>2012-02-02T00:00:00-06:00</claimRcvdDt>  
<cpClaimEndPrdctTypeCd>111</cpClaimEndPrdctTypeCd>  
<jrnDt>2012-06-27T09:28:09-05:00</jrnDt>  
<jrnLctnId>317</jrnLctnId>  
<jrnObjId>AWARDS (PCLR) - PACL</jrnObjId>  
<jrnStatusTypeCd>U</jrnStatusTypeCd>  
<jrnUserId>TESTUSR02</jrnUserId>  
<payeeTypeCd>00</payeeTypeCd>  
<pgmTypeCd>CPL</pgmTypeCd>  
<ptcpntClimantId>600037530</ptcpntClimantId>  
<ptcpntClimantNm>TERRENCE BARNETT</ptcpntClimantNm>  
<ptcpntMailAddrId>14756264</ptcpntMailAddrId>  
<ptcpntPymtAddrId>14756265</ptcpntPymtAddrId>  
<ptcpntVetId>600037530</ptcpntVetId>  
<ptcpntVsrlId>600020109</ptcpntVsrlId>  
<statusTypeCd>CLR</statusTypeCd>  
<svcTypeCd>CP</svcTypeCd>  
<termnlDigitNbr>06</termnlDigitNbr>  
</benefitClaim>  
- <benefitClaim>  
<bnftClaimId>238839</bnftClaimId>  
<bnftClaimTypeCd>110LCOMP</bnftClaimTypeCd>  
<bnftClaimTypeLabel>Compensation and Pension</bnftClaimTypeLabel>  
<bnftClaimTypeNm>Initial Live Comp/Pension</bnftClaimTypeNm>  
<bnftClaimUserDisplay>YES</bnftClaimUserDisplay>  
<claimJrsdtnLctnId>347</claimJrsdtnLctnId>  
<claimRcvdDt>2012-01-01T00:00:00-06:00</claimRcvdDt>  
<cpClaimEndPrdctTypeCd>110</cpClaimEndPrdctTypeCd>  
<jrnDt>2012-06-27T09:28:08-05:00</jrnDt>  
<jrnLctnId>317</jrnLctnId>  
<jrnObjId>AWARDS (PCLR) - PACL</jrnObjId>  
<jrnStatusTypeCd>U</jrnStatusTypeCd>  
<jrnUserId>TESTUSR02</jrnUserId>  
<payeeTypeCd>00</payeeTypeCd>  
<pgmTypeCd>CPL</pgmTypeCd>  
<ptcpntClimantId>600037530</ptcpntClimantId>  
<ptcpntClimantNm>TERRENCE BARNETT</ptcpntClimantNm>  
<ptcpntMailAddrId>14756264</ptcpntMailAddrId>  
<ptcpntPymtAddrId>14756265</ptcpntPymtAddrId>  
<ptcpntVetId>600037530</ptcpntVetId>  
<ptcpntVsrlId>600020109</ptcpntVsrlId>  
<statusTypeCd>CLR</statusTypeCd>

<svcTypeCd>CP</svcTypeCd>  
<termnlDigitNbr>06</termnlDigitNbr>  
</benefitClaim>  
- <dependent>  
  <ptcpntId>600037573</ptcpntId>  
  <birthCityNm>CHICAGO</birthCityNm>  
  <birthStateCd>IL</birthStateCd>  
  <brthdyDt>1935-06-30T00:00:00-05:00</brthdyDt>  
  <firstNm>LAURIE</firstNm>  
  <firstNmKey>-1</firstNmKey>  
  <genderCd>F</genderCd>  
  <jrnDt>2012-06-14T12:15:52-05:00</jrnDt>  
  <jrnLctnId>317</jrnLctnId>  
  <jrnObjId>SHARE - CDEP</jrnObjId>  
  <jrnStatusTypeCd>I</jrnStatusTypeCd>  
  <jrnUserId>281MGOTT</jrnUserId>  
  <lastNm>BARNETT</lastNm>  
  <lastNmKey>-1</lastNmKey>  
  <middleNm>J</middleNm>  
  <middleNmKey>-1</middleNmKey>  
  <miltyPersonInd>N</miltyPersonInd>  
  <ptcpntRlnshpTypeNm>Spouse</ptcpntRlnshpTypeNm>  
  <ssnNbr>000000000</ssnNbr>  
  <ssnVrfctnStatusTypeCd>4</ssnVrfctnStatusTypeCd>  
  <suffixNmKey>0</suffixNmKey>  
  <vetInd>N</vetInd>  
</dependent>  
- <person>  
  <ptcpntId>600037530</ptcpntId>  
  <brthdyDt>1932-06-14T00:00:00-05:00</brthdyDt>  
  <fileNbr>796131406</fileNbr>  
  <firstNm>TERRENCE</firstNm>  
  <firstNmKey>-2</firstNmKey>  
  <genderCd>M</genderCd>  
  <jrnDt>2012-06-22T13:56:17-05:00</jrnDt>  
  <jrnLctnId>317</jrnLctnId>  
  <jrnObjId>SHARE - BUPD</jrnObjId>  
  <jrnStatusTypeCd>U</jrnStatusTypeCd>  
  <jrnUserId>VETKCAMP</jrnUserId>  
  <lastNm>BARNETT</lastNm>  
  <lastNmKey>-2</lastNmKey>  
  <miltyPersonInd>Y</miltyPersonInd>  
  <ssnNbr>000000000</ssnNbr>  
  <ssnVrfctnStatusTypeCd>0</ssnVrfctnStatusTypeCd>  
  <termnlDigitNbr>06</termnlDigitNbr>  
  <vetInd>Y</vetInd>

```
</person>
- <phoneNumber>
  <areaNbr>555</areaNbr>
- <compld>
  <efctvDt>2012-06-22T11:03:41-05:00</efctvDt>
  <phoneTypeNm>Daytime</phoneTypeNm>
  <ptcpntId>600037530</ptcpntId>
  </compld>
  <phoneNbr>5551234</phoneNbr>
</phoneNumber>
- <phoneNumber>
  <areaNbr>555</areaNbr>
- <compld>
  <efctvDt>2012-06-22T11:03:41-05:00</efctvDt>
  <phoneTypeNm>Nighttime</phoneTypeNm>
  <ptcpntId>600037530</ptcpntId>
  </compld>
  <phoneNbr>1231234</phoneNbr>
</phoneNumber>
<sensitiveLevel />
</return>
</ns2:findVeteranByFileNumberResponse>
</S:Body>
</S:Envelope>
```

## Objects Used (Output)

Note from the developer – the “Required” status for **derived fields** is not available by looking at the Corporate table definitions. However, the values for these fields should be populated at all times. I.e., if you retrieve the data through the view, then values should be in those columns at all times. Hence, the “Required” status for these fields should say “Y”.

### return: veteranDTO

Attribute Name	Attribute Type	Field Length	Description	Details	Required
address	ArrayList ptcpntAddrsDTO		Contains the address details.	See below for more information.	N/A
award	ArrayList awardBeneDTO		Contains the award details.	See below for more information.	N/A
bankaccount	ArrayList ptcpntDpositAcntDT O		Contains the deposit account details.	See below for more information.	N/A
benefitClaim	ArrayList bnftClaimDTO		Contains the claim details.	See below for more information.	N/A
dependent	String	1			

### address: ptcpntAddrsDTO

Attribute Name	Attribute Type	Field Length	Description	Details	Required
addrsOneTxt	String/Varchar2	35	Address One	PARTICIPANT ADDRESS ONE TEXT. This is the first line of the address. This usually contains the street number and name.	N
addrsThreeTxt	String/Varchar2	35	Address Three	PARTICIPANT ADDRESS THREE TEXT. This is the third line of the address.	N
addrsTwoTxt	String/Varchar2	35	Address Two	PARTICIPANT ADDRESS TWO TEXT. This is the second line of the address.	N
badAddrsInd	String/Varchar2	1	Bad Address Indicator	PARTICIPANT ADDRESS BAD ADDRESS INDICATOR. This will indicate if the address existing for the person is valid or not.	N



cityNm	String/Varchar2	30	City Name	PARTICIPANT ADDRESS CITY NAME. The name of the city where the address is located. IN the U.S. this is required.	N
cntryNm	String/Varchar2	50	Country Name	PARTICIPANT ADDRESS COUNTRY NAME. The name of the country where the address is located.  PTCPNT_ADDRS.CNTRY_TYPE_NM  Example values: Australia, Bahamas, Canada, England, France  PARTICIPANT ADDRESS COUNTRY TYPE NAME. Foreign Key to CNTRY_TYPE	N
countyNm	String/Varchar2	30	County Name	PARTICIPANT ADDRESS COUNTY NAME. The name of the county where the address is located.	N
efctvDt	DateTime/Date		Effective Date	PARTICIPANT ADDRESS EFFECTIVE DATE. The calendar date when an instance of an ADDRESS becomes valid.	Y
eftWaiverTypeNm	String/Varchar2	50		PARTICIPANT ADDRESS EFT WAIVER TYPE NAME. A word or phrase that provides a unique description of an EFT WAIVER TYPE. See VBA Corporate Architecture web site for exact values.	N
emailAddrsTxt	String/Varchar2	254	E-mail Address	PARTICIPANT ADDRESS EMAIL ADDRESS TEXT. This is the entire e-mail address of the person.	N
endDt	DateTime/Date		End Date	PARTICIPANT ADDRESS END DATE. The calendar date when an instance of an ADDRESS becomes invalid.	N
fmsAddrsCodeTxt	String/Varchar2	2	Financial Management System Address Code Text	PARTICIPANT ADDRESS FINANCIAL MANAGEMENT SYSTEM ADDRESS CODE TEXT. Indicates which address to send payment (01-99).	N
frgnPostalCd	String/Varchar2	16	Foreign Postal Code	PARTICIPANT ADDRESS FOREIGN POSTAL CODE. The distinct postal code used by a country to route mail to residences or businesses.	N
group1VerifdTypeCd	String/Varchar2	12	Group1 Verified Type Code	Indicates if address was verified by Group1.	N
jrnDt	DateTime/Date		Journal Date	JOURNAL DATE. The day, month and year on which the last action took place on the record.	Y

jrnLctnId	String/Varchar2	4	Journal Location ID	JOURNAL LOCATION IDENTIFIER. The number representing the Regional Office of the person taking the last action on the record.	Y
jrnObjId	String/Varchar2	32	Journal Object ID	JOURNAL OBJECT IDENTIFIER. The application taking the last action on the record.	Y
jrnStatusTypeCd	String/Varchar2	12	Journal Status Type Code	JOURNAL STATUS TYPE CODE. The alphabetic character representing the last action taken on the record. (I = Input, U = Update, D = Delete).	Y
jrnUserId	String/Varchar2	50	Journal User ID	JOURNAL USER IDENTIFIER. The name associated with the person taking the last action on the record.	Y
lctnNm	String/Varchar2	50	Location Name	PARTICIPANT ADDRESS LOCATION NAME. The name of an affiliate of an organization. An example would be "Univ of MD Bookstore" on one address for the PTCPNT/ORG of University of Maryland.	N
mltyPostOfficeTypeCd	String/Varchar2	12	Military Post Office Type Code	PARTICIPANT ADDRESS MILITARY POST OFFICE TYPE CODE. A representation of a finite, pre-determined value or status that applies to a type of a MILITARY POST OFFICE. See VBA Corporate Architecture web site for the exact values.	N
mltyPostalTypeCd	String/Varchar2	12	Military Postal Type Code	PARTICIPANT ADDRESS MILITARY POSTAL TYPE CODE. A representation of a finite, pre-determined value or status that applies to a type of a MILITARY POSTAL. See VBA Corporate Architecture web site for the exact values.	N
postalCd	String/Varchar2	2	Postal Code	PARTICIPANT ADDRESS POSTAL CODE. Foreign Key to POSTAL_TYPE	N
prvncNm	String/Varchar2	35	Province Name	PARTICIPANT ADDRESS PROVINCE NAME. A geographic area within a country usually containing one of more population centers where residences and businesses exist.	N
ptcpntAddrId	Long/Number	15	Participant Address ID	PTCPNT_ADDR_ID: a sequential number that is the unique key of this table	Y
ptcpntAddrTypeNm	String/Varchar2	50	Participant Address Type Name	PARTICIPANT ADDRESS TYPE NAME. A word or phrase that provides a unique description of a PARTICIPANT ADDRESS. See VBA Corporate Architecture web site for exact values.	Y
ptcpntId	Long/Number	15	Participant ID	PARTICIPANT ADDRESS PARTICIPANT IDENTIFIER. Identifier of PTCPNT.	Y

sharedAddrsInd	String/Varchar2	1	Shared Address Indicator	PARTICIPANT ADDRESS SHARED ADDRESS INDICATOR. This indicates, for example, that a Fiduciary or POA represents more than one beneficiary or veteran and therefore the sharing of addresses is supported. When the value of this indicator is 'Y' the following edits apply on insert or update: ADDRS_ONE_TXT and ADDRS_TWO_TXT must not exceed 20 characters ADDRS_THREE_TXT must be null PTCPNT_SHORT_NM for this PTCPNT_ID in the PTCPNT table must be populated	Y
trsuryAddrsFiveTxt	String/Varchar2	20	Treasury Address Five	PARTICIPANT ADDRESS TREASURY ADDRESS FIVE TEXT. Treasury interface address line 5.	N
trsuryAddrsFourTxt	String/Varchar2	20	Treasury Address Four	PARTICIPANT ADDRESS TREASURY ADDRESS FIVE TEXT. Treasury interface address line 4.	N
trsuryAddrsOneTxt	String/Varchar2	20	Treasury Address One	PARTICIPANT ADDRESS TREASURY ADDRESS FIVE TEXT. Treasury interface address line 1.	N
trsuryAddrsSixTxt	String/Varchar2	20	Treasury Address Six	PARTICIPANT ADDRESS TREASURY ADDRESS FIVE TEXT. Treasury interface address line 6.	N
trsuryAddrsThreeTxt	String/Varchar2	20	Treasury Address Three	PARTICIPANT ADDRESS TREASURY ADDRESS FIVE TEXT. Treasury interface address line 3.	N
trsuryAddrsTwoTxt	String/Varchar2	20	Treasury Address Two	PARTICIPANT ADDRESS TREASURY ADDRESS FIVE TEXT. Treasury interface address line 2.	N
trsurySeqNbr	Int/Number	4	Treasury Sequence Number	PARTICIPANT ADDRESS DEPARTMENT OF TREASURY SEQUENCE NUMBER. A counter used to indicate the sequential number of address changes.	N
trtryNm	String/Varchar2	35	Territory Name	PARTICIPANT ADDRESS TERRITORY NAME. A geographic area within a country where residences and businesses exist.	N
zipFirstSuffixNbr	String/Varchar2	4	Zip First Suffix Number	PARTICIPANT ADDRESS ZIP CODE FIRST SUFFIX NUMBER. This is the final four digits of a nine (9) digit zip code.	N
zipPrefixNbr	String/Varchar2	5	Zip Prefix Number	PARTICIPANT ADDRESS ZIP CODE PREFIX NUMBER. This is the first five digits of a nine (9) digit zip code.	N

zipSecondSuffixNbr	String/Varchar2	2	Zip Second Suffix Number	PARTICIPANT ADDRESS ZIP CODE SECOND SUFFIX NUMBER. This is a two (2) digit code that is under proposal by the US Postal Service for future use.	N
--------------------	-----------------	---	--------------------------	---	---

**award: awardBeneDTO**

Attribute Name	Attribute Type	Field Length	Description	Details	Required
awardBeneTypeCd	String/Varchar2	12	Award Beneficiary Type Code	AWARD BENEFICIARY TYPE CODE. A representation of a finite, pre-determined value or status that applies to a type of an AWARD BENEFICIARY. See VBA Corporate Architecture web site for the exact values.	Y
awardOvrldInd	String/Varchar2	1	Award Override Indicator	AWARD BENEFICIARY AWARD OVERRIDE INDICATOR. Indicates if the beneficiary was added by the Generate Award Override function or not.	Y
awardStatusTypeCd	String/Varchar2	12	Award Status Type Code	AWARD BENEFICIARY AWARD STATUS TYPE CODE. A representation of a finite, pre-determined value or status that applies to a type of an AWARD STATUS. See VBA Corporate Architecture web site for the exact values.	N
beneReqstdFrqncyInd	String/Varchar2	1	Beneficiary Requested Frequency Indicator	AWARD BENEFICIARY REQUESTED FREQUENCY INDICATOR. Contains a "Y" or "N" to define whether or not a selected Payment Frequency (such as Monthly, Semi-Annually, etc.,) was requested by the Customer.	N
compld	ArrayList awardBenePK		Contains data elements. Refer to the <i>Objects Used (Input)</i> section for more information.		N/A
frqncyTypeCd	String/Varchar2	12	Frequency Type Code	AWARD BENEFICIARY FREQUENCY TYPE CODE. A representation of a finite, pre-determined value or status that applies to a type of a FREQUENCY. See VBA Corporate Architecture web site for the exact values.	N
jrnDt	DateTime/Date		Journal Date	JOURNAL DATE. The day, month and year on which the last action took place on the record.	Y
jrnLctnId	String/Varchar2	4	Journal Location ID	JOURNAL LOCATION IDENTIFIER. The number representing the Regional Office of the person taking the last action on the record.	Y

jrnObjId	String/Varchar2	32	Journal Object ID	JOURNAL OBJECT IDENTIFIER. The application taking the last action on the record.	Y
jrnStatusTypeCd	String/Varchar2	12	Journal Status Type Code	JOURNAL STATUS TYPE CODE. The alphabetic character representing the last action taken on the record. (I = Input, U = Update, D = Delete).	Y
jrnUserId	String/Varchar2	50	Journal User ID	JOURNAL USER IDENTIFIER. The name associated with the person taking the last action on the record.	Y
lastPaidDt	DateTime/Date		Last Paid Date	AWARD BENEFICIARY LAST PAID DATE. The last date on which a payment was released to an award recipient.	N
paidThruDt	DateTime/Date		Paid Through Date	AWARD BENEFICIARY PAID THROUGH DATE. The last day through which a benefit has been paid.	N
payeeTypeCd	String/Varchar2	12	Payee Type Code	AWARD BENEFICIARY PAYEE TYPE CODE. The Department of Treasury requires the VA to provide a payee code for everyone receiving a payment. This payee code is utilized by the Treasury to create a unique key within the Treasury Payment System. The VA has provided this information for 25 years via the batch interface.	N
prposdNetAmt	Double/Number	15,2	Proposed Net Amount	AWARD BENEFICIARY PROPOSED NET AMOUNT. Amount proposed for the award, before the award is authorized for payment.	N
ptcpntDpositAcntId	Long/Number	15	Participant Deposit Account ID	AWARD BENEFICIARY PARTICIPANT DEPOSIT ACCOUNT IDENTIFIER. A system generated identifier created to uniquely identify each instance of a PARTICIPANT DEPOSIT ACCOUNT.	N
ptcpntMailAddrId	Long/Number	15	Participant Mail Address ID	AWARD BENEFICIARY PARTICIPANT MAIL ADDRESS IDENTIFIER. A system generated identifier created to uniquely identify each instance of a PARTICIPANT MAIL ADDRESS.	N
ptcpntPymtAddrId	Long/Number	15	Participant Payment Address ID	AWARD BENEFICIARY PARTICIPANT PAYMENT ADDRESS IDENTIFIER. A system generated identifier created to uniquely identify each instance of a PARTICIPANT PAYMENT ADDRESS.	N
rtoctvDt	DateTime/Date		Retroactive Date	AWARD BENEFICIARY RETROACTIVE DATE. Date of retro payment.	N

**CompID: awardBenePK**

Attribute Name	Attribute Type	Field Length	Description	Details	Required
awardTypeCd	String/Varchar2	12	Award Type Code	AWARD BENEFICIARY AWARD TYPE CODE. A representation of a finite, pre-determined value or status that applies to a type of an AWARD. See VBA Corporate Architecture web site for the exact values.	Y
awardTypeNm	String/Varchar2	50	Award Type Name	AWARD_TYPE.Name (for awardTypeCd)	Y
ptcpntBeneId	Long/Number	15	Participant Benefit ID	Identifier of PTCPNT for participant B. Part of the identifier for AWARD for a BENEFICIARY.	Y
ptcpntBeneNm	String/Varchar2	60	Participant Beneficiary Name	PERSON.FIRST_NM + PERSON.LAST_NM (for ptcpntBeneId)  PERSON LAST NAME. The formal/ last name of a person of record including but, not limited to a surname or maiden name if the maiden name is the legal last name. (Varchar2, 30)  PERSON FIRST NAME. A word or letter which refers to the person's first name. (Varchar2, 30)	Y
ptcpntRecipId	Long/Number	15	Participant Recipient ID	PARTICIPANT IDENTIFIER. An identifier to uniquely identify a participant for a RECIPIENT. Part of the identifier for AWARD_BENE.	Y
ptcpntRecipNm	String/Varchar2	60	Participant Recipient Name	PERSON.FIRST_NM + PERSON.LAST_NM (for ptcpntRecipId)  PERSON LAST NAME. The formal/ last name of a person of record including but, not limited to a surname or maiden name if the maiden name is the legal last name. (Varchar2, 30)  PERSON FIRST NAME. A word or letter which refers to the person's first name. (Varchar2, 30)	Y
ptcpntVetId	Long/Number	15	Participant Veteran ID	Identifier of PTCPNT for participant A. Part of the identifier for AWARD for a VETERAN.	Y

ptcpntVetNm	String/Varchar2	60	Participant Veteran Name	<p>PERSON.FIRST_NM + PERSON.LAST_NM (for ptcpntVetId)</p> <p>PERSON LAST NAME. The formal/ last name of a person of record including but, not limited to a surname or maiden name if the maiden name is the legal last name. (Varchar2, 30)</p> <p>PERSON FIRST NAME. A word or letter which refers to the person's first name. (Varchar2, 30)</p>	Y
user	ArrayList userContext		Contains data elements. Refer to the <i>Objects Used (Input)</i> section for more information.		N/A

**user: userContext**

Note: The userContext and externalIdentity array lists make up the Security Header in the web services. There is no user input.

Attribute Name	Attribute Type	Field Length	Description	Details	Required
applicationName	string	30	Application Name	This information is not input by the user.	N/A
clientIpAddress	string		Client IP Address	This information is not input by the user.	N/A
lockedInd	string		Locked Indicator	This information is not input by the user.	N/A
requestContext	ArrayList requestContext		Contains data elements. Refer to the <i>Objects Used (Input)</i> section for more information.		N/A
stationId	string		Station ID	This information is not input by the user.	N/A
stnLctnId	long		Station Location ID	This information is not input by the user.	N/A
userExternalIdentity	ArrayList externalIdentity		Contains data elements. Refer to the <i>Objects Used (Input)</i> section for more information.		N/A

userProfile	ArrayList userProfile		Contains data elements. Refer to the <i>Objects Used (Input)</i> section for more information.		N/A
-------------	--------------------------	--	---	--	-----

***requestContext: requestContext***

Note: The requestContext array list provides the soap body, or input parameters, for the web services. There is no user input.

Attribute Name	Attribute Type	Field Length	Description	Details	Required
operationName	string		Operation Name	This information is not input by the user.	N/A
serviceName	string		Service Name	This information is not input by the user.	N/A
transactionId	string		Transaction ID	This information is not input by the user.	N/A

***userExternalIdentity: externalIdentity***

Note: The userContext and externalIdentity array lists make up the Security Header in the web services. There is no user input.

Attribute Name	Attribute Type	Field Length	Description	Details	Required
keyInfo	string		Key Information	This information is not input by the user. It is part of the security header. It is used with all users but is mandatory for external users. It helps to identify who called the service.	N/A
systemUid	string		System UID (or External User ID)	This information is not input by the user. It is part of the security header. It is the external user identifier. This is mandatory for external users because it's the only way to know who called the web service.	N/A

***userProfile: userProfile***

Note: The userProfile array list provides user profile details for the web services. There is no user input.



Attribute Name	Attribute Type	Field Length	Description	Details	Required
participantId	string	15	Participant Identifier	This information is not input by the user. Identifier of a User Profile.	N/A
securityLevel	string		Security Level	This information is not input by the user. Security Level of a user profile.	N/A
ssn	string	9	Social Security Number	This information is not input by the user. A number assigned by the Social Security Administration (SSA) to identify an individual.	N/A
userName	string		User Name	This information is not input by the user. User Name for a user profile.	N/A

**bankaccount: ptcptntDpositAcntDTO**

Attribute Name	Attribute Type	Field Length	Description	Details	Required
bankName	String/Varchar2	50	Financial Institution Name	ORG.NM (for FINCL_INSTN. PtcptntId) ORGANIZATION NAME. The full legal name of the organization.	Y
beginDt	DateTime/Date		Begin Date	ACCOUNT BEGIN DATE. The month/day/year the ACCOUNT becomes valid.	Y
dpositAcntNbr	String/Varchar2	17	Deposit Account Number	PARTICIPANT DEPOSIT ACCOUNT NUMBER. The participant's internal financial account number to deposit funds.	Y
dpositAcntTypeNm	String/Varchar2	50	Deposit Account Type Number	PARTICIPANT DEPOSIT ACCOUNT TYPE NAME. A word or phrase that provides a unique description of a DEPOSIT ACCOUNT TYPE. See VBA Corporate Architecture web site for exact values.	Y
endDt	DateTime/Date		End Date	PERSON EDUCATION END DATE. This attribute represents the end of a period of education. For example, eighth grade might equal 08; high school might equal 12.	N
jrnDt	DateTime/Date		Journal Date	JOURNAL DATE. The day, month and year on which the last action took place on the record.	Y
jrnLctnId	String/Varchar2	4	Journal Location ID	JOURNAL LOCATION IDENTIFIER. The number representing the Regional Office of the person taking the last action on the record.	Y

jrnObjId	String/Varchar2	32	Journal Object ID	JOURNAL USER IDENTIFIER. The name associated with the person taking the last action on the record.	Y
jrnStatusTypeCd	String/Varchar2	12	Journal Status Type Code	JOURNAL STATUS TYPE CODE. The alphabetic character representing the last action taken on the record. (I = Input, U = Update, D = Delete).	Y
jrnUserId	String/Varchar2	50	Journal User ID	JOURNAL USER IDENTIFIER. The name associated with the person taking the last action on the record.	Y
ptcpntAcntOwnerId	Long/Number	15	Participant Account Owner ID	Foreign Key to PTCPNT for a PARTICIPANT	Y
ptcpntAdtrsTypeNm	String/Varchar2	50	Participant Address Type Name	PARTICIPANT DEPOSIT ACCOUNT PARTICIPANT ADDRESS TYPE NAME. A word or phrase that provides a unique description of a PARTICIPANT ADDRESS. See VBA Corporate Architecture web site for exact values.	Y
ptcpntDpositAcntId	Long/Number	15	Participant Deposit Account ID	PTCPNT_DPOSIT_ACNT_ID: The sequence number that is the primary key of the table	Y
ptcpntFinclInstnId	Long/Number	15	Participant Financial Institution ID	Foreign Key to PTCPNT for a PARTICIPANT	Y
roungTrnsitNbr	String/Varchar2	9	Routing Transit Number	FINCL_INSTN. ROUTNG_TRNSIT_NBR. FINANCIAL INSTITUTION ROUTING TRANSIT NUMBER. A value assigned by the U.S. Treasury department which uniquely identifies a U.S. financial institution. One transit number exists per bank -- not one per branch.	Y
trsurySeqNbr	Long/Number	5	Treasury Sequence Number	PARTICIPANT DEPOSIT ACCOUNT TRSURY SEQUENCE NUMBER. Reverse Engineered from column TRSURY_SEQ_NBR of table PTCPNT_DPOSIT_ACNT	Y

**benefitClaim: bnftClaimDTO**

Attribute Name	Attribute Type	Field Length	Description	Details	Required
bnftClaimId	Long/Number	15	Benefit Claim ID	BENEFIT CLAIM IDENTIFIER. A factless unique identifier for a bnft_claim instance.	Y
bnftClaimTypeCd	String/Varchar2	12	Benefit Claim Type Code	BENEFIT CLAIM TYPE CODE. A representation of a finite, pre-determined value or status that applies to a type of a BENEFIT CLAIM. See VBA Corporate Architecture web site for the exact values.	Y

bnftClaimTypeLabel	String/Varchar2	62	Benefit Claim Type Label	CP_CLAIM.END_PRDCT_TYPE_CD (12, Optional) + BNFT_CLAIM_TYPE.Name	N
bnftClaimTypeNm	String/Varchar2	50	Benefit Claim Type Name	BNFT_CLAIM_TYPE.Name	N
bnftClaimUserDisplay	String/Varchar2	1	Benefit Claim User Display	BNFT_CLAIM_TYPE.ATTR_2_TXT (YES or NO)	Y
claimJrsdtnLctnId	Long/Number	15	Claim Jurisdiction Location ID	CLAIM_JURIS_LCTN_ID - the station that has jurisdiction of this claim.	N
claimRcvdDt	DateTime/Date		Claim Received Date	BENEFIT CLAIM RECEIVED DATE. The date the BENEFIT CLAIM was created. Note: 'Date of claim' can be derived from the date the document (claim form) was received. DCMNT	Y
claimSuspnsDt	DateTime/Date		Claim Suspense Date	BENEFIT CLAIM SUSPENSE DATE. The date the claim was suspended.	N
cpClaimEndPrdctTypeCd	String/Varchar2	12	Compensation and Pension Claim End Product Type Code	CP_CLAIM.END_PRDCT_TYPE_CD (for bnftClaimId)  COMPENSATION AND PENSION CLAIM END PRODUCT TYPE CODE. A code used to control and implement work credit actions for a G&D benefit.	N
infrmlInd	String/Varchar2	1	Informal Indicator	BENEFIT CLAIM INFORMAL INDICATOR. This indicates if the claim was established as informal.	N
intakeJrsdtnLctnId	Long/Number	15	Intake Jurisdiction Location ID	INTAKE_JURIS_LCTN_ID - the station where this claim was created if it was for BDD. The Benefits Delivery at Discharge (BDD) Program is a jointly sponsored Department of Veterans Affairs (VA) and Department of Defense (DoD) initiative to provide transition assistance to separating service members who have disabilities related to their military service. The BDD Program helps service members file for VA service-connected disability compensation and related benefits prior to separation from service, so that payment of benefits can begin as soon as possible after discharge.	N
jrnDt	DateTime/Date		Journal Date	JOURNAL DATE. The day, month and year on which the last action took place on the record.	Y
jrnLctnId	String/Varchar2	4	Journal Location ID	JOURNAL LOCATION IDENTIFIER. The number representing the Regional Office of the person taking the last action on the record.	Y
jrnObjId	String/Varchar2	32	Journal Object ID	JOURNAL OBJECT IDENTIFIER. The application taking the last action on the record.	Y

jrnStatusTypeCd	String/Varchar2	12	Journal Status Type Code	JOURNAL STATUS TYPE CODE. The alphabetic character representing the last action taken on the record. (I = Input, U = Update, D = Delete).	Y
jrnUserId	String/Varchar2	50	Journal User ID	JOURNAL USER IDENTIFIER. The name associated with the person taking the last action on the record.	Y
lastPaidDt	DateTime/Date		Last Paid Date	BENEFIT CLAIM LAST PAID DATE. The date last paid.	N
notfcnPrfilTypeCd	String/Varchar2	12	Notification Profile Type Code	BENEFIT CLAIM NOTIFICATION PROFILE TYPE CODE. A representation of a finite, pre-determined value or status that applies to a type of a NOTIFICATION PROFILE. See VBA Corporate Architecture web site for the exact values.	N
payeeTypeCd	String/Varchar2	12	Payee Type Code	BENEFIT CLAIM PAYEE TYPE CODE. A representation of a finite, pre-determined value or status that applies to a type of a PAYEE. See VBA Corporate Architecture web site for the exact values.	N
pgmTypeCd	String/Varchar2	12	Program Type Code	BENEFIT CLAIM PROGRAM TYPE CODE. A representation of a finite, pre-determined value or status that applies to a type of a PROGRAM. See VBA Corporate Architecture web site for the exact values.	Y
ptcpntClimantId	Long/Number	15	Participant Claimant ID	PARTICIPANT CLAIMANT IDENTIFIER. An identifier to uniquely identify a participant for a CLAIMANT. Part of the identifier for BNFT_CLAIM.	Y
ptcpntClimantNm	String/Varchar2	60	Participant Claimant Name	PERSON.FIRST_NM + PERSON.LAST_NM (for ptcpntClimantId)  PERSON LAST NAME. The formal/ last name of a person of record including but, not limited to a surname or maiden name if the maiden name is the legal last name. (Varchar2, 30)  PERSON FIRST NAME. A word or letter which refers to the person's first name. (Varchar2, 30)	Y
ptcpntDpositAcntId	Long/Number	15	Participant Deposit Account ID	BENEFIT CLAIM PARTICIPANT DEPOSIT ACCOUNT IDENTIFIER. A system generated identifier created to uniquely identify each instance of a PARTICIPANT DEPOSIT ACCOUNT.	N
ptcpntMailAddrId	Long/Number	15	Participant Mail Address ID	BENEFIT CLAIM PARTICIPANT MAIL ADDRESS IDENTIFIER. A system generated identifier created to uniquely identify each instance of a PARTICIPANT MAIL ADDRESS.	N

ptcpntPymtAdrrsId	Long/Number	15	Participant Payment Address ID	BENEFIT CLAIM PARTICIPANT PAYMENT ADDRESS IDENTIFIER. A system generated identifier created to uniquely identify each instance of a PARTICIPANT PAYMENT ADDRESS.	N
ptcpntRvsrId	Long/Number	15	Participant Rating Veteran Service Representative ID	BENEFIT CLAIM PARTICIPANT RATING VETERAN SERVICE REPRESENTATIVE IDENTIFIER. The Participant ID of the Rating Veteran Service Representative	N
ptcpntVetId	Long/Number	15	Participant Vet ID	Identifier of PTCPNT for a VETERAN. Part of the identifier for BNFT_CLAIM.	N
ptcpntVsrId	Long/Number	15	Participant Veteran Service Representative ID	BENEFIT CLAIM PARTICIPANT VETERAN SERVICE REPRESENTATIVE IDENTIFIER. The Participant ID of the Veteran Service Representative.	N
rmksTxt	String/Varchar2	1024	Remarks Text	REMARKS TXT. General comments and misc data in support of a benefit claim.	N
scrtyLevelTypeCd	String/Varchar2	12	Security Level Type Code	SENSITIVITY LEVEL SECURITY LEVEL TYPE CODE. A representation of a finite, pre-determined value or status that applies to a type of a SECURITY LEVEL. See VBA Corporate Architecture web site for the exact values.	N
statusTypeCd	String/Varchar2	12	Status Type Code	BENEFIT CLAIM STATUS TYPE CODE. A representation of a finite, pre-determined value or status that applies to a type of a STATUS. See VBA Corporate Architecture web site for the exact values.	Y
svcTypeCd	String/Varchar2	12	Service Type Code	BENEFIT CLAIM SERVICE TYPE CODE. A representation of a finite, pre-determined value or status that applies to a type of a SERVICE. See VBA Corporate Architecture web site for the exact values.	Y
tempJrsdtnLctnId	Long/Number	15	Temporary Jurisdiction Location ID	TEMP_JURIS_LCTN_ID - the station that has temporary jurisdiction of this claim.	N
tempPtcpntVsrId	Long/Number	15	Temporary Participant Veteran Service Representative ID	BENEFIT CLAIM TEMPORARY PARTICIPANT VETERAN SERVICE REPRESENTATIVE IDENTIFIER. The participant identifier of the assigned VSR whose station has temporary claim jurisdiction.	N
termnIDigitNbr	String/Varchar2	2	Terminal Digit Number	BENEFIT CLAIM TERMINAL DIGIT NUMBER. The terminal digit number of the Veteran.	N