## App.module.ts

```
import { BrowserModule } from '@angular/platform-browser';
import { NgModule } from '@angular/core';
import { FormsModule } from '@angular/forms';

import { AppComponent } from './app.component';

@NgModule({
    declarations: [
        AppComponent
],
    imports: [
        BrowserModule,
        FormsModule,
],
    providers: [],
    bootstrap: [AppComponent]
})
export class AppModule { }
```

## App.component.ts

```
import { Component, ViewChild } from '@angular/core';
import { NgForm } from '@angular/forms';

@Component({
    selector: 'app-root',
    templateUrl: './app.component.html',
    styleUrls: ['./app.component.css']
})
export class AppComponent {
    @ViewChild('f', { static: false }) signupForm: NgForm;
    defaultQuestion = 'teacher';
    answer = '';
    genders = ['male', 'female'];
    user = {
        username: '',
        email: '',
    }
}
```

```
const suggestedName = 'Superuser';
```

## App.component.html

```
<div class="container">
col-md-offset-2">
              #email="ngModel">
email.touched">Please enter a valid email!</span>
```

```
invalid!
       <div class="radio" *ngFor="let gender of genders">
         [disabled]="!f.valid">Submit</button>
```

## App.component.css

```
.container {
  margin-top: 30px;
}
input.ng-invalid.ng-touched {
  border: 1px solid red;
}
```