Contents

Preface

Audience xxx
Documentation Accessibility xxx
Related Documents xxx
Conventions xxxi

Changes in This Release for Oracle Database Advanced Queuing User's Guide

Changes in Oracle Database Advanced Queuing Release 23ai xxxii
Changes in Oracle Database Advanced Queuing Release 21c xxxiii
Changes in Oracle Database Advanced Queuing Release 19c, Version 19.2 xxxvi
Changes in Oracle Database Advanced Queuing 12c Release 2 (12.2.) xxxvii
Changes in Oracle Database Advanced Queuing 12c Release 1 (12.1.0.2) xxxvii
Changes in Oracle Database Advanced Queuing 12c Release 1 (12.1) xxxviii

1 Introduction to Transactional Event Queues and Advanced Queuing

What Is Queuing? 1-1
Transactional Event Queues Leverage Oracle Database 1-2
Transactional Event Queues and Advanced Queuing in Integrated Application Environments 1-6
- Transactional Event Queues and Advanced Queuing Client/Server Communication 1-7
- Multiconsumer Dequeuing of the Same Message 1-8
- Transactional Event Queues and Advanced Queuing Implementation of Workflows 1-10
- Transactional Event Queues and Advanced Queuing Implementation of Publish/Subscribe 1-11

Buffered Messaging 1-14
Asynchronous Notifications 1-18
- Views on Registration 1-20
- Event-Based Notification 1-20
- Notification Grouping by Time 1-21

Enqueue Features 1-21
Dequeue Features 1-23
Propagation Features 1-29

Message Format Transformation 1-37
Other Oracle Database Advanced Queuing Features 1-38
Polyglot Programming with Transactional Event Queues 1-42

2 Basic Components of Oracle Transactional Event Queues and Advanced Queuing

Object Name 2-1
Type Name 2-2
AQ Agent Type 2-2
AQ Recipient List Type 2-3
AQ Agent List Type 2-3
AQ Subscriber List Type 2-3
AQ Registration Information List Type 2-3
AQ Post Information List Type 2-3
AQ Registration Information Type 2-3
AQ Notification Descriptor Type 2-5
AQ Message Properties Type 2-5
AQ Post Information Type 2-6
AQ$_NTFN_MSGID_ARRAY Type 2-6
Enumerated Constants for AQ Administrative Interface 2-6
Enumerated Constants for AQ Operational Interface 2-7
AQ Background Processes 2-8
- Queue Monitor Processes 2-8
- Job Queue Processes 2-8
- AQ Background Architecture 2-9

3 Oracle Transactional Event Queues and Advanced Queuing: Programmatic Interfaces

Programmatic Interfaces for Accessing Oracle Database Advanced Queuing 3-1
Using PL/SQL to Access Oracle Database Advanced Queuing 3-2
Using OCI and the Thin JDBC Driver to Access Oracle Database Advanced Queuing 3-3
- Python and Node.js programming interfaces for Advanced Queuing 3-3
- Comparing Oracle Database Advanced Queuing Programmatic Interfaces 3-4
  - Oracle Transactional Event Queues and Advanced Queuing Administrative Interfaces 3-4
  - Oracle Database Advanced Queuing Operational Interfaces 3-7

Using OCCI to Access Oracle Database Advanced Queuing 3-15
Using Oracle Java Message Service (Oracle JMS) to Access Oracle Database Advanced Queuing 3-15

Using Oracle Database Advanced Queuing XML Servlet to Access Oracle Database Advanced Queuing 3-17

4 Managing Oracle Transactional Event Queues and Advanced Queuing

Oracle Database Advanced Queuing Compatibility Parameters 4-1
Queue Security and Access Control 4-1
- Oracle Database Advanced Queuing Security 4-2
  - Administrator Role 4-2
  - User Role 4-3
  - Access to Oracle Database Advanced Queuing Object Types 4-3
- Queue Security 4-3
- Queue Privileges and Access Control 4-4
- OCI Applications and Queue Access 4-4
- Security Required for Propagation 4-4
- Security Required for AQ Buffered Messages on Oracle RAC 4-5

Queue Table Export/Import 4-5
- Exporting Queue Table Data 4-5
- Importing Queue Table Data 4-7
- Data Pump Export and Import 4-7

Oracle Enterprise Manager Support for AQ Queues 4-8
Using Oracle Database Advanced Queuing with XA 4-8
Restrictions on Queue Management 4-8
- Subscribers 4-9
- DML Not Supported on Queue Tables or Associated IOTs 4-9
- Propagation from Object Queues with REF Payload Attributes 4-9
- Collection Types in Message Payloads 4-9
- Synonyms on Queue Tables and Queues 4-10
- Synonyms on Object Types 4-10
- Tablespace Point-in-Time Recovery 4-10
- Virtual Private Database 4-10

Managing Propagation 4-10
- EXECUTE Privileges Required for Propagation 4-11
- Propagation from Object Queues 4-11
- Optimizing Propagation 4-11
- Handling Failures in Propagation 4-12

5 Kafka APIs for Oracle Transactional Event Queues

Apache Kafka Overview 5-1
Kafka Java Client for Transactional Event Queues 5-1
Configuring Kafka Java Client for Transactional Event Queues 5-2

Kafka Client Interfaces 5-5
Kafka API Examples 5-6
Kafka REST APIs for TxEventQ 5-11
Overview of Kafka Producer Implementation for TxEventQ 5-11
Overview of Kafka Consumer implementation for TxEventQ 5-13
Overview of Kafka Admin Implementation for TxEventQ 5-15
Kafka REST APIs for TxEventQ 5-15
Kafka Connectors for TxEventQ 5-16
Monitoring Message Transfer 5-16

6 Java Message Service for Transactional Event Queues and Advanced Queuing

Java Messaging Service Interface for Oracle Transactional Event Queues and Advanced Queuing 6-1
General Features of JMS and Oracle JMS 6-1
JMS Connection and Session 6-2
JMS Destination 6-6
System-Level Access Control in JMS 6-7
Destination-Level Access Control in JMS 6-8
Retention and Message History in JMS 6-8
Supporting Oracle Real Application Clusters in JMS 6-8
Supporting Statistics Views in JMS 6-9
Structured Payload/Message Types in JMS 6-9
JMS Message Headers 6-10
JMS Message Properties 6-11
JMS Message Bodies 6-12
Using Message Properties with Different Message Types 6-15
Buffered Messaging with Oracle JMS 6-15
Buffered Messaging in JMS 6-17
JMS Point-to-Point Model Features 6-19
JMS Publish/Subscribe Model Features 6-21
JMS Publish/Subscribe Overview 6-21
DurableSubscriber 6-21
RemoteSubscriber 6-22
TopicPublisher 6-22
Recipient Lists 6-23
TopicReceiver 6-23
TopicBrowser 6-23
Setting Up JMS Publish/Subscribe Operations 6-24
JMS Message Producer Features 6-24
Priority and Ordering of Messages 6-25

Specifying a Message Delay 6-25
Specifying a Message Expiration 6-25
Message Grouping 6-26
JMS Message Consumer Features 6-26
Receiving Messages 6-26
Message Navigation in Receive 6-27
Browsing Messages 6-28
Remove No Data 6-28
Retry with Delay Interval 6-28
Asynchronously Receiving Messages Using MessageListener 6-29
Exception Queues 6-29
JMS Propagation 6-30
RemoteSubscriber 6-30
Scheduling Propagation 6-31
Enhanced Propagation Scheduling Capabilities 6-31
Exception Handling During Propagation 6-33
Message Transformation with JMS AQ 6-33
JMS Streaming 6-34
JMS Streaming with Enqueue 6-34
JMS Streaming with Dequeue 6-35
Java EE Compliance 6-37
Oracle Java Message Service Basic Operations 6-38
EXECUTE Privilege on DBMS_AQIN 6-38
Registering a ConnectionFactory 6-39
Registering Through the Database Using JDBC Connection Parameters 6-39
Registering Through the Database Using a JDBC URL 6-39
Registering Through LDAP Using JDBC Connection Parameters 6-40
Registering Through LDAP Using a JDBC URL 6-41
Unregistering a Queue/Topic ConnectionFactory 6-42
Unregistering Through the Database 6-42
Unregistering Through LDAP 6-43
Getting a QueueConnectionFactory or TopicConnectionFactory 6-43
Getting a QueueConnectionFactory with JDBC URL 6-43
Getting a QueueConnectionFactory with JDBC Connection Parameters 6-44
Getting a TopicConnectionFactory with JDBC URL 6-44
Getting a TopicConnectionFactory with JDBC Connection Parameters 6-45
Getting a QueueConnectionFactory or TopicConnectionFactory in LDAP 6-45
Getting a Queue or Topic in LDAP 6-46
Creating an AQ Queue Table 6-46
Creating a Queue 6-47
Creating a Point-to-Point Queue 6-47
Creating a Publish/Subscribe Topic 6-48

Creating a TxEventQ Queue for Point-to-Point Queue and Publish/Subscribe Topic 6-49
Getting an AQ Queue Table 6-50
Granting and Revoking Privileges 6-50
Granting Oracle Database Advanced Queuing System Privileges 6-50
Revoking Oracle Database Advanced Queuing System Privileges 6-51
Granting Publish/Subscribe Topic Privileges 6-51
Revoking Publish/Subscribe Topic Privileges 6-52
Granting Point-to-Point Queue Privileges 6-52
Revoking Point-to-Point Queue Privileges 6-53
Managing Destinations 6-53
Starting a Destination 6-54
Stopping a Destination 6-54
Altering a Destination 6-54
Dropping a Destination 6-55
Propagation Schedules 6-55
Scheduling a Propagation 6-56
Enabling a Propagation Schedule 6-56
Altering a Propagation Schedule 6-57
Disabling a Propagation Schedule 6-57
Unscheduling a Propagation 6-57
Oracle Java Message Service Point-to-Point 6-58
Creating a Connection with User Name/Password 6-58
Creating a Connection with Default ConnectionFactory Parameters 6-59
Creating a QueueConnection with User Name/Password 6-59
Creating a QueueConnection with an Open JDBC Connection 6-59
Creating a QueueConnection with Default ConnectionFactory Parameters 6-60
Creating a QueueConnection with an Open OracleOCIConnectionPool 6-60
Creating a Session 6-60
Creating a QueueSession 6-61
Creating a QueueSender 6-61
Sending Messages Using a QueueSender with Default Send Options 6-61
Sending Messages Using a QueueSender by Specifying Send Options 6-62
Creating a QueueBrowser for Standard JMS Type Messages 6-63
Creating a QueueBrowser for Standard JMS Type Messages, Locking Messages 6-64
Creating a QueueBrowser for Oracle Object Type Messages 6-64
Creating a QueueBrowser for Oracle Object Type Messages, Locking Messages 6-65
Creating a QueueReceiver for Standard JMS Type Messages 6-66
Creating a QueueReceiver for Oracle Object Type Messages 6-67
Oracle Java Message Service Publish/Subscribe 6-68
Creating a Connection with User Name/Password 6-69
Creating a Connection with Default ConnectionFactory Parameters 6-69
Creating a TopicConnection with User Name/Password 6-69

Creating a TopicConnection with Open JDBC Connection 6-70
Creating a TopicConnection with an Open OracleOCIConnectionPool 6-70
Creating a Session 6-71
Creating a TopicSession 6-71
Creating a TopicPublisher 6-71
Publishing Messages with Minimal Specification 6-71
Publishing Messages Specifying Topic 6-73
Publishing Messages Specifying Delivery Mode, Priority, and TimeToLive 6-73
Publishing Messages Specifying a Recipient List 6-74
Creating a DurableSubscriber for a JMS Topic Without Selector 6-75
Creating a DurableSubscriber for a JMS Topic with Selector 6-76
Creating a DurableSubscriber for an Oracle Object Type Topic Without Selector 6-77
Creating a DurableSubscriber for an Oracle Object Type Topic with Selector 6-78
Specifying Transformations for Topic Subscribers 6-79
Creating a Remote Subscriber for JMS Messages 6-80
Creating a Remote Subscriber for Oracle Object Type Messages 6-81
Specifying Transformations for Remote Subscribers 6-83
Unsubscribing a Durable Subscription for a Local Subscriber 6-84
Unsubscribing a Durable Subscription for a Remote Subscriber 6-84
Creating a TopicReceiver for a Topic of Standard JMS Type Messages 6-85
Creating a TopicReceiver for a Topic of Oracle Object Type Messages 6-86
Creating a TopicBrowser for Standard JMS Messages 6-87
Creating a TopicBrowser for Standard JMS Messages, Locking Messages 6-88
Creating a TopicBrowser for Oracle Object Type Messages 6-89
Creating a TopicBrowser for Oracle Object Type Messages, Locking Messages 6-90
Browsing Messages Using a TopicBrowser 6-91
Oracle Java Message Service Shared Interfaces 6-91
Oracle Database Advanced Queuing JMS Operational Interface: Shared Interfaces 6-92
Starting a JMS Connection 6-92
Getting a JMS Connection 6-92
Committing All Operations in a Session 6-92
Rolling Back All Operations in a Session 6-93
Getting the JDBC Connection from a Session 6-93
Getting the OracleOCIConnectionPool from a JMS Connection 6-93
Creating a BytesMessage 6-93
Creating a MapMessage 6-93
Creating a StreamMessage 6-94
Creating an ObjectMessage 6-94
Creating a TextMessage 6-94
Creating a JMS Message 6-94
Creating an AdtMessage 6-94
Setting a JMS Correlation Identifier 6-95

Specifying JMS Message Properties 6-95
Setting a Boolean Message Property 6-96
Setting a String Message Property 6-96
Setting an Integer Message Property 6-96
Setting a Double Message Property 6-96
Setting a Float Message Property 6-97
Setting a Byte Message Property 6-97
Setting a Long Message Property 6-97
Setting a Short Message Property 6-97
Setting an Object Message Property 6-98
Setting Default TimeToLive for All Messages Sent by a MessageProducer 6-98
Setting Default Priority for All Messages Sent by a MessageProducer 6-98
Creating an AQjms Agent 6-99
Receiving a Message Synchronously 6-99
Using a Message Consumer by Specifying Timeout 6-99
Using a Message Consumer Without Waiting 6-100
Receiving Messages from a Destination Using a Transformation 6-101
Specifying the Navigation Mode for Receiving Messages 6-102
Receiving a Message Asynchronously 6-102
Specifying a Message Listener at the Message Consumer 6-102
Specifying a Message Listener at the Session 6-104
Getting Message ID 6-104
Getting the Correlation Identifier 6-104
Getting the Message Identifier 6-104
Getting JMS Message Properties 6-104
Getting a Boolean Message Property 6-105
Getting a String Message Property 6-105
Getting an Integer Message Property 6-105
Getting a Double Message Property 6-105
Getting a Float Message Property 6-105
Getting a Byte Message Property 6-106
Getting a Long Message Property 6-106
Getting a Short Message Property 6-106
Getting an Object Message Property 6-106
Closing and Shutting Down 6-107
Closing a MessageProducer 6-107
Closing a Message Consumer 6-107
Stopping a JMS Connection 6-107
Closing a JMS Session 6-107
Closing a JMS Connection 6-107
Troubleshooting 6-108
Getting a JMS Error Code 6-108

Getting a JMS Error Number 6-108
Getting an Exception Linked to a JMS Exception 6-108
Printing the Stack Trace for a JMS Exception 6-108
Setting an Exception Listener 6-108
Getting an Exception Listener 6-109
Oracle Java Message Service Types Examples 6-113
How to Set Up the Oracle Database Advanced Queuing JMS Type Examples 6-113
JMS BytesMessage Examples 6-117
JMS StreamMessage Examples 6-121
JMS MapMessage Examples 6-126
More Oracle Database Advanced Queuing JMS Examples 6-131

7 Oracle Database Advanced Queuing Operations Using PL/SQL

Using Secure Queues 7-1
Enqueuing Messages 7-2
Enqueuing an Array of Messages 7-10
Listening to One or More Queues 7-11
Dequeuing Messages 7-13
Dequeuing an Array of Messages 7-20
Registering for Notification 7-22
Unregistering for Notification 7-23
Posting for Subscriber Notification 7-23
Adding an Agent to the LDAP Server 7-24
Removing an Agent from the LDAP Server 7-25

8 Oracle Transactional Event Queues and Advanced Queuing Performance and Scalability

Transactional Event Queues 8-1
Transactional Event Queues and the Message Cache 8-2
Transactional Event Queues and Enqueuing / Dequeuing Messages 8-2
Transactional Event Queues and Native JMS Support 8-2
Transactional Event Queues and Partitioning 8-3
Transactional Event Queues and Oracle Real Application Clusters (Oracle RAC) 8-3
Transactional Event Queues and Message Retention 8-4
Transactional Event Queues and Seekable Subscribers 8-4
Transactional Event Queues Restrictions 8-5
Transactional Event Queues Tuning 8-5
User Event Streaming 8-6
AQ Queues 8-9
Persistent Messaging Basic Tuning Tips 8-9

Memory Requirements 8-9
Using Storage Parameters 8-10
I/O Configuration 8-10
Running Enqueue and Dequeue Processes Concurrently in a Single Queue Table 8-10
Running Enqueue and Dequeue Processes Serially in a Single Queue Table 8-11
Creating Indexes on a Queue Table 8-11
Other Tips for Queues 8-11
Propagation Tuning Tips 8-12
Buffered Messaging Tuning 8-12
Persistent Messaging Performance Overview for Queues 8-12
Queues and Oracle Real Application Clusters 8-13
Oracle Database Advanced Queuing in a Shared Server Environment 8-13
Performance Views 8-13
Migrating from AQ to TxEventQ 8-14
Monitoring TxEventQ with Prometheus/Grafana 8-22
Monitoring Data Flow and UI Framework Setup 8-22
Key Metrics Measured 8-27

9 Oracle Transactional Event Queue and Advanced Queuing Views

DBA_QUEUE_TABLES: All Queue Tables in Database 9-3
USER_QUEUE_TABLES: Queue Tables in User Schema 9-3
ALL_QUEUE_TABLES: Queue Tables Accessible to the Current User 9-3
DBA_QUEUES: All Queues in Database 9-4
USER_QUEUES: Queues In User Schema 9-4
ALL_QUEUES: Queues for Which User Has Any Privilege 9-4
DBA_QUEUE_SCHEDULES: All Propagation Schedules 9-5
USER_QUEUE_SCHEDULES: Propagation Schedules in User Schema 9-5
QUEUE_PRIVILEGES: Queues for Which User Has Queue Privilege 9-5
AQ$<Queue_Table_Name>: Messages in Queue Table 9-5
AQ$<Queue_Table_Name_S>: Queue Subscribers 9-9
AQ$<Queue_Table_Name_R>: Queue Subscribers and Their Rules 9-10
AQ$Queue_Name_R: Queue Subscribers and Their Rules for Multi-consumer Queue 9-10
AQ$Queue_Name_S: Queue Subscribers and Their Rules for Multi-consumer Queue 9-11
DBA_QUEUE_SUBSCRIBERS: All Queue Subscribers in Database 9-11
USER_QUEUE_SUBSCRIBERS: Queue Subscribers in User Schema 9-12
ALL_QUEUE_SUBSCRIBERS: Subscribers for Queues Where User Has Queue Privileges 9-12
DBA_TRANSFORMATIONS: All Transformations 9-12
DBA_ATTRIBUTE_TRANSFORMATIONS: All Transformation Functions 9-13
USER_TRANSFORMATIONS: User Transformations 9-13
USER_ATTRIBUTE_TRANSFORMATIONS: User Transformation Functions 9-13
DBA_SUBSCR_REGISTRATIONS: All Subscription Registrations 9-14

USER_SUBSCR_REGISTRATIONS: User Subscription Registrations 9-14
AQ$INTERNET_USERS: Oracle Database Advanced Queuing Agents Registered for Internet Access 9-14
V$AQ: Number of Messages in Different States in Database 9-15
V$BUFFERED_QUEUES: All Buffered Queues in the Instance 9-15
V$BUFFERED_SUBSCRIBERS: Subscribers for All Buffered Queues in the Instance 9-15
V$BUFFERED_PUBLISHERS: All Buffered Publishers in the Instance 9-15
V$PERSISTENT_QUEUES: All Active Persistent Queues in the Instance 9-16
V$PERSISTENT_QMN_CACHE: Performance Statistics on Background Tasks for Persistent Queues 9-16
V$PERSISTENT_SUBSCRIBERS: All Active Subscribers of the Persistent Queues in the Instance 9-16
V$PERSISTENT_PUBLISHERS: All Active Publishers of the Persistent Queues in the Instance 9-17
V$PROPAGATION_SENDER: Buffer Queue Propagation Schedules on the Sending (Source) Side 9-17
V$PROPAGATION_RECEIVER: Buffer Queue Propagation Schedules on the Receiving (Destination) Side 9-17
V$SUBSCR_REGISTRATION_STATS: Diagnosability of Notifications 9-18
V$METRICGROUP: Information About the Metric Group 9-18
V$AQ_MESSAGE_CACHE_STAT: Memory Management for Sharded Queues 9-18
V$AQ_SHARDED_SUBSCRIBER_STAT: Sharded Queue Subscriber Statistics 9-19
V$AQ_MESSAGE_CACHE_ADVICE: Simulated Metrics 9-19
V$AQ_REMOTE_DEQUEUE_AFFINITY: Dequeue Affinity Instance List 9-19
V$AQ_BACKGROUND_COORDINATOR: Performance Statistics for AQ's Primary Background Coordinator Process (AQPC) 9-20
V$AQ_JOB_COORDINATOR: Performance Statistics per Coordinator 9-20
V$AQ_SERVER_POOL: Performance Statistics for all Servers 9-20
V$AQ_CROSS_INSTANCE_JOBS: Cross Process Jobs Description 9-21
V$AQ_IPC_ACTIVE_MSGS 9-21
V$AQ_IPC_MSG_STATS 9-21
V$AQ_IPC_PENDING_MSGS 9-21
V$AQ_NONDUR_REGISTRATIONS: Non-Durable Registrations 9-22
V$AQ_NOTIFICATION_CLIENTS: Secure OCI Client Connections 9-22
V$AQ_SUBSCRIBER_LOAD: Durable Subscribers 9-22
V$AQ_NONDUR_SUBSCRIBER: Non-Durable Subscribers 9-23
V$AQ_NONDUR_SUBSCRIBER_LWM: LWM of Non Durable Subscriber 9-23
V$AQ_MESSAGE_CACHE: Performance Statistics 9-23

10 Troubleshooting Oracle Database Advanced Queuing

Debugging Oracle Database Advanced Queuing Propagation Problems 10-1
Oracle Database Advanced Queuing Error Messages 10-2

11 Internet Access to Oracle Database Advanced Queuing

Overview of Oracle Database Advanced Queuing Operations Over the Internet 11-1
- Oracle Database Advanced Queuing Internet Operations Architecture 11-1
- Internet Message Payloads 11-2
- Configuring the Web Server to Authenticate Users Sending POST Requests 11-3
- Client Requests Using HTTP 11-3
- Oracle Database Advanced Queuing Servlet Responses Using HTTP 11-3
- Oracle Database Advanced Queuing Propagation Using HTTP and HTTPS 11-4

Deploying the Oracle Database Advanced Queuing XML Servlet 11-4
Internet Data Access Presentation (IDAP) 11-6
- SOAP Message Structure 11-6
  - SOAP Envelope 11-6
  - SOAP Header 11-6
  - SOAP Body 11-7
- SOAP Method Invocation 11-7
  - HTTP Headers 11-7
  - Method Invocation Body 11-7
  - Results from a Method Request 11-8

Request and Response IDAP Documents 11-8
- IDAP Client Requests for Enqueue 11-9
- IDAP Client Requests for Dequeue 11-11
- IDAP Client Requests for Registration 11-12
- IDAP Client Requests to Commit a Transaction 11-13
- IDAP Client Requests to Roll Back a Transaction 11-13
- IDAP Server Response to an Enqueue Request 11-13
- IDAP Server Response to a Dequeue Request 11-14
- IDAP Server Response to a Register Request 11-14
- IDAP Commit Response 11-14
- IDAP Rollback Response 11-15
- IDAP Notification 11-15
- IDAP Response in Case of Error 11-15

Notification of Messages by E-Mail 11-15

12 Oracle Database Advanced Queuing Administrative Interface

Managing AQ Queue Tables 12-1
- Creating an AQ Queue Table 12-2
- Altering an AQ Queue Table 12-9
- Dropping an AQ Queue Table 12-10
- Purging an AQ Queue Table 12-11
- Migrating an AQ Queue Table 12-13

Managing AQ Queues 12-13
Creating an AQ Queue 12-14
Altering an AQ Queue 12-16
Starting an AQ Queue 12-17
Stopping an AQ Queue 12-17
Dropping an AQ Queue 12-18
Managing Transformations 12-18
Creating a Transformation 12-18
Modifying a Transformation 12-19
Dropping a Transformation 12-20
Granting and Revoking Privileges 12-20
Granting Oracle Database Advanced Queuing System Privileges 12-20
Revoking Oracle Database Advanced Queuing System Privileges 12-21
Granting Queue Privileges 12-21
Revoking Queue Privileges 12-22
Managing Subscribers 12-22
Adding a Subscriber 12-23
Altering a Subscriber 12-25
Removing a Subscriber 12-25
Managing Propagations 12-26
Scheduling a Queue Propagation 12-26
Verifying Propagation Queue Type 12-28
Altering a Propagation Schedule 12-29
Enabling a Propagation Schedule 12-30
Disabling a Propagation Schedule 12-30
Unscheduling a Queue Propagation 12-31
Managing Oracle Database Advanced Queuing Agents 12-31
Creating an Oracle Database Advanced Queuing Agent 12-31
Altering an Oracle Database Advanced Queuing Agent 12-32
Dropping an Oracle Database Advanced Queuing Agent 12-32
Enabling Database Access 12-32
Disabling Database Access 12-33
Adding an Alias to the LDAP Server 12-33
Deleting an Alias from the LDAP Server 12-33

A Nonpersistent Queues

Creating Nonpersistent Queues A-1
Managing Nonpersistent Queues A-2
Compatibility of Nonpersistent Queues A-2
Nonpersistent Queue Notification A-2

Restrictions on Nonpersistent Queues A-3

B Oracle JMS and Oracle AQ XML Servlet Error Messages

Oracle JMS Error Messages B-1
Oracle AQ XML Servlet Error Messages B-13

C Oracle Messaging Gateway

Introduction to Oracle Messaging Gateway C-1
Oracle Messaging Gateway Overview C-1
Oracle Messaging Gateway Features C-2
Oracle Messaging Gateway Architecture C-3
Administration Package DBMS_MGWADM C-4
Oracle Messaging Gateway Agent C-4
Oracle Database C-5
Non-Oracle Messaging Systems C-5
Propagation Processing Overview C-5
Oracle Database AQ Buffered Messages and Messaging Gateway C-6
Getting Started with Oracle Messaging Gateway C-6
Oracle Messaging Gateway Prerequisites C-6
Loading and Setting Up Oracle Messaging Gateway C-7
Loading Database Objects into the Database C-7
Modifying listener.ora for the External Procedure C-7
Modifying tnsnames.ora for the External Procedure C-8
Setting Up an mgw.ora Initialization File C-9
Creating an Oracle Messaging Gateway Administrator User C-10
Creating an Oracle Messaging Gateway Agent User C-10
Configuring Oracle Messaging Gateway Connection Information C-10
Configuring Oracle Messaging Gateway in an Oracle RAC Environment C-11
Setting Up Non-Oracle Messaging Systems C-12
Setting Up for TIB/Rendezvous C-12
Setting Up for WebSphere MQ Base Java or JMS C-13
Verifying the Oracle Messaging Gateway Setup C-14
Unloading Oracle Messaging Gateway C-14
Understanding the mgw.ora Initialization File C-14
mgw.ora Initialization Parameters C-15
mgw.ora Environment Variables C-16
mgw.ora Java Properties C-17
mgw.ora Comment Lines C-19
Working with Oracle Messaging Gateway C-19
Configuring the Oracle Messaging Gateway Agent C-20

Creating a Messaging Gateway Agent C-20
Removing a Messaging Gateway Agent C-20
Setting Database Connection C-21
Setting the Resource Limits C-21
Starting and Shutting Down the Oracle Messaging Gateway Agent C-21
Starting the Oracle Messaging Gateway Agent C-21
Shutting Down the Oracle Messaging Gateway Agent C-22
Oracle Messaging Gateway Agent Scheduler Job C-22
Running the Oracle Messaging Gateway Agent on Oracle RAC C-23
Configuring Messaging System Links C-24
Creating a WebSphere MQ Base Java Link C-25
Creating a WebSphere MQ JMS Link C-26
Creating a WebSphere MQ Link to Use SSL C-27
Creating a TIB/Rendezvous Link C-29
Altering a Messaging System Link C-30
Removing a Messaging System Link C-30
Views for Messaging System Links C-31
Configuring Non-Oracle Messaging System Queues C-31
Registering a Non-Oracle Queue C-31
Unregistering a Non-Oracle Queue C-33
View for Registered Non-Oracle Queues C-33
Configuring Oracle Messaging Gateway Propagation Jobs C-33
Propagation Job Overview C-33
Creating an Oracle Messaging Gateway Propagation Job C-34
Enabling and Disabling a Propagation Job C-35
Resetting a Propagation Job C-35
Altering a Propagation Job C-36
Removing a Propagation Job C-36
Propagation Jobs, Subscribers, and Schedules C-37
Propagation Job, Subscriber, Schedule Interface Interoperability C-37
Propagation Job, Subscriber, Schedule Views C-38
Single Consumer Queue as Propagation Source C-38
Configuration Properties C-39
WebSphere MQ System Properties C-39
TIB/Rendezvous System Properties C-41
Optional Link Configuration Properties C-42
Optional Foreign Queue Configuration Properties C-44
Optional Job Configuration Properties C-45
Oracle Messaging Gateway Message Conversion C-46
Converting Oracle Messaging Gateway Non-JMS Messages C-46
Overview of the Non-JMS Message Conversion Process C-46
Oracle Messaging Gateway Canonical Types C-47

Message Header Conversion C-47
Handling Arbitrary Payload Types Using Message Transformations C-48
Handling Logical Change Records C-50
Message Conversion for WebSphere MQ C-51
WebSphere MQ Message Header Mappings C-52
WebSphere MQ Outbound Propagation C-55
WebSphere MQ Inbound Propagation C-56
Message Conversion for TIB/Rendezvous C-56
AQ Message Property Mapping for TIB/Rendezvous C-58
TIB/Rendezvous Outbound Propagation C-59
TIB/Rendezvous Inbound Propagation C-59
JMS Messages C-60
JMS Outbound Propagation C-61
JMS Inbound Propagation C-61
Monitoring Oracle Messaging Gateway C-61
Oracle Messaging Gateway Log Files C-62
Sample Oracle Messaging Gateway Log File C-62
Interpreting Exception Messages in an Oracle Messaging Gateway Log File C-63
Monitoring the Oracle Messaging Gateway Agent Status C-64
MGW_GATEWAY View C-64
Oracle Messaging Gateway Irrecoverable Error Messages C-65
Other Oracle Messaging Gateway Error Conditions C-67
Monitoring Oracle Messaging Gateway Propagation C-69
Oracle Messaging Gateway Agent Error Messages C-70
Oracle Messaging Gateway Views C-76
MGW_GATEWAY: Configuration and Status Information C-76
MGW_AGENT_OPTIONS: Supplemental Options and Properties C-77
MGW_LINKS: Names and Types of Messaging System Links C-78
MGW_MQSERIES_LINKS: WebSphere MQ Messaging System Links C-78
MGW_TIBRV_LINKS: TIB/Rendezvous Messaging System Links C-79
MGW_FOREIGN_QUEUES: Foreign Queues C-79
MGW_JOBS: Messaging Gateway Propagation Jobs C-80
MGW_SUBSCRIBERS: Information for Subscribers C-81
MGW_SCHEDULES: Information About Schedules C-82

D Advanced Queuing Sharded Queues

Managing Sharded Queues D-1
Creating a Sharded Queue D-1
Dropping a Sharded Queue D-2
Altering a Sharded Queue D-3
Setting a Queue Parameter D-3

Unsetting a Queue Parameter D-4
Getting a Queue Parameter D-4
Creating an Exception Queue D-5

Glossary

Index

List of Examples

4-1	Creating Objects Containing VARRAYs	4-9
6-1	Registering Through the Database Using JDBC Connection Parameters	6-39
6-2	Registering Through the Database Using a JDBC URL	6-40
6-3	Registering Through LDAP Using JDBC Connection Parameters	6-41
6-4	Registering Through LDAP Using a JDBC URL	6-42
6-5	Unregistering Through the Database	6-42
6-6	Unregistering Through LDAP	6-43
6-7	Getting a QueueConnectionFactory with JDBC URL	6-44
6-8	Getting a QueueConnectionFactory with JDBC Connection Parameters	6-44
6-9	Getting a TopicConnectionFactory with JDBC URL	6-45
6-10	Getting a TopicConnectionFactory with JDBC Connection Parameters	6-45
6-11	Getting a QueueConnectionFactory or TopicConnectionFactory in LDAP	6-45
6-12	Getting a Queue or Topic in LDAP	6-46
6-13	Creating a Queue Table	6-47
6-14	Creating a Point-to-Point Queue	6-48
6-15	Creating a Publish/Subscribe Topic	6-48
6-16	Specifying Max Retries and Max Delays in Messages	6-48
6-17	Getting a Queue Table	6-50
6-18	Granting Oracle Database Advanced Queuing System Privileges	6-51
6-19	Revoking Oracle Database Advanced Queuing System Privileges	6-51
6-20	Granting Publish/Subscribe Topic Privileges	6-52
6-21	Revoking Publish/Subscribe Topic Privileges	6-52
6-22	Granting Point-to-Point Queue Privileges	6-53
6-23	Revoking Point-to-Point Queue Privileges	6-53
6-24	Starting a Destination	6-54
6-25	Stopping a Destination	6-54
6-26	Altering a Destination	6-55
6-27	Dropping a Destination	6-55
6-28	Scheduling a Propagation	6-56
6-29	Enabling a Propagation Schedule	6-56
6-30	Altering a Propagation Schedule	6-57
6-31	Disabling a Propagation Schedule	6-57
6-32	Unscheduling a Propagation	6-58
6-33	Creating a QueueConnection with User Name/Password	6-59
6-34	Creating a QueueConnection with an Open JDBC Connection	6-60
6-35	Creating a QueueConnection from a Java Procedure Inside Database	6-60

6-36 Creating a QueueConnection with an Open OracleOCIConnectionPool 6-60
6-37 Creating a Transactional QueueSession 6-61
6-38 Creating a Sender to Send Messages to Any Queue 6-62
6-39 Creating a Sender to Send Messages to a Specific Queue 6-62
6-40 Sending Messages Using a QueueSender by Specifying Send Options 1 6-63
6-41 Sending Messages Using a QueueSender by Specifying Send Options 2 6-63
6-42 Creating a QueueBrowser Without a Selector 6-63
6-43 Creating a QueueBrowser With a Specified Selector 6-64
6-44 Creating a QueueBrowser Without a Selector, Locking Messages 6-64
6-45 Creating a QueueBrowser With a Specified Selector, Locking Messages 6-64
6-46 Creating a QueueBrowser for ADTMessages 6-65
6-47 Creating a QueueBrowser for AdtMessages, Locking Messages 6-66
6-48 Creating a QueueReceiver Without a Selector 6-67
6-49 Creating a QueueReceiver With a Specified Selector 6-67
6-50 Creating a QueueReceiver for AdtMessage Messages 6-68
6-51 Creating a TopicConnection with User Name/Password 6-70
6-52 Creating a TopicConnection with Open JDBC Connection 6-70
6-53 Creating a TopicConnection with New JDBC Connection 6-70
6-54 Creating a TopicConnection with Open OracleOCIConnectionPool 6-70
6-55 Creating a TopicSession 6-71
6-56 Publishing Without Specifying Topic 6-72
6-57 Publishing Specifying Correlation and Delay 6-72
6-58 Publishing Specifying Topic 6-73
6-59 Publishing Specifying Priority and TimeToLive 6-74
6-60 Publishing Specifying a Recipient List Overriding Topic Subscribers 6-74
6-61 Creating a Durable Subscriber for a JMS Topic Without Selector 6-75
6-62 Creating a Durable Subscriber for a JMS Topic With Selector 6-76
6-63 Creating a Durable Subscriber for an Oracle Object Type Topic Without Selector 6-77
6-64 Creating a Durable Subscriber for an Oracle Object Type Topic With Selector 6-79
6-65 Sending Messages to a Destination Using a Transformation 6-79
6-66 Specifying Transformations for Topic Subscribers 6-80
6-67 Creating a Remote Subscriber for Topics of JMS Messages 6-81
6-68 Creating a Remote Subscriber for Topics of Oracle Object Type Messages 6-82
6-69 Specifying Transformations for Remote Subscribers 6-83
6-70 Unsubscribing a Durable Subscription for a Local Subscriber 6-84
6-71 Unsubscribing a Durable Subscription for a Remote Subscriber 6-85
6-72 Creating a TopicReceiver for Standard JMS Type Messages 6-86

6-73 Creating a TopicReceiver for Oracle Object Type Messages 6-87
6-74 Creating a TopicBrowser Without a Selector 6-88
6-75 Creating a TopicBrowser With a Specified Selector 6-88
6-76 Creating a TopicBrowser Without a Selector, Locking Messages While Browsing 6-89
6-77 Creating a TopicBrowser With a Specified Selector, Locking Messages 6-89
6-78 Creating a TopicBrowser for AdtMessage Messages 6-90
6-79 Creating a TopicBrowser for AdtMessage Messages, Locking Messages 6-91
6-80 Creating a TopicBrowser with a Specified Selector 6-91
6-81 Getting Underlying JDBC Connection from JMS Session 6-93
6-82 Getting Underlying OracleOCIConnectionPool from JMS Connection 6-93
6-83 Setting Default TimeToLive for All Messages Sent by a MessageProducer 6-98
6-84 Setting Default Priority Value for All Messages Sent by QueueSender 6-99
6-85 Setting Default Priority Value for All Messages Sent by TopicPublisher 6-99
6-86 Using a Message Consumer by Specifying Timeout 6-99
6-87 JMS: Blocking Until a Message Arrives 6-100
6-88 JMS: Nonblocking Messages 6-100
6-89 JMS: Receiving Messages from a Destination Using a Transformation 6-101
6-90 Specifying Navigation Mode for Receiving Messages 6-102
6-91 Specifying Message Listener at Message Consumer 6-103
6-92 Getting Message Property as an Object 6-107
6-93 Specifying Exception Listener for Connection 6-109
6-94 Using ExceptionListener with MessageListener 6-109
6-95 Getting the Exception Listener for the Connection 6-113
6-96 Setting Up Environment for Running JMS Types Examples 6-113
6-97 Setting Up the Examples 6-116
6-98 Populating and Enqueuing a BytesMessage 6-117
6-99 Dequeuing and Retrieving JMS BytesMessage Data 6-119
6-100 Populating and Enqueuing a JMS StreamMessage 6-121
6-101 Dequeuing and Retrieving Data From a JMS StreamMessage 6-123
6-102 Populating and Enqueuing a JMS MapMessage 6-126
6-103 Dequeuing and Retrieving Data From a JMS MapMessage 6-128
6-104 Enqueuing a Large TextMessage 6-131
6-105 Enqueuing a Large BytesMessage 6-132
7-1 Enqueuing a Message, Specifying Queue Name and Payload 7-6
7-2 Enqueuing a Message, Specifying Priority 7-7
7-3 Creating an Enqueue Procedure for LOB Type Messages 7-7
7-4 Enqueuing a LOB Type Message 7-7

7-5	Enqueuing Multiple Messages	7-7
7-6	Adding Subscribers RED and GREEN	7-8
7-7	Enqueuing Multiple Messages to a Multiconsumer Queue	7-9
7-8	Enqueuing Grouped Messages	7-9
7-9	Enqueuing a Message, Specifying Delay and Expiration	7-10
7-10	Enqueuing a Message, Specifying a Transformation	7-10
7-11	Enqueuing an Array of Messages	7-11
7-12	Listening to a Single-Consumer Queue with Zero Timeout	7-12
7-13	Dequeuing Object Type Messages	7-17
7-14	Creating a Dequeue Procedure for LOB Type Messages	7-17
7-15	Dequeuing LOB Type Messages	7-18
7-16	Dequeuing Grouped Messages	7-18
7-17	Dequeuing Messages for RED from a Multiconsumer Queue	7-19
7-18	Dequeue in Browse Mode and Remove Specified Message	7-19
7-19	Dequeue in Locked Mode and Remove Specified Message	7-20
7-20	Dequeuing an Array of Messages	7-21
7-21	Registering for Notifications	7-23
7-22	Posting Object-Type Messages	7-24
8-1	Setting REMOTE_LISTENER Parameter for Cross Instance Enqueues	8-8
12-1	Setting Up AQ Administrative Users	12-6
12-2	Setting Up AQ Administrative Example Types	12-7
12-3	Creating a Queue Table for Messages of Object Type	12-7
12-4	Creating a Queue Table for Messages of RAW Type	12-7
12-5	Creating a Queue Table for Messages of LOB Type	12-7
12-6	Creating a Queue Table for Messages of XMLType	12-7
12-7	Creating a Queue Table for Grouped Messages	12-8
12-8	Creating Queue Tables for Prioritized Messages and Multiple Consumers	12-8
12-9	Creating a Queue Table with Commit-Time Ordering	12-8
12-10	Creating an 8.1-Compatible Queue Table for Multiple Consumers	12-8
12-11	Creating a Queue Table in a Specified Tablespace	12-8
12-12	Creating a Queue Table with Freelists or Freelist Groups	12-9
12-13	Altering a Queue Table by Changing the Primary and Secondary Instances	12-10
12-14	Altering a Queue Table by Changing the Comment	12-10
12-15	Dropping a Queue Table	12-10
12-16	Dropping a Queue Table with force Option	12-10
12-17	Purging All Messages in a Queue Table	12-12
12-18	Purging All Messages in a Named Queue	12-12

12-19 Purging All PROCESSED Messages in a Named Queue 12-12
12-20 Purging All Messages in a Named Queue and for a Named Consumer 12-12
12-21 Purging All Messages from a Named Sender 12-12
12-22 Upgrading a Queue Table from 8.1-Compatible to 10.0-Compatible 12-13
12-23 Creating a Queue for Messages of Object Type 12-15
12-24 Creating a Queue for Messages of RAW Type 12-15
12-25 Creating a Queue for Messages of LOB Type 12-15
12-26 Creating a Queue for Grouped Messages 12-16
12-27 Creating a Queue for Prioritized Messages 12-16
12-28 Creating a Queue for Prioritized Messages and Multiple Consumers 12-16
12-29 Creating a Queue to Demonstrate Propagation 12-16
12-30 Creating an 8.1-Style Queue for Multiple Consumers 12-16
12-31 Altering a Queue by Changing Retention Time 12-17
12-32 Starting a Queue with Both Enqueue and Dequeue Enabled 12-17
12-33 Starting a Queue for Dequeue Only 12-17
12-34 Stopping a Queue 12-17
12-35 Dropping a Standard Queue 12-18
12-36 Creating a Transformation 12-19
12-37 Granting AQ System Privileges 12-20
12-38 Revoking AQ System Privileges 12-21
12-39 Granting Queue Privilege 12-22
12-40 Revoking Dequeue Privilege 12-22
12-41 Adding a Subscriber at a Designated Queue at a Database Link 12-24
12-42 Adding a Single Consumer Queue at a Dababase Link as a Subscriber 12-24
12-43 Adding a Subscriber with a Rule 12-24
12-44 Adding a Subscriber and Specifying a Transformation 12-24
12-45 Propagating from a Multiple-Consumer Queue to a Single Consumer Queue 12-25
12-46 Altering a Subscriber Rule 12-25
12-47 Removing a Subscriber 12-26
12-48 Scheduling a Propagation to Queues in the Same Database 12-28
12-49 Scheduling a Propagation to Queues in Another Database 12-28
12-50 Scheduling Queue-to-Queue Propagation 12-28
12-51 Verifying a Queue Type 12-29
12-52 Altering a Propagation Schedule to Queues in the Same Database 12-29
12-53 Altering a Propagation Schedule to Queues in Another Database 12-30
12-54 Enabling a Propagation to Queues in the Same Database 12-30
12-55 Enabling a Propagation to Queues in Another Database 12-30

12-56	Disabling a Propagation to Queues in the Same Database	12-30
12-57	Disabling a Propagation to Queues in Another Database	12-31
12-58	Unscheduling a Propagation to Queues in the Same Database	12-31
12-59	Unscheduling a Propagation to Queues in Another Database	12-31
C-1	Adding Static Service Information for a Listener	C-8
C-2	Configuring MGW_AGENT	C-9
C-3	Creating a Messaging Gateway Administrator User	C-10
C-4	Creating a Messaging Gateway Agent User	C-10
C-5	Configuring Messaging Gateway Connection Information	C-11
C-6	Setting Java Properties	C-13
C-7	Creating a Messaging Gateway Agent	C-20
C-8	Removing a Messaging Gateway Agent	C-20
C-9	Setting Database Connection Information	C-21
C-10	Setting the Resource Limits	C-21
C-11	Starting the Messaging Gateway Agent	C-22
C-12	Shutting Down the Messaging Gateway Agent	C-22
C-13	Configuring a WebSphere MQ Base Java Link	C-25
C-14	Configuring a WebSphere MQ JMS Link	C-27
C-15	Configuring a WebSphere MQ Base Java Link for SSL	C-28
C-16	Configuring a TIB/Rendezvous Link	C-30
C-17	Altering a WebSphere MQ Link	C-30
C-18	Removing a Messaging Gateway Link	C-31
C-19	Listing All Messaging Gateway Links	C-31
C-20	Checking Messaging System Link Configuration Information	C-31
C-21	Registering a WebSphere MQ Base Java Queue	C-32
C-22	Unregistering a Non-Oracle Queue	C-33
C-23	Checking Which Queues Are Registered	C-33
C-24	Creating a Messaging Gateway Propagation Job	C-35
C-25	Enabling a Messaging Gateway Propagation Job	C-35
C-26	Disabling a Messaging Gateway Propagation Job	C-35
C-27	Resetting a Propagation Job	C-36
C-28	Altering Propagation Job by Adding an Exception Queue	C-36
C-29	Altering Propagation Job by Changing the Polling Interval	C-36
C-30	Removing a Propagation Job	C-37
C-31	Transformation Function Signature	C-49
C-32	Creating a Transformation	C-49
C-33	Registering a Transformation	C-49

C-34 Outbound LCR Transformation C-50
C-35 Inbound LCR Transformation C-51
C-36 Sample Messaging Gateway Log File C-62
C-37 Sample Exception Message C-63

List of Figures

1-1	Integrated Application Environment Using TxEventQ and AQ	1-6
1-2	Client/Server Communication Using TxEventQ and AQ	1-7
1-3	Communication Using a Multiconsumer Queue	1-9
1-4	Explicit and Implicit Recipients of Messages	1-10
1-5	Implementing a Workflow using TxEventQ and AQ	1-11
1-6	Point-to-Point Messaging	1-12
1-7	Publish/Subscribe Mode	1-12
1-8	Implementing Publish/Subscribe using TxEventQ and AQ	1-13
1-9	Message Propagation in Oracle Database Advanced Queuing	1-33
1-10	Transformations in Application Integration	1-38
1-11	Architecture for Performing Oracle Database Advanced Queuing Operations Using HTTP	1-42
5-1	Kafka Application Integration with Transactional Event Queue	5-2
6-1	Structure of Oracle Database Advanced Queuing Entries in LDAP Server	6-3
8-1	Flowchart: Migration from AQ to TxEventQ	8-15
8-2	Monitoring Transaction Event Queue	8-23
8-3	Welcome Page	8-24
8-4	Database Summary	8-25
8-5	Database Wait Class Latency	8-26
8-6	System Summary	8-26
11-1	Architecture for Performing Oracle Database Advanced Queuing Operations Using HTTP	11-2
11-2	HTTP Oracle Database Advanced Queuing Propagation	11-4
C-1	Messaging Gateway Architecture	C-4
C-2	Non-JMS Message Conversion	C-47
C-3	Oracle Database Advanced Queuing Message Conversion	C-48
C-4	Message Conversion for WebSphere MQ Using MGW_BASIC_MSG_T	C-51
C-5	Message Conversion for TIB/Rendezvous	C-56
C-6	JMS Message Propagation	C-60

List of Tables

2-1	AQ$_REG_INFO Type Attributes	2-4
2-2	AQ$_DESCRIPTOR Attributes	2-5
2-3	Enumerated Constants in the Oracle Database Advanced Queuing Administrative Interface	2-7
2-4	Enumerated Constants in the Oracle Database Advanced Queuing Operational Interface	2-7
3-1	Oracle Database Advanced Queuing Programmatic Interfaces	3-1
3-2	Comparison of Oracle Transactional Event Queues and Advanced Queuing Programmatic Interfaces: Administrative Interface	3-4
3-3	Comparison of Oracle Database Advanced Queuing Programmatic Interfaces: Operational Interface—Create Connection, Session, Message Use Cases	3-7
3-4	Comparison of Oracle Database Advanced Queuing Programmatic Interfaces: Operational Interface—Enqueue Messages to a Single-Consumer Queue, Point-to-Point Model Use Cases	3-7
3-5	Comparison of Oracle Database Advanced Queuing Programmatic Interfaces: Operational Interface—Publish Messages to a Multiconsumer Queue/Topic, Publish/Subscribe Model Use Cases	3-9
3-6	Comparison of Oracle Database Advanced Queuing Programmatic Interfaces: Operational Interface—Subscribing for Messages in a Multiconsumer Queue/Topic, Publish/Subscribe Model Use Cases	3-11
3-7	Comparison of Oracle Database Advanced Queuing Programmatic Interfaces: Operational Interface—Browse Messages in a Queue Use Cases	3-12
3-8	Comparison of Oracle Database Advanced Queuing Programmatic Interfaces: Operational Interface—Receive Messages from a Queue/Topic Use Cases	3-12
3-9	Comparison of Oracle Database Advanced Queuing Programmatic Interfaces: Operational Interface—Register to Receive Messages Asynchronously from a Queue/Topic Use Cases	3-14
4-1	Operations and Required Privileges	4-4
6-1	StreamMessage Conversion	6-12
6-2	MapMessage Conversion	6-13
6-3	Oracle Database AQ and Oracle JMS Buffered Messaging Constants	6-17
8-1	Unsupported Features and Workarounds	8-21
8-2	Unsupported Features without Workarounds	8-21
9-1	AQ$<Queue_Table_Name> View	9-7
9-2	AQ$<Queue_Table_Name_S> View	9-10
9-3	AQ$<Queue_Table_Name_R> View	9-10
9-4	AQ$Queue_Name_R: Queue Subscribers and Their Rules for Multi-consumer Queue	9-10
9-5	AQ$Queue_Name_S: Queue Subscribers and Their Rules for Multi-consumer Queue	9-11
9-6	AQ$INTERNET_USERS View	9-14
A-1	Actions Performed for Nonpersistent Queues When RAW Presentation Specified	A-2

A-2	Actions Performed for Nonpersistent Queues When XML Presentation Specified	A-2
C-1	SID_DESC Parameters	C-8
C-2	Messaging Gateway Propagation Job Subprograms	C-37
C-3	WebSphere MQ Link Properties	C-39
C-4	Optional Configuration Properties for WebSphere MQ Base Java	C-40
C-5	Optional Configuration Properties for WebSphere MQ JMS	C-40
C-6	TIB/Rendezvous Link Properties	C-41
C-7	Optional Properties for TIB/Rendezvous	C-42
C-8	MGW Names for WebSphere MQ Header Values	C-52
C-9	Default Priority Mappings for Propagation	C-54
C-10	TIB/Rendezvous Datatype Mapping	C-57
C-11	TIB/Rendezvous and MGW Names for Oracle Database Advanced Queuing Message Properties	C-58
C-12	Oracle JMS Message Conversion	C-61
C-13	MGW_GATEWAY View Properties	C-76
C-14	MGW_AGENT_OPTIONS View	C-78
C-15	MGW_LINKS View Properties	C-78
C-16	MGW_MQSERIES_LINKS View Properties	C-78
C-17	MGW_TIBRV_LINKS View Properties	C-79
C-18	MGW_FOREIGN_QUEUES View Properties	C-80
C-19	MGW_JOBS View	C-80
C-20	MGW_SUBSCRIBERS View Properties	C-81
C-21	MGW_SCHEDULES View Properties	C-82
D-1	Comparison of Oracle Database Advanced Queuing Programmatic Interfaces for Sharded Queues: Administrative Interface	D-1
D-2	CREATE_SHARDED_QUEUE Procedure Parameters	D-3
D-3	ALTER_SHARDED_QUEUE Procedure Parameters	D-3
D-4	SET_QUEUE_PARAMETER Procedure Parameters	D-4
D-5	UNSET_QUEUE_PARAMETER Procedure Parameters	D-4
D-6	GET_QUEUE_PARAMETER Procedure Parameters	D-4
D-7	CREATE_EXCEPTION_QUEUE Procedure Parameters	D-5