

# Contents

## Preface

---

Audience	xiv
Documentation Accessibility	xiv
Related Documents	xiv
Conventions	xv

## Changes in This Release for Oracle Database Java Developer's Guide

---

Changes in Oracle Database 23ai	xvi
---------------------------------	-----

## 1 Introduction to Java in Oracle Database

---

1.1 Overview of Java	1-1
1.1.1 Java and Object-Oriented Programming Terminology	1-2
1.1.1.1 Classes	1-2
1.1.1.2 Objects	1-2
1.1.1.3 Modules	1-3
1.1.1.4 Inheritance	1-3
1.1.1.5 Interfaces	1-4
1.1.1.6 Encapsulation	1-4
1.1.1.7 Polymorphism	1-4
1.1.2 Key Features of the Java Language	1-5
1.1.3 Java Virtual Machine	1-6
1.1.4 Java Class Hierarchy	1-8
1.2 About Using Java in Oracle Database	1-9
1.2.1 Java and RDBMS: A Robust Combination	1-9
1.2.2 About Multithreading	1-10
1.2.3 Memory Spaces Management	1-11
1.2.4 Footprint	1-12
1.2.5 Performance of an Oracle JVM	1-13
1.2.6 Dynamic Class Loading	1-14
1.3 Overview of Oracle JVM	1-15
1.3.1 Process Area	1-16
1.3.2 Java session initialization, duration and entrypoints	1-16

1.3.2.1	Support for JDK 11 and Modules	1-17
1.3.3	The GUI	1-17
1.3.4	The IDE	1-17
1.4	Feature List of Oracle JVM	1-18
1.5	Main Components of Oracle JVM	1-18
1.5.1	Library Manager	1-19
1.5.2	Compiler	1-19
1.5.3	Interpreter	1-20
1.5.4	Class Loader	1-20
1.5.5	Verifier	1-20
1.5.6	Server-Side JDBC Internal Driver	1-20
1.5.7	System Classes	1-20
1.6	Java Programming in Oracle Database	1-21
1.6.1	Java in Database Application Development	1-21
1.6.2	Java Programming Environment Usage	1-22
1.6.3	Java Stored Procedures	1-22
1.6.4	PL/SQL Integration and Oracle RDBMS Functionality	1-22
1.6.4.1	JDBC Drivers	1-22
1.6.5	Development Tools	1-23
1.6.6	Internet Protocol Version 6 Support	1-23
1.7	Memory Model for Dedicated Mode Sessions	1-24

## 2 Java Applications on Oracle Database

---

2.1	Database Sessions Imposed on Java Applications	2-1
2.2	Execution Control of Java Applications	2-3
2.3	Java Code, Binaries, and Resources Storage	2-3
2.4	About Java Classes Loaded in the Database	2-4
2.5	Preparing Java Class Methods for Execution	2-6
2.5.1	Compiling Java Classes	2-6
2.5.1.1	Compiling Source Through javac	2-7
2.5.1.2	Compiling Source Through the loadjava Tool	2-7
2.5.1.3	Compiling Source at Run Time	2-7
2.5.1.4	Specifying Compiler Options	2-7
2.5.1.5	Recompiling Source Programs Automatically	2-10
2.5.2	Overview of Resolving Class Dependencies	2-11
2.5.2.1	Allowing References to Nonexistent Classes	2-12
2.5.2.2	Bytecode Verifier	2-13
2.5.3	Logging in Oracle JVM	2-14
2.5.4	Overview of Loading Classes Using the loadjava Tool	2-15
2.5.4.1	About Sharing of Metadata for User Classloaded Classes	2-17
2.5.4.2	Defining the Same Class Twice	2-17

2.5.4.3	About Designating Database Privileges and JVM Permissions	2-18
2.5.4.4	About Loading JAR or ZIP Files	2-18
2.5.4.5	Database Resident JARs	2-18
2.5.5	Overview of Granting Execute Rights	2-19
2.5.6	Overview of Controlling the Current User	2-20
2.5.7	Overview of Checking Java Uploads	2-21
2.5.8	About Publishing Java Methods Loaded in the Database	2-23
2.5.9	Overview of Auditing Java Classes Loaded in the Database	2-23
2.6	User Interfaces on the Server	2-25
2.7	Shortened Class Names	2-25
2.8	Class.forName() in Oracle Database	2-26
2.8.1	Supply ClassLoader in Class.forName()	2-27
2.8.2	Supply Class and Schema Names to classForNameAndSchema()	2-28
2.8.3	Supply Class and Schema Names to lookupClass()	2-28
2.8.4	Supply Class and Schema Names when Serializing	2-29
2.8.5	Class.forName Example	2-29
2.9	About Managing Your Operating System Resources	2-30
2.9.1	Overview of Operating System Resources	2-30
2.9.2	Garbage Collection and Operating System Resources	2-31
2.10	About Using the Runtime.exec Functionality in Oracle Database	2-32
2.11	Managing Your Applications Using JMX	2-32
2.11.1	Overview of JMX	2-33
2.11.2	Enabling and Starting JMX in a Session	2-33
2.11.3	Setting Oracle JVM JMX Defaults and Configurability	2-34
2.11.4	Examples of SQL calls to dbms_java.start_jmx_agent	2-35
2.11.5	Using JConsole to Monitor and Control Oracle JVM	2-36
2.11.5.1	Using the jconsole Command	2-36
2.11.5.2	About Using the JConsole interface	2-37
2.11.5.3	About Viewing Oracle JVM Summary Information	2-38
2.11.5.4	About Monitoring Memory Consumption	2-39
2.11.5.5	About Monitoring Thread Use	2-41
2.11.5.6	About Monitoring Class Loading	2-42
2.11.5.7	About Monitoring and Managing MBeans	2-42
2.11.5.8	About Viewing VM Information	2-45
2.11.5.9	The OracleRuntime MBean	2-46
2.11.5.10	Memory Thresholds	2-49
2.11.6	Important Security Notes	2-50
2.11.7	Shared Server Limitations for JMX	2-50
2.12	Overview of Threading in Oracle Database	2-51
2.12.1	Thread Life Cycle	2-51
2.12.2	System.exit(), OracleRuntime.exitSession(), and OracleRuntime.exitCall()	2-52
2.13	Shared Servers Considerations	2-53

2.13.1	End-of-Call Migration	2-54
2.13.2	Oracle-Specific Support for End-of-Call Optimization	2-55
2.13.3	The EndOfCallRegistry.registerCallback() Method	2-57
2.13.4	The EndOfCallRegistry.runCallbacks() Method	2-58
2.13.5	The Callback Interface	2-58
2.13.6	The Callback.act() method	2-58
2.13.7	Operating System Resources Affected Across Calls	2-58
2.14	Oracle JVM Rolling Patching	2-61

## 3 Calling Java Methods in Oracle Database

---

3.1	Invoking Java Methods	3-1
3.1.1	Using PL/SQL Wrappers	3-1
3.1.1.1	Using PL/SQL Wrappers with JDK 11	3-3
3.1.2	About JNI Support	3-3
3.1.3	About Utilizing JDBC with Java in the Database	3-4
3.1.3.1	Using JDBC	3-4
3.1.4	About Using the Command-Line Interface	3-4
3.1.5	Overview of Using the Client-Side Stub	3-6
3.1.5.1	Using the Default Service Feature	3-7
3.1.5.2	Testing the Default Service with a Basic Configuration	3-7
3.2	How To Tell If You Are Running on the Server	3-8
3.3	About Redirecting Output on the Server	3-8

## 4 Java Installation and Configuration

---

4.1	Initializing a Java-Enabled Database	4-1
4.1.1	Configuring the Oracle JVM Option within the Oracle Database Template	4-1
4.1.2	Modifying an Existing Oracle Database to Include Oracle JVM	4-1
4.2	Configuring Oracle JVM	4-1
4.3	The DBMS_JAVA Package	4-2
4.4	Enabling the Java Client	4-2
4.4.1	Installing Java SE on the Client	4-2
4.4.2	Setting Up Environment Variables	4-3
4.5	Two-Tier Duration for Java Session State	4-3
4.6	About Setting System Properties	4-4
4.6.1	Oracle JVM-Specific System Properties	4-5

## 5 Developing Java Stored Procedures

---

5.1	Stored Procedures and Run-Time Contexts	5-1
5.1.1	Functions and Procedures	5-2

5.1.2	Database Triggers	5-2
5.1.3	Object-Relational Methods	5-2
5.2	Advantages of Stored Procedures	5-3
5.2.1	Performance	5-3
5.2.2	Productivity and Ease of Use	5-3
5.2.3	Scalability	5-4
5.2.4	Maintainability	5-4
5.2.5	Interoperability	5-4
5.2.6	Replication	5-4
5.2.7	Security	5-4
5.3	Running Java Stored Procedures	5-5
5.3.1	Creating or Reusing the Java Classes	5-5
5.3.2	Loading and Resolving the Java Classes	5-6
5.3.3	Publishing the Java Classes	5-6
5.3.4	Calling the Stored Procedures	5-6
5.4	Debugging Java Stored Procedures	5-7
5.4.1	Prerequisites for Debugging Java Stored Procedures	5-7
5.4.2	Debugging Java Stored Procedures Using the jdb Debugger	5-8
5.4.3	Debugging Java Stored Procedures Using JDeveloper	5-10

## 6 Publishing Java Classes With Call Specifications

---

6.1	What Are Call Specifications?	6-1
6.2	Defining Call Specifications	6-2
6.2.1	About Setting Parameter Modes	6-3
6.2.2	About Mapping Data Types	6-3
6.2.3	Using the Server-Side Internal JDBC Driver	6-5
6.3	Writing Top-Level Call Specifications	6-7
6.3.1	Examples	6-8
6.4	Writing Packaged Call Specifications	6-11
6.5	Writing Object Type Call Specifications	6-13
6.5.1	About Attributes	6-14
6.5.2	Declaring Methods	6-14
6.5.2.1	Map and Order Methods	6-15
6.5.2.2	Constructor Methods	6-15
6.5.2.3	Examples	6-16

## 7 Calling Stored Procedures

---

7.1	Calling Java from the Top Level	7-1
7.1.1	Redirecting the Output	7-1
7.1.2	Examples of Calling Java Stored Procedures From the Top Level	7-2

7.2	Calling Java from Database Triggers	7-4
7.3	Calling Java from SQL DML	7-7
7.4	Calling Java from PL/SQL	7-8
7.5	Calling PL/SQL from Java	7-9
7.6	How Oracle JVM Handles Exceptions	7-10

## 8 Java Stored Procedures Application Example

---

8.1	About Planning the Database Schema	8-1
8.2	Creating the Database Tables	8-2
8.3	Writing the Java Classes	8-3
8.4	Loading the Java Classes	8-7
8.5	Publishing the Java Classes	8-7
8.6	Calling the Java Stored Procedures	8-8

## 9 Oracle Database Java Application Performance

---

9.1	Oracle JVM Just-in-Time Compiler (JIT)	9-1
9.1.1	Overview of Oracle JVM JIT	9-1
9.1.2	Advantages of JIT Compilation	9-2
9.1.3	Important Methods	9-2
9.2	About Java Memory Usage	9-4
9.2.1	Configuring Memory Initialization Parameters	9-4
9.2.1.1	Initializing Pool Sizes within Database Templates	9-5
9.2.2	About Java Pool Memory	9-6
9.2.3	Displaying Used Amounts of Java Pool Memory	9-7
9.2.4	Correcting Out of Memory Errors	9-8
9.2.5	Displaying Java Call and Session Heap Statistics	9-8

## 10 Security for Oracle Database Java Applications

---

10.1	Network Connection Security	10-1
10.2	Database Contents and Oracle JVM Security	10-2
10.2.1	Overview of Java Security Features	10-3
10.2.2	Overview of Setting Permissions	10-4
10.2.2.1	Fine-Grain Definition for Each Permission	10-5
10.2.2.2	Assigning General Permission Definition to Roles	10-18
10.2.3	Debugging Permissions	10-19
10.2.4	Permission for Loading Classes	10-19
10.2.5	Customizing the Default java.security Resource	10-20
10.3	Database Authentication Mechanisms Available with Oracle JVM	10-21
10.4	Secure Use of Runtime.exec Functionality in Oracle Database	10-21

10.5	Database Security in a Multitenant Environment	10-22
10.6	FIPS Support	10-26

## 11 Native Oracle JVM Support for JNDI

---

11.1	Overview of Oracle JVM Support for JNDI	11-1
11.2	Requirements for Oracle JVM Support for JNDI	11-1
11.2.1	Namespace	11-1
11.2.1.1	Object permissions	11-2
11.2.1.2	Persistent Storage Tables, Indexes, and Sequences	11-2
11.2.1.3	Initial Contexts and Permissions	11-3
11.2.1.4	Object and Context Default Permissions	11-3
11.2.2	Oracle Java Directory Service JNDI Name Space Provider	11-3
11.2.2.1	Directory Context	11-3
11.2.2.2	StateFactories	11-4
11.2.2.3	ObjectFactories	11-4
11.2.2.4	OJDS URL Support	11-4
11.2.2.5	Client classpath	11-5
11.2.3	Namespace Browser	11-5
11.3	OJDS Command-Line Tools	11-6
11.3.1	ls Command	11-6
11.3.2	cd Command	11-7
11.3.3	pwd Command	11-7
11.3.4	chown Command	11-7
11.3.5	mkdir Command	11-8
11.3.6	rm Command	11-9
11.3.7	ln Command	11-9
11.3.8	mv Command	11-10
11.3.9	chmod Command	11-10
11.3.10	bind Command	11-11
11.3.11	bindds Command	11-12
11.3.12	bindurl Command	11-13
11.4	OJDS APIs and Classes	11-14
11.4.1	oracle.aurora.jndi.ojds.OjdsClientContext	11-14
11.4.2	oracle.aurora.jndi.ojds.OjdsServerContext	11-14
11.4.3	oracle.aurora.jndi.ojds.OjdsInitialContextFactory	11-15
11.4.4	oracle.aurora.jndi.ojds.OjdsURLContextFactory	11-15
11.4.5	oracle.aurora.jndi.ojds.OjdsURLContext	11-15

## 12 Schema Objects and Oracle JVM Utilities

---

12.1	Overview of Schema Objects	12-1
12.2	What and When to Load	12-2
12.3	Resolution of Schema Objects	12-2
12.4	Compilation of Schema Objects	12-3
12.5	The ojvmtc Tool	12-4
12.5.1	About the ojvmtc Tool	12-4
12.5.2	Arguments of ojvmtc Command	12-5
12.6	The loadjava Tool	12-5
12.6.1	loadjava Tool Syntax	12-6
12.6.2	loadjava Tool Argument Summary	12-7
12.6.3	loadjava Tool Argument Details	12-13
12.7	The dropjava Tool	12-18
12.7.1	dropjava Tool Syntax	12-19
12.7.2	dropjava Tool Argument Summary	12-19
12.7.3	dropjava Tool Argument Details	12-20
12.7.4	About Dropping Resources Using dropjava Tool	12-22
12.8	The ojvmjava Tool	12-22
12.8.1	ojvmjava Tool Syntax	12-22
12.8.2	ojvmjava Tool Argument Summary	12-23
12.8.3	ojvmjava Tool Example	12-24
12.8.4	ojvmjava Tool Functionality	12-24
12.8.4.1	ojvmjava Tool Command-Line Options	12-24
12.8.4.2	ojvmjava Tool Shell Commands	12-25

## 13 Database Web Services

---

13.1	Overview of Database Web Services	13-1
13.2	About Using Oracle Database as Web Services Consumer	13-1
13.2.1	About Using Oracle JVM Web Services Call-Out Utility	13-1
13.2.1.1	Architecture of Oracle JVM Web Services Call-Out Utility	13-2
13.2.1.2	Input to the Oracle JVM Web Services Call-Out Utility	13-4
13.2.1.3	Output of the Oracle JVM Web Services Call-Out Utility	13-6
13.2.1.4	Calling Secure Web Service from Oracle JVM Web Services Call-Out Utility	13-6
13.2.2	Web Service Data Sources (Virtual Table Support)	13-7
13.2.3	Features of Oracle Database as a Web Service Consumer	13-7

## A DBMS\_JAVA Package

---

A.1	hotload_module	A-1
A.2	hotload_module	A-1



A.3	unhotload_module	A-1
A.4	unhotload_module	A-1
A.5	jar_digest_bytes	A-2
A.6	jar_digest	A-2
A.7	longname	A-2
A.8	shortname	A-2
A.9	get_compiler_option	A-3
A.10	set_compiler_option	A-3
A.11	reset_compiler_option	A-3
A.12	resolver	A-3
A.13	derivedFrom	A-3
A.14	fixed_in_instance	A-4
A.15	set_output	A-4
A.16	export_source	A-5
A.17	export_class	A-5
A.18	export_resource	A-5
A.19	loadjava	A-5
A.20	dropjava	A-6
A.21	grant_permission	A-6
A.22	grant_permission	A-7
A.23	restrict_permission	A-7
A.24	restrict_permission	A-8
A.25	grant_policy_permission	A-8
A.26	grant_policy_permission	A-9
A.27	revoke_permission	A-9
A.28	disable_permission	A-10
A.29	enable_permission	A-10
A.30	delete_permission	A-10
A.31	set_preference	A-11
A.32	runjava	A-11
A.33	runjava_in_current_session	A-11
A.34	set_property	A-11
A.35	get_property	A-12
A.36	remove_property	A-12
A.37	show_property	A-13
A.38	set_output_to_sql	A-13
A.39	remove_output_to_sql	A-13
A.40	enable_output_to_sql	A-14
A.41	disable_output_to_sql	A-14
A.42	query_output_to_sql	A-14
A.43	set_output_to_java	A-14
A.44	remove_output_to_java	A-15

A.45	enable_output_to_java	A-15
A.46	disable_output_to_java	A-16
A.47	query_output_to_java	A-16
A.48	set_output_to_file	A-16
A.49	remove_output_to_file	A-16
A.50	enable_output_to_file	A-17
A.51	disable_output_to_file	A-17
A.52	query_output_to_file	A-17
A.53	enable_output_to_trc	A-17
A.54	disable_output_to_trc	A-18
A.55	query_output_to_trc	A-18
A.56	endsession	A-18
A.57	endsession_and_related_state	A-18
A.58	set_native_compiler_option	A-19
A.59	unset_native_compiler_option	A-19
A.60	compile_class	A-19
A.61	uncompile_class	A-19
A.62	compile_method	A-20
A.63	uncompile_method	A-20
A.64	start_jmx_agent	A-20
A.65	set_runtime_exec_credentials	A-21

## B Classpath Extensions and User Classloaded Metadata

---

B.1	Classpath Extensions	B-1
B.1.1	jserverQuotedClassPathTermPrefix	B-1
B.1.2	jserverURLPrefix	B-1
B.1.3	jserverSpecialTokenPrefix	B-1
B.1.4	JSERVER_CP	B-2
B.1.5	JSERVER_SCHEMAc	B-2
B.1.6	jserver:/CP general syntax	B-2
B.2	User Classloaded Metadata	B-3

## Index

---

## List of Tables

---

1-1	Feature List of Oracle JVM	1-18
2-1	Description of Java Code and Classes Storage in Oracle Database	2-4
2-2	Definitions for the Name and Option Parameters	2-9
2-3	Example JAVA\$OPTIONS Table	2-9
2-4	ORA Errors	2-13
2-5	Description of Java Files	2-15
2-6	loadjava Operations on Schema Objects	2-16
2-7	Key USER_OBJECT Columns	2-22
2-8	Statement Auditing Options Related to Java Schema Objects	2-24
2-9	Object Auditing Options Related to Java Schema Options	2-24
2-10	Description of the Overview Tab Fields in JConsole Interface	2-38
3-1	Command Line Argument Summary	3-6
3-2	set_output_to_sql Argument Summary	3-9
3-3	set_output_to_java Argument Summary	3-12
6-1	Legal Data Type Mappings	6-3
10-1	Predefined Permissions	10-14
10-2	JServerPermission Description	10-15
10-3	SYS Initial Permissions	10-16
10-4	PUBLIC Default Permissions	10-17
10-5	JAVAUSERPRIV Permissions	10-17
10-6	JAVASYSPRIV Permissions	10-17
10-7	JAVADEBUGPRIV Permissions	10-18
12-1	ojvmtc Argument Summary	12-5
12-2	loadjava Argument Summary	12-8
12-3	dropjava Argument Summary	12-20
12-4	ojvmjava Argument Summary	12-23
12-5	ojvmjava Command Common Options	12-25
12-6	java Argument Summary	12-27
12-7	connect Argument Summary	12-28
12-8	runjava Argument Summary	12-28
12-9	jdwp Argument Summary	12-29
13-1	Input to the Oracle JVM Web Services Call-Out Utility	13-4
13-2	Output of the Oracle JVM Web Services Call-Out Utility	13-6