Oracle® Database Database Concepts





Oracle Database Database Concepts, 23ai

F46741-15

Copyright © 1993, 2025, Oracle and/or its affiliates.

Primary Authors: Mark Doran, Lance Ashdown, Donna Keesling, Tom Kyte

Contributors: Drew Adams, Ashish Agrawal, Troy Anthony, Vikas Arora, Jagan Athraya, David Austin, Thomas Baby, Vladimir Barriere, Hermann Baer, Srinagesh Battula, Nigel Bayliss, Tammy Bednar, Virginia Beecher, Bjorn Bolltoft, Ashmita Bose, David Brower, Larry Carpenter, Lakshminaray Chidambaran, Deba Chatterjee, Shasank Chavan, Tim Chien, Gregg Christman, Bernard Clouse, Maria Colgan, Carol Colrain, Nelson Corcoran, Michael Coulter, Jonathan Creighton, Judith D'Addieco, Mark Dilman, Kurt Engeleiter, Bjørn Engsig, Marcus Fallon, Steve Fogel, Jonathan Giloni, Naveen Gopal, Bill Habeck, Min-Hank Ho, Lijie Heng, Bill Hodak, Yong Hu, Pat Huey, Praveen Kumar Tupati Jaganath, Sanket Jain, Prakash Jashnani, Caroline Johnston, Shantanu Joshi, Jesse Kamp, Vikram Kapoor, Feroz Khan, Jonathan Klein, Andre Kruglikov, Sachin Kulkarni, Surinder Kumar, Paul Lane, Adam Lee, Allison Lee, Jaebock Lee, Sue Lee, Teck Hua Lee, Yunrui Li, Ilya Listvinski, Bryn Llewellyn, Rich Long, Barb Lundhild, Neil Macnaughton, Vineet Marwah, Susan Mavris, Bob McGuirk, Joseph Meeks, Mughees Minhas, Sheila Moore, Valarie Moore, Gopal Mulagund, Charles Murray, Kevin Neel, Sue Pelski, Raymond Pfau, Gregory Pongracz, Vivek Raja, Ashish Ray, Bert Rich, Kathy Rich, Andy Rivenes, Scott Rotondo, Vivian Schupmann, Venkat Senaptai, Shrikanth Shankar, Prashanth Shanthaveerappa, Cathy Shea, Susan Shepard, Kam Shergill, Mike Skarpelos, Sachin Sonawane, James Spiller, Suresh Sridharan, Jim Stenoish, Janet Stern, Rich Strohm, Roy Swonger, Kamal Tbeileh, Juan Tellez, Ravi Thammaiah, Lawrence To, Tomohiro Ueda, Randy Urbano, Badhri Varanasi, Nick Wagner, Steve Wertheimer, Patrick Wheeler, Doug Williams, James Williams, Andrew Witkowski, Daniel Wong, Hailing Yu

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

| Audience | xxii |
|---|------|
| Documentation Accessibility | xxii |
| Related Documentation | XXIV |
| Conventions | XXİV |
| Introduction to Oracle Database | |
| About Relational Databases | 1-1 |
| Database Management System (DBMS) | 1-2 |
| Relational Model | 1-2 |
| Relational Database Management System (RDBMS) | 1-3 |
| Brief History of Oracle Database | 1-3 |
| Schema Objects | 1-5 |
| Tables | 1-5 |
| Indexes | 1-6 |
| Data Access | 1-6 |
| Structured Query Language (SQL) | 1-6 |
| PL/SQL, Java, and JavaScript | 1-7 |
| Transaction Management | 1-8 |
| Transactions | 1-8 |
| Data Concurrency | 1-8 |
| Data Consistency | 1-9 |
| Oracle Database Architecture | 1-9 |
| Database and Instance | 1-10 |
| Multitenant Architecture | 1-10 |
| Globally Distributed Database Architecture | 1-14 |
| Database Storage Structures | 1-16 |
| Physical Storage Structures | 1-16 |
| Logical Storage Structures | 1-17 |
| Database Instance Structures | 1-18 |
| Oracle Database Processes | 1-18 |
| Instance Memory Structures | 1-18 |
| Application and Networking Architecture | 1-19 |



| | Application Architecture | 1-19 |
|----|---|------|
| | Oracle Net Services Architecture | 1-20 |
| | Oracle Database Documentation Roadmap | 1-21 |
| | Oracle Database Documentation: Basic Group | 1-21 |
| | Oracle Database Documentation: Intermediate Group | 1-21 |
| | Oracle Database Documentation: Advanced Group | 1-22 |
| Pa | rt Multitenant Architecture | |
| 2 | CDBs and PDBs | |
| | About Containers in a CDB | 2-1 |
| | The CDB Root and System Container | 2-4 |
| | PDBs | 2-5 |
| | Types of PDBs | 2-6 |
| | Purpose of PDBs | 2-7 |
| | Proxy PDBs | 2-7 |
| | Names for PDBs | 2-8 |
| | Database Links Between PDBs | 2-9 |
| 3 | Application Containers | |
| | About Application Containers | 3-1 |
| | Purpose of Application Containers | 3-2 |
| | Key Benefits of Application Containers | 3-2 |
| | Application Container Use Case: SaaS | 3-3 |
| | Application Containers Use Case: Logical Data Warehouse | 3-4 |
| | Application Root | 3-5 |
| | Application PDBs | 3-6 |
| | Application Seed | 3-6 |
| | Application Common Objects | 3-7 |
| | About Commonality in a CDB | 3-7 |
| | Principles of Commonality | 3-8 |
| | Namespaces in a CDB | 3-8 |
| | Creation of Application Common Objects | 3-9 |
| | Metadata-Linked Application Common Objects | 3-10 |
| | Metadata Links | 3-11 |
| | Data-Linked Application Common Objects | 3-12 |
| | Extended Data-Linked Application Objects | 3-13 |
| | Container Maps | 3-14 |



Part II Oracle Data Structures

4 Tables and Table Clusters

| Introduction to Schema Objects | 4-1 |
|--|------|
| About Common and Local User Accounts | 4-2 |
| Common User Accounts | 4-4 |
| Local User Accounts | 4-8 |
| Common and Local Objects | 4-10 |
| Schema Object Types | 4-10 |
| Schema Object Storage | 4-11 |
| Schema Object Dependencies | 4-12 |
| Sample Schemas | 4-14 |
| Overview of Tables | 4-15 |
| Columns | 4-16 |
| Virtual Columns | 4-17 |
| Invisible Columns | 4-18 |
| Lock-Free Reservation | 4-18 |
| Rows | 4-21 |
| Example: CREATE TABLE and ALTER TABLE Statements | 4-21 |
| Oracle Data Types | 4-23 |
| Character Data Types | 4-24 |
| Numeric Data Types | 4-26 |
| Datetime Data Types | 4-27 |
| Rowid Data Types | 4-28 |
| Boolean Data Type | 4-30 |
| Format Models and Data Types | 4-30 |
| Integrity Constraints | 4-31 |
| Table Storage | 4-31 |
| Table Organization | 4-32 |
| Row Storage | 4-33 |
| Rowids of Row Pieces | 4-33 |
| Storage of Null Values | 4-33 |
| Table Compression | 4-34 |
| Basic Table Compression and Advanced Row Compression | 4-34 |
| Hybrid Columnar Compression | 4-35 |
| Overview of Table Clusters | 4-39 |
| Overview of Indexed Clusters | 4-40 |
| Overview of Hash Clusters | 4-42 |
| | |



| Hash Cluster Creation | 4-43 |
|--|------|
| Hash Cluster Queries | 4-43 |
| Hash Cluster Variations | 4-44 |
| Hash Cluster Storage | 4-45 |
| Overview of Attribute-Clustered Tables | 4-46 |
| Advantages of Attribute-Clustered Tables | 4-47 |
| Join Attribute Clustered Tables | 4-48 |
| I/O Reduction Using Zones | 4-48 |
| Purpose of Zones | 4-49 |
| Zone Maps | 4-49 |
| Zone Map Creation | 4-49 |
| How a Zone Map Works: Example | 4-51 |
| Attribute-Clustered Tables with Linear Ordering | 4-52 |
| Attribute-Clustered Tables with Interleaved Ordering | 4-53 |
| Overview of Temporary Tables | 4-54 |
| Purpose of Temporary Tables | 4-55 |
| Segment Allocation in Temporary Tables | 4-56 |
| Temporary Table Creation | 4-56 |
| Overview of External Tables | 4-56 |
| Purpose of External Tables | 4-57 |
| Data in Object Stores | 4-58 |
| External Table Access Drivers | 4-58 |
| External Table Creation | 4-59 |
| Overview of Blockchain Tables | 4-59 |
| Row Chains | 4-60 |
| Row Content | 4-61 |
| User Interface for Blockchain Tables | 4-62 |
| Overview of Immutable Tables | 4-62 |
| Overview of Object Tables | 4-63 |
| Indexes and Index-Organized Tables | |
| Introduction to Indexes | 5-1 |
| Advantages and Disadvantages of Indexes | 5-2 |
| Index Usability and Visibility | 5-3 |
| Keys and Columns | 5-4 |
| Composite Indexes | 5-5 |
| Unique and Nonunique Indexes | 5-6 |
| Types of Indexes | 5-6 |
| How the Database Maintains Indexes | 5-7 |
| Index Storage | 5-8 |
| Overview of B-Tree Indexes | 5-8 |
| | |



| | Branch Blocks and Leaf Blocks | 5-10 |
|---|---|------|
| | Index Scans | 5-10 |
| | Full Index Scan | 5-11 |
| | Fast Full Index Scan | 5-12 |
| | Index Range Scan | 5-12 |
| | Index Unique Scan | 5-13 |
| | Index Skip Scan | 5-14 |
| | Index Clustering Factor | 5-15 |
| | Reverse Key Indexes | 5-17 |
| | Ascending and Descending Indexes | 5-17 |
| | Index Compression | 5-18 |
| | Prefix Compression | 5-18 |
| | Advanced Index Compression | 5-20 |
| | Overview of Bitmap Indexes | 5-21 |
| | Example: Bitmap Indexes on a Single Table | 5-22 |
| | Bitmap Join Indexes | 5-24 |
| | Bitmap Storage Structure | 5-26 |
| | Overview of Function-Based Indexes | 5-27 |
| | Uses of Function-Based Indexes | 5-27 |
| | Optimization with Function-Based Indexes | 5-28 |
| | Overview of Application Domain Indexes | 5-29 |
| | Overview of Index-Organized Tables | 5-30 |
| | Index-Organized Table Characteristics | 5-31 |
| | Index-Organized Tables with Row Overflow Area | 5-33 |
| | Secondary Indexes on Index-Organized Tables | 5-34 |
| | Logical Rowids and Physical Guesses | 5-35 |
| | Bitmap Indexes on Index-Organized Tables | 5-36 |
| 6 | Partitions, Views, and Other Schema Objects | |
| | Overview of Partitions | 6-1 |
| | Partition Characteristics | 6-2 |
| | Partition Key | 6-3 |
| | Partitioning Strategies | 6-3 |
| | Partitioned Tables | 6-10 |
| | Segments for Partitioned Tables | 6-11 |
| | Compression for Partitioned Tables | 6-11 |
| | Partitioned Indexes | 6-12 |
| | Local Partitioned Indexes | 6-13 |
| | Global Partitioned Indexes | 6-15 |
| | Partial Indexes for Partitioned Tables | 6-18 |
| | Using Object Store for Older Partitions | 6-19 |
| | | |



| Moving Older Partitions and Read-Only Tablespaces to Object Store | 6-20 |
|--|------|
| Accessing Objects in Object Storage | 6-21 |
| Credential Management For Object Store Files | 6-22 |
| Moving Datafiles Back From Object Storage Into Traditional Storage | 6-22 |
| Deleting Object Store Data Files | 6-22 |
| Overview of Sharded Tables | 6-23 |
| Sharded Tables | 6-23 |
| Overview of Views | 6-25 |
| Characteristics of Views | 6-27 |
| Data Manipulation in Views | 6-27 |
| How Data Is Accessed in Views | 6-28 |
| Updatable Join Views | 6-29 |
| Object Views | 6-30 |
| Overview of Materialized Views | 6-30 |
| Characteristics of Materialized Views | 6-32 |
| Refresh Methods for Materialized Views | 6-33 |
| Complete Refresh | 6-33 |
| Incremental Refresh | 6-33 |
| In-Place and Out-of-Place Refresh | 6-34 |
| Automatic Materialized Views | 6-34 |
| Query Rewrite | 6-35 |
| Overview of Sequences | 6-36 |
| Sequence Characteristics | 6-36 |
| Concurrent Access to Sequences | 6-37 |
| Overview of Dimensions | 6-37 |
| Hierarchical Structure of a Dimension | 6-38 |
| Creation of Dimensions | 6-39 |
| Overview of Synonyms | 6-40 |
| Data Integrity | |
| Introduction to Data Integrity | 7-1 |
| Techniques for Guaranteeing Data Integrity | 7-1 |
| Advantages of Integrity Constraints | 7-2 |
| Types of Integrity Constraints | 7-2 |
| NOT NULL Integrity Constraints | 7-4 |
| Unique Constraints | 7-4 |
| Primary Key Constraints | 7-6 |
| Foreign Key Constraints | 7-7 |
| Self-Referential Integrity Constraints | 7-10 |
| Nulls and Foreign Keys | 7-10 |
| Parent Key Modifications and Foreign Keys | 7-11 |
| . a.o. no modification and rotoly in toy | , 11 |



| | 7-12 |
|---|--|
| Check Constraints | 7-12 |
| Precheckable CHECK Constraints | 7-13 |
| States of Integrity Constraints | 7-13 |
| Checks for Modified and Existing Data | 7-14 |
| When the Database Checks Constraints for Validity | 7-15 |
| Nondeferrable Constraints | 7-16 |
| Deferrable Constraints | 7-16 |
| Examples of Constraint Checking | 7-16 |
| Example: Insertion of a Value in a Foreign Key Column When No Parent Key Val Exists | ue 7-17 |
| Example: Update of All Foreign Key and Parent Key Values | 7-17 |
| Application Data Usage | |
| Data Use Case Domains | 8-1 |
| Schema Annotations | 8-3 |
| | 9-1 9-1 |
| Overview of the Data Dictionary | 9-1 |
| Purpose of the Data Dictionary | |
| Data Management | 9-2 |
| Data Dictionary Separation in a CDB | 9-2 |
| Data Dictionary Components | 9-3 |
| Container Data Objects in a CDB | 9-5 |
| Views with the Prefix DBA_ | 9-7 |
| - | 9-8 |
| Views with the Prefix ALL_ | 0.0 |
| Views with the Prefix ALL_ Views with the Prefix USER_ | 9-8 |
| Views with the Prefix ALL_ Views with the Prefix USER_ The DUAL Table | 9-9 |
| Views with the Prefix ALL_ Views with the Prefix USER_ The DUAL Table How the Data Dictionary Works | 9-9 9-9 |
| Views with the Prefix ALL_ Views with the Prefix USER_ The DUAL Table How the Data Dictionary Works Metadata and Data Links | 9-9 9-9 9-10 |
| Views with the Prefix ALL_ Views with the Prefix USER_ The DUAL Table How the Data Dictionary Works Metadata and Data Links Public Synonyms for Data Dictionary Views | 9-9 9-9 9-10 9-11 |
| Views with the Prefix ALL_ Views with the Prefix USER_ The DUAL Table How the Data Dictionary Works Metadata and Data Links Public Synonyms for Data Dictionary Views Data Dictionary Cache | 9-9 9-9 9-10 9-11 9-12 |
| Views with the Prefix ALL_ Views with the Prefix USER_ The DUAL Table How the Data Dictionary Works Metadata and Data Links Public Synonyms for Data Dictionary Views Data Dictionary Cache Other Programs and the Data Dictionary | 9-9 9-9 9-10 9-11 9-12 |
| Views with the Prefix ALL_ Views with the Prefix USER_ The DUAL Table How the Data Dictionary Works Metadata and Data Links Public Synonyms for Data Dictionary Views Data Dictionary Cache Other Programs and the Data Dictionary Data Dictionary Storage | 9-9 9-9 9-10 9-11 9-12 9-12 |
| Views with the Prefix ALL_ Views with the Prefix USER_ The DUAL Table How the Data Dictionary Works Metadata and Data Links Public Synonyms for Data Dictionary Views Data Dictionary Cache Other Programs and the Data Dictionary Data Dictionary Storage Overview of the Dynamic Performance Views | 9-9 9-9 9-10 9-11 9-12 9-12 9-12 |
| Views with the Prefix ALL_ Views with the Prefix USER_ The DUAL Table How the Data Dictionary Works Metadata and Data Links Public Synonyms for Data Dictionary Views Data Dictionary Cache Other Programs and the Data Dictionary Data Dictionary Storage | 9-9 9-9 9-10 9-11 9-12 9-12 |



Part III Oracle Data Access

| | 1 | 0 | SQL |
|--|---|---|-----|
|--|---|---|-----|

| | Introduction to SQL | 10-1 |
|----|---|-------|
| | SQL Data Access | 10-2 |
| | SQL Standards | 10-3 |
| | Overview of SQL Statements | 10-3 |
| | Data Definition Language (DDL) Statements | 10-4 |
| | Data Manipulation Language (DML) Statements | 10-5 |
| | SELECT Statements | 10-6 |
| | Joins | 10-7 |
| | Subqueries | 10-9 |
| | Transaction Control Statements | 10-9 |
| | Session Control Statements | 10-10 |
| | System Control Statement | 10-11 |
| | Embedded SQL Statements | 10-11 |
| | Overview of the Optimizer | 10-12 |
| | Use of the Optimizer | 10-12 |
| | Optimizer Components | 10-14 |
| | Query Transformer | 10-15 |
| | Estimator | 10-15 |
| | Plan Generator | 10-16 |
| | Access Paths | 10-16 |
| | Optimizer Statistics | 10-17 |
| | Optimizer Hints | 10-18 |
| | Overview of SQL Processing | 10-19 |
| | Stages of SQL Processing | 10-19 |
| | SQL Parsing | 10-21 |
| | SQL Optimization | 10-21 |
| | SQL Row Source Generation | 10-22 |
| | SQL Execution | 10-22 |
| | Differences Between DML and DDL Processing | 10-22 |
| 11 | Server-Side Programming: PL/SQL, Java, and JavaScript | |
| | Introduction to Server-Side Programming | 11-1 |
| | Overview of PL/SQL | 11-3 |
| | PL/SQL Subprograms | 11-4 |
| | Advantages of PL/SQL Subprograms | 11-4 |
| | Creation of PL/SQL Subprograms | 11-6 |
| | Execution of PL/SQL Subprograms | 11-7 |
| | | |



| | PL/SQL Packages | 11-8 |
|------|---|-------|
| | Advantages of PL/SQL Packages | 11-8 |
| | Creation of PL/SQL Packages | 11-9 |
| | Execution of PL/SQL Package Subprograms | 11-10 |
| | PL/SQL Anonymous Blocks | 11-11 |
| | PL/SQL Language Constructs | 11-12 |
| | PL/SQL Collections and Records | 11-12 |
| | Collections | 11-13 |
| | Records | 11-13 |
| | How PL/SQL Runs | 11-13 |
| | Overview of Java in Oracle Database | 11-14 |
| | Overview of the Java Virtual Machine (JVM) | 11-16 |
| | Overview of Oracle JVM | 11-16 |
| | Main Components of Oracle JVM | 11-17 |
| | Java Programming Environment | 11-19 |
| | Java Stored Procedures | 11-19 |
| | Java and PL/SQL Integration | 11-20 |
| | Overview of JavaScript in Oracle Database | 11-21 |
| | Storing Business Logic as Modules in the Database | 11-21 |
| | Dynamic Execution of JavaScript Code | 11-23 |
| | Inline JavaScript Stored Procedures | 11-23 |
| | Overview of Triggers | 11-24 |
| | Advantages of Triggers | 11-25 |
| | Types of Triggers | 11-25 |
| | Timing for Triggers | 11-26 |
| | Creation of Triggers | 11-27 |
| | Example: CREATE TRIGGER Statement | 11-28 |
| | Example: Invoking a Row-Level Trigger | 11-29 |
| | Execution of Triggers | 11-31 |
| | Storage of Triggers | 11-31 |
| Part | t IV Oracle Transaction Management | |
| 12 | Data Concurrency and Consistency | |
| | Introduction to Data Concurrency and Consistency | 12-1 |
| | Multiversion Read Consistency | 12-2 |
| | Statement-Level Read Consistency | 12-3 |
| | Transaction-Level Read Consistency | 12-3 |
| | Read Consistency and Undo Segments | 12-4 |
| | Read Consistency and Deferred Inserts | 12-6 |
| | | |



| Locking Mechanisms | 12-7 |
|--|-------|
| ANSI/ISO Transaction Isolation Levels | 12-7 |
| Overview of Oracle Database Transaction Isolation Levels | 12-8 |
| Read Committed Isolation Level | 12-9 |
| Read Consistency in the Read Committed Isolation Level | 12-9 |
| Conflicting Writes in Read Committed Transactions | 12-10 |
| Serializable Isolation Level | 12-12 |
| Read-Only Isolation Level | 12-16 |
| Overview of the Oracle Database Locking Mechanism | 12-17 |
| Summary of Locking Behavior | 12-17 |
| Use of Locks | 12-18 |
| Lock Modes | 12-21 |
| Lock Conversion and Escalation | 12-22 |
| Lock Duration | 12-22 |
| Locks and Deadlocks | 12-23 |
| Overview of Automatic Locks | 12-24 |
| DML Locks | 12-25 |
| Row Locks (TX) | 12-26 |
| Table Locks (TM) | 12-29 |
| Locks and Foreign Keys | 12-30 |
| DDL Locks | 12-34 |
| Exclusive DDL Locks | 12-34 |
| Share DDL Locks | 12-34 |
| Breakable Parse Locks | 12-35 |
| System Locks | 12-35 |
| Latches | 12-35 |
| Mutexes | 12-36 |
| Internal Locks | 12-36 |
| Overview of Manual Data Locks | 12-37 |
| Overview of User-Defined Locks | 12-38 |
| Transactions | |
| Introduction to Transactions | 13-1 |
| Sample Transaction: Account Debit and Credit | 13-2 |
| Structure of a Transaction | 13-3 |
| Beginning of a Transaction | 13-3 |
| End of a Transaction | 13-4 |
| Statement-Level Atomicity | 13-6 |
| System Change Numbers (SCNs) | 13-6 |
| Overview of Transaction Control | 13-7 |
| Transaction Names | 13-9 |



| | Active Transactions | |
|------------|--|--|
| | Savepoints | 13-10 |
| | Rollback to Savepoint | 13-11 |
| | Enqueued Transactions | 13-11 |
| | Rollback of Transactions | 13-13 |
| | Commits of Transactions | 13-13 |
| | Overview of Quarantined Transactions | 13-15 |
| | Overview of Transaction Guard | 13-16 |
| | Benefits of Transaction Guard | 13-17 |
| | How Transaction Guard Works | 13-17 |
| | Lost Commit Messages | 13-18 |
| | Logical Transaction ID | 13-18 |
| | Transaction Guard: Example | 13-19 |
| | Overview of Application Continuity | 13-20 |
| | Benefits of Application Continuity | 13-20 |
| | Use Case for Application Continuity | 13-21 |
| | Application Continuity for Planned Maintenance | 13-21 |
| | Application Continuity Architecture | 13-22 |
| | Application Continuity Architecture | |
| | Overview of Autonomous Transactions | 13-23 |
| | ** | 13-23 13-24 |
| | Overview of Autonomous Transactions | |
| | Overview of Autonomous Transactions Overview of Distributed Transactions | 13-24 |
| | Overview of Autonomous Transactions Overview of Distributed Transactions Two-Phase Commit | 13-24 13-25 |
| Part | Overview of Autonomous Transactions Overview of Distributed Transactions Two-Phase Commit In-Doubt Transactions | 13-24 13-25 |
| Part 14 | Overview of Autonomous Transactions Overview of Distributed Transactions Two-Phase Commit In-Doubt Transactions | 13-24 13-25 |
| | Overview of Autonomous Transactions Overview of Distributed Transactions Two-Phase Commit In-Doubt Transactions V Oracle Database Storage Structures | 13-24 13-25 |
| | Overview of Autonomous Transactions Overview of Distributed Transactions Two-Phase Commit In-Doubt Transactions V Oracle Database Storage Structures Physical Storage Structures | 13-24 13-25 13-25 |
| | Overview of Autonomous Transactions Overview of Distributed Transactions Two-Phase Commit In-Doubt Transactions V Oracle Database Storage Structures Physical Storage Structures Introduction to Physical Storage Structures | 13-24 13-25 13-25 |
| | Overview of Autonomous Transactions Overview of Distributed Transactions Two-Phase Commit In-Doubt Transactions V Oracle Database Storage Structures Physical Storage Structures Introduction to Physical Storage Structures Mechanisms for Storing Database Files | 13-24 13-25 13-25 14-1 14-2 |
| | Overview of Autonomous Transactions Overview of Distributed Transactions Two-Phase Commit In-Doubt Transactions V Oracle Database Storage Structures Physical Storage Structures Introduction to Physical Storage Structures Mechanisms for Storing Database Files Oracle Managed Files and User-Managed Files | 13-24 13-25 13-25 14-1 14-2 14-3 |
| | Overview of Autonomous Transactions Overview of Distributed Transactions Two-Phase Commit In-Doubt Transactions V Oracle Database Storage Structures Physical Storage Structures Introduction to Physical Storage Structures Mechanisms for Storing Database Files Oracle Managed Files and User-Managed Files Oracle Automatic Storage Management (Oracle ASM) | 13-24 13-25 13-25 14-1 14-2 14-3 14-4 |
| | Overview of Autonomous Transactions Overview of Distributed Transactions Two-Phase Commit In-Doubt Transactions V Oracle Database Storage Structures Physical Storage Structures Introduction to Physical Storage Structures Mechanisms for Storing Database Files Oracle Managed Files and User-Managed Files Oracle Automatic Storage Management (Oracle ASM) Oracle ASM Storage Components | 13-24 13-25 13-25 14-1 14-2 14-3 14-4 14-5 |
| | Overview of Autonomous Transactions Overview of Distributed Transactions Two-Phase Commit In-Doubt Transactions V Oracle Database Storage Structures Physical Storage Structures Introduction to Physical Storage Structures Mechanisms for Storing Database Files Oracle Managed Files and User-Managed Files Oracle Automatic Storage Management (Oracle ASM) Oracle ASM Storage Components Oracle ASM Instances | 13-24 13-25 13-25 14-1 14-2 14-3 14-4 14-5 14-6 |
| | Overview of Autonomous Transactions Overview of Distributed Transactions Two-Phase Commit In-Doubt Transactions V Oracle Database Storage Structures Physical Storage Structures Introduction to Physical Storage Structures Mechanisms for Storing Database Files Oracle Managed Files and User-Managed Files Oracle Automatic Storage Management (Oracle ASM) Oracle ASM Storage Components Oracle ASM Instances Oracle Persistent Memory Filestore (PMEM Filestore) | 13-24 13-25 13-25 14-1 14-2 14-3 14-4 14-5 14-6 14-7 |
| | Overview of Autonomous Transactions Overview of Distributed Transactions Two-Phase Commit In-Doubt Transactions V Oracle Database Storage Structures Physical Storage Structures Introduction to Physical Storage Structures Mechanisms for Storing Database Files Oracle Managed Files and User-Managed Files Oracle Automatic Storage Management (Oracle ASM) Oracle ASM Storage Components Oracle ASM Instances Oracle Persistent Memory Filestore (PMEM Filestore) Directly Mapped Buffer Cache | 13-24 13-25 13-25 14-1 14-2 14-3 14-4 14-5 14-6 14-7 14-8 |
| | Overview of Autonomous Transactions Overview of Distributed Transactions Two-Phase Commit In-Doubt Transactions V Oracle Database Storage Structures Physical Storage Structures Introduction to Physical Storage Structures Mechanisms for Storing Database Files Oracle Managed Files and User-Managed Files Oracle Automatic Storage Management (Oracle ASM) Oracle ASM Storage Components Oracle ASM Instances Oracle Persistent Memory Filestore (PMEM Filestore) Directly Mapped Buffer Cache File System Interface for PMEM Filestore | 13-24 13-25 13-25 14-1 14-2 14-3 14-4 14-5 14-6 14-7 14-8 14-9 |
| | Overview of Autonomous Transactions Overview of Distributed Transactions Two-Phase Commit In-Doubt Transactions V Oracle Database Storage Structures Physical Storage Structures Introduction to Physical Storage Structures Mechanisms for Storing Database Files Oracle Managed Files and User-Managed Files Oracle Automatic Storage Management (Oracle ASM) Oracle ASM Storage Components Oracle ASM Instances Oracle Persistent Memory Filestore (PMEM Filestore) Directly Mapped Buffer Cache File System Interface for PMEM Filestore User Interface for PMEM Filestore | 13-24 13-25 13-25 13-25 14-1 14-2 14-3 14-4 14-5 14-6 14-7 14-8 14-9 |
| | Overview of Autonomous Transactions Overview of Distributed Transactions Two-Phase Commit In-Doubt Transactions V Oracle Database Storage Structures Physical Storage Structures Introduction to Physical Storage Structures Mechanisms for Storing Database Files Oracle Managed Files and User-Managed Files Oracle Automatic Storage Management (Oracle ASM) Oracle ASM Storage Components Oracle ASM Instances Oracle Persistent Memory Filestore (PMEM Filestore) Directly Mapped Buffer Cache File System Interface for PMEM Filestore User Interface for PMEM Filestore Overview of Data Files | 13-24 13-25 13-25 13-25 14-1 14-2 14-3 14-4 14-5 14-6 14-7 14-8 14-9 14-9 |



| 14-14 14-15 14-15 14-16 14-16 14-17 14-18 14-19 14-20 14-21 |
|--|
| 14-15 14-15 14-16 14-16 14-17 14-18 14-19 14-20 |
| 14-15 14-16 14-16 14-17 14-18 14-19 14-20 |
| 14-16 14-16 14-17 14-18 14-19 14-20 |
| 14-16 14-17 14-18 14-19 14-20 |
| 14-17 14-18 14-19 14-20 |
| 14-18 14-19 14-20 |
| 14-19 14-20 |
| 14-20 |
| |
| 14-21 |
| |
| |
| 15-1 |
| 15-2 |
| 15-4 |
| 15-5 |
| 15-8 |
| 15-8 |
| 15-8 |
| 15-9 |
| 15-10 |
| 15-10 |
| 15-11 |
| 15-12 |
| 15-15 |
| 15-16 |
| 15-16 |
| 15-17 |
| 15-20 |
| 15-22 |
| 15-22 |
| 15-23 |
| 15-23 |
| 15-23 |
| 15-25 |
| 15-26 |
| 15-27 |
| 15-28 |
| 15-29 |
| |



| | User Segments | 15-30 |
|-----|--|-------|
| | User Segment Creation | 15-30 |
| | Temporary Segments | 15-32 |
| | Allocation of Temporary Segments for Queries | 15-32 |
| | Allocation of Segments for Temporary Tables and Indexes | 15-33 |
| | Undo Segments | 15-33 |
| | Undo Segments and Transactions | 15-35 |
| | Transaction Rollback | 15-37 |
| | Temporary Undo Segments | 15-37 |
| | Segment Space and the High Water Mark | 15-38 |
| | Overview of Tablespaces | 15-41 |
| | Tablespaces in a Multitenant Environment | 15-41 |
| | Permanent Tablespaces | 15-44 |
| | The SYSTEM Tablespace | 15-45 |
| | The SYSAUX Tablespace | 15-45 |
| | Undo Tablespaces | 15-46 |
| | Shadow Tablespaces | 15-47 |
| | Temporary Tablespaces Shared and Local Temporary Tablespaces Default Temporary Tablespaces | 15-51 |
| | | 15-51 |
| | | 15-52 |
| | Tablespace Modes | 15-54 |
| | Read/Write and Read-Only Tablespaces Online and Offline Tablespaces | 15-55 |
| | | 15-55 |
| | Tablespace File Size | 15-56 |
| Par | t VI Oracle Instance Architecture | |
| 16 | Oracle Database Instance | |
| | Introduction to the Oracle Database Instance | 16-1 |
| | Database Instance Structure | 16-2 |
| | Database Instance Configurations | 16-3 |
| | Read/Write and Read-Only Instances | 16-4 |
| | Duration of a Database Instance | 16-5 |
| | Identification of a Database Instance | 16-6 |
| | Oracle Base Directory | 16-7 |
| | Oracle Home Directory | 16-7 |
| | Oracle System Identifier (SID) | 16-8 |
| | Overview of Database Instance Startup and Shutdown | 16-9 |
| | Overview of Instance and Database Startup | 16-9 |
| | Connection with Administrator Privileges | 16-10 |
| | | |



| How an Instance Is Started | 16-11 |
|---|-------|
| How a Database Is Mounted | 16-12 |
| How a Database Is Opened | 16-12 |
| Overview of Database and Instance Shutdown | 16-14 |
| Shutdown Modes | 16-15 |
| How a Database Is Closed | 16-16 |
| How a Database Is Unmounted | 16-17 |
| How an Instance Is Shut Down | 16-17 |
| Overview of Checkpoints | 16-18 |
| Purpose of Checkpoints | 16-18 |
| When Oracle Database Initiates Checkpoints | 16-18 |
| Overview of Instance Recovery | 16-19 |
| Purpose of Instance Recovery | 16-20 |
| When Oracle Database Performs Instance Recovery | 16-20 |
| Importance of Checkpoints for Instance Recovery | 16-21 |
| Instance Recovery Phases | 16-22 |
| Overview of Parameter Files | 16-23 |
| Initialization Parameters | 16-23 |
| Functional Groups of Initialization Parameters | 16-23 |
| Basic and Advanced Initialization Parameters | 16-24 |
| Server Parameter Files | 16-24 |
| Text Initialization Parameter Files | 16-25 |
| Modification of Initialization Parameter Values | 16-26 |
| Overview of Diagnostic Files | 16-27 |
| Automatic Diagnostic Repository | 16-28 |
| Problems and Incidents | 16-29 |
| ADR Structure | 16-29 |
| Alert Log | 16-31 |
| Attention Log | 16-31 |
| DDL Log | 16-32 |
| Trace Files | 16-32 |
| Types of Trace Files | 16-32 |
| Locations of Trace Files | 16-33 |
| Segmentation of Trace Files | 16-33 |
| Diagnostic Dumps | 16-34 |
| Trace Dumps and Incidents | 16-34 |
| Memory Architecture | |
| Introduction to Oracle Database Memory Structures | 17-1 |
| Basic Memory Structures | 17-2 |
| Oracle Database Memory Management | 17-3 |



| Overview of the System Global Area (SGA) | 17-4 |
|--|-------|
| Database Buffer Cache | 17-6 |
| Purpose of the Database Buffer Cache | 17-6 |
| Buffer States | 17-7 |
| Buffer Modes | 17-8 |
| Buffer I/O | 17-8 |
| Buffer Pools | 17-12 |
| Buffers and Full Table Scans | 17-14 |
| DRAM and PMEM Buffers | 17-17 |
| Redo Log Buffer | 17-18 |
| Shared Pool | 17-19 |
| Library Cache | 17-20 |
| Data Dictionary Cache | 17-22 |
| Server Result Cache | 17-23 |
| Reserved Pool | 17-26 |
| Large Pool | 17-26 |
| Large Pool Memory Management | 17-27 |
| Large Pool Buffers for Deferred Inserts | 17-27 |
| Java Pool | 17-29 |
| Fixed SGA | 17-30 |
| Optional Performance-Related SGA Subareas | 17-30 |
| In-Memory Area | 17-30 |
| Memoptimize Pool | 17-31 |
| Overview of the Program Global Area (PGA) | 17-32 |
| Contents of the PGA | 17-34 |
| Private SQL Area | 17-34 |
| SQL Work Areas | 17-35 |
| PGA Usage in Dedicated and Shared Server Modes | 17-37 |
| Overview of the User Global Area | 17-37 |
| Overview of the Managed Global Area (MGA) | 17-38 |
| Overview of Software Code Areas | 17-39 |
| Process Architecture | |
| Introduction to Processes | 18-1 |
| Types of Processes | 18-2 |
| Multiprocess and Multithreaded Oracle Database Systems | 18-4 |
| Overview of Client Processes | 18-5 |
| Client and Server Processes | 18-6 |
| Connections and Sessions | 18-6 |
| Current Container | 18-7 |
| Database Operations | 18-9 |
| | |



| Overview of Server Processes | 18-9 |
|--|-------|
| Dedicated Server Processes | 18-10 |
| Shared Server Processes | 18-10 |
| How Oracle Database Creates Server Processes | 18-11 |
| Overview of Background Processes | 18-12 |
| Mandatory Background Processes | 18-12 |
| Process Monitor Process (PMON) Group | 18-14 |
| Process Manager (PMAN) | 18-15 |
| Listener Registration Process (LREG) | 18-16 |
| System Monitor Process (SMON) | 18-16 |
| Database Writer Process (DBW) | 18-16 |
| Log Writer Process (LGWR) | 18-17 |
| Checkpoint Process (CKPT) | 18-19 |
| Manageability Monitor Processes (MMON and MMNL) | 18-19 |
| Recoverer Process (RECO) | 18-20 |
| Background Process (BGnn) | 18-20 |
| Virtual Operating System Daemon Process (VOSD) | 18-20 |
| Optional Background Processes | 18-20 |
| Archiver Processes (ARCn) | 18-21 |
| Job Queue Processes (CJQ0 and Jnnn) | 18-22 |
| Flashback Data Archive Process (FBDA) | 18-23 |
| Space Management Coordinator Process (SMCO) | 18-23 |
| Secondary Processes | 18-23 |
| I/O Secondary Processes | 18-24 |
| Parallel Execution (PX) Server Processes | 18-24 |
| Application and Oracle Net Services Architecture | |
| Overview of Oracle Application Architecture | 19-1 |
| Overview of Client/Server Architecture | 19-1 |
| Distributed Processing | 19-2 |
| Advantages of a Client/Server Architecture | 19-3 |
| Overview of Multitier Architecture | 19-4 |
| Clients | 19-5 |
| Application Servers | 19-5 |
| Database Servers | 19-5 |
| Service-Oriented Architecture (SOA) | 19-6 |
| Overview of Grid Architecture | 19-6 |
| Overview of Oracle Net Services Architecture | 19-7 |
| How Oracle Net Services Works | 19-8 |
| The Oracle Net Listener | 19-8 |
| Service Names | 19-10 |
| | |



| | Services in a Multitenant Environment | 19-11 |
|-----|---|----------|
| | Service Registration | 19-15 |
| | Dedicated Server Architecture | 19-15 |
| | Shared Server Architecture | 19-17 |
| | Dispatcher Request and Response Queues | 19-18 |
| | Restricted Operations of the Shared Server | 19-21 |
| | Database Resident Connection Pooling | 19-21 |
| | Overview of the Program Interface | 19-22 |
| | Program Interface Structure | 19-23 |
| | Program Interface Drivers | 19-23 |
| | Communications Software for the Operating System | 19-24 |
| Par | t VII Oracle Database Administration and Application Deve | elopment |
| 20 | Topics for Database Administrators and Developers | |
| | Overview of Database Security | 20-1 |
| | User Accounts | 20-2 |
| | Privileges | 20-3 |
| | Roles | 20-3 |
| | Privilege Analysis | 20-4 |
| | User Profiles | 20-4 |
| | Database Authentication | 20-5 |
| | Encryption | 20-6 |
| | Network Encryption | 20-6 |
| | Transparent Data Encryption | 20-6 |
| | Oracle Data Redaction | 20-7 |
| | Orientation | 20-8 |
| | Oracle Database Vault | 20-8 |
| | Virtual Private Database (VPD) | 20-9 |
| | Oracle Label Security (OLS) | 20-9 |
| | Data Access Monitoring | 20-10 |
| | Database Auditing | 20-10 |
| | Unified Audit Trail | 20-12 |
| | Enterprise Manager Auditing Support | 20-13 |
| | Oracle Audit Vault and Database Firewall | 20-13 |
| | Overview of High Availability | 20-14 |
| | High Availability and Unplanned Downtime | 20-14 |
| | Site Failures | 20-15 |
| | Computer Failures | 20-15 |
| | Storage Failures | 20-16 |
| | | |



| Data Corruption | 20-17 |
|--|-------|
| Human Errors | 20-18 |
| High Availability and Planned Downtime | 20-19 |
| System and Database Changes | 20-20 |
| Data Changes | 20-20 |
| Application Changes | 20-21 |
| Overview of Grid Computing | 20-22 |
| Database Server Grid | 20-23 |
| Scalability | 20-24 |
| Fault Tolerance | 20-24 |
| Services | 20-25 |
| Oracle Flex Clusters | 20-25 |
| Database Storage Grid | 20-25 |
| Overview of Data Warehousing and Business Intelligence | 20-26 |
| Data Warehousing and OLTP | 20-26 |
| Data Warehouse Architecture | 20-27 |
| Data Warehouse Architecture (Basic) | 20-28 |
| Data Warehouse Architecture (with a Staging Area) | 20-29 |
| Data Warehouse Architecture (with a Staging Area and Data Marts) | 20-29 |
| Overview of Extraction, Transformation, and Loading (ETL) | 20-30 |
| Business Intelligence | 20-31 |
| Analytic SQL | 20-31 |
| Analytic Views | 20-32 |
| Oracle Advanced Analytics | 20-33 |
| Overview of Oracle Information Integration | 20-34 |
| Federated Access | 20-34 |
| Distributed SQL | 20-35 |
| Database Links | 20-35 |
| Information Sharing | 20-36 |
| Oracle GoldenGate | 20-36 |
| Oracle Database Advanced Queuing (AQ) | 20-36 |
| Artificial Intelligence in the Oracle Database | |
| Overview of Oracle Al Vector Search | 21-1 |
| Understand Hierarchical Navigable Small World Indexes | 21-5 |
| Understand Inverted File Flat Vector Indexes | 21-9 |
| Vector Distance Metrics | 21-15 |
| Artificial Intelligence in the Oracle Database | 21-15 |
| Perform Exact Similarity Search | 21-15 |
| Understand Approximate Similarity Search Using Vector Indexes | 21-17 |
| | |



22 Concepts for Database Administrators

| Duties of Database Administrators | 22-1 |
|---|-------|
| Tools for Database Administrators | 22-2 |
| Oracle Enterprise Manager | 22-2 |
| Oracle Enterprise Manager Cloud Control | 22-3 |
| Oracle Enterprise Manager Database Express 12c | 22-3 |
| SQL*Plus | 22-4 |
| Tools for Database Installation and Configuration | 22-4 |
| Tools for Oracle Net Configuration and Administration | 22-5 |
| Tools for Data Movement and Analysis | 22-6 |
| SQL*Loader | 22-7 |
| Oracle Data Pump Export and Import | 22-8 |
| Oracle LogMiner | 22-10 |
| ADR Command Interpreter (ADRCI) | 22-10 |
| Topics for Database Administrators | 22-12 |
| Backup and Recovery | 22-12 |
| Backup and Recovery Techniques | 22-12 |
| Recovery Manager Architecture | 22-13 |
| Database Backups | 22-14 |
| Data Repair | 22-17 |
| Zero Data Loss Recovery Appliance | 22-19 |
| Memory Management | 22-22 |
| Automatic Memory Management | 22-23 |
| Shared Memory Management of the SGA | 22-24 |
| Memory Management of the Instance PGA | 22-25 |
| Summary of Memory Management Methods | 22-25 |
| Resource Management and Task Scheduling | 22-27 |
| Database Resource Manager | 22-28 |
| CPU Management | 22-29 |
| Oracle Scheduler | 22-30 |
| Performance and Tuning | 22-33 |
| Database Self-Monitoring | 22-32 |
| Automatic Workload Repository (AWR) | 22-32 |
| Automatic Database Monitor (ADDM) | 22-34 |
| Active Session History (ASH) | 22-34 |
| Application and SQL Tuning | 22-35 |



23 Concepts for Database Developers

| Duties of Database Developers | 23-1 |
|---|-------|
| Tools for Database Developers | 23-2 |
| SQL Developer | 23-2 |
| Oracle Application Express | 23-3 |
| Oracle JDeveloper | 23-3 |
| Oracle Developer Tools for Visual Studio .NET | 23-4 |
| Topics for Database Developers | 23-4 |
| Principles of Application Design and Tuning | 23-4 |
| Client-Side Database Programming | 23-6 |
| Embedded SQL | 23-6 |
| Client-Side APIs | 23-8 |
| Globalization Support | 23-11 |
| Globalization Support Environment | 23-11 |
| Oracle Globalization Development Kit | 23-14 |
| Unstructured Data | 23-14 |
| Overview of XML in Oracle Database | 23-15 |
| Overview of JSON in Oracle Database | 23-16 |
| Overview of LOBs | 23-19 |
| Overview of Oracle Text | 23-21 |
| Overview of Oracle Spatial and Graph | 23-22 |
| Overview of SQL Property Graphs | 23-22 |

Glossary

Index



Preface

This manual provides an architectural and conceptual overview of the Oracle database server, which is an object-relational database management system.

The book describes how the Oracle database server functions, and it lays a conceptual foundation for much of the practical information contained in other manuals. Information in this manual applies to the Oracle database server running on all operating systems.

This preface contains these topics:

- Audience
- Documentation Accessibility
- Related Documentation
- Conventions
- Audience
- Documentation Accessibility
- Related Documentation
- Conventions

Audience

Oracle Database Concepts is intended for technical users, primarily database administrators and database application developers, who are new to Oracle Database. Typically, the reader of this manual has had experience managing or developing applications for other relational databases.

To use this manual, you must know the following:

- Relational database concepts in general
- Concepts and terminology in Introduction to Oracle Database
- The operating system environment under which you are running Oracle

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

