

# Oracle® Database

## Get Started with Oracle Database Development



23ai  
F79574-03  
May 2024

ORACLE®

Copyright © 1996, 2024, Oracle and/or its affiliates.

Primary Author: Chuck Murray

Contributors: Richard Butner, Eric Belden, Bjorn Engsig, Nancy Greenberg, Pat Huey, Christopher Jones, Sharon Kennedy, Thomas Kyte, Simon Law, Bryn Llewellyn, Sheila Moore

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

## Preface

---

Audience	xii
Documentation Accessibility	xii
Related Documents	xii
Conventions	xiii

## 1 Introduction to Get Started with Oracle Database Development

---

About This Document	1-1
About Oracle Database	1-2
About Schema Objects	1-2
About Oracle Database Access	1-3
About SQL*Plus	1-3
About SQL Developer	1-4
About Structured Query Language (SQL)	1-5
About Procedural Language/SQL (PL/SQL)	1-5
About Other Client Programs, Languages, and Development Tools	1-5
About Sample Schema HR	1-10

## 2 Connecting to Oracle Database and Exploring It

---

Connecting to Oracle Database from SQL*Plus	2-1
Connecting to Oracle Database from SQL Developer	2-2
Connecting to Oracle Database as User HR	2-4
Unlocking the HR Account	2-4
Connecting to Oracle Database as User HR from SQL*Plus	2-5
Connecting to Oracle Database as User HR from SQL Developer	2-6
Exploring Oracle Database with SQL*Plus	2-6
Viewing HR Schema Objects with SQL*Plus	2-7
Viewing EMPLOYEES Table Properties and Data with SQL*Plus	2-8
Exploring Oracle Database with SQL Developer	2-9
Tutorial: Viewing HR Schema Objects with SQL Developer	2-10
Tutorial: Viewing EMPLOYEES Table Properties and Data with SQL Developer	2-11

Selecting Table Data	2-12
About Queries	2-12
Running Queries in SQL Developer	2-13
Tutorial: Selecting All Columns of a Table	2-13
Tutorial: Selecting Specific Columns of a Table	2-14
Displaying Selected Columns Under New Headings	2-15
Selecting Data that Satisfies Specified Conditions	2-16
Sorting Selected Data	2-18
Selecting Data from Multiple Tables	2-19
Using Operators and Functions in Queries	2-21
Using Arithmetic Operators in Queries	2-21
Using Numeric Functions in Queries	2-21
Using the Concatenation Operator in Queries	2-22
Using Character Functions in Queries	2-23
Using Datetime Functions in Queries	2-24
Using Conversion Functions in Queries	2-25
Using Aggregate Functions in Queries	2-27
Using NULL-Related Functions in Queries	2-29
Using CASE Expressions in Queries	2-30
Using the DECODE Function in Queries	2-32

### 3 About DML Statements and Transactions

---

About Data Manipulation Language (DML) Statements	3-1
About the INSERT Statement	3-1
About the UPDATE Statement	3-4
About the DELETE Statement	3-5
About Transaction Control Statements	3-5
Committing Transactions	3-6
Rolling Back Transactions	3-8
Setting Savepoints in Transactions	3-10

### 4 Creating and Managing Schema Objects

---

About Data Definition Language (DDL) Statements	4-1
Creating and Managing Tables	4-1
About SQL Data Types	4-2
Creating Tables	4-2
Tutorial: Creating a Table with the Create Table Tool	4-3
Creating Tables with the CREATE TABLE Statement	4-4
Ensuring Data Integrity in Tables	4-4

About Constraints	4-5
Tutorial: Adding Constraints to Existing Tables	4-6
Tutorial: Adding Rows to Tables with the Insert Row Tool	4-10
Tutorial: Changing Data in Tables in the Data Pane	4-11
Tutorial: Deleting Rows from Tables with the Delete Selected Row(s) Tool	4-12
Managing Indexes	4-13
Tutorial: Adding an Index with the Create Index Tool	4-14
Tutorial: Changing an Index with the Edit Index Tool	4-15
Tutorial: Dropping an Index	4-15
Dropping Tables	4-16
Creating and Managing Views	4-16
Creating Views	4-17
Tutorial: Creating a View with the Create View Tool	4-17
Creating Views with the CREATE VIEW Statement	4-18
Changing Queries in Views	4-19
Tutorial: Changing View Names with the Rename Tool	4-19
Dropping a View	4-20
Creating and Managing Data Use Case Domains	4-20
Creating Use Case Domains	4-21
Dropping Use Case Domains	4-21
Creating and Managing Schema Annotations	4-21
Creating Annotations	4-22
Listing Annotations	4-22
Modifying Annotations	4-23
Creating and Managing Sequences	4-24
Tutorial: Creating a Sequence	4-24
Dropping Sequences	4-25
Creating and Managing Synonyms	4-26
Creating Synonyms	4-26
Dropping Synonyms	4-27

## 5 Developing Stored Subprograms and Packages

---

About Stored Subprograms	5-1
About Packages	5-1
About PL/SQL Identifiers	5-2
About PL/SQL Data Types	5-3
Creating and Managing Standalone Subprograms	5-4
About Subprogram Structure	5-4
Tutorial: Creating a Standalone Procedure	5-5
Tutorial: Creating a Standalone Function	5-7

Changing Standalone Subprograms	5-8
Tutorial: Testing a Standalone Function	5-9
Dropping Standalone Subprograms	5-10
Creating and Managing Packages	5-11
About Package Structure	5-11
Tutorial: Creating a Package Specification	5-12
Tutorial: Changing a Package Specification	5-13
Tutorial: Creating a Package Body	5-14
Dropping a Package	5-15
Declaring and Assigning Values to Variables and Constants	5-15
Tutorial: Declaring Variables and Constants in a Subprogram	5-16
Ensuring that Variables, Constants, and Parameters Have Correct Data Types	5-17
Tutorial: Changing Declarations to Use the %TYPE Attribute	5-18
Assigning Values to Variables	5-19
Assigning Values to Variables with the Assignment Operator	5-20
Assigning Values to Variables with the SELECT INTO Statement	5-21
Controlling Program Flow	5-22
About Control Statements	5-22
Using the IF Statement	5-23
Using the CASE Statement	5-24
Using the FOR LOOP Statement	5-25
Using the WHILE LOOP Statement	5-27
Using the Basic LOOP and EXIT WHEN Statements	5-28
Using Records and Cursors	5-30
About Records	5-30
Tutorial: Declaring a RECORD Type	5-31
Tutorial: Creating and Invoking a Subprogram with a Record Parameter	5-32
About Cursors	5-34
Using a Declared Cursor to Retrieve Result Set Rows One at a Time	5-35
Tutorial: Using a Declared Cursor to Retrieve Result Set Rows One at a Time	5-36
About Cursor Variables	5-37
Using a Cursor Variable to Retrieve Result Set Rows One at a Time	5-38
Tutorial: Using a Cursor Variable to Retrieve Result Set Rows One at a Time	5-39
Using Associative Arrays	5-42
About Collections	5-42
About Associative Arrays	5-43
Declaring Associative Arrays	5-43
Populating Associative Arrays	5-45
Traversing Dense Associative Arrays	5-46
Traversing Sparse Associative Arrays	5-47
Handling Exceptions (Runtime Errors)	5-48

About Exceptions and Exception Handlers	5-48
When to Use Exception Handlers	5-49
Handling Predefined Exceptions	5-50
Declaring and Handling User-Defined Exceptions	5-51

## 6 Using Triggers

---

About Triggers	6-1
Creating Triggers	6-2
About OLD and NEW Pseudorecords	6-3
Tutorial: Creating a Trigger that Logs Table Changes	6-3
Tutorial: Creating a Trigger that Generates a Primary Key for a Row Before It Is Inserted	6-4
Creating an INSTEAD OF Trigger	6-5
Tutorial: Creating Triggers that Log LOGON and LOGOFF Events	6-6
Changing Triggers	6-7
Disabling and Enabling Triggers	6-7
Disabling or Enabling a Single Trigger	6-8
Disabling or Enabling All Triggers on a Single Table	6-8
About Trigger Compilation and Dependencies	6-9
Dropping Triggers	6-9

## 7 Working in a Global Environment

---

About Globalization Support Features	7-1
About Language Support	7-1
About Territory Support	7-2
About Date and Time Formats	7-2
About Calendar Formats	7-3
About Numeric and Monetary Formats	7-4
About Linguistic Sorting and String Searching	7-5
About Length Semantics	7-5
About Unicode and SQL National Character Data Types	7-5
About Initial NLS Parameter Values	7-6
Viewing NLS Parameter Values	7-7
Changing NLS Parameter Values	7-8
Changing NLS Parameter Values for All SQL Developer Connections	7-8
Changing NLS Parameter Values for the Current SQL Function Invocation	7-9
About Individual NLS Parameters	7-10
About Locale and the NLS_LANG Parameter	7-11
About the NLS_LANGUAGE Parameter	7-11
About the NLS_TERRITORY Parameter	7-13

About the NLS_DATE_FORMAT Parameter	7-15
About the NLS_DATE_LANGUAGE Parameter	7-17
About NLS_TIMESTAMP_FORMAT and NLS_TIMESTAMP_TZ_FORMAT Parameters	7-18
About the NLS_CALENDAR Parameter	7-19
About the NLS_NUMERIC_CHARACTERS Parameter	7-20
About the NLS_CURRENCY Parameter	7-21
About the NLS_ISO_CURRENCY Parameter	7-23
About the NLS_DUAL_CURRENCY Parameter	7-24
About the NLS_SORT Parameter	7-24
About the NLS_COMP Parameter	7-26
About the NLS_LENGTH_SEMANTICS Parameter	7-28
Using Unicode in Globalized Applications	7-29
Representing Unicode String Literals in SQL and PL/SQL	7-29
Avoiding Data Loss During Character-Set Conversion	7-30

## 8 Building Effective Applications

---

Building Scalable Applications	8-1
About Scalable Applications	8-1
Using Bind Variables to Improve Scalability	8-1
Using PL/SQL to Improve Scalability	8-4
How PL/SQL Minimizes Parsing	8-4
About the EXECUTE IMMEDIATE Statement	8-4
About OPEN FOR Statements	8-5
About the DBMS_SQL Package	8-5
About Bulk SQL	8-6
About Concurrency and Scalability	8-8
About Sequences and Concurrency	8-9
About Latches and Concurrency	8-9
About Nonblocking Reads and Writes and Concurrency	8-9
About Shared SQL and Concurrency	8-10
Limiting the Number of Concurrent Sessions	8-10
Comparing Programming Techniques with Runstats	8-10
About Runstats	8-10
Setting Up Runstats	8-11
Using Runstats	8-14
Real-World Performance and Data Processing Techniques	8-14
About Iterative Data Processing	8-14
About Set-Based Processing	8-18
Recommended Programming Practices	8-19
Use Instrumentation Packages	8-19



Statistics Gathering and Application Tracing	8-20
Use Existing Functionality	8-20
Cover Database Tables with Editioning Views	8-23
Recommended Security Practices	8-23

## 9 Developing a Simple Oracle Database Application

---

About the Application	9-1
Purpose of the Application	9-1
Structure of the Application	9-1
Schema Objects of the Application	9-1
Schemas for the Application	9-2
Naming Conventions in the Application	9-3
Creating the Schemas for the Application	9-4
Granting Privileges to the Schemas	9-5
Granting Privileges to the app_data Schema	9-6
Granting Privileges to the app_code Schema	9-6
Granting Privileges to the app_admin Schema	9-6
Granting Privileges to the app_user and app_admin_user Schemas	9-7
Creating the Schema Objects and Loading the Data	9-7
Creating the Tables	9-7
Creating the Editioning Views	9-10
Creating the Triggers	9-10
Creating the Trigger to Enforce the First Business Rule	9-11
Creating the Trigger to Enforce the Second Business Rule	9-12
Creating the Sequences	9-13
Loading the Data	9-14
Adding the Foreign Key Constraint	9-16
Granting Privileges on the Schema Objects to Users	9-16
Creating the employees_pkg Package	9-17
Creating the Package Specification for employees_pkg	9-18
Creating the Package Body for employees_pkg	9-19
Tutorial: Showing How the employees_pkg Subprograms Work	9-21
Granting the EXECUTE Privilege to app_user and app_admin_user	9-24
Tutorial: Invoking get_job_history as app_user or app_admin_user	9-24
Creating the admin_pkg Package	9-25
Creating the Package Specification for admin_pkg	9-25
Creating the Package Body for admin_pkg	9-26
Tutorial: Showing How the admin_pkg Subprograms Work	9-28
Granting the EXECUTE Privilege to app_admin_user	9-29

## 10 Deploying an Oracle Database Application

---

About Development and Deployment Environments	10-1
About Installation Scripts	10-1
About DDL Statements and Schema Object Dependencies	10-1
About INSERT Statements and Constraints	10-2
Creating Installation Scripts	10-3
Creating Installation Scripts with the Cart	10-3
Creating an Installation Script with the Database Export Wizard	10-4
Editing Installation Scripts that Create Sequences	10-6
Editing Installation Scripts that Create Triggers	10-6
Creating Installation Scripts for the Sample Application	10-7
Creating Installation Script schemas.sql	10-8
Creating Installation Script objects.sql	10-9
Creating Installation Script employees.sql	10-13
Creating Installation Script admin.sql	10-16
Creating Primary Installation Script create_app.sql	10-18
Deploying the Sample Application	10-18
Checking the Validity of an Installation	10-19
Archiving the Installation Scripts	10-20

## Index

---

## List of Tables

---

5-1	Cursor Attribute Values	5-35
7-1	Initial Values of NLS Parameters in SQL Developer	7-6

# Preface

This is the preface to *Get Started with Oracle Database Development*.

This document explains basic concepts behind application development with Oracle Database. It provides instructions for using the basic features of topics through Structured Query Language (SQL), and the Oracle server-based procedural extension to the SQL database language, Procedural Language/Structured Query Language (PL/SQL).

## Audience

This document is intended for anyone who wants to learn about Oracle Database application development, and is primarily an introduction to application development for developers who are new to Oracle Database.

This document assumes that you have a general understanding of relational database concepts and an understanding of the operating system environment that you will use to develop applications with Oracle Database.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

### Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

## Related Documents

When you are comfortable with the concepts and tasks in *Get Started with Oracle Database Development*, Oracle recommends that you consult these other Oracle Database development documents.

- *Oracle Application Express App Builder User's Guide*
- *Oracle Database Get Started with Java Development*

For more information, see:

- *Oracle Database Concepts*
- *Oracle Database Development Guide*

- *Oracle Database SQL Language Reference*
- *Oracle Database PL/SQL Language Reference*

## Conventions

*Get Started with Oracle Database Development* uses the following text conventions.

Convention	Meaning
<b>boldface</b>	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.