Contents

Preface

Audience xiv
Documentation Accessibility xiv
Related Documents xiv
Conventions xv

Changes in This Release for Oracle Database Java Developer's Guide

Changes in Oracle Database 23ai xvi

1 Introduction to Java in Oracle Database

1.1 Overview of Java 1-1
1.1.1 Java and Object-Oriented Programming Terminology 1-2
1.1.1.1 Classes 1-2
1.1.1.2 Objects 1-2
1.1.1.3 Modules 1-3
1.1.1.4 Inheritance 1-3
1.1.1.5 Interfaces 1-4
1.1.1.6 Encapsulation 1-4
1.1.1.7 Polymorphism 1-4
1.1.2 Key Features of the Java Language 1-5
1.1.3 Java Virtual Machine 1-6
1.1.4 Java Class Hierarchy 1-8
1.2 About Using Java in Oracle Database 1-9
1.2.1 Java and RDBMS: A Robust Combination 1-9
1.2.2 About Multithreading 1-10
1.2.3 Memory Spaces Management 1-11
1.2.4 Footprint 1-12
1.2.5 Performance of an Oracle JVM 1-13
1.2.6 Dynamic Class Loading 1-14
1.3 Overview of Oracle JVM 1-15
1.3.1 Process Area 1-16
1.3.2 Java session initialization, duration and entrypoints 1-16

1.3.2.1 Support for JDK 11 and Modules 1-17
1.3.3 The GUI 1-17
1.3.4 The IDE 1-17
1.4 Feature List of Oracle JVM 1-18
1.5 Main Components of Oracle JVM 1-18
1.5.1 Library Manager 1-19
1.5.2 Compiler 1-19
1.5.3 Interpreter 1-20
1.5.4 Class Loader 1-20
1.5.5 Verifier 1-20
1.5.6 Server-Side JDBC Internal Driver 1-20
1.5.7 System Classes 1-20
1.6 Java Programming in Oracle Database 1-21
1.6.1 Java in Database Application Development 1-21
1.6.2 Java Programming Environment Usage 1-22
1.6.3 Java Stored Procedures 1-22
1.6.4 PL/SQL Integration and Oracle RDBMS Functionality 1-22
1.6.4.1 JDBC Drivers 1-22
1.6.5 Development Tools 1-23
1.6.6 Internet Protocol Version 6 Support 1-23
1.7 Memory Model for Dedicated Mode Sessions 1-24

2 Java Applications on Oracle Database

2.1 Database Sessions Imposed on Java Applications 2-1
2.2 Execution Control of Java Applications 2-3
2.3 Java Code, Binaries, and Resources Storage 2-3
2.4 About Java Classes Loaded in the Database 2-4
2.5 Preparing Java Class Methods for Execution 2-6
2.5.1 Compiling Java Classes 2-6
2.5.1.1 Compiling Source Through javac 2-7
2.5.1.2 Compiling Source Through the loadjava Tool 2-7
2.5.1.3 Compiling Source at Run Time 2-7
2.5.1.4 Specifying Compiler Options 2-7
2.5.1.5 Recompiling Source Programs Automatically 2-10
2.5.2 Overview of Resolving Class Dependencies 2-11
2.5.2.1 Allowing References to Nonexistent Classes 2-12
2.5.2.2 Bytecode Verifier 2-13
2.5.3 Logging in Oracle JVM 2-14
2.5.4 Overview of Loading Classes Using the loadjava Tool 2-15
2.5.4.1 About Sharing of Metadata for User Classloaded Classes 2-17
2.5.4.2 Defining the Same Class Twice 2-17

2.5.4.3 About Designating Database Privileges and JVM Permissions 2-18
2.5.4.4 About Loading JAR or ZIP Files 2-18
2.5.4.5 Database Resident JARs 2-18
2.5.5 Overview of Granting Execute Rights 2-19
2.5.6 Overview of Controlling the Current User 2-20
2.5.7 Overview of Checking Java Uploads 2-21
2.5.8 About Publishing Java Methods Loaded in the Database 2-23
2.5.9 Overview of Auditing Java Classes Loaded in the Database 2-23
2.6 User Interfaces on the Server 2-25
2.7 Shortened Class Names 2-25
2.8 Class.forName() in Oracle Database 2-26
2.8.1 Supply ClassLoader in Class.forName() 2-27
2.8.2 Supply Class and Schema Names to classForNameAndSchema() 2-28
2.8.3 Supply Class and Schema Names to lookupClass() 2-28
2.8.4 Supply Class and Schema Names when Serializing 2-29
2.8.5 Class.forName Example 2-29
2.9 About Managing Your Operating System Resources 2-30
2.9.1 Overview of Operating System Resources 2-30
2.9.2 Garbage Collection and Operating System Resources 2-31
2.10 About Using the Runtime.exec Functionality in Oracle Database 2-32
2.11 Managing Your Applications Using JMX 2-32
2.11.1 Overview of JMX 2-33
2.11.2 Enabling and Starting JMX in a Session 2-33
2.11.3 Setting Oracle JVM JMX Defaults and Configurability 2-34
2.11.4 Examples of SQL calls to dbms_java.start_jmx_agent 2-35
2.11.5 Using JConsole to Monitor and Control Oracle JVM 2-36
2.11.5.1 Using the jconsole Command 2-36
2.11.5.2 About Using the JConsole interface 2-37
2.11.5.3 About Viewing Oracle JVM Summary Information 2-38
2.11.5.4 About Monitoring Memory Consumption 2-39
2.11.5.5 About Monitoring Thread Use 2-41
2.11.5.6 About Monitoring Class Loading 2-42
2.11.5.7 About Monitoring and Managing MBeans 2-42
2.11.5.8 About Viewing VM Information 2-45
2.11.5.9 The OracleRuntime MBean 2-46
2.11.5.10 Memory Thresholds 2-49
2.11.6 Important Security Notes 2-50
2.11.7 Shared Server Limitations for JMX 2-50
2.12 Overview of Threading in Oracle Database 2-51
2.12.1 Thread Life Cycle 2-51
2.12.2 System.exit(), OracleRuntime.exitSession(), and OracleRuntime.exitCall() 2-52
2.13 Shared Servers Considerations 2-53

2.13.1 End-of-Call Migration 2-54
2.13.2 Oracle-Specific Support for End-of-Call Optimization 2-55
2.13.3 The EndOfCallRegistry.registerCallback() Method 2-57
2.13.4 The EndOfCallRegistry.runCallbacks() Method 2-58
2.13.5 The Callback Interface 2-58
2.13.6 The Callback.act() method 2-58
2.13.7 Operating System Resources Affected Across Calls 2-58
2.14 Oracle JVM Rolling Patching 2-61

3 Calling Java Methods in Oracle Database

3.1 Invoking Java Methods 3-1
3.1.1 Using PL/SQL Wrappers 3-1
3.1.1.1 Using PL/SQL Wrappers with JDK 11 3-3
3.1.2 About JNI Support 3-3
3.1.3 About Utilizing JDBC with Java in the Database 3-4
3.1.3.1 Using JDBC 3-4
3.1.4 About Using the Command-Line Interface 3-4
3.1.5 Overview of Using the Client-Side Stub 3-6
3.1.5.1 Using the Default Service Feature 3-7
3.1.5.2 Testing the Default Service with a Basic Configuration 3-7
3.2 How To Tell If You Are Running on the Server 3-8
3.3 About Redirecting Output on the Server 3-8

4 Java Installation and Configuration

4.1 Initializing a Java-Enabled Database 4-1
4.1.1 Configuring the Oracle JVM Option within the Oracle Database Template 4-1
4.1.2 Modifying an Existing Oracle Database to Include Oracle JVM 4-1
4.2 Configuring Oracle JVM 4-1
4.3 The DBMS_JAVA Package 4-2
4.4 Enabling the Java Client 4-2
4.4.1 Installing Java SE on the Client 4-2
4.4.2 Setting Up Environment Variables 4-3
4.5 Two-Tier Duration for Java Session State 4-3
4.6 About Setting System Properties 4-4
4.6.1 Oracle JVM-Specific System Properties 4-5

5 Developing Java Stored Procedures

5.1 Stored Procedures and Run-Time Contexts 5-1
5.1.1 Functions and Procedures 5-2

5.1.2 Database Triggers 5-2
5.1.3 Object-Relational Methods 5-2
5.2 Advantages of Stored Procedures 5-3
5.2.1 Performance 5-3
5.2.2 Productivity and Ease of Use 5-3
5.2.3 Scalability 5-4
5.2.4 Maintainability 5-4
5.2.5 Interoperability 5-4
5.2.6 Replication 5-4
5.2.7 Security 5-4
5.3 Running Java Stored Procedures 5-5
5.3.1 Creating or Reusing the Java Classes 5-5
5.3.2 Loading and Resolving the Java Classes 5-6
5.3.3 Publishing the Java Classes 5-6
5.3.4 Calling the Stored Procedures 5-6
5.4 Debugging Java Stored Procedures 5-7
5.4.1 Prerequisites for Debugging Java Stored Procedures 5-7
5.4.2 Debugging Java Stored Procedures Using the jdb Debugger 5-8
5.4.3 Debugging Java Stored Procedures Using JDeveloper 5-10

6 Publishing Java Classes With Call Specifications

6.1 What Are Call Specifications? 6-1
6.2 Defining Call Specifications 6-2
6.2.1 About Setting Parameter Modes 6-3
6.2.2 About Mapping Data Types 6-3
6.2.3 Using the Server-Side Internal JDBC Driver 6-5
6.3 Writing Top-Level Call Specifications 6-7
6.3.1 Examples 6-8
6.4 Writing Packaged Call Specifications 6-11
6.5 Writing Object Type Call Specifications 6-13
6.5.1 About Attributes 6-14
6.5.2 Declaring Methods 6-14
6.5.2.1 Map and Order Methods 6-15
6.5.2.2 Constructor Methods 6-15
6.5.2.3 Examples 6-16

7 Calling Stored Procedures

7.1 Calling Java from the Top Level 7-1
7.1.1 Redirecting the Output 7-1
7.1.2 Examples of Calling Java Stored Procedures From the Top Level 7-2

7.2 Calling Java from Database Triggers 7-4
7.3 Calling Java from SQL DML 7-7
7.4 Calling Java from PL/SQL 7-8
7.5 Calling PL/SQL from Java 7-9
7.6 How Oracle JVM Handles Exceptions 7-10

8 Java Stored Procedures Application Example

8.1 About Planning the Database Schema 8-1
8.2 Creating the Database Tables 8-2
8.3 Writing the Java Classes 8-3
8.4 Loading the Java Classes 8-7
8.5 Publishing the Java Classes 8-7
8.6 Calling the Java Stored Procedures 8-8

9 Oracle Database Java Application Performance

9.1 Oracle JVM Just-in-Time Compiler (JIT) 9-1
9.1.1 Overview of Oracle JVM JIT 9-1
9.1.2 Advantages of JIT Compilation 9-2
9.1.3 Important Methods 9-2
9.2 About Java Memory Usage 9-4
9.2.1 Configuring Memory Initialization Parameters 9-4
9.2.1.1 Initializing Pool Sizes within Database Templates 9-5
9.2.2 About Java Pool Memory 9-6
9.2.3 Displaying Used Amounts of Java Pool Memory 9-7
9.2.4 Correcting Out of Memory Errors 9-8
9.2.5 Displaying Java Call and Session Heap Statistics 9-8

10 Security for Oracle Database Java Applications

10.1 Network Connection Security 10-1
10.2 Database Contents and Oracle JVM Security 10-2
10.2.1 Overview of Java Security Features 10-3
10.2.2 Overview of Setting Permissions 10-4
10.2.2.1 Fine-Grain Definition for Each Permission 10-5
10.2.2.2 Assigning General Permission Definition to Roles 10-18
10.2.3 Debugging Permissions 10-19
10.2.4 Permission for Loading Classes 10-19
10.2.5 Customizing the Default java.security Resource 10-20
10.3 Database Authentication Mechanisms Available with Oracle JVM 10-21
10.4 Secure Use of Runtime.exec Functionality in Oracle Database 10-21

10.5 Database Security in a Multitenant Environment 10-22
10.6 FIPS Support 10-26

11 Native Oracle JVM Support for JNDI

11.1 Overview of Oracle JVM Support for JNDI 11-1
11.2 Requirements for Oracle JVM Support for JNDI 11-1
11.2.1 Namespace 11-1
11.2.1.1 Object permissions 11-2
11.2.1.2 Persistent Storage Tables, Indexes, and Sequences 11-2
11.2.1.3 Initial Contexts and Permissions 11-3
11.2.1.4 Object and Context Default Permissions 11-3
11.2.2 Oracle Java Directory Service JNDI Name Space Provider 11-3
11.2.2.1 Directory Context 11-3
11.2.2.2 StateFactories 11-4
11.2.2.3 ObjectFactories 11-4
11.2.2.4 OJDS URL Support 11-4
11.2.2.5 Client classpath 11-5
11.2.3 Namespace Browser 11-5
11.3 OJDS Command-Line Tools 11-6
11.3.1 ls Command 11-6
11.3.2 cd Command 11-7
11.3.3 pwd Command 11-7
11.3.4 chown Command 11-7
11.3.5 mkdir Command 11-8
11.3.6 rm Command 11-9
11.3.7 ln Command 11-9
11.3.8 mv Command 11-10
11.3.9 chmod Command 11-10
11.3.10 bind Command 11-11
11.3.11 bindds Command 11-12
11.3.12 bindurl Command 11-13
11.4 OJDS APIs and Classes 11-14
11.4.1 oracle.aurora.jndi.ojds.OjdsClientContext 11-14
11.4.2 oracle.aurora.jndi.ojds.OjdsServerContext 11-14
11.4.3 oracle.aurora.jndi.ojds.OjdsInitialContextFactory 11-15
11.4.4 oracle.aurora.jndi.ojds.OjdsURLContextFactory 11-15
11.4.5 oracle.aurora.jndi.ojds.OjdsURLContext 11-15

12 Schema Objects and Oracle JVM Utilities

12.1 Overview of Schema Objects 12-1
12.2 What and When to Load 12-2
12.3 Resolution of Schema Objects 12-2
12.4 Compilation of Schema Objects 12-3
12.5 The ojvmtc Tool 12-4
12.5.1 About the ojvmtc Tool 12-4
12.5.2 Arguments of ojvmtc Command 12-5
12.6 The loadjava Tool 12-5
12.6.1 loadjava Tool Syntax 12-6
12.6.2 loadjava Tool Argument Summary 12-7
12.6.3 loadjava Tool Argument Details 12-13
12.7 The dropjava Tool 12-18
12.7.1 dropjava Tool Syntax 12-19
12.7.2 dropjava Tool Argument Summary 12-19
12.7.3 dropjava Tool Argument Details 12-20
12.7.4 About Dropping Resources Using dropjava Tool 12-22
12.8 The ojvmjava Tool 12-22
12.8.1 ojvmjava Tool Syntax 12-22
12.8.2 ojvmjava Tool Argument Summary 12-23
12.8.3 ojvmjava Tool Example 12-24
12.8.4 ojvmjava Tool Functionality 12-24
12.8.4.1 ojvmjava Tool Command-Line Options 12-24
12.8.4.2 ojvmjava Tool Shell Commands 12-25

13 Database Web Services

13.1 Overview of Database Web Services 13-1
13.2 About Using Oracle Database as Web Services Consumer 13-1
13.2.1 About Using Oracle JVM Web Services Call-Out Utility 13-1
13.2.1.1 Architecture of Oracle JVM Web Services Call-Out Utility 13-2
13.2.1.2 Input to the Oracle JVM Web Services Call-Out Utility 13-4
13.2.1.3 Output of the Oracle JVM Web Services Call-Out Utility 13-6
13.2.1.4 Calling Secure Web Service from Oracle JVM Web Services Call-Out Utility 13-6
13.2.2 Web Service Data Sources (Virtual Table Support) 13-7
13.2.3 Features of Oracle Database as a Web Service Consumer 13-7

A DBMS_JAVA Package

A.1 hotload_module A-1
A.2 hotload_module A-1

A.3 unhotload_module A-1
A.4 unhotload_module A-1
A.5 jar_digest_bytes A-2
A.6 jar_digest A-2
A.7 longname A-2
A.8 shortname A-2
A.9 get_compiler_option A-3
A.10 set_compiler_option A-3
A.11 reset_compiler_option A-3
A.12 resolver A-3
A.13 derivedFrom A-3
A.14 fixed_in_instance A-4
A.15 set_output A-4
A.16 export_source A-5
A.17 export_class A-5
A.18 export_resource A-5
A.19 loadjava A-5
A.20 dropjava A-6
A.21 grant_permission A-6
A.22 grant_permission A-7
A.23 restrict_permission A-7
A.24 restrict_permission A-8
A.25 grant_policy_permission A-8
A.26 grant_policy_permission A-9
A.27 revoke_permission A-9
A.28 disable_permission A-10
A.29 enable_permission A-10
A.30 delete_permission A-10
A.31 set_preference A-11
A.32 runjava A-11
A.33 runjava_in_current_session A-11
A.34 set_property A-11
A.35 get_property A-12
A.36 remove_property A-12
A.37 show_property A-13
A.38 set_output_to_sql A-13
A.39 remove_output_to_sql A-13
A.40 enable_output_to_sql A-14
A.41 disable_output_to_sql A-14
A.42 query_output_to_sql A-14
A.43 set_output_to_java A-14
A.44 remove_output_to_java A-15

A.45 enable_output_to_java A-15
A.46 disable_output_to_java A-16
A.47 query_output_to_java A-16
A.48 set_output_to_file A-16
A.49 remove_output_to_file A-16
A.50 enable_output_to_file A-17
A.51 disable_output_to_file A-17
A.52 query_output_to_file A-17
A.53 enable_output_to_trc A-17
A.54 disable_output_to_trc A-18
A.55 query_output_to_trc A-18
A.56 endsession A-18
A.57 endsession_and_related_state A-18
A.58 set_native_compiler_option A-19
A.59 unset_native_compiler_option A-19
A.60 compile_class A-19
A.61 uncompile_class A-19
A.62 compile_method A-20
A.63 uncompile_method A-20
A.64 start_jmx_agent A-20
A.65 set_runtime_exec_credentials A-21

B Classpath Extensions and User Classloaded Metadata

B.1 Classpath Extensions B-1
B.1.1 jserverQuotedClassPathTermPrefix B-1
B.1.2 jserverURLPrefix B-1
B.1.3 jserverSpecialTokenPrefix B-1
B.1.4 JSERVER_CP B-2
B.1.5 JSERVER_SCHEMAc B-2
B.1.6 jserver:/CP general syntax B-2
B.2 User Classloaded Metadata B-3

Index