Contents

Preface

Audience cl
Documentation Accessibility cl
Related Documents cl
Conventions cli

Changes in This Release for Oracle Database PL/SQL Packages and Types Reference

Changes in this Release cliii

1 Introduction to Oracle Supplied PL/SQL Packages & Types

Package Overview 1-1
- Package Components 1-2
- Using Oracle Supplied Packages 1-2
- Creating New Packages 1-2
  - Separating the Specification and Body 1-3
- Referencing Package Contents 1-5

Summary of Oracle Supplied PL/SQL Packages and Types 1-5

2 Oracle Application Express Packages APEX_APPLICATION Through APEX_ZIP

3 CTX_ADM

4 CTX_ANL

GET_COMPRESSION_RATIO Procedure 4-1

5 CTX_DDL

6 CTX_CLS

7 CTX_DOC

8 CTX_ENTITY

9 CTX_OUTPUT

10 DBMS_SAGA_ADM

DBMS_SAGA_ADM Overview 10-1
DBMS_SAGA_ADM Security Model 10-1
Summary of DBMS_SAGA_ADM Subprograms 10-1
ADD_BROKER Procedure 10-2
DROP_BROKER Procedure 10-2
ADD_COORDINATOR Procedure 10-3
DROP_COORDINATOR Procedure 10-4
ADD_PARTICIPANT Procedure 10-4
DROP_PARTICIPANT Procedure 10-6
REGISTER_SAGA_CALLBACK Procedure 10-6

11 CTX_QUERY

12 CTX_REPORT

13 CTX_THES

14 CTX_ULEXER

15 DBMS_ACTIVITY

Using DBMS_ACTIVITY 15-1
Summary of DBMS_ACTIVITY Subprograms 15-2
- CONFIGURE Procedure 15-2
- CREATE_SNAPSHOT Procedure 15-3
- DELETE_SNAPSHOTS Procedure 15-4
- DELETE_SNAPSHOTS Procedure 15-5

16 DBMS_ADDM

DBMS_ADDM Security Model 16-1
Summary of DBMS_ADDM Subprograms 16-1
- ANALYZE_DB Procedure 16-3
- ANALYZE_INST Procedure 16-4
- ANALYZE_PARTIAL Procedure 16-5
- COMPARE_CAPTURE_REPLAY_REPORT Function 16-7
- COMPARE_DATABASES Function 16-8
- COMPARE_INSTANCES Function 16-9
- COMPARE_REPLAY_REPLAY_REPORT Function 16-10
- DELETE Procedure 16-11
- DELETE_FINDING_DIRECTIVE Procedure 16-12
- DELETE_PARAMETER_DIRECTIVE Procedure 16-12
- DELETE_SEGMENT_DIRECTIVE Procedure 16-13
- DELETE_SQL_DIRECTIVE Procedure 16-13
- FAILED_AUTO_TASKS_REPORT Function 16-14
- GET_ASH_QUERY Function 16-14
- GET_REPORT Function 16-15
- INSERT_FINDING_DIRECTIVE Procedure 16-15
- INSERT_PARAMETER_DIRECTIVE Procedure 16-16
- INSERT_SEGMENT_DIRECTIVE Procedure 16-17
- INSERT_SQL_DIRECTIVE Procedure 16-18
- REAL_TIME_ADDM_REPORT Function 16-19
- REEXECUTE_FAILED_AUTO_TASKS Procedure 16-20

17 DBMS_ADVANCED_REWRITE

DBMS_ADVANCED_REWRITE Security Model 17-1
Summary of DBMS_ADVANCED_REWRITE Subprograms 17-1
- ALTER_REWRITE_EQUIVALENCE Procedure 17-2
- BUILD_SAFE_REWRITE_EQUIVALENCE Procedure 17-3
- DECLARE_REWRITE_EQUIVALENCE Procedures 17-3

DROP_REWRITE_EQUIVALENCE Procedure 17-5
VALIDATE_REWRITE_EQUIVALENCE Procedure 17-6

18 DBMS_ADVISOR

DBMS_ADVISOR Deprecated Subprograms 18-1
DBMS_ADVISOR Security Model 18-2
Summary of DBMS_ADVISOR Subprograms 18-2
ADD_SQLWKLD_REF Procedure 18-5
ADD_SQLWKLD_STATEMENT Procedure 18-6
ADD_STS_REF Procedure 18-8
CANCEL_TASK Procedure 18-9
COPY_SQLWKLD_TO_STS Procedure 18-10
CREATE_FILE Procedure 18-11
CREATE_OBJECT Procedure 18-12
CREATE_SQLWKLD Procedure 18-14
CREATE_TASK Procedures 18-15
DELETE_SQLWKLD Procedure 18-17
DELETE_SQLWKLD_REF Procedure 18-18
DELETE_SQLWKLD_STATEMENT Procedure 18-19
DELETE_STS_REF Procedure 18-20
DELETE_TASK Procedure 18-21
EXECUTE_TASK Procedure 18-21
GET_REC_ATTRIBUTES Procedure 18-23
GET_TASK_REPORT Function 18-24
GET_TASK_SCRIPT Function 18-25
IMPLEMENT_TASK Procedure 18-26
IMPORT_SQLWKLD_SCHEMA Procedure 18-27
IMPORT_SQLWKLD_SQLCACHE Procedure 18-28
IMPORT_SQLWKLD_STS Procedure 18-30
IMPORT_SQLWKLD_SUMADV Procedure 18-31
IMPORT_SQLWKLD_USER Procedure 18-33
INTERRUPT_TASK Procedure 18-34
MARK_RECOMMENDATION Procedure 18-35
QUICK_TUNE Procedure 18-36
RESET_SQLWKLD Procedure 18-38
RESET_TASK Procedure 18-39
SET_DEFAULT_SQLWKLD_PARAMETER Procedure 18-39
SET_DEFAULT_TASK_PARAMETER Procedure 18-40
SET_SQLWKLD_PARAMETER Procedure 18-41
SET_TASK_PARAMETER Procedure 18-43
TUNE_MVIEW Procedure 18-57

UPDATE_OBJECT Procedure 18-59
UPDATE_REC_ATTRIBUTES Procedure 18-61
UPDATE_SQLWKLD_ATTRIBUTES Procedure 18-62
UPDATE_SQLWKLD_STATEMENT Procedure 18-63
UPDATE_TASK_ATTRIBUTES Procedure 18-65

19 DBMS_AUTOIM

Using DBMS_AUTOIM 19-1
Summary of DBMS_AUTOIM Subprograms 19-1
SET_PARAMETER Procedure 19-1
ACTIVITY_REPORT Function 19-2

20 DBMS_ALERT

DBMS_ALERT Overview 20-1
DBMS_ALERT Security Model 20-1
DBMS_ALERT Constants 20-1
DBMS_ALERT Restrictions 20-2
DBMS_ALERT Exceptions 20-2
DBMS_ALERT Operational Notes 20-2
DBMS_ALERT Examples 20-3
Summary of DBMS_ALERT Subprograms 20-4
REGISTER Procedure 20-4
REMOVE Procedure 20-5
REMOVEALL Procedure 20-5
SET_DEFAULTS Procedure 20-5
SIGNAL Procedure 20-6
WAITANY Procedure 20-6
WAITONE Procedure 20-7

21 DBMS_APP_CONT

DBMS_APP_CONT Overview 21-1
DBMS_APP_CONT Security Model 21-2
Summary of DBMS_APP_CONT Subprograms 21-2
APPLY_REPLAY_RULE Procedure 21-2
GET_LTXID_OUTCOME Procedure 21-3
GET_REPLAY_RULES Function 21-4
RESET_REPLAY_RULES Procedure 21-5

22 DBMS_APP_CONT_ADMIN

DBMS_APP_CONT_ADMIN Security Model 22-1
Summary of DBMS_APP_CONT_ADMIN Subprograms 22-1
- ACCHK_CLEAR_FILTER Procedure 22-2
- ACCHK_PURGE Procedure 22-3
- ACCHK_SET Procedure 22-4
- ACCHK_SET_FILTER Procedure 22-6
- ACCHK_SHOW_FILTERS Procedure 22-7
- ADD_SQL_CONNECTION_TEST Procedure 22-7
- CHECK_REPLAY_RULES Procedure 22-8
- CREATE_CHILD_SERVICE Procedure 22-9
- DELETE_CHILD_SERVICE Procedure 22-9
- DELETE_SQL_CONNECTION_TEST Procedure 22-10
- DISABLE_CONNECTION_TEST Procedure 22-10
- DISABLE_FAILOVER Procedure 22-11
- DISABLE_SMART_CONNECTION Procedure 22-12
- ENABLE_AC Procedure 22-12
- ENABLE_CONNECTION_TEST Procedure 22-13
- ENABLE_RESET_STATE Procedure 22-14
- ENABLE_SMART_CONNECTION Procedure 22-15
- ENABLE_TAC Procedure 22-15
- ENABLE_TAF Procedure 22-16
- ENABLE_TG Procedure 22-17
- MODIFY_SERVICE Procedure 22-18
- RESET_REPLAY_RULES Procedure 22-21
- SET_DRAINING Procedure 22-21
- SET_LOAD_BALANCING Procedure 22-22
- SET_REPLAY_RULES Procedure 22-23

23 DBMS_APP_CONT_REPORT

DBMS_APP_CONT_REPORT Security Model 23-1
Summary of DBMS_APP_CONT_REPORT Subprograms 23-1
- ACCHK_REPORT Procedure 23-1

24 DBMS_APPLICATION_INFO

DBMS_APPLICATION_INFO Overview 24-1
DBMS_APPLICATION_INFO Security Model 24-1
DBMS_APPLICATION_INFO Operational Notes 24-1
Summary of DBMS_APPLICATION_INFO Subprograms 24-2

READ_CLIENT_INFO Procedure 24-2
READ_MODULE Procedure 24-2
SET_ACTION Procedure 24-3
SET_CLIENT_INFO Procedure 24-4
SET_MODULE Procedure 24-5
SET_SESSION_LONGOPS Procedure 24-5

25 DBMS_APPLY_ADM

DBMS_APPLY_ADM Overview 25-1
DBMS_APPLY_ADM Security Model 25-2
DBMS_APPLY_ADM Deprecated Subprograms 25-3
Summary of DBMS_APPLY_ADM Subprograms 25-3
ALTER_APPLY Procedure 25-5
CLEAR_KEY_COLUMNS Procedure 25-10
COMPARE_OLD_VALUES Procedure 25-11
CREATE_APPLY Procedure 25-13
CREATE_OBJECT_DEPENDENCY Procedure 25-19
DELETE_ALL_ERRORS Procedure 25-20
DELETE_ERROR Procedure 25-20
DROP_APPLY Procedure 25-21
DROP_OBJECT_DEPENDENCY Procedure 25-22
EXECUTE_ALL_ERRORS Procedure 25-23
EXECUTE_ERROR Procedure 25-24
GET_ERROR_MESSAGE Function 25-26
HANDLE_COLLISIONS 25-28
SET_DML_CONFLICT_HANDLER Procedure 25-28
SET_DML_HANDLER Procedure 25-34
SET_ENQUEUE_DESTINATION Procedure 25-38
SET_EXECUTE Procedure 25-40
SET_GLOBAL_INSTANTIATION_SCN Procedure 25-41
SET_KEY_COLUMNS Procedures 25-45
SET_PARAMETER Procedure 25-48
SET_REPERROR_HANDLER Procedure 25-69
SET_SCHEMA_INSTANTIATION_SCN Procedure 25-70
SET_TABLE_INSTANTIATION_SCN Procedure 25-73
SET_UPDATE_CONFLICT_HANDLER Procedure 25-75
SET_VALUE_DEPENDENCY Procedure 25-79
START_APPLY Procedure 25-80
STOP_APPLY Procedure 25-81

26 DBMS_AQ

DBMS_AQ Security Model 26-1
DBMS_AQ Constants 26-2
DBMS_AQ Data Types 26-3
DBMS_AQ Operational Notes 26-5
Summary of DBMS_AQ Subprograms 26-5
- BIND_AGENT Procedure 26-6
- DEQUEUE Procedure 26-7
- DEQUEUE_ARRAY Function 26-9
- ENQUEUE Procedure 26-10
- ENQUEUE_ARRAY Function 26-11
- LISTEN Procedures 26-12
- POST Procedure 26-13
- REGISTER Procedure 26-14
- SEEK Procedure 26-15
- UNBIND_AGENT Procedure 26-16
- UNREGISTER Procedure 26-16

27 DBMS_AQADM

DBMS_AQADM Security Model 27-1
DBMS_AQADM Constants 27-2
DBMS_AQADM Subprogram Groups 27-3
- DBMS_AQADM Queue Table Subprograms 27-3
- DBMS_AQADM Privilege Subprograms 27-4
- DBMS_AQADM Queue Subprograms 27-4
- DBMS_AQADM Subscriber Subprograms 27-5
- DBMS_AQADM OKafka Subprograms 27-5
- DBMS_AQADM Propagation Subprograms 27-5
- DBMS_AQADM Miscellaneous Subprograms 27-6
- DBMS_AQADM Agent Subprograms 27-6
- DBMS_AQADM Alias Subprograms 27-7

Summary of DBMS_AQADM Subprograms 27-7
- ADD_ALIAS_TO_LDAP Procedure 27-10
- ADD_SUBSCRIBER Procedure 27-10
- ALTER_AQ_AGENT Procedure 27-11
- ALTER_PROPAGATION_SCHEDULE Procedure 27-12
- ALTER_QUEUE Procedure 27-13
- ALTER_QUEUE_TABLE Procedure 27-14
- ALTER_SHARDED_QUEUE Procedure 27-15
- ALTER_SUBSCRIBER Procedure 27-16

ALTER_TRANSACTIONAL_EVENT_QUEUE Procedure 27-16
CREATE_AQ_AGENT Procedure 27-17
CREATE_DATABASE_KAFKA_TOPIC Procedure 27-18
CREATE_NP_QUEUE Procedure 27-19
CREATE_QUEUE Procedure 27-20
CREATE_QUEUE_TABLE Procedure 27-21
CREATE_SHARDED_QUEUE Procedure 27-24
CREATE_EXCEPTION_QUEUE Procedure 27-25
CREATE_EQ EXCEPTION_QUEUE Procedure 27-26
CREATE_TRANSACTIONAL_EVENT_QUEUE Procedure 27-26
DEL_ALIAS_FROM_LDAP Procedure 27-27
DISABLE_DB_ACCESS Procedure 27-28
DISABLE_PROPAGATION_SCHEDULE Procedure 27-28
DROP_AQ_AGENT Procedure 27-29
DROP_DATABASE_KAFKA_TOPIC Procedure 27-29
DROP_QUEUE Procedure 27-30
DROP_QUEUE_TABLE Procedure 27-30
DROP_SHARDED_QUEUE Procedure 27-31
DROP_TRANSACTIONAL_EVENT_QUEUE Procedure 27-31
ENABLE_DB_ACCESS Procedure 27-32
ENABLE_JMS_TYPES Procedure 27-32
ENABLE_PROPAGATION_SCHEDULE Procedure 27-33
GET_MAX_STREAMS_POOL Procedure 27-33
GET_MIN_STREAMS_POOL Procedure 27-34
GET_QUEUE_PARAMETER Procedure 27-34
GET_WATERMARK Procedure 27-37
GRANT_QUEUE_PRIVILEGE Procedure 27-37
GRANT_SYSTEM_PRIVILEGE Procedure 27-37
MIGRATE_QUEUE_TABLE Procedure 27-38
MOVE_QUEUE_TABLE Procedure 27-39
PURGE_QUEUE_TABLE Procedure 27-41
QUEUE_SUBSCRIBERS Function 27-42
REMOVE_SUBSCRIBER Procedure 27-42
REVOKE_QUEUE_PRIVILEGE Procedure 27-43
REVOKE_SYSTEM_PRIVILEGE Procedure 27-43
SCHEDULE_PROPAGATION Procedure 27-44
SET_QUEUE_PARAMETER Procedure 27-46
SET_MAX_STREAMS_POOL Procedure 27-49
SET_MIN_STREAMS_POOL Procedure 27-49
SET_WATERMARK Procedure 27-49
START_QUEUE Procedure 27-50
STOP_QUEUE Procedure 27-50

UNSCHEDULE_PROPAGATION Procedure 27-51
UNSET_QUEUE_PARAMETER Procedure 27-52
VERIFY_QUEUE_TYPES Procedure 27-54

28 DBMS_AQELM

DBMS_AQELM Security Model 28-1
Summary of DBMS_AQELM Subprograms 28-1
SET_MAILHOST Procedure 28-1
SET_MAILPORT Procedure 28-2
SET_SENDFROM Procedure 28-2

29 DBMS_AQIN

DBMS_AQIN Security Model 29-1

30 DBMS_AQMIGTOOL

DBMS_AQMIGTOOL Security Model 30-1
DBMS_AQMIGTOOL Constants 30-1
Summary of DBMS_AQMIGTOOL Subprograms 30-2
CANCEL_MIGRATION Procedure 30-3
CHECK_MIGRATED_MESSAGES Procedure 30-4
CHECK_MIGRATION_TO_TXEVENTQ Procedure 30-4
CHECK_STATUS Procedure 30-5
CLEAR_UNSUPPORTED_FEATURE_TABLE Procedure 30-7
COMMIT_MIGRATION Procedure 30-8
DISABLE_MIGRATION_CHECK Procedure 30-8
INIT_MIGRATION Procedure 30-9
PURGE_QUEUE_MESSAGES Procedure 30-11
RECOVER_MIGRATION Procedure 30-12
RENAME_QUEUE Procedure 30-13

31 DBMS_ASSERT

DBMS_ASSERT Operational Notes 31-1
Summary of DBMS_ASSERT Subprograms 31-1
ENQUOTE_LITERAL Function 31-2
ENQUOTE_NAME Function 31-2
NOOP Functions 31-4
QUALIFIED_SQL_NAME Function 31-4
SCHEMA_NAME Function 31-5

SIMPLE_SQL_NAME Function 31-5
SQL_OBJECT_NAME Function 31-6

32 DBMS_AUDIT_MGMT

DBMS_AUDIT_MGMT Overview 32-1
DBMS_AUDIT_MGMT Deprecated and Desupported Subprograms 32-2
DBMS_AUDIT_MGMT Security Model 32-3
DBMS_AUDIT_MGMT Constants 32-3
DBMS_AUDIT_MGMT Views 32-5
DBMS_AUDIT_MGMT Subprogram Groups 32-5
DBMS_AUDIT_MGMT Audit Trail Management Subprograms 32-5
DBMS_AUDIT_MGMT Audit Trail Cleanup Subprograms 32-6
Summary of DBMS_AUDIT_MGMT Subprograms 32-7
ALTER_PARTITION_INTERVAL Procedure 32-8
CLEAN_AUDIT_TRAIL Procedure 32-8
CLEAR_AUDIT_TRAIL_PROPERTY Procedure 32-11
CLEAR_LAST_ARCHIVE_TIMESTAMP Procedure 32-12
CREATE_PURGE_JOB Procedure 32-14
DEINIT_CLEANUP Procedure 32-15
DROP_OLD_UNIFIED_AUDIT_TABLES Procedure 32-16
DROP_PURGE_JOB Procedure 32-17
GET_AUDIT_COMMIT_DELAY Function 32-17
GET_ AUDIT_TRAIL_PROPERTY_VALUE Function 32-18
GET_LAST_ARCHIVE_TIMESTAMP Function 32-19
INIT_CLEANUP Procedure 32-20
IS_CLEANUP_INITIALIZED Function 32-22
LOAD_UNIFIED_AUDIT_FILES Procedure 32-23
SET_AUDIT_TRAIL_LOCATION Procedure 32-24
SET_AUDIT_TRAIL_PROPERTY Procedure 32-26
SET_LAST_ARCHIVE_TIMESTAMP Procedure 32-28
SET_PURGE_JOB_INTERVAL Procedure 32-30
SET_PURGE_JOB_STATUS Procedure 32-31
TRANSFER_UNIFIED_AUDIT_RECORDS Procedure 32-32

33 DBMS_AUDIT_UTIL

DBMS_AUDIT_UTIL Overview 33-1
DBMS_AUDIT_UTIL Security Model 33-1
DBMS_AUDIT_UTIL Views 33-1
Summary of DBMS_AUDIT_UTIL Subprograms 33-2
DECODE_RLS_INFO_ATRAIL_FGA Function 33-2

DECODE_RLS_INFO_ATRAIL_STD Function 33-3
DECODE_RLS_INFO_ATRAIL_UNI Function 33-4
DECODE_RLS_INFO_ATRAIL_XML Function 33-5

34 DBMS_AUTO_CLUSTERING

DBMS_AUTO_CLUSTERING Overview 34-1
Summary of DBMS_AUTO_CLUSTERING Subprograms 34-1
CONFIGURE Procedure 34-2
RECOMMEND_CLUSTERING_METHOD Function 34-4
VERIFY_RECOMMENDATION Procedure 34-5
APPLY_RECOMMENDATION Procedure 34-6
GET_RECOMMENDATION Function 34-7
REPORT ACTIVITY Function 34-7
REPORT_LAST_ACTIVITY Function 34-8

35 DBMS_AUTO_SQLTUNE

DBMS_AUTO_SQLTUNE Overview 35-1
DBMS_AUTO_SQLTUNE Security Model 35-1
Summary of DBMS_AUTO_SQLTUNE Subprograms 35-1
EXECUTE_AUTO_TUNING_TASK Function and Procedure 35-2
REPORT_AUTO_TUNING_TASK Function 35-3
SET_AUTO_TUNING_TASK_PARAMETER Procedures 35-4

36 DBMS_AUTO_INDEX

DBMS_AUTO_INDEX Overview 36-1
Summary of DBMS_AUTO_INDEX Subprograms 36-1
CONFIGURE Procedure 36-1
DROP_AUTO_INDEXES Procedure 36-6
DROP_SECONDARY_INDEXES Procedure 36-7
REPORT_ACTIVITY Function 36-8
REPORT_LAST_ACTIVITY Function 36-10
RECOMMEND Function 36-12

37 DBMS_AUTO_MV

Using DBMS_AUTO_MV 37-1
Summary of DBMS_AUTO_MV Subprograms 37-1
CONFIGURE Procedure 37-2
DROP_AUTO_MVS Procedure 37-4

RECOMMEND Function 37-5
REFRESH Procedure 37-7
REPORT_ACTIVITY Function 37-7
REPORT_LAST_ACTIVITY Function 37-8

38 DBMS_AUTO_REPORT

DBMS_AUTO_REPORT Overview 38-1
DBMS_AUTO_REPORT Security Model 38-1
Summary of DBMS_AUTO_REPORT Subprograms 38-1
FINISH_REPORT_CAPTURE Procedure 38-2
REPORT_REPOSITORY_DETAIL Function 38-2
REPORT_REPOSITORY_DETAIL_XML Function 38-3
REPORT_REPOSITORY_LIST_XML Function 38-3
START_REPORT_CAPTURE Procedure 38-5
PURGE_ALL_REPORTS Function 38-5
PURGE_REPORTS_BY_RETENTION Function 38-5

39 DBMS_AUTO_TASK_ADMIN

DBMS_AUTO_TASK_ADMIN Deprecated Subprograms 39-1
DBMS_AUTO_TASK_ADMIN Security Model 39-1
DBMS_AUTO_TASK_ADMIN Constants 39-1
Summary of DBMS_AUTO_TASK_ADMIN Subprograms 39-2
DISABLE Procedures 39-2
ENABLE Procedures 39-3
GET_CLIENT_ATTRIBUTES Procedure 39-4
GET_P1_RESOURCES Procedure 39-4
OVERRIDE_PRIORITY Procedures 39-5
SET_CLIENT_SERVICE Procedure 39-6
SET_P1_RESOURCES Procedure 39-6

40 DBMS_AUTO_ZONEMAP

DBMS_AUTO_TASK_ADMIN Security Model 40-1
Summary of DBMS_AUTO_ZONEMAP Subprograms 40-1
ACTIVITY_REPORT Function 40-1
CONFIGURE Procedure 40-4

41 DBMS_AVTUNE

DBMS_AVTUNE Overview 41-1

DBMS_AVTUNE Security Model 41-1
Summary of DBMS_AVTUNE Subprograms 41-1
AUTO_CACHE_CREATE Procedure 41-2
AUTO_CACHE_DISABLE Procedure 41-3
AUTO_CACHE_ENABLE Procedure 41-3
AUTO_CACHE_MODIFY Procedure 41-4
AUTO_CACHE_REFRESH Procedure 41-4
AUTO_CACHE_REMOVE Procedure 41-5
AUTO_CACHE_TUNE Procedure 41-5
AUTO_CACHE_STAR_DISABLE Procedure 41-6
AUTO_CACHE_STAR_ENABLE Procedure 41-6
AUTO_CACHE_STAR_MODIFY Procedure 41-7
AUTO_CACHE_STAR_REFRESH Procedure 41-7

42 DBMS_AW_STATS

Using DBMS_AW_STATS 42-1
Summary of DBMS_AW_STATS Subprograms 42-1
ANALYZE Procedure 42-1
CLEAR Procedure 42-4

43 DBMS_BLOCKCHAIN_TABLE

DBMS_BLOCKCHAIN_TABLE Overview 43-1
DBMS_BLOCKCHAIN_TABLE Security Model 43-2
Summary of DBMS_BLOCKCHAIN_TABLE Subprograms 43-2
ADD_INTERVAL_PARTITIONING Procedure 43-4
COUNTERSIGN_ROW Procedure 43-5
COUNTERSIGN_ROW_SPECIFIED_BY_KEY_COLUMNS Procedure 43-6
DELETE_EXPIRED_ROWS Procedure 43-7
GET_BLOCKCHAIN_DIGEST Function 43-8
GET_BLOCKCHAIN_DIGEST_FOR_SELECTED_ROWS Function 43-9
GET_BYTES_FOR_ROW_HASH Procedure 43-10
GET_BYTES_FOR_ROW_HASH_SPECIFIED_BY_KEY_COLUMNS Procedure 43-12
GET_BYTES_FOR_ROW_SIGNATURE Procedure 43-13
GET_BYTES_FOR_ROW_SIGNATURE_SPECIFIED_BY_KEY_COLUMNS Procedure 43-13
GET_SIGNED_BLOCKCHAIN_DIGEST Function 43-14
GET_SIGNED_BLOCKCHAIN_DIGEST_FOR_SELECTED_ROWS Function 43-16
SIGN_ROW Procedure 43-18
SIGN_ROW_SPECIFIED_BY_KEY_COLUMNS Procedure 43-19
SIGN_ROW_SPECIFIED_BY_KEY_COLUMNS_WITH_COUNTERSIGNATURE Procedure 43-20

SIGN_ROW_WITH_COUNTERSIGNATURE Procedure 43-22
VERIFY_ROWS Procedure 43-24
VERIFY_TABLE_BLOCKCHAIN Procedure 43-25
VERIFY_USER_BLOCKCHAIN_ROWS Procedure 43-26

44 DBMS_BLOCKER_RESOLVER

DBMS_BLOCKER_RESOLVER Overview 44-1
DBMS_BLOCKER_RESOLVER Security Model 44-1
DBMS_BLOCKER_RESOLVER Constants 44-2
DBMS_BLOCKER_RESOLVER Exceptions 44-3
Summary of DBMS_BLOCKER_RESOLVER Subprograms 44-3
SET Procedure 44-3

45 DBMS_CAPTURE_ADM

DBMS_CAPTURE_ADM Overview 45-1
DBMS_CAPTURE_ADM Security Model 45-1
Summary of DBMS_CAPTURE_ADM Subprograms 45-2
ABORT_GLOBAL_INSTANTIATION Procedure 45-3
ABORT_SCHEMA_INSTANTIATION Procedure 45-4
ABORT_SYNC_INSTANTIATION Procedure 45-5
ABORT_TABLE_INSTANTIATION Procedure 45-5
ALTER_CAPTURE Procedure 45-6
ALTER_SYNC_CAPTURE Procedure 45-11
BUILD Procedure 45-12
CREATE_CAPTURE Procedure 45-13
CREATE_SYNC_CAPTURE Procedure 45-23
DROP_CAPTURE Procedure 45-25
INCLUDE_EXTRA_ATTRIBUTE Procedure 45-26
PREPARE_GLOBAL_INSTANTIATION Procedure 45-27
PREPARE_SCHEMA_INSTANTIATION Procedure 45-28
PREPARE_SYNC_INSTANTIATION Function 45-29
PREPARE_TABLE_INSTANTIATION Procedure 45-30
SET_PARAMETER Procedure 45-31
START_CAPTURE Procedure 45-46
STOP_CAPTURE Procedure 45-46

46 DBMS_CACHEUTIL

DBMS_CACHEUTIL Overview 46-1
DBMS_CACHEUTIL Security Model 46-2

Summary of DBMS_CACHEUTIL Subprograms 46-2
DISSOLVE_AFFINITY Procedure 46-3
DISSOLVE_READMOSTLY Procedure 46-3
GRAB_AFFINITY Procedure 46-4
GRAB_READMOSTLY Procedure 46-5
LIST_READMOSTLY Procedure 46-6
OBJECT_DOWNCONVERT Procedure 46-6
TRUE_CACHE_KEEP Procedure 46-7
TRUE_CACHE_UNKEEP Procedure 46-7

47 DBMS_CLOUD

Installing DBMS_CLOUD 47-1
DBMS_CLOUD Endpoint Management 47-1
DBMS_CLOUD Subprograms and REST APIs 47-2
DBMS_CLOUD for Access Management 47-2
CREATE_CREDENTIAL Procedure 47-2
DROP_CREDENTIAL Procedure 47-5
UPDATE_CREDENTIAL Procedure 47-6
DBMS_CLOUD for Objects and Files 47-7
COPY_COLLECTION Procedure 47-8
COPY_DATA Procedure 47-11
COPY_DATA Procedure for Avro or Parquet Files 47-15
COPY_OBJECT Procedure 47-17
CREATE_EXTERNAL_PART_TABLE Procedure 47-18
CREATE_EXTERNAL_TABLE Procedure 47-25
CREATE_EXTERNAL_TABLE Procedure for Apache Iceberg 47-28
CREATE_EXTERNAL_TABLE Procedure for Avro or Parquet Files 47-30
CREATE_HYBRID_PART_TABLE Procedure 47-33
DELETE_ALL_OPERATIONS Procedure 47-36
DELETE_FILE Procedure 47-36
DELETE_OBJECT Procedure 47-37
DELETE_OPERATION Procedure 47-38
EXPORT_DATA Procedure 47-38
GET_OBJECT Procedure and Function 47-43
LIST_FILES Function 47-45
LIST_OBJECTS Function 47-46
MOVE_OBJECT Procedure 47-47
PUT_OBJECT Procedure 47-48
SYNC_EXTERNAL_PART_TABLE Procedure 47-50
VALIDATE_EXTERNAL_PART_TABLE Procedure 47-50
VALIDATE_EXTERNAL_TABLE Procedure 47-51

VALIDATE_HYBRID_PART_TABLE Procedure 47-52
DBMS_CLOUD for Bulk File Management 47-53
BULK_COPY Procedure 47-54
BULK_DELETE Procedure 47-56
BULK_DOWNLOAD Procedure 47-57
BULK_MOVE Procedure 47-59
BULK_UPLOAD Procedure 47-61
DBMS_CLOUD REST APIs 47-62
DBMS_CLOUD REST API Overview 47-63
DBMS_CLOUD REST API Constants 47-63
DBMS_CLOUD REST API Results Cache 47-64
GET_RESPONSE_HEADERS Function 47-64
GET_RESPONSE_RAW Function 47-65
GET_RESPONSE_STATUS_CODE Function 47-65
GET_RESPONSE_TEXT Function 47-66
GET_API_RESULT_CACHE_SIZE Function 47-66
SEND_REQUEST Function and Procedure 47-66
SET_API_RESULT_CACHE_SIZE Procedure 47-68
DBMS_CLOUD REST API Examples 47-69
DBMS_CLOUD URI Formats 47-73
Oracle Cloud Infrastructure Object Storage Native URI Format 47-73
Oracle Cloud Infrastructure Object Storage Swift URI Format 47-75
Oracle Cloud Infrastructure Object Storage URI Format Using Pre-Authenticated Request URL 47-76
URI Format Using Public URL 47-77
Oracle Cloud Infrastructure Object Storage Classic URI Format 47-78
Amazon S3 URI Format 47-78
Amazon S3 Compatible URI Format 47-79
GitHub Raw URL Format 47-80
Additional Customer-Managed URI Formats 47-81
DBMS_CLOUD Package Format Options 47-83
DBMS_CLOUD Package Format Options for EXPORT_DATA 47-94
DBMS_CLOUD Avro and Parquet Support 47-98
DBMS_CLOUD Package Format Options for Avro or Parquet 47-98
DBMS_CLOUD Package Avro to Oracle Data Type Mapping 47-100
DBMS_CLOUD Package ORC to Oracle Data Type Mapping 47-100
DBMS_CLOUD Package Parquet to Oracle Data Type Mapping 47-101
DBMS_CLOUD Package Oracle Data Type to Parquet Mapping 47-102
DBMS_CLOUD Package Avro and Parquet Complex Types 47-103
DBMS_CLOUD Package Avro and Parquet to Oracle Column Name Mapping 47-104
DBMS_CLOUD Exceptions 47-106

48 DBMS_CLOUD_AI

DBMS_CLOUD_AI Overview 48-1
Summary of DBMS_CLOUD_AI Subprograms 48-1
- CREATE_PROFILE Procedure 48-1
- DROP_PROFILE Procedure 48-2
- ENABLE_PROFILE Procedure 48-3
- DISABLE_PROFILE Procedure 48-3
- GET_PROFILE Function 48-4
- GET_PROFILE Procedure 48-4
- SET_ATTRIBUTE Procedure 48-5
- SET_PROFILE Procedure 48-6
- GENERATE Function 48-7

Profile Attributes 48-10

49 DBMS_CLOUD_NOTIFICATION

DBMS_CLOUD_NOTIFICATION Overview 49-1
Summary of DBMS_CLOUD_NOTIFICATION Subprograms 49-1
- SEND_DATA Procedure 49-1
- SEND_MESSAGE Procedure 49-5

50 DBMS_CLOUD_PIPELINE

Summary of DBMS_CLOUD_PIPELINE Subprograms 50-1
- CREATE_PIPELINE Procedure 50-1
- DROP_PIPELINE Procedure 50-2
- RESET_PIPELINE Procedure 50-2
- RUN_PIPELINE_ONCE Procedure 50-4
- SET_ATTRIBUTE Procedure 50-4
- START_PIPELINE Procedure 50-5
- STOP_PIPELINE Procedure 50-6

DBMS_CLOUD_PIPELINE Attributes 50-6
DBMS_CLOUD_PIPELINE Views 50-8

51 DBMS_CLOUD_REPO

DBMS_CLOUD_REPO Overview 51-1
DBMS_CLOUD_REPO Data Structures 51-2
DBMS_CLOUD_REPO Subprogram Groups 51-2
- DBMS_CLOUD_REPO Initialization Operations 51-2
- DBMS_CLOUD_REPO Repository Management Operations 51-2
- DBMS_CLOUD_REPO Repository Branch Management Operations 51-3

DBMS_CLOUD_REPO File Operations 51-3
DBMS_CLOUD_REPO SQL Install Operations 51-3
Summary of DBMS_CLOUD_REPO Subprograms 51-4
CREATE_BRANCH Procedure 51-4
CREATE_REPOSITORY Procedure 51-5
DELETE_BRANCH Procedure 51-6
DELETE_FILE Procedure 51-6
DELETE_REPOSITORY Procedure 51-7
EXPORT_OBJECT Procedure 51-8
EXPORT_SCHEMA Procedure 51-9
GET_FILE Procedure and Function 51-11
INIT_AWS_REPO Function 51-12
INIT_AZURE_REPO Function 51-12
INIT_GITHUB_REPO Function 51-13
INIT_REPO Function 51-14
INSTALL_FILE Procedure 51-14
INSTALL_SQL Procedure 51-15
LIST_BRANCHES Function 51-16
LIST_COMMITS Function 51-17
LIST_FILES Function 51-18
LIST_REPOSITORIES Function 51-19
MERGE_BRANCH Procedure 51-19
PUT_FILE Procedure 51-20
UPDATE_REPOSITORY Procedure 51-21

52 DBMS_COMPARISON

DBMS_COMPARISON Overview 52-1
DBMS_COMPARISON Security Model 52-2
DBMS_COMPARISON Constants 52-3
DBMS_COMPARISON Views 52-5
DBMS_COMPARISON Operational Notes 52-5
DBMS_COMPARISON Data Structures 52-9
COMPARISON_TYPE Record Type 52-10
Summary of DBMS_COMPARISON Subprograms 52-10
COMPARE Function 52-11
CONVERGE Procedure 52-12
CREATE_COMPARISON Procedure 52-13
DROP_COMPARISON Procedure 52-17
PURGE_COMPARISON Procedure 52-18
RECHECK Function 52-18

53 DBMS_COMPRESSION

DBMS_COMPRESSION Overview 53-1
DBMS_COMPRESSION Security Model 53-1
DBMS_COMPRESSION Constants 53-1
DBMS_COMPRESSION Data Structures 53-3
- COMPREC Record Type 53-3
- COMPRECLIST Table Type 53-4

Summary of DBMS_COMPRESSION Subprograms 53-4
- GET_COMPRESSION_RATIO Procedure 53-4
- GET_COMPRESSION_TYPE Function 53-12

54 DBMS_CONNECTION_POOL

Summary of DBMS_CONNECTION_POOL Subprograms 54-1
- ADD_POOL Procedure 54-2
- ALTER_PARAM Procedure 54-4
- CONFIGURE_POOL Procedure 54-5
- REMOVE_POOL Procedure 54-7
- RESTORE_DEFAULTS Procedure 54-8
- START_POOL Procedure 54-8
- STOP_POOL Procedure 54-9

55 DBMS_CQ_NOTIFICATION

DBMS_CQ_NOTIFICATION Overview 55-1
DBMS_CQ_NOTIFICATION Security Model 55-2
DBMS_CQ_NOTIFICATION Constants 55-2
DBMS_CQ_NOTIFICATION Operational Notes 55-3
DBMS_CQ_NOTIFICATION Examples 55-4
DBMS_CQ_NOTIFICATION Data Structures 55-10
- CQ_NOTIFICATION$_DESCRIPTOR Object Type 55-11
- CQ_NOTIFICATION$_QUERY Object Type 55-11
- CQ_NOTIFICATION$_QUERY_ARRAY Object (Array) Type 55-12
- CQ_NOTIFICATION$_TABLE Object Type 55-12
- CQ_NOTIFICATION$_TABLE_ARRAY Object (Array) Type 55-13
- CQ_NOTIFICATION$_ROW Object Type 55-13
- CQ_NOTIFICATION$_ROW_ARRAY Object (Array) Type 55-13
- CQ_NOTIFICATION$_REG_INFO Object Type 55-14

Summary of DBMS_CQ_NOTIFICATION Subprograms 55-16
- CQ_NOTIFICATION_QUERYID Function 55-17
- DEREGISTER Procedure 55-17

ENABLE_REG Procedure 55-18
NEW_REG_START Function 55-18
REG_END Procedure 55-19
SET_ROWID_THRESHOLD Procedure 55-19

56 DBMS_CREDENTIAL

DBMS_CREDENTIAL Overview 56-1
DBMS_CREDENTIAL Security Model 56-1
DBMS_CREDENTIAL Operational Notes 56-2
Summary of DBMS_CREDENTIAL Subprograms 56-2
CREATE_CREDENTIAL Procedure 56-3
DISABLE_CREDENTIAL Procedure 56-4
DROP_CREDENTIAL Procedure 56-5
ENABLE_CREDENTIAL Procedure 56-6
UPDATE_CREDENTIAL Procedure 56-6

57 DBMS_CRYPTO

DBMS_CRYPTO Overview 57-2
DBMS_CRYPTO Security Model 57-3
DBMS_CRYPTO Constants 57-3
DBMS_CRYPTO Datatypes 57-5
DBMS_CRYPTO Algorithms 57-5
DBMS_CRYPTO Restrictions 57-8
DBMS_CRYPTO Exceptions 57-9
DBMS_CRYPTO Operational Notes 57-9
DBMS_CRYPTO Examples 57-11
Summary of DBMS_CRYPTO Subprograms 57-15
DECRYPT Functions 57-16
DECRYPT Procedures 57-17
ECDHDERIVE_SHAREDSECRET Function 57-18
ECDH_GENKEYPAIR Function 57-19
ENCRYPT Functions 57-19
ENCRYPT Procedures 57-21
HASH Function 57-22
HASH_LEN Function 57-23
MAC Function 57-24
KMACXOF Function 57-25
PKDECRYPT Function 57-25
PKENCRYPT Function 57-26
RANDOMBYTES Function 57-26

RANDOMINTEGER Function 57-27
RANDOMNUMBER Function 57-27
SIGN Function 57-27
VERIFY Function 57-29

58 DBMS_CSX_ADMIN

DBMS_CSX_ADMIN Overview 58-1
DBMS_CSX_ADMIN Security Model 58-1
DBMS_CSX_ADMIN Constants 58-1
Summary of DBMS_CSX_ADMIN Subprograms 58-2
GETTOKENTABLEINFO Procedure & Function 58-2
GETTOKENTABLEINFOBYTABLESPACE Procedure 58-3
NAMESPACEIDTABLE Function 58-4
PATHIDTABLE Function 58-4
QNAMEIDTABLE Function 58-4

59 DBMS_CUBE

Using DBMS_CUBE 59-1
DBMS_CUBE Security Model 59-2
Using SQL Aggregation Management 59-2
Subprograms in SQL Aggregation Management 59-3
Requirements for the Relational Materialized View 59-3
Permissions for Managing and Querying Cube Materialized Views 59-4
Example of SQL Aggregation Management 59-4
Upgrading 10g Analytic Workspaces 59-8
Summary of DBMS_CUBE Subprograms 59-13
BUILD Procedure 59-13
CREATE_EXPORT_OPTIONS Procedure 59-25
CREATE_IMPORT_OPTIONS Procedure 59-28
CREATE_MVIEW Function 59-29
DERIVE_FROM_MVIEW Function 59-34
DROP_MVIEW Procedure 59-35
EXPORT_XML Procedure 59-37
EXPORT_XML_TO_FILE Procedure 59-39
IMPORT_XML Procedure 59-40
INITIALIZE_CUBE_UPGRADE Procedure 59-43
REFRESH_MVIEW Procedure 59-44
UPGRADE_AW Procedure 59-46
VALIDATE_XML Procedure 59-47

60 DBMS_CUBE_ADVISE

DBMS_CUBE_ADVISE Security Model 60-1
Summary of DBMS_CUBE_ADVISE Subprograms 60-1
MV_CUBE_ADVICE Function 60-1
SET_CNS_EXCEPTION_LOG Procedure 60-4
TRACE Procedure 60-5

61 DBMS_CUBE_LOG

Using DBMS_CUBE_LOG 61-1
DBMS_CUBE_LOG — Logging Types 61-2
DBMS_CUBE_LOG — Logging Targets 61-2
DBMS_CUBE_LOG — Verbosity Levels 61-3
DBMS_CUBE_LOG Security Model 61-3
DBMS_CUBE_LOG — Creating Cube Logs 61-3
DBMS_CUBE_LOG — Cube Build Log 61-4
DBMS_CUBE_LOG — Cube Dimension Compile Log 61-5
DBMS_CUBE_LOG — Cube Operations Log 61-6
DBMS_CUBE_LOG — Cube Rejected Records Log 61-7
Summary of DBMS_CUBE_LOG Subprograms 61-7
DEFAULT_NAME Function 61-8
DISABLE Procedure 61-9
ENABLE Procedure 61-10
FLUSH Procedure 61-11
GET_LOG Procedure 61-12
GET_LOG_SPEC Function 61-13
GET_PARAMETER Function 61-14
LEVEL_HIGH Function 61-14
LEVEL_HIGHEST Function 61-15
LEVEL_LOW Function 61-15
LEVEL_LOWEST Function 61-16
LEVEL_MEDIUM Function 61-16
SET_LOG_SPEC Procedure 61-17
SET_PARAMETER Procedure 61-17
TABLE_CREATE Procedure 61-19
TARGET_FILE Function 61-20
TARGET_LOB Function 61-20
TARGET_TABLE Function 61-20
TARGET_TRACE Function 61-21
TYPE_BUILD Function 61-21
TYPE_DIMENSION_COMPILE Function 61-22

TYPE_OPERATIONS Function 61-22
TYPE_REJECTED_RECORDS Function 61-23
VERSION Function 61-23

62 DBMS_DATA_MINING

DBMS_DATA_MINING Overview 62-1
DBMS_DATA_MINING Security Model 62-3
DBMS_DATA_MINING — Machine Learning Functions 62-3
DBMS_DATA_MINING — Model Settings 62-5
DBMS_DATA_MINING — Algorithm Names 62-5
DBMS_DATA_MINING — Automatic Data Preparation 62-6
DBMS_DATA_MINING — Machine Learning Function Settings 62-7
DBMS_DATA_MINING — Global Settings 62-20
DBMS_DATA_MINING — Algorithm Specific Model Settings 62-25
DBMS_DATA_MINING — Algorithm Settings: ALGO_EXTENSIBLE_LANG 62-25
DBMS_DATA_MINING — Algorithm Settings: CUR Matrix Decomposition 62-27
DBMS_DATA_MINING — Algorithm Settings: Decision Tree 62-28
DBMS_DATA_MINING — Algorithm Settings: Expectation Maximization 62-29
DBMS_DATA_MINING — Algorithm Settings: Explicit Semantic Analysis 62-34
DBMS_DATA_MINING — Algorithm Settings: Exponential Smoothing 62-35
DBMS_DATA_MINING — Algorithm Settings: Generalized Linear Model 62-43
DBMS_DATA_MINING — Algorithm Settings: k-Means 62-47
DBMS_DATA_MINING - Algorithm Settings: Multivariate State Estimation Technique - Sequential Probability Ratio Test 62-50
DBMS_DATA_MINING — Algorithm Settings: Naive Bayes 62-51
DBMS_DATA_MINING — Algorithm Settings: Neural Network 62-52
DBMS_DATA_MINING — Algorithm Settings: Non-Negative Matrix Factorization 62-56
DBMS_DATA_MINING — Algorithm Settings: O-Cluster 62-57
DBMS_DATA_MINING — Algorithm Settings: Random Forest 62-58
DBMS_DATA_MINING — Algorithm Constants and Settings: Singular Value Decomposition 62-59
DBMS_DATA_MINING — Algorithm Settings: Support Vector Machine 62-62
DBMS_DATA_MINING — Algorithm Settings: XGBoost 62-65
DBMS_DATA_MINING — Solver Settings 62-76
DBMS_DATA_MINING - Solver Settings: Adam 62-77
DBMS_DATA_MINING — Solver Settings: ADMM 62-77
DBMS_DATA_MINING — Solver Settings: LBFGS 62-78
DBMS_DATA_MINING Datatypes 62-79
Deprecated Types 62-80
Summary of DBMS_DATA_MINING Subprograms 62-84
ADD_COST_MATRIX Procedure 62-87
ADD_PARTITION Procedure 62-89

ALTER_REVERSE_EXPRESSION Procedure 62-90
APPLY Procedure 62-93
COMPUTE_CONFUSION_MATRIX Procedure 62-96
COMPUTE_CONFUSION_MATRIX_PART Procedure 62-102
COMPUTE_LIFT Procedure 62-109
COMPUTE_LIFT_PART Procedure 62-113
COMPUTE_ROC Procedure 62-118
COMPUTE_ROC_PART Procedure 62-123
CREATE_MODEL Procedure 62-127
CREATE_MODEL2 Procedure 62-131
Create Model Using Registration Information 62-133
DROP_ALGORITHM Procedure 62-133
DROP_PARTITION Procedure 62-134
DROP_MODEL Procedure 62-134
EXPORT_MODEL Procedure 62-135
EXPORT_SERMODEL Procedure 62-138
FETCH_JSON_SCHEMA Procedure 62-139
GET_ASSOCIATION_RULES Function 62-139
GET_FREQUENT_ITEMSETS Function 62-144
GET_MODEL_COST_MATRIX Function 62-146
GET_MODEL_DETAILS_AI Function 62-147
GET_MODEL_DETAILS_EM Function 62-149
GET_MODEL_DETAILS_EM_COMP Function 62-150
GET_MODEL_DETAILS_EM_PROJ Function 62-152
GET_MODEL_DETAILS_GLM Function 62-154
GET_MODEL_DETAILS_GLOBAL Function 62-157
GET_MODEL_DETAILS_KM Function 62-159
GET_MODEL_DETAILS_NB Function 62-161
GET_MODEL_DETAILS_NMF Function 62-163
GET_MODEL_DETAILS_OC Function 62-164
GET_MODEL_SETTINGS Function 62-166
GET_MODEL_SIGNATURE Function 62-167
GET_MODEL_DETAILS_SVD Function 62-169
GET_MODEL_DETAILS_SVM Function 62-171
GET_MODEL_DETAILS_XML Function 62-173
GET_MODEL_TRANSFORMATIONS Function 62-175
GET_TRANSFORM_LIST Procedure 62-178
IMPORT_MODEL Procedure 62-181
IMPORT_ONNX_MODEL Procedure 62-185
IMPORT_SERMODEL Procedure 62-186
JSON Schema for R Extensible Algorithm 62-187
REGISTER_ALGORITHM Procedure 62-191

RANK_APPLY Procedure 62-192
REMOVE_COST_MATRIX Procedure 62-195
RENAME_MODEL Procedure 62-196

63 DBMS_DATA_MINING_TRANSFORM

DBMS_DATA_MINING_TRANSFORM Overview 63-1
DBMS_DATA_MINING_TRANSFORM Operational Notes 63-4
DBMS_DATA_MINING_TRANSFORM — About Transformation Lists 63-6
DBMS_DATA_MINING_TRANSFORM — About Stacking and Stack Procedures 63-8
DBMS_DATA_MINING_TRANSFORM — Nested Data Transformations 63-9
DBMS_DATA_MINING_TRANSFORM Security Model 63-13
DBMS_DATA_MINING_TRANSFORM Datatypes 63-13
DBMS_DATA_MINING_TRANSFORM Constants 63-14
Summary of DBMS_DATA_MINING_TRANSFORM Subprograms 63-15
CREATE_BIN_CAT Procedure 63-17
CREATE_BIN_NUM Procedure 63-18
CREATE_CLIP Procedure 63-20
CREATE_COL_REM Procedure 63-21
CREATE_MISS_CAT Procedure 63-23
CREATE_MISS_NUM Procedure 63-24
CREATE_NORM_LIN Procedure 63-25
DESCRIBE_STACK Procedure 63-27
GET_EXPRESSION Function 63-28
INSERT_AUTOBIN_NUM_EQWIDTH Procedure 63-29
INSERT_BIN_CAT_FREQ Procedure 63-33
INSERT_BIN_NUM_EQWIDTH Procedure 63-37
INSERT_BIN_NUM_QTILE Procedure 63-41
INSERT_BIN_SUPER Procedure 63-43
INSERT_CLIP_TRIM_TAIL Procedure 63-47
INSERT_CLIP_WINSOR_TAIL Procedure 63-49
INSERT_MISS_CAT_MODE Procedure 63-52
INSERT_MISS_NUM_MEAN Procedure 63-54
INSERT_NORM_LIN_MINMAX Procedure 63-57
INSERT_NORM_LIN_SCALE Procedure 63-59
INSERT_NORM_LIN_ZSCORE Procedure 63-61
SET_EXPRESSION Procedure 63-63
SET_TRANSFORM Procedure 63-65
STACK_BIN_CAT Procedure 63-66
STACK_BIN_NUM Procedure 63-68
STACK_CLIP Procedure 63-70
STACK_COL_REM Procedure 63-72

STACK_MISS_CAT Procedure 63-74
STACK_MISS_NUM Procedure 63-76
STACK_NORM_LIN Procedure 63-78
XFORM_BIN_CAT Procedure 63-80
XFORM_BIN_NUM Procedure 63-82
XFORM_CLIP Procedure 63-84
XFORM_COL_REM Procedure 63-86
XFORM_EXPR_NUM Procedure 63-87
XFORM_EXPR_STR Procedure 63-89
XFORM_MISS_CAT Procedure 63-92
XFORM_MISS_NUM Procedure 63-94
XFORM_NORM_LIN Procedure 63-95
XFORM_STACK Procedure 63-97

64 DBMS_DATAPUMP

DBMS_DATAPUMP Overview 64-1
DBMS_DATAPUMP Security Model 64-1
DBMS_DATAPUMP Constants 64-2
DBMS_DATAPUMP Data Structures 64-3
Summary of DBMS_DATAPUMP Subprograms 64-12
ADD_FILE Procedure 64-13
ATTACH Function 64-21
DATA_FILTER Procedures 64-22
DATA_REMAP Procedure 64-25
DETACH Procedure 64-26
GET_DUMPFILE_INFO Procedure 64-27
GET_STATUS Procedure 64-30
LOG_ENTRY Procedure 64-32
METADATA_FILTER Procedure 64-33
METADATA_REMAP Procedure 64-37
METADATA_TRANSFORM Procedure 64-39
OPEN Function 64-44
SET_PARALLEL Procedure 64-47
SET_PARAMETER Procedures 64-48
START_JOB Procedure 64-57
STOP_JOB Procedure 64-58
WAIT_FOR_JOB Procedure 64-60

65 DBMS_DB_VERSION

DBMS_DB_VERSION Overview 65-1
DBMS_DB_VERSION Constants 65-2
DBMS_DB_VERSION Examples 65-3

66 DBMS_DBCOMP

Using DBMS_DBCOMP 66-1
DBMS_DBCOMP Security Model 66-2
Summary of the DBMS_DBCOMP Subprogram 66-2
    DBCOMP Procedure 66-2

67 DBMS_DBFS_CONTENT

DBMS_DBFS_CONTENT Overview 67-1
DBMS_DBFS_CONTENT Security Model 67-1
DBMS_DBFS_CONTENT Constants 67-2
Exceptions 67-13
DBMS_DBFS_CONTENT Operational Notes 67-13
DBMS_DBFS_CONTENT Data Structures 67-14
    DBMS_DBFS_CONTENT FEATURE_T Record Type 67-15
    DBMS_DBFS_CONTENT MOUNT_T Record Type 67-16
    DBMS_DBFS_CONTENT PATH_ITEM_T Record Type 67-16
    DBMS_DBFS_CONTENT PROP_ITEM_T Record Type 67-18
    PROPERTY_T Record Type 67-19
    DBMS_DBFS_CONTENT STORE_T Record Type 67-19
    DBMS_DBFS_CONTENT FEATURES_T Table Type 67-20
    MOUNTS_T Table Type 67-20
    DBMS_DBFS_CONTENT PATH_ITEMS_T Table Type 67-20
    DBMS_DBFS_CONTENT PROP_ITEMS_T Table Type 67-21
    DBMS_DBFS_CONTENT PROPERTIES_T Table Type 67-21
    STORES_T Table Type 67-21
Summary of DBMS_DBFS_CONTENT Subprograms 67-21
    CHECKACCESS Function 67-24
    CHECKSPI Functions and Procedures 67-24
    CREATEDIRECTORY Procedures 67-25
    CREATEFILE Procedures 67-26
    CREATELINK Procedures 67-27
    CREATEREFERENCE Procedures 67-28
    DECODEFEATURES Function 67-28
    DELETECONTENT Procedure 67-29

DELETEDIRECTORY Procedure 67-29
DELETEFILE Procedure 67-30
FEATURENAME Function 67-30
FLUSHSTATS Function 67-31
GETDEFAULTACL Procedure 67-31
GETDEFAULTASOF Procedure 67-31
GETDEFAULTCONTEXT Procedure 67-32
GETDEFAULTOWNER Procedure 67-32
GETDEFAULTPRINCIPAL Procedure 67-33
GETFEATURESBYMOUNT Function 67-33
GETFEATURESBYNAME Function 67-34
GETFEATURESBYPATH Function 67-34
GETPATH Procedures 67-34
GETPATHBYMOUNTID Function 67-37
GETPATHBYSTOREID Function 67-37
GETPATHNOWAIT Procedures 67-38
GETSTOREBYMOUNT Function 67-39
GETSTOREBYNAME Function 67-39
GETSTOREBYPATH Function 67-40
GETSTATS Procedure 67-40
GETTRACE Function 67-40
GETVERSION Function 67-41
ISPATHLOCKED Procedure 67-41
LIST Function 67-41
LISTALLPROPERTIES Function 67-42
LISTALLCONTENT Function 67-42
LISTMOUNTS Function 67-42
LISTSTORES Function 67-43
LOCKPATH Procedure 67-43
MOUNTSTORE Procedure 67-44
NORMALIZEPATH Functions 67-44
PROPANY Functions 67-45
PROPERTIESH2T Function 67-46
PROPERTIEST2H Function 67-46
PROPNUMBER Function 67-47
PROPRAW Function 67-47
PROPTIMESTAMP Function 67-47
PROPVARCHAR2 Function 67-48
PURGEALL Procedure 67-48
PURGEPATH Procedure 67-49
PUTPATH Procedures 67-49
REGISTERSTORE Procedure 67-51

RENAMEPATH Procedures 67-51
RESTOREALL Procedure 67-52
RESTOREPATH Procedure 67-53
SETDEFAULTACL Procedure 67-53
SETDEFAULTASOF Procedure 67-54
SETDEFAULTCONTEXT Procedure 67-54
SETDEFAULTOWNER Procedure 67-55
SETDEFAULTPRINCIPAL Procedure 67-55
SETPATH Procedures 67-56
SETSTATS Procedure 67-56
SETTRACE Procedure 67-57
SPACEUSAGE Procedure 67-57
TRACE Procedure 67-58
TRACEENABLED Function 67-59
UNLOCKPATH Procedure 67-60
UNMOUNTSTORE Procedure 67-60
UNREGISTERSTORE Procedure 67-61

68 DBMS_DBFS_CONTENT_SPI

ODBMS_DBFS_CONTENT_SPI Overview 68-1
DBMS_DBFS_CONTENT_SPI Security Model 68-2
DBMS_DBFS_CONTENT_SPI Operational Notes 68-2
Summary of DBMS_DBFS_CONTENT_SPI Subprograms 68-3
CHECKACCESS Function 68-4
CREATEDIRECTORY Procedure 68-5
CREATEFILE Procedure 68-6
CREATELINK Procedure 68-6
CREATEREFERENCE Procedure 68-7
DELETECONTENT Procedure 68-8
DELETEDIRECTORY Procedure 68-8
DELETEFILE Procedure 68-9
GETFEATURES Function 68-10
GETPATH Procedures 68-10
GETPATHBYSTOREID Function 68-11
GETPATHNOWAIT Procedure 68-12
GETSTOREID Function 68-13
GETVERSION Function 68-13
ISPATHLOCKED Procedure 68-14
LIST Function 68-14
LOCKPATH Procedure 68-15
PURGEALL Procedure 68-16

PURGEPATH Procedure 68-16
PUTPATH Procedures 68-17
RENAMEPATH Procedure 68-18
RESTOREALL Procedure 68-19
RESTOREPATH Procedure 68-19
SEARCH Function 68-20
SETPATH Procedure 68-20
SPACEUSAGE Procedure 68-21
UNLOCKPATH Procedure 68-22

69 DBMS_DBFS_HS

DBMS_DBFS_HS Overview 69-1
DBMS_DBFS_HS Security Model 69-1
DBMS_DBFS_HS Constants 69-1
DBMS_DBFS_HS Operational Notes 69-6
Summary of DBMS_DBFS_HS Subprograms 69-6
CLEANUPUNUSEDBACKUPFILES Procedure 69-7
CREATEBUCKET Procedure 69-7
CREATESTORE Procedure 69-8
DEREGSTORECOMMAND Function 69-9
DROPSTORE Procedure 69-9
FLUSHCACHE Procedure 69-10
GETSTOREPROPERTY Function 69-10
RECONFIGCACHE Procedure 69-11
REGISTERSTORECOMMAND Procedure 69-12
SENDCOMMAND Procedure 69-13
SETSTOREPROPERTY Procedure 69-13
STOREPUSH Procedure 69-17

70 DBMS_DBFS_SFS

DBMS_DBFS_SFS Overview 70-1
DBMS_DBFS_SFS Security Model 70-1
DBMS_DBFS_SFS Constants 70-1
Summary of DBMS_DBFS_SFS Subprograms 70-2
CREATEFILESYSTEM Procedure 70-3
CREATESTORE Procedure 70-4
DROPFILESYSTEM Procedures 70-5
INITFS Procedure 70-6

71 DBMS_DDL

DBMS_DDL Deprecated Subprograms 71-1
DBMS_DDL Security Model 71-1
DBMS_DDL Operational Notes 71-1
Summary of DBMS_DDL Subprograms 71-1
- ALTER_COMPILE Procedure 71-2
- ALTER_TABLE_NOT_REFERENCEABLE Procedure 71-3
- ALTER_TABLE_REFERENCEABLE Procedure 71-4
- CREATE_WRAPPED Procedures 71-4
- IS_TRIGGER_FIRE_ONCE Function 71-6
- SET_TRIGGER_FIRING_PROPERTY Procedures 71-7
- WRAP Functions 71-8

72 DBMS_DEBUG

DBMS_DEBUG Overview 72-1
DBMS_DEBUG Constants 72-2
DBMS_DEBUG Variables 72-2
DBMS_DEBUG Exceptions 72-2
DBMS_DEBUG Operational Notes 72-4
DBMS_DEBUG Data Structures 72-11
- BREAKPOINT_INFO Record Type 72-11
- PROGRAM_INFO Record Type 72-12
- RUNTIME_INFO Record Type 72-13
- BACKTRACE_TABLE Table Type 72-13
- BREAKPOINT_TABLE Table Type 72-13
- INDEX_TABLE Table Type 72-14
- VC2_TABLE Table Type 72-14

Summary of DBMS_DEBUG Subprograms 72-14
- ATTACH_SESSION Procedure 72-15
- CONTINUE Function 72-16
- DEBUG_OFF Procedure 72-16
- DEBUG_ON Procedure 72-17
- DELETE_BREAKPOINT Function 72-17
- DELETE_OER_BREAKPOINT Function 72-18
- DETACH_SESSION Procedure 72-18
- DISABLE_BREAKPOINT Function 72-18
- ENABLE_BREAKPOINT Function 72-19
- EXECUTE Procedure 72-20
- GET_INDEXES Function 72-21
- GET_MORE_SOURCE Procedure 72-22

GET_LINE_MAP Function 72-23
GET_RUNTIME_INFO Function 72-24
GET_TIMEOUT_BEHAVIOUR Function 72-24
GET_VALUE Function 72-25
INITIALIZE Function 72-27
PING Procedure 72-28
PRINT_BACKTRACE Procedure 72-28
PRINT_INSTANTIATIONS Procedure 72-29
PROBE_VERSION Procedure 72-30
SELF_CHECK Procedure 72-30
SET_BREAKPOINT Function 72-31
SET_OER_BREAKPOINT Function 72-32
SET_TIMEOUT Function 72-32
SET_TIMEOUT_BEHAVIOUR Procedure 72-33
SET_VALUE Function 72-33
SHOW_BREAKPOINTS Procedures 72-35
SHOW_FRAME_SOURCE Procedure 72-35
SHOW_SOURCE Procedures 72-36
SYNCHRONIZE Function 72-37
TARGET_PROGRAM_RUNNING Procedure 72-38

73 DBMS_DEBUG_JDWP

DBMS_DEBUG_JDWP Overview 73-1
DBMS_DEBUG_JDWP Security Model 73-1
Summary DBMS_DEBUG_JDWP Subprograms 73-2
CONNECT_TCP Procedure 73-2
CURRENT_SESSION_ID Function 73-4
CURRENT_SESSION_SERIAL Function 73-4
DISCONNECT Procedure 73-4
GET_NLS_PARAMETER Function 73-5
PROCESS_CONNECT_STRING Procedure 73-5
SET_NLS_PARAMETER Procedure 73-6

74 DBMS_DEBUG_JDWP_CUSTOM

DBMS_DEBUG_JDWP_CUSTOM Overview 74-1
DBMS_DEBUG_JDWP_CUSTOM Security Model 74-1
Summary DBMS_DEBUG_JDWP_CUSTOM Subprograms 74-1
CONNECT_DEBUGGER Procedure 74-2

75 DBMS_DESCRIBE

DBMS_DESCRIBE Overview 75-1
DBMS_DESCRIBE Security Model 75-1
DBMS_DESCRIBE Types 75-1
DBMS_DESCRIBE Exceptions 75-1
DBMS_DESCRIBE Examples 75-2
Summary of DBMS_DESCRIBE Subprograms 75-5
DESCRIBE_PROCEDURE Procedure 75-5

76 DBMS_DEVELOPER

DBMS_DEVELOPER Overview 76-1
DBMS_DEVELOPER Security 76-1
Summary of DBMS_DEVELOPER Subprograms 76-2
GET_METADATA Function 76-2
JSON Schema for Different Object and Sub-Object Types 76-21

77 DBMS_DG

Using DBMS_DG 77-1
DBMS_DG Security Model 77-2
Summary of the DBMS_DG Subprogram 77-2
INITIATE_FS_FAILOVER Procedure 77-2

78 DBMS_DICTIONARY_CHECK

Overview of Oracle Database Dictionary Check 78-1
Using DBMS_DICTIONARY_CHECK 78-1
Summary of DBMS_DICTIONARY_CHECK Subprograms 78-8

79 DBMS_DIMENSION

DBMS_DIMENSION Security Model 79-1
Summary of DBMS_DIMENSION Subprograms 79-1
DESCRIBE_DIMENSION Procedure 79-1
VALIDATE_DIMENSION Procedure 79-2

80 DBMS_DISTRIBUTED_TRUST_ADMIN

DBMS_DISTRIBUTED_TRUST_ADMIN Overview 80-1
DBMS_DISTRIBUTED_TRUST_ADMIN Security Model 80-1
DBMS_DISTRIBUTED_TRUST_ADMIN Examples 80-2

Summary of DBMS_DISTRIBUTED_TRUST_ADMIN Subprograms 80-2
ALLOW_ALL Procedure 80-3
ALLOW_SERVER Procedure 80-3
DENY_ALL Procedure 80-4
DENY_SERVER Procedure 80-4

81 DBMS_DNFS

DBMS_DNFS Security Model 81-1
Summary of DBMS_DNFS Subprograms 81-1
CLONEDB_RENAMEFILE Procedure 81-1
RESTORE_DATAFILE_PERMISSIONS Procedure 81-2
UNMOUNTVOLUME Procedure 81-2

82 DBMS_DST

DBMS_DST Overview 82-1
DBMS_DST Security Model 82-1
DBMS_DST Views 82-2
Summary of DBMS_DST Subprograms 82-2
BEGIN_PREPARE Procedure 82-3
BEGIN_UPGRADE Procedure 82-3
CREATE_AFFECTED_TABLE Procedure 82-4
CREATE_ERROR_TABLE Procedure 82-4
CREATE_TRIGGER_TABLE Procedure 82-5
END_PREPARE Procedure 82-6
END_UPGRADE Procedure 82-6
FIND_AFFECTED_TABLES Procedure 82-6
UPGRADE_DATABASE Procedure 82-7
UPGRADE_SCHEMA Procedure 82-8
UPGRADE_TABLE Procedure 82-10

83 DBMS_EDITIONS_UTILITIES

DBMS_EDITIONS_UTILITIES Overview 83-1
DBMS_EDITIONS_UTILITIES Security Model 83-1
DBMS_EDITIONS_UTILITIES Exceptions 83-1
Summary of DBMS_EDITIONS_UTILITIES Subprograms 83-1
CLEAN_UNUSABLE_EDITIONS Procedure 83-2
SET_EDITIONING_VIEWS_READ_ONLY Procedure 83-2
SET_NULL_COLUMN_VALUES_TO_EXPR Procedure 83-3

84 DBMS_EPG

DBMS_EPG Overview 84-1
DBMS_EPG Security Model 84-1
DBMS_EPG Exceptions 84-1
DBMS_EPG Data Structures 84-2
DBMS_EPG Subprogram Groups 84-2
- DBMS_EPG Configuration Subprograms 84-2
- DBMS_EPG Authorization Subprograms 84-3

Summary of DBMS_EPG Subprograms 84-3
- AUTHORIZE_DAD Procedure 84-4
- CREATE_DAD Procedure 84-5
- DEAUTHORIZE_DAD Procedure 84-5
- DELETE_DAD_ATTRIBUTE Procedure 84-6
- DELETE_GLOBAL_ATTRIBUTE Procedure 84-6
- DROP_DAD Procedure 84-7
- GET_ALL_DAD_ATTRIBUTES Procedure 84-7
- GET_ALL_DAD_MAPPINGS Procedure 84-8
- GET_ALL_GLOBAL_ATTRIBUTES Procedure 84-9
- GET_DAD_ATTRIBUTE Function 84-9
- GET_DAD_LIST Procedure 84-10
- GET_GLOBAL_ATTRIBUTE Function 84-10
- MAP_DAD Procedure 84-11
- SET_DAD_ATTRIBUTE Procedure 84-12
- SET_GLOBAL_ATTRIBUTE Procedure 84-14
- UNMAP_DAD Procedure 84-15

85 DBMS_ERRLOG

DBMS_ERRLOG Security Model 85-1
Summary of DBMS_ERRLOG Subprograms 85-1
- CREATE_ERROR_LOG Procedure 85-1

86 DBMS_FGA

DBMS_FGA Security Model 86-1
DBMS_FGA Operational Notes 86-1
Summary of DBMS_FGA Subprograms 86-1
- ADD_POLICY Procedure 86-2
- DISABLE_POLICY Procedure 86-5
- DROP_POLICY Procedure 86-6

ENABLE_POLICY Procedure 86-7

87 DBMS_FILE_TRANSFER

DBMS_FILE_TRANSFER Overview 87-1
DBMS_FILE_TRANSFER Security Model 87-1
DBMS_FILE_TRANSFER Operational Notes 87-1
Summary of DBMS_FILE_TRANSFER Subprograms 87-2
COPY_FILE Procedure 87-2
GET_FILE Procedure 87-4
PUT_FILE Procedure 87-6

88 DBMS_FLASHBACK

DBMS_FLASHBACK Overview 88-1
DBMS_FLASHBACK Security Model 88-1
DBMS_FLASHBACK Types 88-2
DBMS_FLASHBACK Exceptions 88-2
DBMS_FLASHBACK Operational Notes 88-2
DBMS_FLASHBACK Examples 88-3
Summary of DBMS_FLASHBACK Subprograms 88-5
DISABLE Procedure 88-5
ENABLE_AT_SYSTEM_CHANGE_NUMBER Procedure 88-6
ENABLE_AT_TIME Procedure 88-6
GET_SYSTEM_CHANGE_NUMBER Function 88-7
TRANSACTION_BACKOUT Procedures 88-7

89 DBMS_FLASHBACK_ARCHIVE

DBMS_FLASHBACK_ARCHIVE Overview 89-2
DBMS_FLASHBACK_ARCHIVE Security Model 89-2
DBMS_FLASHBACK_ARCHIVE Constants 89-2
Summary of DBMS_FLASHBACK_ARCHIVE Subprograms 89-3
ADD_TABLE_TO_APPLICATION Procedure 89-4
CREATE_TEMP_HISTORY_TABLE Procedure 89-4
DISABLE_APPLICATION Procedure 89-5
DISABLE_ASOF_VALID_TIME Procedure 89-5
DISASSOCIATE_FBA Procedure 89-5
DROP_APPLICATION Procedure 89-6
ENABLE_APPLICATION Procedure 89-6
ENABLE_AT_VALID_TIME Procedure 89-6
EXTEND_MAPPINGS Procedure 89-7

GET_CURRENT_LIFESPAN_DIGEST Function 89-7
GET_SYS_CONTEXT Function 89-8
IMPORT_HISTORY Procedure 89-9
LOCK_DOWN_APPLICATION Procedure 89-10
PURGE_CONTEXT Procedure 89-10
REASSOCIATE_FBA Procedure 89-10
REGISTER_APPLICATION Procedure 89-11
REMOVE_TABLE_FROM_APPLICATION Procedure 89-12
SET_CONTEXT_LEVEL Procedure 89-12
VERIFY_BLOCKCHAIN_LIFESPAN Procedure 89-12

90 DBMS_FLASHBACK_ARCHIVE_MIGRATE

DBMS_FLASHBACK_ARCHIVE_MIGRATE Overview 90-1
DBMS_FLASHBACK_ARCHIVE_MIGRATE Security Model 90-1
DBMS_FLASHBACK_ARCHIVE_MIGRATE Operational Notes 90-2
DBMS_FLASHBACK_ARCHIVE_MIGRATE Examples 90-3
Summary of DBMS_FLASHBACK Subprograms 90-4
EXPORT Procedure 90-5
EXPORT_ANALYZE Procedure 90-5
IMPORT Procedure 90-6

91 DBMS_FREQUENT_ITEMSET

Summary of DBMS_FREQUENT_ITEMSET Subprograms 91-1
FI_HORIZONTAL Function 91-1
FI_TRANSACTIONAL Function 91-3

92 DBMS_FS

DBMS_FS Overview 92-1
DBMS_FS Security Model 92-1
Summary of DBMS_FS Subprograms 92-1
DESTROY_ORACLE_FS Procedure 92-2
FS_EXISTS Procedure 92-3
LIST_FILES Procedure 92-3
MAKE_ORACLE_FS Procedure 92-4
MOUNT_ORACLE_FS Procedure 92-5
UNMOUNT_ORACLE_FS Procedure 92-9

93 DBMS_GOLDENGATE_ADM

Using DBMS_GOLDENGATE_ADM 93-1
DBMS_GOLDENGATE_ADM Overview 93-1
DBMS_GOLDENGATE_ADM Security Model 93-2
Summary of DBMS_GOLDENGATE_ADM Subprograms 93-2
ADD_AUTO_CDR Procedure 93-3
ADD_AUTO_CDR_COLUMN_GROUP Procedure 93-5
ADD_AUTO_CDR_DELTA_RES Procedure 93-6
ALTER_AUTO_CDR Procedure 93-7
ALTER_AUTO_CDR_COLUMN_GROUP Procedure 93-10
DELETE_PROCREP_EXCLUSION_OBJ Procedure 93-10
GG_PROCEDURE_REPLICATION_ON Function 93-11
INSERT_PROCREP_EXCLUSION_OBJ Procedure 93-11
PURGE_TOMBSTONES Procedure 93-12
REMOVE_AUTO_CDR Procedure 93-12
REMOVE_AUTO_CDR_COLUMN_GROUP Procedure 93-13
REMOVE_AUTO_CDR_DELTA_RES Procedure 93-13

94 DBMS_GOLDENGATE_AUTH

DBMS_GOLDENGATE_AUTH Overview 94-1
DBMS_GOLDENGATE_AUTH Security Model 94-1
Summary of DBMS_GOLDENGATE_AUTH Subprograms 94-1
GRANT_ADMIN_PRIVILEGE Procedure 94-2
REVOKE_ADMIN_PRIVILEGE Procedure 94-5

95 DBMS_HADOOP

DBMS_HADOOP Overview 95-1
DBMS_HADOOP Security Model 95-1
Summary of DBMS_HADOOP Subprograms 95-1
CREATE_EXTDDL_FOR_HIVE Procedure 95-2
CREATE_HYBRID_PARTNED_TABLE Procedure 95-3
SYNCHRONIZE_PARTITIONS_FOR_HIVE Procedure 95-3

96 DBMS_HEAT_MAP

DBMS_HEAT_MAP Overview 96-1
DBMS_HEAT_MAP Security Model 96-1
Summary of DBMS_HEAT_MAP Subprograms 96-1
BLOCK_HEAT_MAP Function 96-2
EXTENT_HEAT_MAP Function 96-3

OBJECT_HEAT_MAP Function 96-4
SEGMENT_HEAT_MAP Procedure 96-5
TABLESPACE_HEAT_MAP Function 96-6

97 DBMS_HIERARCHY

DBMS_HIERARCHY Overview 97-1
DBMS_HIERARCHY Security Model 97-1
Summary of DBMS_HIERARCHY Subprograms 97-2
CREATE_VALIDATE_LOG_TABLE Procedure 97-3
CREATE_VIEW_FOR_FACT_ROWS Procedure 97-4
CREATE_VIEW_FOR_STAR_ROWS Procedure 97-5
GET_MV_SQL_FOR_AV_CACHE Function 97-6
GET_MV_SQL_FOR_STAR_CACHE Function 97-6
UPGRADE_VALIDATE_LOG_TABLE Procedure 97-7
VALIDATE_ANALYTIC_VIEW Function 97-7
VALIDATE_CHECK_SUCCESS Function 97-9
VALIDATE_HIERARCHY Function 97-10

98 DBMS_HM

DBMS_HM Security Model 98-1
Summary of DBMS_HM Subprograms 98-1
GET_RUN_REPORT Function 98-1
RUN_CHECK Procedure 98-2

99 DBMS_HPROF

DBMS_HPROF Security Model 99-1
Summary of DBMS_HPROF Subprograms 99-1
ANALYZE Function 99-2
CREATE_TABLES Procedure 99-4
START_PROFILING Procedure 99-4
STOP_PROFILING Procedure 99-5

100 DBMS_HS_PARALLEL

Using the DBMS_HS_PARALLEL Subprogram 100-1
Summary of DBMS_HS_PARALLEL Subprograms 100-1
CREATE_OR_REPLACE_VIEW Procedure 100-1
CREATE_TABLE_TEMPLATE Procedure 100-3
DROP_VIEW Procedure 100-3

LOAD_TABLE Procedure 100-4

101 DBMS_HS_PASSTHROUGH

DBMS_HS_PASSTHROUGH Overview 101-1
DBMS_HS_PASSTHROUGH Operational Notes 101-1
Summary of DBMS_HS_PASSTHROUGH Subprograms 101-1
BIND_INOUT_VARIABLE Procedure 101-2
BIND_INOUT_VARIABLE_RAW Procedure 101-3
BIND_OUT_VARIABLE Procedure 101-4
BIND_OUT_VARIABLE_RAW Procedure 101-5
BIND_VARIABLE Procedure 101-6
BIND_VARIABLE_RAW Procedure 101-7
CLOSE_CURSOR Procedure 101-8
EXECUTE_IMMEDIATE Procedure 101-9
EXECUTE_NON_QUERY Function 101-10
FETCH_ROW Function 101-10
GET_VALUE Procedure 101-11
GET_VALUE_RAW Procedure 101-12
OPEN_CURSOR Function 101-13
PARSE Procedure 101-14

102 DBMS_HYBRID_VECTOR

SEARCH 102-1
GET_SQL 102-20
SEARCHPIPELINE 102-20

103 DBMS_ILM

DBMS_ILM Overview 103-1
DBMS_ILM Security Model 103-2
DBMS_ILM Constants 103-2
DBMS_ILM Exceptions 103-2
Summary of DBMS_ILM Subprograms 103-3
ADD_TO_ILM Procedure 103-3
ARCHIVESTATENAME Function 103-4
EXECUTE_ILM Procedure 103-4
EXECUTE_ILM_TASK Procedure 103-5
PREVIEW_ILM Procedure 103-6
REMOVE_FROM_ILM Procedure 103-6

STOP_ILM Procedure 103-7

104 DBMS_ILM_ADMIN

DBMS_ILM_ADMIN Overview 104-1
DBMS_ILM_ADMIN Security Model 104-1
DBMS_ILM_ADMIN Constants 104-1
Summary of DBMS_ILM_ADMIN Subprograms 104-4
CLEAR_HEAT_MAP_ALL Procedure 104-5
CLEAR_HEAT_MAP_TABLE Procedure 104-5
CUSTOMIZE_ILM Procedure 104-6
DISABLE_AUTO_OPTIMIZE Procedure 104-6
DISABLE_ILM Procedure 104-6
ENABLE_AUTO_OPTIMIZE Procedure 104-7
ENABLE_ILM Procedure 104-7
IGNORE_AUTO_OPTIMIZE_CRITERIA Procedure 104-7
SET_HEAT_MAP_ALL Procedure 104-7
SET_HEAT_MAP_START Procedure 104-8
SET_HEAT_MAP_TABLE Procedure 104-8

105 DBMS_IMMUTABLE_TABLE

DBMS_IMMUTABLE_TABLE Overview 105-1
DBMS_IMMUTABLE_TABLE Security Model 105-1
Summary of DBMS_IMMUTABLE_TABLE Subprograms 105-1
ADD_INTERVAL_PARTITIONING Procedure 105-2
DELETE_EXPIRED_ROWS Procedure 105-2

106 DBMS_INMEMORY

DBMS_INMEMORY Overview 106-1
DBMS_INMEMORY Security Model 106-2
Summary of DBMS_INMEMORY Subprograms 106-2
IME_DROP_EXPRESSIONS Procedure 106-2
POPULATE Procedure 106-3
REPOPULATE Procedure 106-4
SEGMENT_DEALLOCATE_VERSIONS Procedure 106-4

107 DBMS_INMEMORY_ADMIN

DBMS_INMEMORY_ADMIN Overview 107-1
DBMS_INMEMORY_ADMIN Security Model 107-3

DBMS_INMEMORY_ADMIN Operational Notes 107-3
Summary of DBMS_INMEMORY_ADMIN Subprograms 107-3
AIM_GET_PARAMETER Procedure 107-4
AIM_SET_PARAMETER Procedure 107-5
FASTSTART_DISABLE Procedure 107-6
FASTSTART_ENABLE Procedure 107-7
FASTSTART_MIGRATE_STORAGE Procedure 107-9
GET_FASTSTART_TABLESPACE Function 107-10
IME_CAPTURE_EXPRESSIONS Procedure 107-11
IME_CLOSE_CAPTURE_WINDOW Procedure 107-13
IME_DROP_ALL_EXPRESSIONS Procedure 107-14
IME_GET_CAPTURE_STATE Procedure 107-14
IME_OPEN_CAPTURE_WINDOW Procedure 107-15
IME_POPULATE_EXPRESSIONS Procedure 107-16
POPULATE_WAIT Function 107-16

108 DBMS_INMEMORY_ADVISE

DBMS_INMEMORY_ADVISE Overview 108-1
Summary of DBMS_INMEMORY_ADVISE Subprograms 108-1
IS_INMEMORY_ELIGIBLE Procedure 108-1

109 DBMS_IOT

Summary of DBMS_IOT Subprograms 109-1
BUILD_CHAIN_ROWS_TABLE Procedure 109-1
BUILD_EXCEPTIONS_TABLE Procedure 109-2

110 DBMS_JAVA

111 DBMS_JOB

DBMS_JOB Security Model 111-1
DBMS_JOB Operational Notes 111-1
Summary of DBMS_JOB Subprograms 111-3
BROKEN Procedure 111-3
CHANGE Procedure 111-4
INSTANCE Procedure 111-5
INTERVAL Procedure 111-6
NEXT_DATE Procedure 111-6
REMOVE Procedure 111-7

RUN Procedure 111-7
SUBMIT Procedure 111-8
USER_EXPORT Procedures 111-10
WHAT Procedure 111-10

112 DBMS_JSON_DUALITY

DBMS_JSON_DUALITY Overview 112-1
DBMS_JSON_DUALITY Security 112-2
Summary of DBMS_JSON_Duality Subprograms 112-2
INFER_SCHEMA Function 112-4
GENERATE_SCHEMA Function 112-7
INFER_AND_GENERATE_SCHEMA Function 112-8
VALIDATE_SCHEMA_REPORT Function 112-9
IMPORT Procedure 112-10
IMPORT_ALL Procedure 112-12
VALIDATE_IMPORT_REPORT Function 112-14
BEGIN_TRANSACTION Procedure 112-15
COMMIT_TRANSACTION Procedure 112-16
REGISTER Procedure 112-16

113 DBMS_JSON

DBMS_JSON Overview 113-1
DBMS_JSON Security Model 113-1
DBMS_JSON Constants 113-1
Summary of DBMS_JSON Subprograms 113-4
ADD_VIRTUAL_COLUMNS Procedure 113-4
CREATE_VIEW Procedure 113-6
CREATE_VIEW_ON_PATH Procedure 113-7
DROP_VIRTUAL_COLUMNS Procedure 113-8
GET_INDEX_DATAGUIDE Function 113-9
GET_VIEW_SQL Function 113-10
JSON_TYPE_CONVERTIBLE_CHECK Procedure 113-11
RENAME_COLUMN Procedure 113-12

114 DBMS_JSON_SCHEMA

DBMS_JSON_SCHEMA Security Model 114-1
DBMS_JSON_SCHEMA Constants 114-1
Summary of DBMS_JSON_SCHEMA Subprograms 114-2
DESCRIBE Function 114-2

IS_SCHEMA_VALID Function 114-3
IS_VALID Function 114-3
IS_VALID Procedure 114-4
VALIDATE_REPORT Function 114-5

115 DBMS_KAFKA

DBMS_KAFKA Overview 115-1
DBMS_KAFKA LOADING Mode 115-3
CREATE_LOAD_APP 115-3
DROP_LOAD_APP 115-4
EXECUTE_LOAD_APP 115-5
DBMS_KAFKA Global Temporary Tables 115-7
LOAD_TEMP_TABLE 115-7
DBMS_KAFKA Streaming Mode 115-9
CREATE_STREAMING_APP 115-9
DROP_STREAMING_APP 115-11
INIT_OFFSET 115-12
INIT_OFFSET_TS (Milliseconds Since Epoch) 115-13
INIT_OFFSET_TS (Timestamp with Separate Timezone Parameter) 115-14
INIT_OFFSET_TS (Timestamp with Time Zone) 115-15
UPDATE_OFFSET 115-17
DBMS_KAFKA Seekable Mode 115-19
CREATE_SEEKABLE_APP 115-19
DROP_SEEKABLE_APP 115-20
SEEK_OFFSET_TS (Timestamp with Separate Timezone Parameter) 115-21
SEEK_OFFSET_TS (Timestamp in Milliseconds) 115-23
SEEK_OFFSET_TS (Timestamp with Timezone) 115-25
ADD_PARTITIONS 115-27
DROP_ALL_APPS 115-29
ENABLE_VIEW_QUERY 115-29
SET_TRACING 115-31
DBMS_KAFKA OPTIONS Passed to CREATE_xxx_APP 115-32

116 DBMS_KAFKA_ADM

DBMS_KAFKA_ADM Overview 116-1
DBMS_KAFKA_ADM Security Model 116-1
DBMS_KAFKA_ADM Constants 116-2
Summary of DBMS_KAFKA_ADM Procedures 116-3
CHECK_CLUSTER 116-4
DEREGISTER_CLUSTER 116-5

DISABLE_CLUSTER 116-6
ENABLE_CLUSTER 116-7
REGISTER_CLUSTER 116-8
UPDATE_CLUSTER_INFO 116-11

117 DBMS_LDAP

118 DBMS_LDAP_UTL

119 DBMS_LIBCACHE

DBMS_LIBCACHE Overview 119-1
DBMS_LIBCACHE Security Model 119-1
Summary of DBMS_LIBCACHE Subprograms 119-1
COMPILE_FROM_REMOTE Procedure 119-2

120 DBMS_LOB

DBMS_LOB Overview 120-1
DBMS_LOB Security Model 120-1
DBMS_LOB Constants 120-2
DBMS_LOB Datatypes 120-4
DBMS_LOB Operational Notes 120-4
DBMS_LOB Rules and Limits 120-7
DBMS_LOB Exceptions 120-10
Summary of DBMS_LOB Subprograms 120-11
APPEND Procedures 120-13
CLOB2FILE Procedure 120-14
CLOSE Procedure 120-15
COMPARE Functions 120-16
CONVERTTOBLOB Procedure 120-18
CONVERTTOCLOB Procedure 120-20
COPY Procedures 120-23
COPY_DBFS_LINK Procedures 120-24
COPY_FROM_DBFS_LINK 120-25
CREATETEMPORARY Procedures 120-26
DBFS_LINK_GENERATE_PATH Functions 120-27
ERASE Procedures 120-27
FILECLOSE Procedure 120-29

FILECLOSEALL Procedure 120-30
FILEEXISTS Function 120-30
FILEGETNAME Procedure 120-31
FILEISOPEN Function 120-32
FILEOPEN Procedure 120-33
FRAGMENT_DELETE Procedure 120-34
FRAGMENT_INSERT Procedures 120-35
FRAGMENT_MOVE Procedure 120-36
FRAGMENT_REPLACE Procedures 120-37
FREETEMPORARY Procedures 120-38
GET_DBFS_LINK Functions 120-39
GET_DBFS_LINK_STATE Procedures 120-40
GET_LOB_DEDUPLICATION_RATIO Function 120-41
GETCONTENTTYPE Functions 120-42
GET_STORAGE_LIMIT Function 120-43
GETCHUNKSIZE Functions 120-44
GETLENGTH Functions 120-45
GETOPTIONS Functions 120-46
INSTR Functions 120-47
ISOPEN Functions 120-49
ISREMOTE Function 120-50
ISSECUREFILE Function 120-50
ISTEMPORARY Functions 120-51
LOADBLOBFROMFILE Procedure 120-52
LOADCLOBFROMFILE Procedure 120-53
MOVE_TO_DBFS_LINK Procedures 120-56
OPEN Procedures 120-57
READ Procedures 120-58
SET_DBFS_LINK Procedures 120-60
SETCONTENTTYPE Procedure 120-61
SETOPTIONS Procedures 120-62
SUBSTR Functions 120-63
TRIM Procedures 120-65
WRITE Procedures 120-66
WRITEAPPEND Procedures 120-68

121 DBMS_LOCK

DBMS_LOCK Overview 121-1
DBMS_LOCK Security Model 121-1
DBMS_LOCK Constants 121-2
DBMS_LOCK. Rules and Limits 121-2

DBMS_LOCK Operational Notes 121-3
Summary of DBMS_LOCK Subprograms 121-3
ALLOCATE_UNIQUE Procedure 121-3
ALLOCATE_UNIQUE_AUTONOMOUS Procedure 121-5
CONVERT Function 121-6
RELEASE Function 121-7
REQUEST Function 121-8

122 DBMS_LOGMNR

DBMS_LOGMNR Overview 122-1
DBMS_LOGMNR Security Model 122-2
DBMS_LOGMNR Constants 122-2
DBMS_LOGMNR Views 122-4
DBMS_LOGMNR Operational Notes 122-4
Summary of DBMS_LOGMNR Subprograms 122-4
ADD_LOGFILE Procedure 122-5
COLUMN_PRESENT Function 122-7
END_LOGMNR Procedure 122-8
MINE_VALUE Function 122-9
REMOVE_LOGFILE Procedure 122-10
START_LOGMNR Procedure 122-11

123 DBMS_LOGSTDBY

DBMS_LOGSTDBY Overview 123-1
DBMS_LOGSTDBY Security Model 123-1
DBMS_LOGSTDBY Constants 123-2
Summary of DBMS_LOGSTDBY Subprograms 123-2
APPLY_SET Procedure 123-4
APPLY_UNSET Procedure 123-7
BUILD Procedure 123-7
INSTANTIATE_TABLE Procedure 123-8
IS_APPLY_SERVER Function 123-10
MAP_PRIMARY_SCN Function 123-10
PREPARE_FOR_NEW_PRIMARY Procedure 123-11
PURGE_SESSION Procedure 123-12
REBUILD Procedure 123-13
SET_TABLESPACE Procedure 123-13
SKIP Procedure 123-14
SKIP_ERROR Procedure 123-23
SKIP_TRANSACTION Procedure 123-26

UNSKIP Procedure 123-28
UNSKIP_ERROR Procedure 123-29
UNSKIP_TRANSACTION Procedure 123-30

124 DBMS_LOGMNR_D

DBMS_LOGMNR_D Overview 124-1
DBMS_LOGMNR_D Security Model 124-2
Summary of DBMS_LOGMNR_D Subprograms 124-2
BUILD Procedure 124-2
SET_TABLESPACE Procedure 124-5

125 DBMS_LOGSTDBY_CONTEXT

DBMS_LOGSTDBY_CONTEXT Overview 125-1
DBMS_LOGSTDBY_CONTEXT Security Model 125-2
Summary of DBMS_LOGSTDBY_CONTEXT Subprograms 125-2
CLEAR_ALL_CONTEXT Procedure 125-3
CLEAR_CONTEXT Procedure 125-3
GET_CONTEXT Procedure 125-3
SET_CONTEXT Procedure 125-4

126 DBMS_MEMOPTIMIZE

DBMS_MEMOPTIMIZE Overview 126-1
Summary of DBMS_MEMOPTIMIZE Subprograms 126-1
DROP_OBJECT Procedure 126-2
GET_APPLY_HWM_SEQID Function 126-3
GET_WRITE_HWM_SEQID Function 126-3
POPULATE Procedure 126-3
WRITE_END Procedure 126-4

127 DBMS_MEMOPTIMIZE_ADMIN

DBMS_MEMOPTIMIZE_ADMIN Overview 127-1
Summary of DBMS_MEMOPTIMIZE_ADMIN Subprograms 127-1
WRITES_FLUSH Procedure 127-2

128 DBMS_METADATA

DBMS_METADATA Overview 128-1
DBMS_METADATA Security Model 128-2
Rules and Limits 128-3

DBMS_METADATA Data Structures - Object and Table Types 128-3
DBMS_METADATA Subprogram Groupings 128-4
DBMS_METADATA Subprograms for Retrieving Multiple Objects From the Database 128-4
DBMS_METADATA Subprograms for Submitting XML to the Database 128-5
Summary of All DBMS_METADATA Subprograms 128-5
ADD_TRANSFORM Function 128-6
CLOSE Procedure 128-10
CONVERT Functions and Procedures 128-10
FETCH_xxx Functions and Procedures 128-12
GET_xxx Functions 128-15
GET_QUERY Function 128-19
OPEN Function 128-20
OPENW Function 128-27
PUT Function 128-28
SET_COUNT Procedure 128-29
SET_FILTER Procedure 128-30
SET_PARSE_ITEM Procedure 128-41
SET_TRANSFORM_PARAM and SET_REMAP_PARAM Procedures 128-44

129 DBMS_METADATA_DIFF

DBMS_METADATA_DIFF Overview 129-1
DBMS_METADATA_DIFF Security Model 129-1
DBMS_METADATA_DIFF — Browsing APIs for Fetching and Comparing Objects 129-2
Summary of DBMS_METADATA_DIFF Subprograms 129-3
OPENC Function 129-4
ADD_DOCUMENT Procedure 129-4
FETCH_CLOB Functions and Procedures 129-5
CLOSE Procedure 129-6

130 DBMS_MGD_ID_UTL

DBMS_MGD_ID_UTL Security Model 130-1
DBMS_MGD_ID_UTL Constants 130-2
DBMS_MGD_ID_UTL Exceptions 130-2
Summary of DBMS_MGD_ID_UTL Subprograms 130-3
ADD_SCHEME Procedure 130-4
CREATE_CATEGORY Function 130-7
EPC_TO_ORACLE_SCHEME Function 130-8
GET_CATEGORY_ID Function 130-11
GET_COMPONENTS Function 130-12
GET_ENCODINGS Function 130-13

GET_JAVA_LOGGING_LEVEL Function 130-13
GET_PLSQL_LOGGING_LEVEL Function 130-14
GET_SCHEME_NAMES Function 130-15
GET_TDT_XML Function 130-15
GET_VALIDATOR Function 130-17
REFRESH_CATEGORY Function 130-20
REMOVE_CATEGORY Procedure 130-21
REMOVE_PROXY Procedure 130-22
REMOVE_SCHEME Procedure 130-22
SET_JAVA_LOGGING_LEVEL Procedure 130-23
SET_PLSQL_LOGGING_LEVEL Procedure 130-23
SET_PROXY Procedure 130-24
VALIDATE_SCHEME Function 130-25

131 DBMS_MGWADM

DBMS_MGWADM Security Model 131-1
DBMS_MGWADM Deprecated Subprograms 131-1
DBMS_MGWADM Constants 131-2
DBMS_MGWADM Data Structures 131-5
DBMS_MGWADM SYS.MGW_MQSERIES_PROPERTIES Object Type 131-5
DBMS_MGWADM SYS.MGW_PROPERTIES Object Type 131-7
DBMS_MGWADM SYS.MGW_PROPERTY Object Type 131-8
SYS.MGW_TIBRV_PROPERTIES Object Type 131-9
Summary of DBMS_MGWADM Subprograms 131-10
ADD_SUBSCRIBER Procedure 131-12
ALTER_AGENT Procedures 131-15
ALTER_JOB Procedure 131-16
ALTER_MSGSYSTEM_LINK Procedure for TIB/Rendezvous 131-18
ALTER_MSGSYSTEM_LINK Procedure for WebSphere MQ 131-19
ALTER_PROPAGATION_SCHEDULE Procedure 131-20
ALTER_SUBSCRIBER Procedure 131-21
CLEANUP_GATEWAY Procedures 131-23
CREATE_AGENT Procedure 131-25
CREATE_JOB Procedure 131-27
CREATE_MSGSYSTEM_LINK Procedures for TIB/Rendezvous 131-30
CREATE_MSGSYSTEM_LINK Procedures for WebSphere MQ 131-31
DB_CONNECT_INFO Procedure 131-32
DISABLE_JOB Procedure 131-32
DISABLE_PROPAGATION_SCHEDULE Procedure 131-33
ENABLE_JOB Procedure 131-33
ENABLE_PROPAGATION_SCHEDULE Procedure 131-34

REGISTER_FOREIGN_QUEUE Procedure 131-34
REMOVE_AGENT Procedure 131-35
REMOVE_JOB Procedure 131-36
REMOVE_MSGSYSTEM_LINK Procedure 131-36
REMOVE_OPTION Procedure 131-37
REMOVE_SUBSCRIBER Procedure 131-38
RESET_JOB Procedure 131-39
RESET_SUBSCRIBER Procedure 131-40
SCHEDULE_PROPAGATION Procedure 131-40
SET_LOG_LEVEL Procedures 131-42
SET_OPTION Procedure 131-42
SHUTDOWN Procedures 131-44
STARTUP Procedures 131-44
UNREGISTER_FOREIGN_QUEUE Procedure 131-45
UNSCHEDULE_PROPAGATION Procedure 131-46

132 DBMS_MGWMSG

DBMS_MGWMSG Security Model 132-1
DBMS_MGWMSG Constants 132-1
DBMS_MGWMSG Types 132-3
DBMS_MGWMSG SYS.MGW_NAME_VALUE_T Type 132-3
DBMS_MGWMSG SYS.MGW_NAME_TYPE_ARRAY_T Type 132-6
DBMS_MGWMSG SYS.MGW_TEXT_VALUE_T Type 132-6
DBMS_MGWMSG SYS.MGW_RAW_VALUE_T Type 132-6
DBMS_MGWMSG SYS.MGW_BASIC_MSG_T Type 132-7
DBMS_MGWMSG SYS.MGW_NUMBER_ARRAY_T Type 132-8
DBMS_MGWMSG SYS.MGW_TIBRV_FIELD_T Type 132-8
DBMS_MGWMSG SYS.MGW_TIBRV_MSG_T Type 132-9
Summary of DBMS_MGWMSG Subprograms 132-17
LCR_TO_XML Function 132-18
NVARRAY_ADD Procedure 132-19
NVARRAY_FIND_NAME Function 132-19
NVARRAY_FIND_NAME_TYPE Function 132-20
NVARRAY_GET Function 132-21
NVARRAY_GET_BOOLEAN Function 132-21
NVARRAY_GET_BYTE Function 132-22
NVARRAY_GET_DATE Function 132-22
NVARRAY_GET_DOUBLE Function 132-23
NVARRAY_GET_FLOAT Function 132-23
NVARRAY_GET_INTEGER Function 132-24
NVARRAY_GET_LONG Function 132-24

NVARRAY_GET_RAW Function 132-25
NVARRAY_GET_SHORT Function 132-25
NVARRAY_GET_TEXT Function 132-26
XML_TO_LCR Function 132-27

133 DBMS_MLE

DBMS_MLE Overview 133-1
DBMS_MLE Security Model 133-2
Summary of DBMS_MLE Subprograms 133-2
CREATE_CONTEXT Function 133-3
DISABLE_CTX_STDERR Procedure 133-4
DISABLE_CTX_STDOUT Procedure 133-5
DISABLE_DEBUGGING Procedure 133-5
DISABLE_ICS_STDERR Procedure 133-6
DISABLE_ICS_STDOUT Procedure 133-6
DISABLE_STDERR Procedure 133-7
DISABLE_STDOUT Procedure 133-7
DROP_CONTEXT Procedure 133-8
ENABLE_DEBUGGING Procedure 133-9
EVAL Procedure 133-9
EXPORT_TO_MLE Procedure 133-11
GET_AVAILABLE_LANGUAGES Function 133-13
GET_CTX_ERROR_STACK Function 133-13
GET_ERROR_STACK Function 133-14
IMPORT_FROM_MLE Procedure 133-14
PARSE_DEBUG_OUTPUT Function 133-16
SET_CTX_STDERR Procedure 133-17
SET_CTX_STDERR_TO_DBMS_OUTPUT Procedure 133-18
SET_CTX_STDOUT Procedure 133-18
SET_CTX_STDOUT_TO_DBMS_OUTPUT Procedure 133-19
SET_ICS_STDERR Procedure 133-19
SET_ICS_STDERR_TO_DBMS_OUTPUT Procedure 133-20
SET_ICS_STDOUT Procedure 133-21
SET_ICS_STDOUT_TO_DBMS_OUTPUT Procedure 133-21
SET_STDERR Procedure 133-22
SET_STDERR_TO_DBMS_OUTPUT Procedure 133-23
SET_STDOUT Procedure 133-23
SET_STDOUT_TO_DBMS_OUTPUT Procedure 133-24

134 DBMS_MONITOR

Summary of DBMS_MONITOR Subprograms 134-1
- CLIENT_ID_STAT_DISABLE Procedure 134-2
- CLIENT_ID_STAT_ENABLE Procedure 134-2
- CLIENT_ID_TRACE_DISABLE Procedure 134-3
- CLIENT_ID_TRACE_ENABLE Procedure 134-3
- DATABASE_TRACE_DISABLE Procedure 134-4
- DATABASE_TRACE_ENABLE Procedure 134-4
- SERV_MOD_ACT_STAT_DISABLE Procedure 134-5
- SERV_MOD_ACT_STAT_ENABLE Procedure 134-5
- SERV_MOD_ACT_TRACE_DISABLE Procedure 134-7
- SERV_MOD_ACT_TRACE_ENABLE Procedure 134-8
- SESSION_TRACE_DISABLE Procedure 134-9
- SESSION_TRACE_ENABLE Procedure 134-10

135 DBMS_MVIEW

DBMS_MVIEW Operational Notes 135-1
DBMS_MVIEW Security Model 135-1
DBMS_MVIEW Rules and Limits 135-1
Summary of DBMS_MVIEW Subprograms 135-2
- BEGIN_TABLE_REORGANIZATION Procedure 135-2
- END_TABLE_REORGANIZATION Procedure 135-3
- ESTIMATE_MVIEW_SIZE Procedure 135-3
- EXPLAIN_MVIEW Procedure 135-4
- EXPLAIN_REWRITE Procedure 135-5
- I_AM_A_REFRESH Function 135-6
- PMARKER Function 135-6
- PURGE_DIRECT_LOAD_LOG Procedure 135-7
- PURGE_LOG Procedure 135-7
- PURGE_MVIEW_FROM_LOG Procedure 135-8
- REFRESH Procedures 135-9
- REFRESH_ALL_MVIEWS Procedure 135-11
- REFRESH_DEPENDENT Procedures 135-13
- REGISTER_MVIEW Procedure 135-15
- UNREGISTER_MVIEW Procedure 135-16

136 DBMS_MVIEW_STATS

DBMS_MVIEW_STATS Overview 136-1
DBMS_MVIEW_STATS Security Model 136-1

Summary of DBMS_MVIEW_STATS Subprograms 136-1
PURGE_REFRESH_STATS Procedure 136-2
SET_MVREF_STATS_PARAMS Procedure 136-3
SET_SYSTEM_DEFAULT Procedure 136-4

137 DBMS_NETWORK_ACL_ADMIN

DBMS_NETWORK_ACL_ADMIN Overview 137-1
DBMS_NETWORK_ACL_ADMIN Deprecated Subprograms 137-1
DBMS_NETWORK_ACL_ADMIN Security Model 137-2
DBMS_NETWORK_ACL_ADMIN Constants 137-2
DBMS_NETWORK_ACL_ADMIN Exceptions 137-2
DBMS_NETWORK_ACL_ADMIN Examples 137-3
Summary of DBMS_NETWORK_ACL_ADMIN Subprograms 137-4
ADD_PRIVILEGE Procedure 137-5
APPEND_HOST_ACE Procedure 137-7
APPEND_HOST_ACL Procedure 137-8
APPEND_WALLET_ACE Procedure 137-9
APPEND_WALLET_ACL Procedure 137-10
ASSIGN_ACL Procedure 137-10
ASSIGN_WALLET_ACL Procedure 137-12
CHECK_PRIVILEGE Function 137-13
CHECK_PRIVILEGE_ACLID Function 137-14
CREATE_ACL Procedure 137-14
DELETE_PRIVILEGE Procedure 137-16
DROP_ACL Procedure 137-16
REMOVE_HOST_ACE Procedure 137-17
REMOVE_WALLET_ACE Procedure 137-18
SET_HOST_ACL Procedure 137-18
SET_WALLET_ACL Procedure 137-19
UNASSIGN_ACL Procedure 137-19
UNASSIGN_WALLET_ACL Procedure 137-20

138 DBMS_NETWORK_ACL_UTILITY

DBMS_NETWORK_ACL_UTILITY Security Model 138-1
DBMS_NETWORK_ACL_UTILITY Examples 138-1
Summary of DBMS_NETWORK_ACL_UTILITY Subprograms 138-2
CONTAINS_HOST Function 138-3
DOMAIN_LEVEL Function 138-4
DOMAINS Function 138-4

EQUALS_HOST Function 138-5

139 DBMS_ODCI

Summary of DBMS_ODCI Subprograms 139-1
ESTIMATE_CPU_UNITS Function 139-1

140 DBMS_OPTIM_BUNDLE

DBMS_OPTIM_BUNDLE Security Model 140-1
Summary of DBMS_OPTIM_BUNDLE Subprograms 140-1
ENABLE_OPTIM_FIXES Procedure 140-1
GETBUGSFORBUNDLE Procedure 140-3
LISTBUNDLESWITHFCFIXES Procedure 140-3
SET_FIX_CONTROLS Procedure 140-4

141 DBMS_OUTLN

DBMS_OUTLN Overview 141-1
DBMS_OUTLN Security Model 141-2
Summary of DBMS_OUTLN Subprograms 141-2
CLEAR_USED Procedure 141-2
CREATE_OUTLINE Procedure 141-3
DROP_BY_CAT Procedure 141-3
DROP_UNUSED Procedure 141-4
EXACT_TEXT_SIGNATURES Procedure 141-4
UPDATE_BY_CAT Procedure 141-4
UPDATE_SIGNATURES Procedure 141-4

142 DBMS_OUTPUT

DBMS_OUTPUT Overview 142-1
DBMS_OUTPUT Security Model 142-1
DBMS_OUTPUT Operational Notes 142-1
DBMS_OUTPUT Exceptions 142-2
DBMS_OUTPUT Rules and Limits 142-2
DBMS_OUTPUT Examples 142-2
DBMS_OUTPUT Data Structures 142-5
CHARARR Table Type 142-5
DBMS_OUTPUT DBMSOUTPUT_LINESARRAY Object Type 142-5
Summary of DBMS_OUTPUT Subprograms 142-6
DISABLE Procedure 142-6

ENABLE Procedure 142-6
GET_LINE Procedure 142-7
GET_LINES Procedure 142-8
NEW_LINE Procedure 142-8
PUT Procedure 142-9
PUT_LINE Procedure 142-10

143 DBMS_PARALLEL_EXECUTE

DBMS_PARALLEL_EXECUTE Overview 143-1
DBMS_PARALLEL_EXECUTE Security Model 143-1
DBMS_PARALLEL_EXECUTE Constants 143-2
DBMS_PARALLEL_EXECUTE Views 143-3
DBMS_PARALLEL_EXECUTE Exceptions 143-3
DBMS_PARALLEL_EXECUTE Examples 143-3
Summary of DBMS_PARALLEL_EXECUTE Subprograms 143-6
ADM_DROP_CHUNKS Procedure 143-7
ADM_DROP_TASK Procedure 143-7
ADM_TASK_STATUS Function 143-8
ADM_STOP_TASK Procedure 143-8
CREATE_TASK Procedure 143-8
CREATE_CHUNKS_BY_NUMBER_COL Procedure 143-9
CREATE_CHUNKS_BY_ROWID Procedure 143-9
CREATE_CHUNKS_BY_SQL Procedure 143-10
DROP_TASK Procedure 143-11
DROP_CHUNKS Procedure 143-11
GENERATE_TASK_NAME Function 143-11
GET_NUMBER_COL_CHUNK Procedure 143-12
GET_ROWID_CHUNK Procedure 143-12
PURGE_PROCESSED_CHUNKS Procedure 143-13
RESUME_TASK Procedures 143-14
RUN_TASK Procedure 143-16
SET_CHUNK_STATUS Procedure 143-17
STOP_TASK Procedure 143-18
TASK_STATUS Procedure 143-18

144 DBMS_PART

DBMS_PART Security Model 144-1
DBMS_PART Operational Notes 144-1
Summary of DBMS_PART Subprograms 144-1
CLEANUP_GIDX Procedure 144-2

CLEANUP_GIDX_JOB Procedure 144-2
CLEANUP_ONLINE_OP Procedure 144-3

145 DBMS_PCLXUTIL

DBMS_PCLXUTIL Overview 145-1
DBMS_PCLXUTIL Security Model 145-2
DBMS_PCLXUTIL Operational Notes 145-2
DBMS_PCLXUTIL Rules and Limits 145-2
Summary of DBMS_PCLXUTIL Subprograms 145-3
BUILD_PART_INDEX Procedure 145-3

146 DBMS_PDB

DBMS_PDB Overview 146-1
DBMS_PDB Security Model 146-2
Summary of DBMS_PDB Subprograms 146-2
CHECK_PLUG_COMPATIBILITY Function 146-3
DESCRIBE Procedure 146-4
EXPORTRMANBACKUP Procedure 146-4
RECOVER Procedure 146-5
REMOVE_LINK Procedure 146-6
SET_DATA_LINKED Procedure 146-6
SET_EXT_DATA_LINKED Procedure 146-7
SET_METADATA_LINKED Procedure 146-8
SET_PROFILE_EXPLICIT Procedure 146-9
SET_ROLE_EXPLICIT Procedure 146-9
SET_USER_EXPLICIT Procedure 146-10

147 DBMS_PDB_ALTER_SHARING

DBMS_PDB_ALTER_SHARING Overview 147-1
DBMS_PDB_ALTER_SHARING Security Model 147-2
Summary of DBMS_PDB_ALTER_SHARING Subprograms 147-2
REMOVE_LINK Procedure 147-3
SET_DATA_LINKED Procedure 147-3
SET_EXT_DATA_LINKED Procedure 147-4
SET_METADATA_LINKED Procedure 147-5
SET_PROFILE_EXPLICIT Procedure 147-6
SET_ROLE_EXPLICIT Procedure 147-6
SET_USER_EXPLICIT Procedure 147-7

148 DBMS_PERF

DBMS_PERF Overview 148-1
DBMS_PERF Security Model 148-1
Summary of DBMS_PERF Subprograms 148-1
REPORT_PERFHUB Function 148-2
REPORT_SESSION Function 148-3
REPORT_SQL Function 148-5

149 DBMS_PIPE

DBMS_PIPE Overview 149-1
DBMS_PIPE Security Model 149-2
DBMS_PIPE Constants 149-2
DBMS_PIPE Operational Notes 149-2
DBMS_PIPE Exceptions 149-5
DBMS_PIPE Examples 149-5
Summary of DBMS_PIPE Subprograms 149-14
CREATE_PIPE Function 149-15
GET_CREDENTIAL_NAME Function 149-17
GET_LOCATION_URI Function 149-17
NEXT_ITEM_TYPE Function 149-17
PACK_MESSAGE Procedures 149-18
PURGE Procedure 149-19
RECEIVE_MESSAGE Function 149-20
RESET_BUFFER Procedure 149-24
REMOVE_PIPE Function 149-24
SEND_MESSAGE Function 149-25
SET_CREDENTIAL_NAME Procedure 149-28
SET_LOCATION_URI Procedure 149-28
UNIQUE_SESSION_NAME Function 149-29
UNPACK_MESSAGE Procedures 149-29

150 DBMS_PLSQL_CODE_COVERAGE

DBMS_PLSQL_CODE_COVERAGE Overview 150-1
DBMS_PLSQL_CODE_COVERAGE Security Model 150-1
DBMS_PLSQL_CODE_COVERAGE Constants 150-2
DBMS_PLSQL_CODE_COVERAGE Data Structures 150-2
MAP_REC Record Type 150-2
T_MAP_REC Table Type 150-3
Summary of DBMS_PLSQL_CODE_COVERAGE Subprograms 150-3

CREATE_COVERAGE_TABLES Procedure 150-3
GET_BLOCK_MAP Function 150-4
START_COVERAGE Function 150-4
STOP_COVERAGE Procedure 150-5

151 DBMS_PREDICTIVE_ANALYTICS

DBMS_PREDICTIVE_ANALYTICS Overview 151-1
DBMS_PREDICTIVE_ANALYTICS Security Model 151-1
Summary of DBMS_PREDICTIVE_ANALYTICS Subprograms 151-2
EXPLAIN Procedure 151-2
PREDICT Procedure 151-4
PROFILE Procedure 151-6

152 DBMS_PREPROCESSOR

DBMS_PREPROCESSOR Overview 152-1
DBMS_PREPROCESSOR Operating Notes 152-1
DBMS_PREPROCESSOR Data Structures 152-2
DBMS_PREPROCESSOR SOURCE_LINES_T Table Type 152-2
Summary of DBMS_PREPROCESSOR Subprograms 152-2
GET_POST_PROCESSED_SOURCE Functions 152-3
PRINT_POST_PROCESSED_SOURCE Procedures 152-4

153 DBMS_PRIVILEGE_CAPTURE

DBMS_PRIVILEGE_CAPTURE Overview 153-1
DBMS_PRIVILEGE_CAPTURE Security Model 153-1
DBMS_PRIVILEGE_CAPTURE Constants 153-1
DBMS_PRIVILEGE_CAPTURE Examples 153-2
Summary of DBMS_PRIVILEGE_CAPTURE Subprograms 153-3
CAPTURE_DEPENDENCY_PRIVS Procedure 153-3
CREATE_CAPTURE Procedure 153-3
DELETE_RUN Procedure 153-5
DISABLE_CAPTURE Procedure 153-5
DROP_CAPTURE Procedure 153-6
ENABLE_CAPTURE Procedure 153-6
GENERATE_RESULT Procedure 153-7

154 DBMS_PROCESS

DBMS_PROCESS Overview 154-1

DBMS_PROCESS Security Model 154-1
Summary of DBMS_PROCESS Subprograms 154-2
CONFIGURE_POOL Procedure 154-2
START_POOL Procedure 154-3
STOP_POOL Procedure 154-4

155 DBMS_PROFILER

DBMS_PROFILER Overview 155-1
DBMS_PROFILER Security Model 155-3
DBMS_PROFILER Operational Notes 155-3
DBMS_PROFILER Exceptions 155-5
Summary of DBMS_PROFILER Subprograms 155-6
FLUSH_DATA Function and Procedure 155-6
GET_VERSION Procedure 155-6
INTERNAL_VERSION_CHECK Function 155-7
PAUSE_PROFILER Function and Procedure 155-7
RESUME_PROFILER Function and Procedure 155-7
START_PROFILER Functions and Procedures 155-7
STOP_PROFILER Function and Procedure 155-8

156 DBMS_PROPAGATION_ADM

DBMS_PROPAGATION_ADM Overview 156-1
DBMS_PROPAGATION_ADM Security Model 156-1
Summary of DBMS_PROPAGATION_ADM Subprograms 156-1
ALTER_PROPAGATION Procedure 156-2
CREATE_PROPAGATION Procedure 156-3
DROP_PROPAGATION Procedure 156-6
START_PROPAGATION Procedure 156-7
STOP_PROPAGATION Procedure 156-7

157 DBMS_QOPATCH

DBMS_QOPATCH Overview 157-1
DBMS_QOPATCH Security Model 157-1
DBMS_QOPATCH Operational Notes 157-1
DBMS_QOPATCH Exceptions 157-1
Summary of DBMS_QOPATCH Subprograms 157-2
CHECK_PATCH_INSTALLED Function 157-3
GET_OPATCH_BUGS Function 157-3
GET_OPATCH_COUNT Function 157-4

GET_OPATCH_DATA Function 157-4
GET_OPATCH_FILES Function 157-4
GET_OPATCH_INSTALL_INFO Function 157-5
GET_OPATCH_LIST Function 157-5
GET_OPATCH_LSINVENTORY 157-5
GET_OPATCH_OLAYS Function 157-5
GET_OPATCH_PREQS Function 157-6
GET_OPATCH_XSLT 157-6
GET_PATCH_DETAILS Function 157-6
GET_SQLPATCH_STATUS Procedure 157-7
IS_PATCH_INSTALLED Function 157-7
OPATCH_COMPARE_CURRENT Function 157-7
OPATCH_COMPARE_NODES Function 157-8
SET_CURRENT_OPINST Procedure 157-8

158 DBMS_RANDOM

DBMS_RANDOM Deprecated Subprograms 158-1
DBMS_RANDOM Security Model 158-1
DBMS_RANDOM Operational Notes 158-1
Summary of DBMS_RANDOM Subprograms 158-2
INITIALIZE Procedure 158-2
NORMAL Function 158-3
RANDOM Function 158-3
SEED Procedures 158-4
STRING Function 158-4
TERMINATE Procedure 158-5
VALUE Functions 158-5

159 DBMS_REDACT

DBMS_REDACT Overview 159-1
DBMS_REDACT Security Model 159-1
DBMS_REDACT Constants 159-2
DBMS_REDACT Operating Procedures 159-2
Summary of DBMS_REDACT Subprograms 159-7
ADD_POLICY Procedure 159-7
ALTER_POLICY Procedure 159-13
APPLY_POLICY_EXPR_TO_COL Procedure 159-20
CREATE_POLICY_EXPRESSION Procedure 159-21
DISABLE_POLICY Procedure 159-22
DROP_POLICY Procedure 159-23

DROP_POLICY_EXPRESSION Procedure 159-23
ENABLE_POLICY Procedure 159-24
UPDATE_FULL_REDACTION_VALUES Procedure 159-25
UPDATE_POLICY_EXPRESSION Procedure 159-26

160 DBMS_REDEFINITION

DBMS_REDEFINITION Overview 160-1
DBMS_REDEFINITION Security Model 160-1
DBMS_REDEFINITION Constants 160-1
DBMS_REDEFINITION Operational Notes 160-2
DBMS_REDEFINITION Rules and Limits 160-3
DBMS_REDEFINITION Examples 160-3
Summary of DBMS_REDEFINITION Subprograms 160-4
ABORT_REDEF_TABLE Procedure 160-5
ABORT_ROLLBACK Procedure 160-6
ABORT_UPDATE Procedure 160-6
CAN_REDEF_TABLE Procedure 160-7
COPY_TABLE_DEPENDENTS Procedure 160-7
EXECUTE_UPDATE Procedure 160-9
FINISH_REDEF_TABLE Procedure 160-9
REDEF_TABLE Procedure 160-10
REGISTER_DEPENDENT_OBJECT Procedure 160-12
ROLLBACK Procedure 160-13
SET_PARAM Procedure 160-13
START_REDEF_TABLE Procedure 160-14
SYNC_INTERIM_TABLE Procedure 160-16
UNREGISTER_DEPENDENT_OBJECT Procedure 160-16

161 DBMS_REFRESH

DBMS_REFRESH Overview 161-1
DBMS_REFRESH Security Model 161-1
Summary of DBMS_REFRESH Subprograms 161-1
ADD Procedure 161-2
CHANGE Procedure 161-2
DESTROY Procedure 161-4
MAKE Procedure 161-4
REFRESH Procedure 161-6
SUBTRACT Procedure 161-7

162 DBMS_REPAIR

DBMS_REPAIR Overview 162-1
DBMS_REPAIR Security Model 162-1
DBMS_REPAIR Constants 162-1
DBMS_REPAIR Operating Notes 162-2
DBMS_REPAIR Exceptions 162-3
DBMS_REPAIR Examples 162-4
Summary of DBMS_REPAIR Subprograms 162-4
- ADMIN_TABLES Procedure 162-4
- CHECK_OBJECT Procedure 162-5
- DUMP_ORPHAN_KEYS Procedure 162-6
- FIX_CORRUPT_BLOCKS Procedure 162-7
- ONLINE_INDEX_CLEAN Function 162-8
- REBUILD_FREELISTS Procedure 162-9
- SEGMENT_FIX_STATUS Procedure 162-9
- SKIP_CORRUPT_BLOCKS Procedure 162-10

163 DBMS_RESCONFIG

DBMS_RESCONFIG Overview 163-1
Summary of DBMS_RESCONFIG Subprograms 163-1
- ADDREPOSITORYRESCONFIG Procedure 163-2
- ADDRESCONFIG Procedure 163-3
- APPENDRESCONFIG Procedure 163-3
- DELETEREPOSITORYRESCONFIG Procedure 163-4
- DELETERESCONFIG Procedures 163-5
- GETLISTENERS Function 163-5
- GETREPOSITORYRESCONFIG Function 163-6
- GETREPOSITORYRESCONFIGPATHS Function 163-6
- GETRESCONFIG Function 163-7
- GETRESCONFIGPATHS Function 163-7
- PATCHREPOSITORYRESCONFIGLIST Procedure 163-8

164 DBMS_RESOURCE_MANAGER

DBMS_RESOURCE_MANAGER Deprecated Subprograms 164-1
DBMS_RESOURCE_MANAGER Security Model 164-1
DBMS_RESOURCE_MANAGER Constants 164-1
Summary of DBMS_RESOURCE_MANAGER Subprograms 164-3
- BEGIN_SQL_BLOCK Procedure 164-4
- CALIBRATE_IO Procedure 164-5

CLEAR_PENDING_AREA Procedure 164-7
CREATE_CATEGORY Procedure 164-7
CREATE_CDB_PLAN Procedure 164-8
CREATE_CDB_PLAN_DIRECTIVE Procedure 164-8
CREATE_CDB_PROFILE_DIRECTIVE Procedure 164-10
CREATE_CONSUMER_GROUP Procedure 164-11
CREATE_PENDING_AREA Procedure 164-11
CREATE_PLAN Procedure 164-13
CREATE_PLAN_DIRECTIVE Procedure 164-14
CREATE_SIMPLE_PLAN Procedure 164-18
DELETE_CATEGORY Procedure 164-20
DELETE_CDB_PLAN Procedure 164-20
DELETE_CDB_PLAN_DIRECTIVE Procedure 164-21
DELETE_CDB_PROFILE_DIRECTIVE Procedure 164-21
DELETE_CONSUMER_GROUP Procedure 164-22
DELETE_PLAN Procedure 164-22
DELETE_PLAN_CASCADE Procedure 164-22
DELETE_PLAN_DIRECTIVE Procedure 164-23
DEQUEUE_PARALLEL_STATEMENT Procedure 164-23
END_SQL_BLOCK Procedure 164-24
SET_CONSUMER_GROUP_MAPPING Procedure 164-24
SET_CONSUMER_GROUP_MAPPING_PRI Procedure 164-25
SET_INITIAL_CONSUMER_GROUP Procedure 164-26
SUBMIT_PENDING_AREA Procedure 164-27
SWITCH_CONSUMER_GROUP_FOR_SESS Procedure 164-27
SWITCH_CONSUMER_GROUP_FOR_USER Procedure 164-28
SWITCH_PLAN Procedure 164-28
UPDATE_CATEGORY Procedure 164-29
UPDATE_CDB_AUTOTASK_DIRECTIVE Procedure 164-29
UPDATE_CDB_DEFAULT_DIRECTIVE Procedure 164-30
UPDATE_CDB_PLAN Procedure 164-31
UPDATE_CDB_PLAN_DIRECTIVE Procedure 164-32
UPDATE_CDB_PROFILE_DIRECTIVE Procedure 164-33
UPDATE_CONSUMER_GROUP Procedure 164-34
UPDATE_PLAN Procedure 164-35
UPDATE_PLAN_DIRECTIVE Procedure 164-36
VALIDATE_PENDING_AREA Procedure 164-40

165 DBMS_RESOURCE_MANAGER_PRIVS

Summary of DBMS_RESOURCE_MANAGER_PRIVS Subprograms 165-1
GRANT_SWITCH_CONSUMER_GROUP Procedure 165-1

GRANT_SYSTEM_PRIVILEGE Procedure 165-2
REVOKE_SWITCH_CONSUMER_GROUP Procedure 165-3
REVOKE_SYSTEM_PRIVILEGE Procedure 165-4

166 DBMS_RESULT_CACHE

DBMS_RESULT_CACHE Security Model 166-1
DBMS_RESULT_CACHE Constants 166-1
Summary of DBMS_RESULT_CACHE Subprograms 166-2
BLACK_LIST Function 166-3
BLACK_LIST_ADD Procedure 166-3
BLACK_LIST_CLEAR Procedure 166-3
BLACK_LIST_REMOVE Procedure 166-3
BYPASS Procedure 166-3
FLUSH Function & Procedure 166-4
IGNORE_LIST Function 166-5
IGNORE_LIST_ADD Procedure 166-5
IGNORE_LIST_CLEAR Procedure 166-6
IGNORE_LIST_REMOVE Procedure 166-6
INVALIDATE Functions & Procedures 166-7
INVALIDATE_OBJECT Functions & Procedures 166-7
MEMORY_REPORT Procedure 166-8
OBJECT_BLACK_LIST Function 166-8
OBJECT_BLACK_LIST_ADD Procedure 166-8
OBJECT_BLACK_LIST_CLEAR Procedure 166-9
OBJECT_BLACK_LIST_REMOVE Procedure 166-9
STATUS Function 166-9
BLOCK_LIST Function 166-9
BLOCK_LIST_ADD Procedure 166-9
BLOCK_LIST_CLEAR Procedure 166-10
BLOCK_LIST_REMOVE Procedure 166-10
OBJECT_BLOCK_LIST Function 166-10
OBJECT_BLOCK_LIST_ADD Procedure 166-10
OBJECT_BLOCK_LIST_CLEAR Procedure 166-11
OBJECT_BLOCK_LIST_REMOVE Procedure 166-11

167 DBMS_RESUMABLE

DBMS_RESUMABLE Operational Notes 167-1
Summary of DBMS_RESUMABLE Subprograms 167-1
ABORT Procedure 167-2
GET_SESSION_TIMEOUT Function 167-2

GET_TIMEOUT Function 167-3
SET_SESSION_TIMEOUT Procedure 167-3
SET_TIMEOUT Procedure 167-4
SPACE_ERROR_INFO Function 167-4

168 DBMS_RLS

DBMS_RLS Overview 168-1
DBMS_RLS Security Model 168-2
DBMS_RLS Constants 168-2
DBMS_RLS Operational Notes 168-3
DBMS_RLS Rules and Limits 168-3
Summary of DBMS_RLS Subprograms 168-3
ADD_GROUPED_POLICY Procedure 168-4
ADD_POLICY Procedure 168-5
ADD_POLICY_CONTEXT Procedure 168-10
ALTER_POLICY Procedure 168-11
ALTER_GROUPED_POLICY Procedure 168-12
CREATE_POLICY_GROUP Procedure 168-13
DELETE_POLICY_GROUP Procedure 168-13
DISABLE_GROUPED_POLICY Procedure 168-14
DROP_GROUPED_POLICY Procedure 168-15
DROP_POLICY Procedure 168-15
DROP_POLICY_CONTEXT Procedure 168-16
ENABLE_GROUPED_POLICY Procedure 168-16
ENABLE_POLICY Procedure 168-17
REFRESH_GROUPED_POLICY Procedure 168-18
REFRESH_POLICY Procedure 168-18

169 DBMS_ROLLING

DBMS_ROLLING Overview 169-1
DBMS_ROLLING Security Model 169-2
Summary of DBMS_ROLLING Subprograms 169-2
INIT_PLAN Procedure 169-3
DESTROY_PLAN Procedure 169-4
BUILD_PLAN Procedure 169-4
SET_PARAMETER Procedure 169-5
START_PLAN Procedure 169-8
SWITCHOVER Procedure 169-9
FINISH_PLAN Procedure 169-10

ROLLBACK_PLAN Procedure 169-11

170 DBMS_ROWID

DBMS_ROWID Security Model 170-1
DBMS_ROWID Types 170-1
DBMS_ROWID Exceptions 170-2
DBMS_ROWID Operational Notes 170-3
DBMS_ROWID Examples 170-4
Summary of DBMS_ROWID Subprograms 170-4
ROWID_BLOCK_NUMBER Function 170-4
ROWID_CREATE Function 170-5
ROWID_INFO Procedure 170-6
ROWID_OBJECT Function 170-7
ROWID_RELATIVE_FNO Function 170-8
ROWID_ROW_NUMBER Function 170-8
ROWID_TO_ABSOLUTE_FNO Function 170-9
ROWID_TO_EXTENDED Function 170-10
ROWID_TO_RESTRICTED Function 170-11
ROWID_TYPE Function 170-12
ROWID_VERIFY Function 170-12

171 DBMS_RULE

DBMS_RULE Overview 171-1
DBMS_RULE Security Model 171-1
Summary of DBMS_RULE Subprograms 171-1
CLOSE_ITERATOR Procedure 171-2
EVALUATE Procedure 171-3
EVALUATE_EXPRESSION Procedure 171-6
EVALUATE_EXPRESSION_ITERATOR Procedure 171-7
EVALUATE_RULE Procedure 171-8
EVALUATE_RULE_ITERATOR Procedure 171-9
GET_NEXT_HIT Function 171-9
GET_NEXT_RESULT Function 171-10
IS_FAST Procedure 171-10

172 DBMS_RULE_ADM

DBMS_RULE_ADM Overview 172-1
DBMS_RULE_ADM Security Model 172-1
Summary of DBMS_RULE_ADM Subprograms 172-1

ADD_RULE Procedure 172-2
ALTER_EVALUATION_CONTEXT Procedure 172-4
ALTER_RULE Procedure 172-6
CREATE_EVALUATION_CONTEXT Procedure 172-8
CREATE_RULE Procedure 172-9
CREATE_RULE_SET Procedure 172-11
DROP_EVALUATION_CONTEXT Procedure 172-11
DROP_RULE Procedure 172-12
DROP_RULE_SET Procedure 172-13
GRANT_OBJECT_PRIVILEGE Procedure 172-14
GRANT_SCHEMA_PRIVILEGE Procedure 172-15
GRANT_SYSTEM_PRIVILEGE Procedure 172-16
REMOVE_RULE Procedure 172-18
REVOKE_OBJECT_PRIVILEGE Procedure 172-19
REVOKE_SCHEMA_PRIVILEGE Procedure 172-19
REVOKE_SYSTEM_PRIVILEGE Procedure 172-20

173 DBMS_SAGA

DBMS_SAGA Overview 173-1
DBMS_SAGA Security Model 173-1
Summary of DBMS_SAGA Subprograms 173-1
BEGIN_SAGA Function 173-2
GET_SAGA_ID Function 173-2
SET_SAGA_ID Procedure 173-2
COMMIT_SAGA Procedure 173-3
ROLLBACK_SAGA Procedure 173-3
IS_INCOMPLETE Function 173-4
SET_INCOMPLETE Procedure 173-4
SEND_REQUEST Procedure 173-5

174 DBMS_SCHEDULER

DBMS_SCHEDULER Deprecated Subprograms 174-1
DBMS_SCHEDULER Security Model 174-1
DBMS_SCHEDULER Rules and Limits 174-1
DBMS_SCHEDULER Operational Notes 174-2
DBMS_SCHEDULER Data Structures 174-11
DBMS_SCHEDULER JOBARG Object Type 174-12
JOBARG_ARRAY Table Type 174-13
DBMS_SCHEDULER JOB_DEFINITION Object Type 174-13
JOB_DEFINITION_ARRAY Table Type 174-17

JOBATTR Object Type 174-17
JOBATTR_ARRAY Table Type 174-18
SCHEDULER$_STEP_TYPE Object Type 174-18
SCHEDULER$_STEP_TYPE_LIST Table Type 174-19
SCHEDULER$_EVENT_INFO Object Type 174-19
SCHEDULER_FILEWATCHER_RESULT Object Type 174-20
SCHEDULER_FILEWATCHER_REQUEST Object Type 174-21
Summary of DBMS_SCHEDULER Subprograms 174-22
ADD_EVENT_QUEUE_SUBSCRIBER Procedure 174-25
ADD_GROUP_MEMBER Procedure 174-26
ADD_JOB_EMAIL_NOTIFICATION Procedure 174-27
ADD_TO_INCOMPATIBILITY Procedure 174-29
ALTER_CHAIN Procedure 174-30
ALTER_RUNNING_CHAIN Procedure 174-32
CLOSE_WINDOW Procedure 174-34
COPY_JOB Procedure 174-34
CREATE_CHAIN Procedure 174-35
CREATE_CREDENTIAL Procedure 174-36
CREATE_DATABASE_DESTINATION Procedure 174-37
CREATE_EVENT_SCHEDULE Procedure 174-38
CREATE_FILE_WATCHER Procedure 174-39
CREATE_GROUP Procedure 174-40
CREATE_INCOMPATIBILITY Procedure 174-42
CREATE_JOB Procedure 174-43
CREATE_JOB_CLASS Procedure 174-51
CREATE_JOBS Procedure 174-53
CREATE_PROGRAM Procedure 174-54
CREATE_RESOURCE Procedure 174-57
CREATE_SCHEDULE Procedure 174-58
CREATE_WINDOW Procedure 174-59
DEFINE_ANYDATA_ARGUMENT Procedure 174-61
DEFINE_CHAIN_EVENT_STEP Procedure 174-62
DEFINE_CHAIN_RULE Procedure 174-63
DEFINE_CHAIN_STEP Procedure 174-66
DEFINE_METADATA_ARGUMENT Procedure 174-67
DEFINE_PROGRAM_ARGUMENT Procedure 174-68
DISABLE Procedure 174-70
DROP_AGENT_DESTINATION Procedure 174-72
DROP_CHAIN Procedure 174-73
DROP_CHAIN_RULE Procedure 174-74
DROP_CHAIN_STEP Procedure 174-75
DROP_CREDENTIAL Procedure 174-75

DROP_DATABASE_DESTINATION Procedure 174-76
DROP_FILE_WATCHER Procedure 174-77
DROP_GROUP Procedure 174-78
DROP_INCOMPATIBILITY Procedure 174-78
DROP_JOB Procedure 174-79
DROP_JOB_CLASS Procedure 174-80
DROP_PROGRAM Procedure 174-81
DROP_PROGRAM_ARGUMENT Procedure 174-81
DROP_RESOURCE Procedure 174-82
DROP_SCHEDULE Procedure 174-83
DROP_WINDOW Procedure 174-83
DUMP_IN_MEMORY_TRACE Procedure 174-84
ENABLE Procedure 174-84
END_DETACHED_JOB_RUN Procedure 174-85
EVALUATE_CALENDAR_STRING Procedure 174-86
EVALUATE_RUNNING_CHAIN Procedure 174-88
GENERATE_JOB_NAME Function 174-89
GET_AGENT_INFO Function 174-89
GET_AGENT_VERSION Function 174-90
GET_ATTRIBUTE Procedure 174-91
GET_FILE Procedure 174-91
GET_SCHEDULER_ATTRIBUTE Procedure 174-93
OPEN_WINDOW Procedure 174-94
PURGE_LOG Procedure 174-95
PUT_FILE Procedure 174-96
REMOVE_EVENT_QUEUE_SUBSCRIBER Procedure 174-97
REMOVE_FROM_INCOMPATIBILITY Procedure 174-97
REMOVE_GROUP_MEMBER Procedure 174-98
REMOVE_JOB_EMAIL_NOTIFICATION Procedure 174-99
RESET_JOB_ARGUMENT_VALUE Procedure 174-99
RUN_CHAIN Procedure 174-100
RUN_JOB Procedure 174-102
SET_AGENT_REGISTRATION_PASS Procedure 174-103
SET_ATTRIBUTE Procedure 174-104
SET_ATTRIBUTE_NULL Procedure 174-119
SET_JOB_ANYDATA_VALUE Procedure 174-120
SET_JOB_ARGUMENT_VALUE Procedure 174-121
SET_JOB_ATTRIBUTES Procedure 174-122
SET_RESOURCE_CONSTRAINT Procedure 174-123
SET_SCHEDULER_ATTRIBUTE Procedure 174-124
STOP_JOB Procedure 174-125

175 DBMS_SEARCH

176 DBMS_SERVER_ALERT

DBMS_SERVER_ALERT Security Model 176-1
DBMS_SERVER_ALERT Object Types 176-1
DBMS_SERVER_ALERT Relational Operators 176-2
DBMS_SERVER_ALERT Supported Metrics 176-2
Summary of DBMS_SERVER_ALERT Subprograms 176-6
- EXPAND_MESSAGE Function 176-6
- GET_THRESHOLD Procedure 176-7
- SET_THRESHOLD Procedure 176-8

177 DBMS_SERVICE

DBMS_SERVICE Overview 177-1
DBMS_SERVICE Security Model 177-2
DBMS_SERVICE Constants 177-2
DBMS_SERVICE Operating Procedures 177-4
DBMS_SERVICE Exceptions 177-5
Summary of DBMS_SERVICE Subprograms 177-6
- CREATE_SERVICE Procedure 177-7
- DELETE_SERVICE Procedure 177-11
- DISCONNECT_SESSION Procedure 177-11
- MODIFY_SERVICE Procedure 177-12
- START_SERVICE Procedure 177-16
- STOP_SERVICE Procedure 177-17

178 DBMS_SESSION

DBMS_SESSION Security Model 178-1
DBMS_SESSION Operational Notes 178-1
DBMS_SESSION Data Structures 178-1
- DBMS_SERVICE INTEGER_ARRAY Table Type 178-1
- DBMS_SERVICE LNAME_ARRAY Table Type 178-1

Summary of DBMS_SESSION Subprograms 178-2
- CLEAR_ALL_CONTEXT Procedure 178-3
- CLEAR_ALL_LOCAL_CONTEXTS Procedure 178-3
- CLEAR_CONTEXT Procedure 178-3
- CLEAR_IDENTIFIER Procedure 178-4
- CLOSE_DATABASE_LINK Procedure 178-4

CURRENT_IS_ROLE_ENABLED Function 178-5
FREE_UNUSED_USER_MEMORY Procedure 178-5
GET_PACKAGE_MEMORY_UTILIZATION Procedure 178-7
IS_ROLE_ENABLED Function 178-8
IS_SESSION_ALIVE Function 178-8
LIST_CONTEXT Procedures 178-9
MODIFY_PACKAGE_STATE Procedure 178-9
RESET_PACKAGE Procedure 178-13
SESSION_IS_ROLE_ENABLED Function 178-14
SESSION_TRACE_DISABLE Procedure 178-14
SESSION _TRACE_ENABLE Procedure 178-15
SET_CONTEXT Procedure 178-15
SET_EDITION_DEFERRED Procedure 178-17
SET_IDENTIFIER Procedure 178-17
SET_NLS Procedure 178-18
SET_ROLE Procedure 178-18
SET_SQL_TRACE Procedure 178-18
SLEEP Procedure 178-19
SWITCH_CURRENT_CONSUMER_GROUP Procedure 178-19
UNIQUE_SESSION_ID Function 178-21
USE_DEFAULT_EDITION_ALWAYS procedure 178-21
USE_DEFAULT_EDITION_DEFERRED procedure 178-22

179 DBMS_SFW_ACL_ADMIN

DBMS_SFW_ACL_ADMIN Security Model 179-1
DBMS_SFW_ACL_ADMIN Operational Notes 179-1
DBMS_SFW_ACL_ADMIN Examples 179-2
Summary of DBMS_SFW_ACL_ADMIN Subprograms 179-3
COMMIT_ACL Procedure 179-3
IP_ADD_ACE Procedure 179-3
IP_ADD_PDB_ACE Procedure 179-4
IP_REMOVE_ACE Procedure 179-4
IP_REMOVE_ACL Procedure 179-5
IP_REMOVE_PDB_ACE Procedure 179-5
IP_REMOVE_PDB_ACL Procedure 179-6

180 DBMS_SHARED_POOL

DBMS_SHARED_POOL Overview 180-1
DBMS_SHARED_POOL Operational Notes 180-1
Summary of DBMS_SHARED_POOL Subprograms 180-1

ABORTED_REQUEST_THRESHOLD Procedure 180-2
KEEP Procedure 180-2
MARKHOT Procedure 180-4
PURGE Procedure 180-5
PURGE_ROW_CACHE Procedure 180-6
SIZES Procedure 180-7
UNKEEP Procedure 180-7
UNMARKHOT Procedure 180-8

181 DBMS_SHARDING_DIRECTORY

DBMS_SHARDING_DIRECTORY Overview 181-1
DBMS_SHARDING_DIRECTORY Security Model 181-1
DBMS_SHARDING_DIRECTORY Public Constants 181-2
Summary of DBMS_SHARDING_DIRECTORY Subprograms 181-2
addKeyToPartition Procedure 181-2
addKeyToPartitionCommit Procedure 181-3
flagKeyForSplit Procedure 181-4
removeKey Procedure 181-4
removeKeyCommit Procedure 181-5
setAssignmentRule 181-5

182 DBMS_SODA

DBMS_SODA Security Model 182-1
Summary of DBMS_SODA Subprograms 182-1
CREATE_COLLECTION Function 182-2
DROP_COLLECTION Function 182-3
GET_AS_OF_SCN Function 182-4
GET_AS_OF_TIMESTAMP Function 182-4
GET_DEFAULT_METADATA_AS_CLOB Function 182-4
GET_DEFAULT_METADATA_AS_VARCHAR2 Function 182-4
LIST_COLLECTION_NAMES Function 182-4
OPEN_COLLECTION Function 182-5
Summary of SODA Online Redefinition Subprograms 182-6
ABORT_REDEF_COLLECTION Procedure 182-7
CAN_REDEF_COLLECTION Procedure 182-7
COPY_COLLECTION_DEPENDENTS Procedure 182-7
CREATE_INTERIM_COLLECTION Procedure 182-8
FINISH_REDEF_COLLECTION Procedure 182-9
START_REDEF_COLLECTION Procedure 182-9
SYNC_INTERIM_COLLETION Procedure 182-10

TO_UUID Function 182-10

183 DBMS_SPACE

DBMS_SPACE Security Model 183-1
DBMS_SPACE Data Structures 183-1
DBMS_SPACE CREATE_TABLE_COST_COLINFO Object Type 183-1
DBMS_SPACE ASA_RECO_ROW Record Type 183-2
DBMS_SPACE ASA_RECO_ROW_TB Table Type 183-3
Summary of DBMS_SPACE Subprograms 183-3
DBMS_SPACE ASA_RECOMMENDATIONS Function 183-3
CREATE_INDEX_COST Procedure 183-5
CREATE_TABLE_COST Procedures 183-5
FREE_BLOCKS Procedure 183-7
ISDATAFILEDROPPABLE_NAME Procedure 183-8
OBJECT_DEPENDENT_SEGMENTS Function 183-9
OBJECT_GROWTH_TREND Function 183-10
SHRINK_TABLESPACE Procedure 183-11
SPACE_USAGE Procedures 183-14
UNUSED_SPACE Procedure 183-17

184 DBMS_SPACE_ADMIN

DBMS_SPACE_ADMIN Security Model 184-1
DBMS_SPACE_ADMIN Constants 184-1
DBMS_SPACE_ADMIN Operational Notes 184-3
Summary of DBMS_SPACE_ADMIN Subprograms 184-3
ASSM_SEGMENT_VERIFY Procedure 184-4
ASSM_TABLESPACE_VERIFY Procedure 184-5
DROP_EMPTY_SEGMENTS Procedure 184-6
GET_SEGADV_ATTRIB Procedure 184-7
MATERIALIZE_DEFERRED_SEGMENTS Procedure 184-8
SEGMENT_CORRUPT Procedure 184-8
SEGMENT_DROP_CORRUPT Procedure 184-9
SEGMENT_DUMP Procedure 184-10
SEGMENT_VERIFY Procedure 184-11
SET_SEGADV_ATTRIB Procedure 184-11
TABLESPACE_FIX_BITMAPS Procedure 184-12
TABLESPACE_FIX_SEGMENT_STATES Procedure 184-13
TABLESPACE_MIGRATE_FROM_LOCAL Procedure 184-13
TABLESPACE_MIGRATE_TO_LOCAL Procedure 184-14
TABLESPACE_REBUILD_BITMAPS Procedure 184-15

TABLESPACE_REBUILD_QUOTAS Procedure 184-15
TABLESPACE_RELOCATE_BITMAPS Procedure 184-16
TABLESPACE_VERIFY Procedure 184-17

185 DBMS_SPD

DBMS_SPD Overview 185-1
DBMS_SPD Security Model 185-1
DBMS_SPD Views 185-1
Summary of DBMS_SPD Subprograms 185-1
ALTER_SQL_PLAN_DIRECTIVE Procedure 185-2
CREATE_STGTAB_DIRECTIVE Procedure 185-3
DROP_SQL_PLAN_DIRECTIVE Procedure 185-4
FLUSH_SQL_PLAN_DIRECTIVE Procedure 185-4
GET_PREFS Function 185-5
PACK_STGTAB_DIRECTIVE Function 185-5
SET_PREFS Procedure 185-7
UNPACK_STGTAB_DIRECTIVE Function 185-8

186 DBMS_SPM

DBMS_SPM Overview 186-1
DBMS_SPM Security Model 186-2
DBMS_SPM Constants 186-2
DBMS_SPM Examples 186-2
DBMS_SPM Data Structures 186-2
DBMS_SPM NAMELIST Table Type 186-3
Summary of DBMS_SPM Subprograms 186-3
ACCEPT_SQL_PLAN_BASELINE Procedure 186-4
ADD_VERIFIED_SQL_PLAN_BASELINE Function 186-5
ALTER_SQL_PLAN_BASELINE Function 186-8
CANCEL_EVOLVE_TASK Procedure 186-10
CONFIGURE Procedure 186-10
CREATE_EVOLVE_TASK Function 186-13
CREATE_STGTAB_BASELINE Procedure 186-14
DROP_EVOLVE_TASK Procedure 186-15
DROP_MIGRATED_STORED_OUTLINE Function 186-15
DROP_SQL_PLAN_BASELINE Function 186-15
EVOLVE_SQL_PLAN_BASELINE Function 186-16
EXECUTE_EVOLVE_TASK Function 186-17
INTERRUPT_EVOLVE_TASK Procedure 186-18
LOAD_PLANS_FROM_AWR Function 186-18

LOAD_PLANS_FROM_CURSOR_CACHE Functions 186-19
LOAD_PLANS_FROM_SQLSET Function 186-21
MIGRATE_STORED_OUTLINE Functions 186-22
PACK_STGTAB_BASELINE Function 186-24
RESET_EVOLVE_TASK Procedure 186-25
RESUME_EVOLVE_TASK Procedure 186-25
REPORT_AUTO_EVOLVE_TASK Function 186-25
REPORT_EVOLVE_TASK Function 186-26
SET_EVOLVE_TASK_PARAMETER Procedure 186-27
UNPACK_STGTAB_BASELINE Function 186-29

187 DBMS_SQL

DBMS_SQL Overview 187-1
DBMS_SQL Security Model 187-2
DBMS_SQL Constants 187-3
DBMS_SQL Operational Notes 187-4
DBMS_SQL Execution Flow 187-4
OPEN_CURSOR 187-5
PARSE 187-5
BIND_VARIABLE, BIND_VARIABLE_PKG or BIND_ARRAY 187-7
DEFINE_COLUMN, DEFINE_COLUMN_LONG, or DEFINE_ARRAY 187-7
EXECUTE 187-7
FETCH_ROWS or EXECUTE_AND_FETCH 187-7
VARIABLE_VALUE, VARIABLE_VALUE_PKG, COLUMN_VALUE, or COLUMN_VALUE_LONG 187-8
CLOSE_CURSOR 187-8
DBMS_SQL Exceptions 187-8
DBMS_SQL Examples 187-9
DBMS_SQL Data Structures 187-15
DBMS_SQL DESC_REC Record Type 187-16
DBMS_SQL DESC_REC2 Record Type 187-17
DBMS_SQL DESC_REC3 Record Type 187-18
DBMS_SQL DESC_REC4 Record Type 187-19
DBMS_SQL BFILE_TABLE Table Type 187-20
DBMS_SQL BINARY_DOUBLE_TABLE Table Type 187-20
DBMS_SQL BINARY_FLOAT_TABLE Table Type 187-20
DBMS_SQL BLOB_TABLE Table Type 187-21
DBMS_SQL BOOLEAN_TABLE Table Type 187-21
DBMS_SQL CLOB_TABLE Table Type 187-21
DBMS_SQL DATE_TABLE Table Type 187-21
DBMS_SQL DESC_TAB Table Type 187-21

DBMS_SQL DESC_TAB2 Table Type 187-21
DBMS_SQL DESC_TAB3 Table Type 187-22
DBMS_SQL DESC_TAB4 Table Type 187-22
DBMS_SQL INTERVAL_DAY_TO_SECOND_TABLE Table Type 187-22
DBMS_SQL INTERVAL_YEAR_TO_MONTH_TABLE Table Type 187-22
DBMS_SQL JSON_TABLE Table Type 187-23
DBMS_SQL NUMBER_TABLE Table Type 187-23
DBMS_SQL TIME_TABLE Table Type 187-23
DBMS_SQL TIME_WITH_TIME_ZONE_TABLE Table Type 187-23
DBMS_SQL TIMESTAMP_TABLE Table Type 187-23
DBMS_SQL TIMESTAMP_WITH_LTZ_TABLE Table Type 187-24
DBMS_SQL TIMESTAMP_WITH_TIME_ZONE_TABLE Table Type 187-24
DBMS_SQL UROWID_TABLE Table Type 187-24
DBMS_SQL VARCHAR2_TABLE Table Type 187-24
DBMS_SQL VARCHAR2A Table Type 187-24
DBMS_SQL VARCHAR2S Table Type 187-24
DBMS_SQL VECTOR Table Type 187-25
Summary of DBMS_SQL Subprograms 187-25
BIND_ARRAY Procedures 187-26
BIND_VARIABLE Procedures 187-32
BIND_VARIABLE_PKG Procedure 187-33
CLOSE_CURSOR Procedure 187-35
COLUMN_VALUE Procedure 187-36
COLUMN_VALUE_LONG Procedure 187-39
DEFINE_ARRAY Procedure 187-39
DEFINE_COLUMN Procedures 187-43
DEFINE_COLUMN_CHAR Procedure 187-44
DEFINE_COLUMN_LONG Procedure 187-45
DEFINE_COLUMN_RAW Procedure 187-46
DEFINE_COLUMN_ROWID Procedure 187-46
DESCRIBE_COLUMNS Procedure 187-47
DESCRIBE_COLUMNS2 Procedure 187-48
DESCRIBE_COLUMNS3 Procedure 187-49
EXECUTE Function 187-50
EXECUTE_AND_FETCH Function 187-51
FETCH_ROWS Function 187-52
GET_NEXT_RESULT Procedures 187-52
IS_OPEN Function 187-53
LAST_ERROR_POSITION Function 187-54
LAST_ROW_COUNT Function 187-54
LAST_ROW_ID Function 187-55
LAST_SQL_FUNCTION_CODE Function 187-55

OPEN_CURSOR Functions 187-56
PARSE Procedures 187-57
RETURN_RESULT Procedures 187-60
TO_CURSOR_NUMBER Function 187-61
TO_REFCURSOR Function 187-62
VARIABLE_VALUE Procedures 187-64
VARIABLE_VALUE_PKG Procedure 187-65

188 DBMS_SQL_FIREWALL

DBMS_SQL_FIREWALL Overview 188-1
DBMS_SQL_FIREWALL Security Model 188-1
DBMS_SQL_FIREWALL Constants 188-2
Summary of DBMS_SQL_FIREWALL Subprograms 188-3
ADD_ALLOWED_CONTEXT Procedure 188-4
APPEND_ALLOW_LIST Procedure 188-5
APPEND_ALLOW_LIST_SINGLE_SQL Procedure 188-6
CREATE_CAPTURE Procedure 188-8
DELETE_ALLOWED_CONTEXT Procedure 188-9
DELETE_ALLOWED_SQL Procedure 188-10
DISABLE Procedure 188-10
DISABLE_ALLOW_LIST Procedure 188-11
DROP_ALLOW_LIST Procedure 188-11
DROP_CAPTURE Procedure 188-12
ENABLE Procedure 188-12
ENABLE_ALLOW_LIST Procedure 188-13
EXCLUDE Procedure 188-14
EXPORT_ALLOW_LIST Procedure 188-14
FLUSH_LOGS Procedure 188-15
GENERATE_ALLOW_LIST Procedure 188-16
IMPORT_ALLOW_LIST Procedure 188-17
INCLUDE Procedure 188-18
PURGE_LOG Procedure 188-18
START_CAPTURE Procedure 188-19
STOP_CAPTURE Procedure 188-20
UPDATE_ALLOW_LIST_ENFORCEMENT Procedure 188-20

189 DBMS_SQL_MONITOR

DBMS_SQL_MONITOR Overview 189-1
DBMS_SQL_MONITOR Security Model 189-1
DBMS_SQL_MONITOR Constants 189-2

Summary of DBMS_SQL_MONITOR Subprograms 189-2
BEGIN_OPERATION Function 189-2
END_OPERATION Procedure 189-3
REPORT_SQL_MONITOR Function 189-4
REPORT_SQL_MONITOR_XML Function 189-8
REPORT_SQL_MONITOR_LIST Function 189-8
REPORT_SQL_MONITOR_LIST_XML Function 189-10

190 DBMS_SQL_TRANSLATOR

DBMS_SQL_TRANSLATOR Security Model 190-1
DBMS_SQL_TRANSLATOR Constants 190-1
DBMS_SQL_TRANSLATOR Operational Notes 190-2
DBMS_SQL_TRANSLATOR Exceptions 190-4
DBMS_SQL_TRANSLATOR Examples 190-4
Summary of DBMS_SQL_TRANSLATOR Subprograms 190-4
CREATE_PROFILE Procedure 190-5
DEREGISTER_SQL_TRANSLATION Procedure 190-6
DEREGISTER_ERROR_TRANSLATION Procedure 190-7
DROP_PROFILE Procedure 190-8
ENABLE_ERROR_TRANSLATION Procedure 190-8
ENABLE_SQL_TRANSLATION Procedure 190-9
EXPORT_PROFILE Procedure 190-10
IMPORT_PROFILE Procedure 190-11
REGISTER_ERROR_TRANSLATION Procedure 190-12
REGISTER_SQL_TRANSLATION Procedure 190-13
SET_ATTRIBUTE Procedure 190-14
SQL_HASH Function 190-15
SQL_ID Function 190-16
TRANSLATE_ERROR Procedure 190-17
TRANSLATE_SQL Procedure 190-18

191 DBMS_SQLDIAG

DBMS_SQLDIAG Overview 191-1
DBMS_SQLDIAG Security Model 191-1
DBMS_SQLDIAG Constants 191-1
Summary of DBMS_SQLDIAG Subprograms 191-4
ACCEPT_SQL_PATCH Function & Procedure 191-5
ALTER_SQL_PATCH Procedure 191-7
CANCEL_DIAGNOSIS_TASK Procedure 191-7
CREATE_DIAGNOSIS_TASK Functions 191-8

CREATE_SQL_PATCH Function 191-9
CREATE_STGTAB_SQLPATCH Procedure 191-10
DROP_DIAGNOSIS_TASK Procedure 191-11
DROP_SQL_PATCH Procedure 191-11
EXECUTE_DIAGNOSIS_TASK Procedure 191-11
EXPLAIN_SQL_TESTCASE Function 191-12
EXPORT_SQL_TESTCASE Procedures 191-12
EXPORT_SQL_TESTCASE_DIR_BY_INC Function 191-16
EXPORT_SQL_TESTCASE_DIR_BY_TXT Function 191-17
GET_FIX_CONTROL Function 191-19
GET_SQL Function 191-19
IMPORT_SQL_TESTCASE Procedures 191-19
INCIDENTID_2_SQL Procedure 191-21
INTERRUPT_DIAGNOSIS_TASK Procedure 191-22
LOAD_SQLSET_FROM_TCB Function 191-22
PACK_STGTAB_SQLPATCH Procedure 191-23
REPLAY_SQL_TESTCASE Function 191-23
REPORT_SQL Function 191-25
REPORT_DIAGNOSIS_TASK Function 191-26
RESET_DIAGNOSIS_TASK Procedure 191-27
RESUME_DIAGNOSIS_TASK Procedure 191-27
SET_DIAGNOSIS_TASK_PARAMETER Procedure 191-27
SQL_DIAGNOSE_AND_REPAIR Function 191-28
UNPACK_STGTAB_SQLPATCH Procedure 191-29

192 DBMS_SQLPA

DBMS_SQLPA Overview 192-1
DBMS_SQLPA Security Model 192-1
Summary of DBMS_SQLPA Subprograms 192-1
CANCEL_ANALYSIS_TASK Procedure 192-2
CREATE_ANALYSIS_TASK Functions 192-3
DROP_ANALYSIS_TASK Procedure 192-5
EXECUTE_ANALYSIS_TASK Function & Procedure 192-6
INTERRUPT_ANALYSIS_TASK Procedure 192-8
REPORT_ANALYSIS_TASK Function 192-8
RESET_ANALYSIS_TASK Procedure 192-10
RESUME_ANALYSIS_TASK Procedure 192-10
SET_ANALYSIS_TASK_PARAMETER Procedures 192-11
SET_ANALYSIS_DEFAULT_PARAMETER Procedures 192-15

193 DBMS_SQLQ

DBMS_SQLQ Overview 193-1
Summary of DBMS_SQLQ Subprograms 193-1
- ALTER_QUARANTINE Procedure 193-2
- CREATE_QUARANTINE_BY_SQL_ID Function 193-3
- CREATE_QUARANTINE_BY_SQL_TEXT Function 193-4
- CREATE_STGTAB_QUARANTINE Procedure 193-5
- DROP_QUARANTINE Procedure 193-6
- GET_PARAM_VALUE_QUARANTINE Function 193-6
- PACK_STGTAB_QUARANTINE Function 193-7
- UNPACK_STGTAB_QUARANTINE Function 193-8

194 DBMS_SQLSET

DBMS_SQLSET Overview 194-1
DBMS_SQLSET Security Model 194-2
DBMS_SQLSET Data Structures 194-2
- SQLSET_ROW Object Type 194-2

Summary of DBMS_SQLSET Subprograms 194-4
- ADD_REFERENCE Function 194-5
- CAPTURE_CURSOR_CACHE Procedure 194-6
- CREATE_SQLSET Procedure and Function 194-8
- CREATE_STGTAB Procedure 194-9
- DELETE_SQLSET Procedure 194-10
- DROP_SQLSET Procedure 194-10
- LOAD_SQLSET Procedure 194-11
- PACK_STGTAB Procedure 194-15
- REMAP_STGTAB Procedure 194-17
- REMOVE_REFERENCE Procedure 194-18
- SELECT_CURSOR_CACHE Function 194-19
- SELECT_SQL_TRACE Function 194-24
- SELECT_SQLPA_TASK Function 194-27
- SELECT_SQLSET Function 194-28
- SELECT_WORKLOAD_REPOSITORY Function 194-30
- UNPACK_STGTAB Procedure 194-32
- UPDATE_SQLSET Procedures 194-33

195 DBMS_SQLTUNE

DBMS_SQLTUNE Overview 195-1
DBMS_SQLTUNE Security Model 195-4

DBMS_SQLTUNE Data Structures 195-5
SQLSET_ROW Object Type 195-5
DBMS_SQLTUNE Subprogram Groups 195-7
DBMS_SQLTUNE SQL Tuning Advisor Subprograms 195-7
DBMS_SQLTUNE SQL Profile Subprograms 195-8
DBMS_SQLTUNE SQL Tuning Set Subprograms 195-8
DBMS_SQLTUNE Real-Time SQL Monitoring Subprograms 195-9
DBMS_SQLTUNE SQL Performance Reporting Subprograms 195-10
Summary of DBMS_SQLTUNE Subprograms 195-10
ACCEPT_ALL_SQL_PROFILES Procedure 195-13
ACCEPT_SQL_PROFILE Procedure and Function 195-15
ADD_SQLSET_REFERENCE Function 195-19
ALTER_SQL_PROFILE Procedure 195-20
CANCEL_TUNING_TASK Procedure 195-21
CAPTURE_CURSOR_CACHE_SQLSET Procedure 195-22
CREATE_SQL_PLAN_BASELINE Procedure 195-24
CREATE_SQLSET Procedure and Function 195-25
CREATE_STGTAB_SQLPROF Procedure 195-25
CREATE_STGTAB_SQLSET Procedure 195-26
CREATE_TUNING_TASK Functions 195-28
DELETE_SQLSET Procedure 195-34
DROP_SQL_PROFILE Procedure 195-35
DROP_SQLSET Procedure 195-35
DROP_TUNING_TASK Procedure 195-36
EXECUTE_TUNING_TASK Function and Procedure 195-37
IMPLEMENT_TUNING_TASK Procedure 195-38
INTERRUPT_TUNING_TASK Procedure 195-39
LOAD_SQLSET Procedure 195-40
PACK_STGTAB_SQLPROF Procedure 195-44
PACK_STGTAB_SQLSET Procedure 195-45
REMAP_STGTAB_SQLPROF Procedure 195-46
REMAP_STGTAB_SQLSET Procedure 195-47
REMOVE_SQLSET_REFERENCE Procedure 195-49
REPORT_AUTO_TUNING_TASK Function 195-50
REPORT_SQL_DETAIL Function 195-51
REPORT_SQL_MONITOR Function 195-55
REPORT_SQL_MONITOR_LIST Function 195-60
REPORT_TUNING_TASK Function 195-62
REPORT_TUNING_TASK_XML Function 195-64
RESET_TUNING_TASK Procedure 195-66
RESUME_TUNING_TASK Procedure 195-66
SCHEDULE_TUNING_TASK Function 195-67

SCRIPT_TUNING_TASK Function 195-69
SELECT_CURSOR_CACHE Function 195-71
SELECT_SQL_TRACE Function 195-75
SELECT_SQLPA_TASK Function 195-78
SELECT_SQLSET Function 195-79
SELECT_WORKLOAD_REPOSITORY Function 195-82
SET_TUNING_TASK_PARAMETER Procedures 195-84
SQLTEXT_TO_SIGNATURE Function 195-86
UNPACK_STGTAB_SQLPROF Procedure 195-87
UNPACK_STGTAB_SQLSET Procedure 195-88
UPDATE_SQLSET Procedures 195-89

196 DBMS_STAT_FUNCS

Summary of DBMS_STAT_FUNCS Subprograms 196-1
EXPONENTIAL_DIST_FIT Procedure 196-1
NORMAL_DIST_FIT Procedure 196-2
POISSON_DIST_FIT Procedure 196-2
SUMMARY Procedure 196-3
UNIFORM_DIST_FIT Procedure 196-4
WEIBULL_DIST_FIT Procedure 196-5

197 DBMS_STATS

DBMS_STATS Overview 197-1
DBMS_STATS Deprecated Subprograms 197-2
DBMS_STATS Types 197-2
DBMS_STATS Constants 197-3
DBMS_STATS Operational Notes 197-4
DBMS_STATS Data Structures 197-11
DBMS_STATS STAT_REC Record Type 197-11
Summary of DBMS_STATS Subprograms 197-11
ALTER_STATS_HISTORY_RETENTION Procedure 197-17
CANCEL_ADVISOR_TASK Procedure 197-18
CONFIGURE_ADVISOR_FILTER Function 197-19
CONFIGURE_ADVISOR_OBJ_FILTER Function 197-25
CONFIGURE_ADVISOR_OPR_FILTER Functions 197-26
CONFIGURE_ADVISOR_RULE_FILTER Function 197-29
CONVERT_RAW_VALUE Procedures 197-30
CONVERT_RAW_VALUE_NVARCHAR Procedure 197-31
CONVERT_RAW_VALUE_ROWID Procedure 197-31
COPY_TABLE_STATS Procedure 197-32

CREATE_ADVISOR_TASK Function 197-34
CREATE_EXTENDED_STATS Function 197-35
CREATE_STAT_TABLE Procedure 197-36
DELETE_COLUMN_STATS Procedure 197-37
DELETE_DATABASE_PREFS Procedure 197-39
DELETE_DATABASE_STATS Procedure 197-43
DELETE_DICTIONARY_STATS Procedure 197-44
DELETE_FIXED_OBJECTS_STATS Procedure 197-46
DELETE_INDEX_STATS Procedure 197-47
DELETE_PENDING_STATS Procedure 197-48
DELETE_PLSQL_PREFS Procedure 197-49
DELETE_PROCESSING_RATE Procedure 197-50
DELETE_SCHEMA_PREFS Procedure 197-50
DELETE_SCHEMA_STATS Procedure 197-56
DELETE_SYSTEM_STATS Procedure 197-57
DELETE_TABLE_PREFS Procedure 197-58
DELETE_TABLE_STATS Procedure 197-64
DIFF_TABLE_STATS_IN_HISTORY Function 197-66
DIFF_TABLE_STATS_IN_PENDING Function 197-66
DIFF_TABLE_STATS_IN_STATTAB Function 197-67
DROP_ADVISOR_TASK Procedure 197-68
DROP_EXTENDED_STATS Procedure 197-69
DROP_STAT_TABLE Procedure 197-70
EXECUTE_ADVISOR_TASK Function 197-70
EXPORT_COLUMN_STATS Procedure 197-72
EXPORT_DATABASE_PREFS Procedure 197-73
EXPORT_DATABASE_STATS Procedure 197-74
EXPORT_DICTIONARY_STATS Procedure 197-75
EXPORT_FIXED_OBJECTS_STATS Procedure 197-76
EXPORT_INDEX_STATS Procedure 197-76
EXPORT_PENDING_STATS Procedure 197-77
EXPORT_SCHEMA_PREFS Procedure 197-78
EXPORT_SCHEMA_STATS Procedure 197-79
EXPORT_SYSTEM_STATS Procedure 197-80
EXPORT_TABLE_PREFS Procedure 197-80
EXPORT_TABLE_STATS Procedure 197-81
FLUSH_DATABASE_MONITORING_INFO Procedure 197-83
GATHER_DATABASE_STATS Procedures 197-83
GATHER_DICTIONARY_STATS Procedure 197-87
GATHER_FIXED_OBJECTS_STATS Procedure 197-91
GATHER_INDEX_STATS Procedure 197-92
GATHER_PROCESSING_RATE Procedure 197-94

GATHER_SCHEMA_STATS Procedures 197-94
GATHER_SYSTEM_STATS Procedure 197-99
GATHER_TABLE_STATS Procedure 197-101
GENERATE_STATS Procedure 197-105
GET_ADVISOR_OPR_FILTER Procedure 197-106
GET_ADVISOR_RECS Function 197-107
GET_COLUMN_STATS Procedures 197-108
GET_INDEX_STATS Procedures 197-110
GET_PARAM Function 197-113
GET_PLSQL_PREFS Procedure 197-113
GET_PREFS Function 197-114
GET_STATS_HISTORY_AVAILABILITY Function 197-124
GET_STATS_HISTORY_RETENTION Function 197-124
GET_SYSTEM_STATS Procedure 197-124
GET_TABLE_STATS Procedure 197-126
IMPLEMENT_ADVISOR_TASK Function 197-128
IMPORT_COLUMN_STATS Procedure 197-130
IMPORT_DATABASE_PREFS Procedure 197-132
IMPORT_DATABASE_STATS Procedure 197-132
IMPORT_DICTIONARY_STATS Procedure 197-134
IMPORT_FIXED_OBJECTS_STATS Procedure 197-135
IMPORT_INDEX_STATS Procedure 197-136
IMPORT_SCHEMA_PREFS Procedure 197-137
IMPORT_SCHEMA_STATS Procedure 197-138
IMPORT_SYSTEM_STATS Procedure 197-139
IMPORT_TABLE_PREFS Procedure 197-140
IMPORT_TABLE_STATS Procedure 197-141
INTERRUPT_ADVISOR_TASK Procedure 197-142
LOCK_PARTITION_STATS Procedure 197-144
LOCK_SCHEMA_STATS Procedure 197-144
LOCK_TABLE_STATS Procedure 197-145
MERGE_COL_USAGE Procedure 197-146
PREPARE_COLUMN_VALUES Procedures 197-147
PREPARE_COLUMN_VALUES_NVARCHAR Procedure 197-149
PREPARE_COLUMN_VALUES_ROWID Procedure 197-151
PUBLISH_PENDING_STATS Procedure 197-153
PURGE_STATS Procedure 197-154
REMAP_STAT_TABLE Procedure 197-154
REPORT_ADVISOR_TASK Function 197-155
REPORT_COL_USAGE Function 197-159
REPORT_GATHER_AUTO_STATS Function 197-160
REPORT_GATHER_DATABASE_STATS Functions 197-162

REPORT_GATHER_DICTIONARY_STATS Functions 197-167
REPORT_GATHER_FIXED_OBJ_STATS Function 197-170
REPORT_GATHER_SCHEMA_STATS Functions 197-173
REPORT_GATHER_TABLE_STATS Function 197-178
REPORT_SINGLE_STATS_OPERATION Function 197-183
REPORT_STATS_OPERATIONS Function 197-185
RESET_ADVISOR_TASK Procedure 197-187
RESET_COL_USAGE Procedure 197-188
RESET_GLOBAL_PLSQL_PREFS_DEF Procedure 197-188
RESET_PARAM_DEFAULTS Procedure 197-189
RESTORE_DATABASE_STATS Procedure 197-189
RESTORE_DICTIONARY_STATS Procedure 197-190
RESTORE_FIXED_OBJECTS_STATS Procedure 197-191
RESTORE_SCHEMA_STATS Procedure 197-191
RESTORE_SYSTEM_STATS Procedure 197-192
RESTORE_TABLE_STATS Procedure 197-193
RESUME_ADVISOR_TASK Procedure 197-194
SCRIPT_ADVISOR_TASK Function 197-195
SEED_COL_USAGE Procedure 197-198
SET_ADVISOR_TASK_PARAMETER Procedure 197-199
SET_COLUMN_STATS Procedures 197-200
SET_DATABASE_PREFS Procedure 197-202
SET_GLOBAL_PLSQL_PREFS Procedure 197-209
SET_GLOBAL_PREFS Procedure 197-211
SET_INDEX_STATS Procedures 197-221
SET_PARAM Procedure 197-224
SET_PLSQL_PREFS Procedure 197-225
SET_PROCESSING_RATE Procedure 197-227
SET_SCHEMA_PREFS Procedure 197-229
SET_SYSTEM_STATS Procedure 197-236
SET_TABLE_PREFS Procedure 197-237
SET_TABLE_STATS Procedure 197-246
SHOW_EXTENDED_STATS_NAME Function 197-249
TRANSFER_STATS Procedure 197-249
UNLOCK_PARTITION_STATS Procedure 197-250
UNLOCK_SCHEMA_STATS Procedure 197-251
UNLOCK_TABLE_STATS Procedure 197-251
UPGRADE_STAT_TABLE Procedure 197-252

198 DBMS_STORAGE_MAP

DBMS_STORAGE_MAP Overview 198-1
DBMS_STORAGE_MAP Operational Notes 198-2
Summary of DBMS_STORAGE_MAP Subprograms 198-2
- DROP_ALL Function 198-2
- DROP_ELEMENT Function 198-3
- DROP_FILE Function 198-3
- LOCK_MAP Procedure 198-4
- MAP_ALL Function 198-4
- MAP_ELEMENT Function 198-4
- MAP_FILE Function 198-5
- MAP_OBJECT Function 198-6
- RESTORE Function 198-6
- SAVE Function 198-7
- UNLOCK_MAP Procedure 198-7

199 DBMS_SYNC_REFRESH

DBMS_SYNC_REFRESH Overview 199-1
DBMS_SYNC_REFRESH Security Model 199-1
Summary of DBMS_SYNC_REFRESH Subprograms 199-2
- ABORT_REFRESH Procedure 199-2
- ALTER_REFRESH_STATS_RETENTION Procedure 199-3
- CAN_SYNCREF_TABLE Procedure 199-4
- EXECUTE_REFRESH Procedure 199-5
- GET_ALL_GROUP_IDS Function 199-6
- GET_GROUP_ID Function 199-6
- GET_GROUP_ID_LIST Function 199-7
- PREPARE_REFRESH Procedure 199-7
- PREPARE_STAGING_LOG Procedure 199-8
- PURGE_REFRESH_STATS Procedure 199-10
- REGISTER_MVIEWS 199-10
- REGISTER_PARTITION_OPERATION Procedure 199-11
- UNREGISTER_MVIEWS 199-12
- UNREGISTER_PARTITION_OPERATION Procedure 199-12

200 DBMS_TABLE_DATA

DBMS_TABLE_DATA Overview 200-1
DBMS_TABLE_DATA Security Model 200-1
Summary of DBMS_TABLE_DATA Subprograms 200-2

GET_BYTES_FOR_COLUMN Procedure 200-2
GET_BYTES_FOR_COLUMNS Procedure 200-3
GET_BYTES_FOR_ROW Procedure 200-3

201 DBMS_TDB

DBMS_TDB Overview 201-1
DBMS_TDB Security Model 201-2
DBMS_TDB Constants 201-2
DBMS_TDB Views 201-2
DBMS_TDB Operational Notes 201-2
Summary of DBMS_TDB Subprograms 201-2
CHECK_DB Function 201-3
CHECK_EXTERNAL Function 201-4

202 DBMS_TF

DBMS_TF Overview 202-1
DBMS_TF Security Model 202-1
DBMS_TF Constants 202-2
DBMS_TF Operational Notes 202-2
PTF Client Interface 202-3
DESCRIBE Only Polymorphic Table Function 202-5
PTF Server Side Interface 202-5
Read Columns 202-6
Pass-Through Columns 202-6
State Management 202-7
CSTORE Compilation State Management 202-7
XSTORE Execution State Management 202-9
Method Name Overrides 202-9
Using the COLUMNS Pseudo-Operator 202-11
Query Transformations 202-11
Parallel Execution 202-12
DBMS_TF Execution Flow 202-12
DBMS_TF Restrictions 202-14
DBMS_TF Examples 202-15
Echo Polymorphic Table Function Example 202-16
DBMS_TF Data Structures 202-19
Supported Types Collections 202-20
COLUMN_DATA_T Record Type 202-21
COLUMN_METADATA_T Record Type 202-22
COLUMN_T Record Type 202-23

DESCRIBE_T Record Type 202-23
ENV_T Record Type 202-23
PARALLEL_ENV_T Record Type 202-24
TABLE_T Record Type 202-25
COLUMNS_NEW_T Table Type 202-25
COLUMNS_T Table Type 202-25
COLUMNS_WITH_TYPE_T Table Type 202-25
TABLE_COLUMNS_T Table Type 202-26
ROW_SET_T Table Type 202-26
XID_T Subtype 202-26
Summary of DBMS_TF Subprograms 202-26
COLUMN_TYPE_NAME Function 202-27
COL_TO_CHAR Function 202-28
CSTORE_EXISTS Function 202-29
CSTORE_GET Procedure 202-29
GET_COL Procedure 202-30
GET_ENV Function 202-32
GET_ROW_SET Procedure 202-32
Stack Polymorphic Table Function Example 202-33
GET_XID Function 202-36
PUT_COL Procedure 202-36
Rand_col Polymorphic Table Function Example 202-37
PUT_ROW_SET Procedure 202-40
Split Polymorphic Table Function Example 202-40
ROW_REPLICATION Procedure 202-43
ROW_TO_CHAR Function 202-45
SUPPORTED_TYPE Function 202-46
TRACE Procedure 202-46
XSTORE_CLEAR Procedure 202-47
XSTORE_EXISTS Function 202-48
XSTORE_GET Procedure 202-48
Row_num Polymorphic Table Function Example 202-49
XSTORE_REMOVE Procedure 202-51
XSTORE_SET Procedure 202-52

203 DBMS_TNS

DBMS_TNS Overview 203-1
DBMS_TNS Security Model 203-1
Summary of DBMS_TNS Subprograms 203-1
RESOLVE_TNSNAME Function 203-2

204 DBMS_TRACE

DBMS_TRACE Overview 204-1
DBMS_TRACE Security Model 204-1
DBMS_TRACE Constants 204-1
DBMS_TRACE Restrictions 204-2
DBMS_TRACE Operational Notes 204-3
Summary of DBMS_TRACE Subprograms 204-5
- CLEAR_PLSQL_TRACE Procedure 204-5
- GET_PLSQL_TRACE_LEVEL Function 204-6
- PLSQL_TRACE_VERSION Procedure 204-6
- SET_PLSQL_TRACE Procedure 204-6

205 DBMS_TRANSACTION

DBMS_TRANSACTION Security Model 205-1
Summary of DBMS_TRANSACTION Subprograms 205-1
- ADVISE_COMMIT Procedure 205-2
- ADVISE_NOTHING Procedure 205-3
- ADVISE_ROLLBACK Procedure 205-3
- COMMIT Procedure 205-3
- COMMIT_COMMENT Procedure 205-3
- COMMIT_FORCE Procedure 205-3
- GET_TRANSACTION_ID Function 205-4
- GET_TRANSACTION_TIMEOUT Function 205-4
- GET_TRANSACTION_TYPE Function 205-4
- LOCAL_TRANSACTION_ID Function 205-5
- PURGE_LOST_DB_ENTRY Procedure 205-5
- PURGE_MIXED Procedure 205-7
- READ_ONLY Procedure 205-7
- READ_WRITE Procedure 205-8
- ROLLBACK Procedure 205-8
- ROLLBACK_FORCE Procedure 205-8
- ROLLBACK_SAVEPOINT Procedure 205-8
- SAVEPOINT Procedure 205-9
- START_TRANSACTION Function 205-9
- STEP_ID Function 205-10
- SUSPEND_TRANSACTION Procedure 205-10
- USE_ROLLBACK_SEGMENT Procedure 205-11

206 DBMS_TRANSFORM

Summary of DBMS_TRANSFORM Subprograms 206-1
- CREATE_TRANSFORMATION Procedure 206-1
- DROP_TRANSFORMATION Procedure 206-2
- MODIFY_TRANSFORMATION Procedure 206-3

207 DBMS_TSDP_MANAGE

DBMS_TSDP_MANAGE Overview 207-1
DBMS_TSDP_MANAGE Security Model 207-1
Summary of DBMS_TSDP_MANAGE Subprograms 207-2
- ADD_SENSITIVE_COLUMN Procedure 207-2
- ALTER_SENSITIVE_COLUMN Procedure 207-3
- ADD_SENSITIVE_TYPE Procedure 207-4
- DROP_SENSITIVE_COLUMN Procedure 207-4
- DROP_SENSITIVE_TYPE Procedure 207-5
- DROP_SENSITIVE_TYPE_SOURCE Procedure 207-5
- IMPORT_DISCOVERY_RESULT Procedure 207-6
- IMPORT_SENSITIVE_TYPES Procedure 207-6
- REMOVE_DISCOVERY_RESULT Procedure 207-7

208 DBMS_TSDP_PROTECT

DBMS_TSDP_PROTECT Overview 208-1
DBMS_TSDP_PROTECT Security Model 208-1
DBMS_TSDP_PROTECT Constants 208-2
DBMS_TSDP_PROTECT Data Structures 208-2
- FEATURE_OPTIONS Table Type 208-2
- POLICY_CONDITIONS Table Type 208-2

Summary of DBMS_TSDP_PROTECT Subprograms 208-2
- ADD_POLICY Procedure 208-3
- ALTER_POLICY Procedure 208-4
- ASSOCIATE_POLICY Procedure 208-5
- DISABLE_PROTECTION_COLUMN Procedure 208-6
- DISABLE_PROTECTION_SOURCE Procedure 208-7
- DISABLE_PROTECTION_TYPE Procedure 208-7
- DROP_POLICY Procedure 208-7
- ENABLE_PROTECTION_COLUMN Procedure 208-9
- ENABLE_PROTECTION_SOURCE Procedure 208-9
- ENABLE_PROTECTION_TYPE Procedure 208-10

209 DBMS_TTS

DBMS_TTS Security Model 209-1
DBMS_TTS Exceptions 209-1
DBMS_TTS Operational Notes 209-1
Summary of DBMS_TTS Subprograms 209-2
- DOWNGRADE Procedure 209-2
- TRANSPORT_SET_CHECK Procedure 209-2

210 DBMS_TYPES

DBMS_TYPES Constants 210-1
DBMS_TYPES Exceptions 210-2

211 DBMS_UMF

Summary of DBMS_UMF Subprograms 211-1
- CONFIGURE_NODE Procedure 211-2
- CREATE_LINK Procedure 211-2
- CREATE_TOPOLOGY Procedure 211-3
- DROP_LINK Procedure 211-3
- DROP_TOPOLOGY Procedure 211-4
- ENABLE_SERVICE Procedure 211-4
- GET_NODE_ID_LOCAL Function 211-5
- GET_NODE_NAME_LOCAL Function 211-6
- GET_TARGET_ID Function 211-6
- GET_TOPOLOGY_NAME_LOCAL Function 211-6
- QUERY_LINK_INFO Procedure 211-7
- QUERY_NODE_INFO Procedures 211-7
- REGISTER_NODE Function and Procedure 211-8
- SWITCH_DESTINATION Procedure 211-9
- UNCONFIGURE_NODE Procedure 211-10
- UNREGISTER_NODE Procedure 211-10

212 DBMS_UNDO_ADV

Summary of DBMS_UNDO_ADV Subprograms 212-1
- BEST_POSSIBLE_RETENTION Function 212-2
- RBU_MIGRATION Function 212-3
- LONGEST_QUERY Function 212-3
- REQUIRED_RETENTION Function 212-4
- REQUIRED_UNDO_SIZE Function 212-5
- UNDO_ADVISOR Function 212-6

UNDO_AUTOTUNE Function 212-7
UNDO_HEALTH Function 212-7
UNDO_INFO Function 212-9

213 DBMS_USER_CERTS

DBMS_USER_CERTS Overview 213-1
DBMS_USER_CERTS Security Model 213-1
Summary of DBMS_USER_CERTS Subprograms 213-2
ADD_CERTIFICATE Procedure 213-2
ADD_COPY Procedure 213-2
DROP_CERTIFICATE Procedure 213-3

214 DBMS_USERDIAG

DBMS_USERDIAG Overview 214-1
Summary of DBMS_USERDIAG Subprograms 214-1
CHECK_SQL_TRACE_EVENT Procedure 214-2
ENABLE_SQL_TRACE_EVENT Procedure 214-2
GET_CALL_ERROR_MSG Function 214-3
GET_CALL_STATUS Function 214-3
SET_EXCEPTION_MODE Procedure 214-4
SET_TRACEFILE_IDENTIFIER Procedure 214-4
TRACE Procedure 214-4

215 DBMS_UTILITY

DBMS_UTILITY Deprecated Subprograms 215-1
DBMS_UTILITY Security Model 215-1
DBMS_UTILITY Constants 215-2
DBMS_UTILITY Exceptions 215-2
DBMS_UTILITY Data Structures 215-2
DBMS_UTILITY INSTANCE_RECORD Record Type 215-3
DBMS_UTILITY DBLINK_ARRAY TABLE Type 215-3
DBMS_UTILITY INDEX_TABLE_TYPE Table Type 215-3
DBMS_UTILITY INSTANCE_TABLE Table Type 215-3
DBMS_UTILITY LNAME_ARRAY Table Type 215-4
DBMS_UTILITY NAME_ARRAY Table Type 215-4
DBMS_UTILITY NUMBER_ARRAY Table Type 215-4
DBMS_UTILITY UNCL_ARRAY Table Type 215-4
Summary of DBMS_UTILITY Subprograms 215-4
ACTIVE_INSTANCES Procedure 215-6

ANALYZE_DATABASE Procedure 215-6
ANALYZE_PART_OBJECT Procedure 215-7
ANALYZE_SCHEMA Procedure 215-8
CANONICALIZE Procedure 215-9
COMMA_TO_TABLE Procedures 215-10
COMPILE_SCHEMA Procedure 215-10
CREATE_ALTER_TYPE_ERROR_TABLE Procedure 215-11
CURRENT_INSTANCE Function 215-12
DATA_BLOCK_ADDRESS_BLOCK Function 215-12
DATA_BLOCK_ADDRESS_FILE Function 215-13
DB_VERSION Procedure 215-13
EXEC_DDL_STATEMENT Procedure 215-14
EXPAND_SQL_TEXT Procedure 215-14
FORMAT_CALL_STACK Function 215-15
FORMAT_ERROR_BACKTRACE Function 215-15
FORMAT_ERROR_STACK Function 215-18
GET_CPU_TIME Function 215-18
GET_DEPENDENCY Procedure 215-18
GET_ENDIANNESS Function 215-19
GET_HASH_VALUE Function 215-19
GET_PARAMETER_VALUE Function 215-20
GET_SQL_HASH Function 215-21
GET_TIME Function 215-22
GET_TZ_TRANSITIONS Procedure 215-22
INVALIDATE Procedure 215-23
IS_BIT_SET Function 215-25
IS_CLUSTER_DATABASE Function 215-26
MAKE_DATA_BLOCK_ADDRESS Function 215-26
NAME_RESOLVE Procedure 215-27
NAME_TOKENIZE Procedure 215-28
OLD_CURRENT_SCHEMA Function 215-29
OLD_CURRENT_USER Function 215-29
PORT_STRING Function 215-29
SQLID_TO_SQLHASH Function 215-29
TABLE_TO_COMMA Procedures 215-30
VALIDATE Procedure 215-30
WAIT_ON_PENDING_DML Function 215-31

216 DBMS_VECTOR

Summary of DBMS_VECTOR Subprograms 216-1
CREATE_CREDENTIAL 216-2

CREATE_INDEX 216-5
DISABLE_CHECKPOINT 216-8
DROP_CREDENTIAL 216-9
ENABLE_CHECKPOINT 216-9
DROP_ONNX_MODEL Procedure 216-10
GET_INDEX_STATUS 216-11
INDEX_ACCURACY_QUERY 216-12
INDEX_ACCURACY_REPORT 216-13
INDEX_VECTOR_MEMORY_ADVISOR 216-14
LOAD_ONNX_MODEL 216-16
JSON Metadata Parameters for ONNX Models 216-18
LOAD_ONNX_MODEL_CLOUD 216-24
QUERY 216-25
REBUILD_INDEX 216-26
RERANK 216-30
UTL_TO_CHUNKS 216-34
UTL_TO_EMBEDDING and UTL_TO_EMBEDDINGS 216-40
UTL_TO_GENERATE_TEXT 216-49

217 DBMS_VECTOR_CHAIN

Summary of DBMS_VECTOR_CHAIN Subprograms 217-1
CREATE_CREDENTIAL 217-2
CREATE_LANG_DATA 217-5
CREATE_PREFERENCE 217-6
CREATE_VOCABULARY 217-16
DROP_CREDENTIAL 217-19
DROP_LANG_DATA 217-19
DROP_PREFERENCE 217-20
DROP_VOCABULARY 217-20
RERANK 217-21
UTL_TO_CHUNKS 217-25
UTL_TO_EMBEDDING and UTL_TO_EMBEDDINGS 217-31
UTL_TO_GENERATE_TEXT 217-40
UTL_TO_TEXT 217-49
UTL_TO_SUMMARY 217-50
Supported Languages and Data File Locations 217-59

218 DBMS_WARNING

DBMS_WARNING Security Model 218-1
Summary of DBMS_WARNING Subprograms 218-1

ADD_WARNING_SETTING_CAT Procedure 218-2
ADD_WARNING_SETTING_NUM Procedure 218-2
GET_CATEGORY Function 218-3
GET_WARNING_SETTING_CAT Function 218-4
GET_WARNING_SETTING_NUM Function 218-4
GET_WARNING_SETTING_STRING Function 218-4
SET_WARNING_SETTING_STRING Procedure 218-5

219 DBMS_WM

220 DBMS_WORKLOAD_CAPTURE

DBMS_WORKLOAD_CAPTURE Overview 220-1
DBMS_WORKLOAD_CAPTURE Security Model 220-1
Summary of DBMS_WORKLOAD_CAPTURE Subprograms 220-2
ADD_FILTER Procedures 220-2
DECRYPT_CAPTURE Procedure 220-4
DELETE_CAPTURE_INFO Procedure 220-4
DELETE_FILTER Procedure 220-5
ENCRYPT_CAPTURE Procedure 220-5
EXPORT_AWR Procedure 220-6
FINISH_CAPTURE Procedure 220-7
GET_CAPTURE_INFO Function 220-7
IMPORT_AWR Function 220-8
REPORT Function 220-9
START_CAPTURE Procedure 220-10

221 DBMS_WORKLOAD_REPLAY

DBMS_WORKLOAD_REPLAY Overview 221-1
DBMS_WORKLOAD_REPLAY Security Model 221-1
Summary of DBMS_WORKLOAD_REPLAY Subprograms 221-2
ADD_CAPTURE Function 221-4
ADD_FILTER Procedure 221-5
ADD_SCHEDULE_ORDERING Function 221-5
ASSIGN_GROUP_TO_INSTANCE Procedure 221-6
BEGIN_REPLAY_SCHEDULE Procedure 221-7
CALIBRATE Function 221-7
CANCEL_REPLAY Procedure 221-8
COMPARE_PERIOD_REPORT Procedure 221-9
COMPARE_SQLSET_REPORT Function 221-9

CREATE_FILTER_SET Procedure 221-10
DELETE_FILTER Procedure 221-11
DELETE_REPLAY_INFO Procedure 221-11
END_REPLAY_SCHEDULE Procedure 221-12
EXPORT_AWR Procedure 221-12
GENERATE_CAPTURE_SUBSET Procedure 221-12
GET_DIVERGING_STATEMENT Function 221-13
GET_REPLAY_DIRECTORY Function 221-14
GET_REPLAY_INFO Function 221-14
GET_REPLAY_TIMEOUT Procedure 221-15
IMPORT_AWR Function 221-15
INITIALIZE_CONSOLIDATED_REPLAY Procedure 221-16
INITIALIZE_REPLAY Procedure 221-17
IS_REPLAY_PAUSED Function 221-19
LOAD_LONG_SQLTEXT Procedure 221-19
PAUSE_REPLAY Procedure 221-19
POPULATE_DIVERGENCE Procedure 221-20
PREPARE_CONSOLIDATED_REPLAY Procedure 221-20
PREPARE_REPLAY Procedure 221-22
PROCESS_CAPTURE Procedure 221-26
REMAP_CONNECTION Procedure 221-27
REMOVE_CAPTURE Procedure 221-28
REMOVE_SCHEDULE_ORDERING Procedure 221-29
REPORT Function 221-29
RESUME_REPLAY Procedure 221-30
REUSE_REPLAY_FILTER_SET Procedure 221-30
SET_ADVANCED_PARAMETER Procedure 221-31
SET_REPLAY_DIRECTORY Procedure 221-32
SET_REPLAY_TIMEOUT Procedure 221-32
SET_SQL_MAPPING Procedure 221-33
SET_USER_MAPPING Procedure 221-34
START_CONSOLIDATED_REPLAY Procedure 221-34
START_REPLAY Procedure 221-35
USE_FILTER_SET Procedure 221-35

222 DBMS_WORKLOAD_REPOSITORY

DBMS_WORKLOAD_REPOSITORY Examples 222-1
DBMS_WORKLOAD_REPOSITORY Data Structures 222-1
DBMS_WORKLOAD_REPOSITORY AWR_BASELINE_METRIC_TYPE Object Type 222-2
DBMS_WORKLOAD_REPOSITORY AWR_BASELINE_METRIC_TYPE_TABLE Table Type 222-2

DBMS_WORKLOAD_REPOSITORY AWRRPT_INSTANCE_LIST_TYPE Table Type 222-3
Summary of DBMS_WORKLOAD_REPOSITORY Subprograms 222-3
ADD_COLORED_SQL Procedure 222-5
ASH_GLOBAL_REPORT_HTML Function 222-5
ASH_GLOBAL_REPORT_TEXT Function 222-7
ASH_REPORT_ANALYTICS Function 222-9
ASH_REPORT_HTML Function 222-10
ASH_REPORT_TEXT Function 222-12
AWR_DIFF_REPORT_HTML Function 222-15
AWR_DIFF_REPORT_TEXT Function 222-15
AWR_EXP Procedure 222-16
AWR_GLOBAL_DIFF_REPORT_HTML Functions 222-17
AWR_GLOBAL_DIFF_REPORT_TEXT Functions 222-18
AWR_GLOBAL_REPORT_HTML Functions 222-19
AWR_GLOBAL_REPORT_TEXT Functions 222-20
AWR_IMP Procedure 222-21
AWR_REPORT_HTML Function 222-21
AWR_REPORT_TEXT Function 222-22
AWR_SET_REPORT_THRESHOLDS Procedure 222-23
AWR_SQL_REPORT_HTML Function 222-24
AWR_SQL_REPORT_TEXT Function 222-25
CONTROL_RESTRICTED_SNAPSHOT Procedure 222-26
CREATE_BASELINE Functions and Procedures 222-26
CREATE_BASELINE_TEMPLATE Procedures 222-28
CREATE_REMOTE_SNAPSHOT Function and Procedure 222-29
CREATE_SNAPSHOT Function and Procedure 222-30
DROP_BASELINE Procedure 222-31
DROP_BASELINE_TEMPLATE Procedure 222-32
DROP_SNAPSHOT_RANGE Procedure 222-32
LOCAL_AWR_DBID Function 222-33
MODIFY_BASELINE_WINDOW_SIZE Procedure 222-33
MODIFY_SNAPSHOT_SETTINGS Procedures 222-34
PURGE_SQL_DETAILS Procedure 222-35
REGISTER_REMOTE_DATABASE Procedures 222-36
REMOVE_COLORED_SQL Procedure 222-36
RENAME_BASELINE Procedure 222-37
SELECT_BASELINE_DETAILS Function 222-37
SELECT_BASELINE_METRIC Function 222-38
UNREGISTER_REMOTE_DATABASE Procedures 222-38
UPDATE_DATAFILE_INFO Procedure 222-39
UPDATE_OBJECT_INFO Procedure 222-39

223 DBMS_XDB

DBMS_XDB Overview 223-1
DBMS_XDB Security Model 223-2
DBMS_XDB Constants 223-2
Summary of DBMS_XDB Subprograms 223-3
- ACLCHECKPRIVILEGES Function 223-4
- APPENDRESOURCEMETADATA Procedure 223-5
- CHANGEOWNER Procedure 223-6
- CHANGEPRIVILEGES Function 223-7
- CHECKPRIVILEGES Function 223-7
- CREATEFOLDER Function 223-8
- CREATEOIDPATH Function 223-9
- CREATERESOURCE Functions 223-9
- DELETERESOURCE Procedure 223-11
- DELETERESOURCEMETADATA Procedures 223-12
- ENABLEDIGESTAUTHENTICATION Procedure 223-13
- EXISTSRESOURCE Function 223-13
- GETACLDOCUMENT Function 223-14
- GETCONTENTBLOB Function 223-14
- GETCONTENTCLOB Function 223-15
- GETCONTENTVARCHAR2 Function 223-16
- GETCONTENTXMLREF Function 223-16
- GETCONTENTXMLTYPE Function 223-17
- GETHTTPREQUESTHEADER Function 223-17
- GETLOCKTOKEN Procedure 223-18
- GETPRIVILEGES Function 223-19
- GETRESOID Function 223-19
- GETXDB_TABLESPACE Function 223-20
- HASBLOBCONTENT Function 223-20
- HASCHARCONTENT Function 223-21
- HASXMLCONTENT Function 223-21
- HASXMLREFERENCE Function 223-22
- ISFOLDER Function 223-22
- LINK Procedures 223-23
- LOCKRESOURCE Function 223-24
- PROCESSLINKS Procedure 223-25
- PURGERESOURCEMETADATA Procedure 223-25
- RENAMERESOURCE Procedure 223-26
- SETACL Procedure 223-26
- SPLITPATH Procedure 223-27
- TOUCHRESOURCE Procedure 223-28

UNLOCKRESOURCE Function 223-28
UPDATERESOURCEMETADATA Procedures 223-29

224 DBMS_XA

DBMS_XA Overview 224-1
DBMS_XA Security Model 224-1
DBMS_XA Constants 224-2
DBMS_XA Operational Notes 224-3
DBMS_XA Data Structures 224-4
DBMS_XA DBMS_XA_XID Object Type 224-4
DBMS_XA DBMS_XA_XID_ARRAY Table Type 224-5
Summary of DBMS_XA Subprograms 224-5
DIST_TXN_SYNC Procedure 224-6
XA_COMMIT Function 224-6
XA_END Function 224-7
XA_FORGET Function 224-8
XA_GETLASTOER Function 224-8
XA_PREPARE Function 224-8
XA_RECOVER Function 224-9
XA_ROLLBACK Function 224-9
XA_SETTIMEOUT Function 224-10
XA_START Function 224-10

225 DBMS_XDB_ADMIN

DBMS_XDB_ADMIN Security Model 225-1
Summary of DBMS_XDB_ADMIN Subprograms 225-1
CREATENONCEKEY Procedure 225-1
INSTALLDEFAULTWALLET Procedure 225-2
MOVEXDB_TABLESPACE Procedure 225-2
REBUILDHIERARCHICALINDEX Procedure 225-2

226 DBMS_XDB_CONFIG

DBMS_XDB_CONFIG Overview 226-1
DBMS_XDB_CONFIG Security Model 226-2
DBMS_XDB_CONFIG Constants 226-2
Summary of DBMS_XDB_CONFIG Subprograms 226-2
ADDHTTPEXPIREMAPPING Procedure 226-4
ADDMIMEMAPPING Procedure 226-4
ADDSCHEMALOCMAPPING Procedure 226-5

ADDSERVLET Procedure 226-5
ADDSERVLETMAPPING Procedure 226-6
ADDSERVLETSECROLE Procedure 226-7
ADDXMLEXTENSION Procedure 226-7
CFG_GET Function 226-8
CFG_REFRESH Procedure 226-8
CFG_UPDATE Procedure 226-8
DELETEHTTPEXPIREMAPPING Procedure 226-8
DELETEMIMEMAPPING Procedure 226-9
DELETESCHEMALOCMAPPING Procedure 226-9
DELETESERVLET Procedure 226-9
DELETESERVLETMAPPING Procedure 226-10
DELETESERVLETSECROLE Procedure 226-10
DELETEXMLEXTENSION Procedure 226-10
ENABLEDIGESTAUTHENTICATION Procedure 226-11
GETFTPPORT Function 226-11
GETHTTPCONFIGREALM Function 226-11
GETHTTPPORT Function 226-11
GETHTTPSPORT Function 226-11
GETLISTENERENDPOINT Procedure 226-12
GETREMOTEHTTPPORT Function 226-12
GETREMOTEHTTPSPORT Function 226-12
ISGLOBALPORTENABLED Function 226-12
SETFTPPORT Procedure 226-13
SETHTTPPORT Procedure 226-13
SETHTTPCONFIGREALM Procedure 226-13
SETHTTPSPORT Procedure 226-14
SETLISTENERENDPOINT Procedure 226-14
SETLISTENERLOCALACCESS Procedure 226-15
SETREMOTEHTTPPORT Procedure 226-15
SETREMOTEHTTPSPORT Procedure 226-15
USEDPORT Function 226-16

227 DBMS_XDB_CONSTANTS

DBMS_XDB_CONSTANTS Security Model 227-1
Summary of DBMS_XDB_CONSTANTS Subprograms 227-1
ENCODING_DEFAULT Function 227-2
ENCODING_ISOLATIN1 Function 227-3
ENCODING_UTF8 Function 227-3
ENCODING_WIN1252 Function 227-3
NAMESPACE_ACL Function 227-3

NAMESPACE_METADATA Function 227-4
NAMESPACE_ORACLE Function 227-4
NAMESPACE_ORACLE_XDB Function 227-4
NAMESPACE_RESOURCE Function 227-4
NAMESPACE_RESOURCE_EVENT Function 227-5
NAMESPACE_RESOURCE_CONFIG Function 227-5
NAMESPACE_XDBSCHEMA Function 227-5
NAMESPACE_XMLDIFF Function 227-5
NAMESPACE_XMLINSTANCE Function 227-6
NAMESPACE_XMLSCHEMA Function 227-6
NSPREFIX_ACL_ACL Function 227-6
NSPREFIX_RESCONFIG_RC Function 227-6
NSPREFIX_RESOURCE_R Function 227-7
NSPREFIX_XDB_XDB Function 227-7
NSPREFIX_XMLINSTANCE_XSI Function 227-7
NSPREFIX_XMLDIFF_XD Function 227-7
NSPREFIX_XMLSCHEMA_XSD Function 227-8
SCHEMAURL_ACL Function 227-8
SCHEMAELEM_RES_ACL Function 227-8
SCHEMAELEM_RESCONTENT_BINARY Function 227-8
SCHEMAELEM_RESCONTENT_TEXT Function 227-9
SCHEMAURL_RESOURCE Function 227-9
SCHEMAURL_XDBSCHEMA Function 227-9
XDBSCHEMA_PREFIXES Function 227-9
XSD_ATTRIBUTE Function 227-10
XSD_COMPLEX_TYPE Function 227-10
XSD_ELEMENT Function 227-10
XSD_GROUP Function 227-10

228 DBMS_XDB_REPOS

DBMS_XDB_REPOS Overview 228-1
DBMS_XDB_REPOS Security Model 228-1
DBMS_XDB_REPOS Constants 228-2
Summary of DBMS_XDB_REPOS Subprograms 228-2
ACLCHECKPRIVILEGES Function 228-4
APPENDRESOURCEMETADATA Procedure 228-4
CHANGEOWNER Procedure 228-5
CHANGEPRIVILEGES Function 228-5
CHECKPRIVILEGES Function 228-6
CREATEFOLDER Function 228-6
CREATEOIDPATH Function 228-7

CREATERESOURCE Functions 228-7
DELETERESOURCE Procedure 228-9
DELETERESOURCEMETADATA Procedures 228-9
EXISTSRESOURCE Function 228-10
GETACLDOCUMENT Function 228-10
GETCONTENTBLOB Function 228-11
GETCONTENTCLOB Function 228-11
GETCONTENTVARCHAR2 Function 228-12
GETCONTENTXMLREF Function 228-12
GETCONTENTXMLTYPE Function 228-13
GETLOCKTOKEN Procedure 228-13
GETPRIVILEGES Function 228-13
GETRESOID Function 228-14
GETXDB_TABLESPACE Function 228-14
HASBLOBCONTENT Function 228-14
HASCHARCONTENT Function 228-15
HASXMLCONTENT Function 228-15
HASXMLREFERENCE Function 228-16
ISFOLDER Function 228-16
LINK Procedures 228-16
LOCKRESOURCE Function 228-17
PROCESSLINKS Procedure 228-18
PURGERESOURCEMETADATA Procedure 228-18
RENAMERESOURCE Procedure 228-18
SETACL Procedure 228-19
SPLITPATH Procedure 228-19
TOUCHRESOURCE Procedure 228-20
UNLOCKRESOURCE Function 228-20
UPDATERESOURCEMETADATA Procedures 228-20

229 DBMS_XDB_VERSION

DBMS_XDB_VERSION Security Model 229-1
Summary of DBMS_XDB_VERSION Subprograms 229-1
CHECKIN Function 229-2
CHECKOUT Procedure 229-3
GETCONTENTSBLOBBYRESID Function 229-3
GETCONTENTSCLOBBYRESID Function 229-3
GETCONTENTSXMLBYRESID Function 229-4
GETPREDECESSORS Function 229-4
GETPREDSBYRESID Function 229-5
GETRESOURCEBYRESID Function 229-5

GETSUCCESSORS Function 229-5
GETSUCCSBYRESID Function 229-6
MAKEVERSIONED Function 229-6
UNCHECKOUT Function 229-7

230 DBMS_XDBRESOURCE

DBMS_XDBRESOURCE Overview 230-1
DBMS_XDBRESOURCE Security Model 230-1
Summary of DBMS_XDBRESOURCE Subprograms 230-1
FREERESOURCE Procedure 230-3
GETACL Function 230-4
GETACLDOCFROMRES Function 230-4
GETAUTHOR Function 230-4
GETCHARACTERSET Function 230-5
GETCOMMENT Function 230-5
GETCONTENTBLOB Function 230-5
GETCONTENTCLOB Function 230-6
GETCONTENTREF Function 230-6
GETCONTENTTYPE Function 230-6
GETCONTENTXML Function 230-7
GETCONTENTVARCHAR2 Function 230-7
GETCREATIONDATE Function 230-7
GETCREATOR Function 230-8
GETCUSTOMMETADATA Function 230-8
GETDISPLAYNAME Function 230-9
GETLANGUAGE Function 230-9
GETLASTMODIFIER Function 230-9
GETMODIFICATIONDATE Function 230-10
GETOWNER Function 230-10
GETREFCOUNT Function 230-10
GETVERSIONID Function 230-11
HASACLCHANGED Function 230-11
HASAUTHORCHANGED Function 230-11
HASCHANGED Function 230-12
HASCHARACTERSETCHANGED Function 230-12
HASCOMMENTCHANGED Function 230-12
HASCONTENTCHANGED Function 230-13
HASCONTENTTYPECHANGED Function 230-13
HASCREATIONDATECHANGED Function 230-14
HASCREATORCHANGED Function 230-14
HASCUSTOMMETADATACHANGED Function 230-14

HASDISPLAYNAMECHANGED Function 230-15
HASLANGUAGECHANGED Function 230-15
HASLASTMODIFIERCHANGED Function 230-15
HASMODIFICATIONDATECHANGED Function 230-16
HASOWNERCHANGED Function 230-16
HASREFCOUNTCHANGED Function 230-17
HASVERSIONIDCHANGED Function 230-17
ISFOLDER Function 230-17
ISNULL Function 230-18
MAKEDOCUMENT Function 230-18
SAVE Procedure 230-19
SETACL Procedure 230-19
SETAUTHOR Procedure 230-19
SETCHARACTERSET Procedure 230-20
SETCOMMENT Procedure 230-20
SETCONTENT Procedures 230-20
SETCONTENTTYPE Procedure 230-21
SETCUSTOMMETADATA Procedure 230-21
SETDISPLAYNAME Procedure 230-22
SETLANGUAGE Procedure 230-22
SETOWNER Procedure 230-23

231 DBMS_XDBZ

DBMS_XDBZ Security Model 231-1
DBMS_XDBZ Constants 231-1
Summary of DBMS_XDBZ Subprograms 231-2
CREATENONCEKEY Procedure 231-2
DISABLE_HIERARCHY Procedure 231-3
ENABLE_HIERARCHY Procedure 231-3
GET_ACLOID Function 231-4
GET_USERID Function 231-4
IS_HIERARCHY_ENABLED Function 231-5
PURGELDAPCACHE Function 231-6

232 DBMS_XEVENT

DBMS_XEVENT Security Model 232-1
DBMS_XEVENT Constants 232-1
Subprogram Groups 232-2
DBMS_XEVENT XDBEvent Type Subprograms 232-2
DBMS_XEVENT XDBRepositoryEvent Type Subprograms 232-3

DBMS_XEVENT XDBHandlerList Type Subprograms 232-4
DBMS_XEVENT XDBHandler Type Subprograms 232-4
DBMS_XEVENT XDBPath Type Subprograms 232-5
DBMS_XEVENT XDBLink Type Subprograms 232-5
Summary of DBMS_XEVENT Subprograms 232-5
CLEAR Procedure 232-7
GETAPPLICATIONDATA Function 232-8
GETCHILDOID Function 232-8
GETCURRENTUSER Function 232-9
GETEVENT Function 232-9
GETFIRST Function 232-10
GETHANDLERLIST Function 232-10
GETINTERFACE Function 232-11
GETLANGUAGE Function 232-11
GETLINK Function 232-12
GETLINKNAME Function 232-12
GETLOCK Function 232-13
GETLANGUAGE Function 232-13
GETNAME Function 232-14
GETNEXT Function 232-14
GETOLDRESOURCE Function 232-15
GETOPENACCESSMODE Function 232-15
GETOPENDENYMODE Function 232-16
GETOUTPUTSTREAM Function 232-16
GETPARAMETER Function 232-17
GETPARENT Function 232-17
GETPARENTNAME Function 232-18
GETPARENTOID Function 232-18
GETPARENTPATH Function 232-19
GETPATH Function 232-19
GETRESOURCE Function 232-20
GETSCHEMA Function 232-20
GETSOURCE Function 232-21
GETUPDATEBYTECOUNT Function 232-21
GETUPDATEBYTEOFFSET Function 232-22
GETXDBEVENT Function 232-22
ISNULL Functions 232-23
REMOVE Procedure 232-24
SETRENDERPATH Procedure 232-24
SETRENDERSTREAM Procedure 232-25

233 DBMS_XMLDOM

DBMS_XMLDOM Overview 233-1
DBMS_XMLDOM Security Model 233-2
DBMS_XMLDOM Constants 233-3
DBMS_XMLDOM Types 233-3
DBMS_XMLDOM Exceptions 233-4
DBMS_XMLDOM Subprogram Groups 233-4
- DBMS_XMLDOM DOMNode Subprograms 233-5
- DBMS_XMLDOM DOMAttr Subprograms 233-6
- DBMS_XMLDOM DOMCDataSection Subprograms 233-7
- DBMS_XMLDOM DOMCharacterData Subprograms 233-7
- DBMS_XMLDOM DOMComment Subprograms 233-8
- DBMS_XMLDOM DOMDocument Subprograms 233-8
- DBMS_XMLDOM DOMDocumentFragment Subprograms 233-9
- DBMS_XMLDOM DOMDocumentType Subprograms 233-9
- DBMS_XMLDOM DOMElement Subprograms 233-10
- DBMS_XMLDOM DOMEntity Subprograms 233-10
- DBMS_XMLDOM DOMEntityReference Subprograms 233-11
- DBMS_XMLDOM DOMImplementation Subprograms 233-11
- DBMS_XMLDOM DOMNamedNodeMap Subprograms 233-11
- DBMS_XMLDOM DOMNodeList Subprograms 233-12
- DBMS_XMLDOM DOMNotation Subprograms 233-12
- DBMS_XMLDOM DOMProcessingInstruction Subprograms 233-12
- DBMS_XMLDOM DOMText Subprograms 233-12

Summary of DBMS_XMLDOM Subprograms 233-13
- ADOPTNODE Function 233-20
- APPENDCHILD Function 233-20
- APPENDDATA Procedure 233-21
- CLONENODE Function 233-21
- CREATEATTRIBUTE Functions 233-22
- CREATECDATASECTION Function 233-23
- CREATECOMMENT Function 233-23
- CREATEDOCUMENT Function 233-24
- CREATEDOCUMENTFRAGMENT Function 233-24
- CREATEELEMENT Functions 233-25
- CREATEENTITYREFERENCE Function 233-26
- CREATEPROCESSINGINSTRUCTION Function 233-26
- CREATETEXTNODE Function 233-27
- DELETEDATA Procedure 233-27
- FINDENTITY Function 233-28
- FINDNOTATION Function 233-28

FREEDOCFRAG Procedure 233-29
FREEDOCUMENT Procedure 233-29
FREEELEMENT Procedure 233-30
FREENODE Procedure 233-30
FREENODELIST Procedure 233-31
GETATTRIBUTE Functions 233-31
GETATTRIBUTENODE Functions 233-32
GETATTRIBUTES Function 233-33
GETCHARSET Function 233-33
GETCHILDNODES Function 233-34
GETCHILDRENBYTAGNAME Functions 233-34
GETDATA Functions 233-35
GETDOCTYPE Function 233-35
GETDOCUMENTELEMENT Function 233-36
GETELEMENTSBYTAGNAME Functions 233-36
GETENTITIES Function 233-37
GETEXPANDEDNAME Procedure and Functions 233-38
GETFIRSTCHILD Function 233-38
GETIMPLEMENTATION Function 233-39
GETLASTCHILD Function 233-39
GETLENGTH Functions 233-40
GETLOCALNAME Procedure and Functions 233-40
GETNAME Functions 233-41
GETNAMEDITEM Function 233-42
GETNAMESPACE Procedure and Functions 233-42
GETNEXTSIBLING Function 233-43
GETNODETYPE Function 233-43
GETNODENAME Function 233-44
GETNODEVALUE Function 233-44
GETNODEVALUEASBINARYSTREAM Function & Procedure 233-45
GETNODEVALUEASCHARACTERSTREAM Function & Procedure 233-45
GETNOTATIONNAME Function 233-46
GETNOTATIONS Function 233-47
GETTARGET Function 233-47
GETOWNERDOCUMENT Function 233-48
GETOWNERELEMENT Function 233-48
GETPARENTNODE Function 233-49
GETPREFIX Function 233-49
GETPREVIOUSSIBLING Function 233-50
GETPUBLICID Functions 233-50
GETQUALIFIEDNAME Functions 233-51
GETSCHEMANODE Function 233-51

GETSPECIFIED Function 233-52
GETSTANDALONE Function 233-52
GETSYSTEMID Functions 233-53
GETTAGNAME Function 233-53
GETVALUE Function 233-54
GETVERSION Function 233-54
GETXMLTYPE Function 233-55
HASATTRIBUTE Functions 233-55
HASATTRIBUTES Function 233-56
HASCHILDNODES Function 233-56
HASFEATURE Function 233-57
IMPORTNODE Function 233-57
INSERTBEFORE Function 233-58
INSERTDATA Procedure 233-59
ISNULL Functions 233-59
ITEM Functions 233-62
MAKEATTR Function 233-63
MAKECDATASECTION Function 233-63
MAKECHARACTERDATA Function 233-64
MAKECOMMENT Function 233-64
MAKEDOCUMENT Function 233-65
MAKEDOCUMENTFRAGMENT Function 233-65
MAKEDOCUMENTTYPE Function 233-66
MAKEELEMENT Function 233-66
MAKEENTITY Function 233-67
MAKEENTITYREFERENCE Function 233-67
MAKENODE Functions 233-68
MAKENOTATION Function 233-70
MAKEPROCESSINGINSTRUCTION Function 233-70
MAKETEXT Function 233-71
NEWDOMDOCUMENT Functions 233-71
NORMALIZE Procedure 233-72
REMOVEATTRIBUTE Procedures 233-72
REMOVEATTRIBUTENODE Function 233-73
REMOVECHILD Function 233-74
REMOVENAMEDITEM Function 233-74
REPLACECHILD Function 233-75
REPLACEDATA Procedure 233-76
RESOLVENAMESPACEPREFIX Function 233-76
SETATTRIBUTE Procedures 233-77
SETATTRIBUTENODE Functions 233-78
SETCHARSET Procedure 233-78

SETDATA Procedures 233-79
SETDOCTYPE Procedure 233-79
SETNAMEDITEM Function 233-80
SETNODEVALUE Procedure 233-81
SETNODEVALUEASBINARYSTREAM Function & Procedure 233-81
SETNODEVALUEASCHARACTERSTREAM Function & Procedure 233-82
SETPREFIX Procedure 233-83
SETSTANDALONE Procedure 233-83
SETVALUE Procedure 233-84
SETVERSION Procedure 233-84
SPLITTEXT Function 233-85
SUBSTRINGDATA Function 233-85
USEBINARYSTREAM Function 233-86
WRITETOBUFFER Procedures 233-86
WRITETOCLOB Procedures 233-87
WRITETOFILE Procedures 233-88

234 DBMS_XMLGEN

DBMS_XMLGEN Security Model 234-1
Summary of DBMS_XMLGEN Subprograms 234-1
CLOSECONTEXT Procedure 234-2
CONVERT Functions 234-3
GETNUMROWSPROCESSED Function 234-3
GETXML Functions 234-4
GETXMLTYPE Functions 234-5
NEWCONTEXT Functions 234-6
NEWCONTEXTFROMHIERARCHY Function 234-6
RESTARTQUERY Procedure 234-7
SETCONVERTSPECIALCHARS Procedure 234-7
SETMAXROWS Procedure 234-8
SETNULLHANDLING Procedure 234-8
SETROWSETTAG Procedure 234-9
SETROWTAG Procedure 234-9
SETSKIPROWS Procedure 234-10
USEITEMTAGSFORCOLL Procedure 234-10
USENULLATTRIBUTEINDICATOR Procedure 234-11

235 DBMS_XMLINDEX

DBMS_XMLINDEX Overview 235-1
DBMS_XMLINDEX Security Model 235-1

Summary of DBMS_XMLINDEX Subprograms 235-1
CREATEDATEINDEX Procedure 235-2
CREATENUMBERINDEX Procedure 235-3
DROPPARAMETER Procedure 235-3
MODIFYPARAMETER Procedure 235-4
PROCESS_PENDING Procedure 235-4
REGISTERPARAMETER Procedure 235-5
SYNCINDEX Procedure 235-6

236 DBMS_XMLPARSER

DBMS_XMLPARSER Security Model 236-1
Summary of DBMS_XMLPARSER Subprograms 236-1
FREEPARSER 236-2
GETDOCTYPE 236-3
GETDOCUMENT 236-3
GETRELEASEVERSION 236-3
GETVALIDATIONMODE 236-4
NEWPARSER 236-4
PARSE 236-4
PARSEBUFFER 236-5
PARSECLOB 236-5
PARSEDTD 236-6
PARSEDTDBUFFER 236-6
PARSEDTDCLOB 236-7
SETBASEDIR 236-7
SETDOCTYPE Procedure 236-8
SETERRORLOG Procedure 236-8
SETPRESERVEWHITESPACE 236-8
SETVALIDATIONMODE 236-9
SHOWWARNINGS 236-9

237 DBMS_XMLSCHEMA

DBMS_XMLSCHEMA Overview 237-1
DBMS_XMLSCHEMA Security Model 237-1
DBMS_XMLSCHEMA Constants 237-1
Views 237-3
DBMS_XMLSCHEMA Operational Notes 237-4
Summary of DBMS_XMLSCHEMA Subprograms 237-4
COMPILESCHEMA Procedure 237-5
COPYEVOLVE Procedure 237-5

DELETESCHEMA Procedure 237-7
INPLACEEVOLVE Procedure 237-8
PURGESCHEMA Procedure 237-10
REGISTERSCHEMA Procedures 237-10
REGISTERURI Procedure 237-14

238 DBMS_XMLSCHEMA_ANNOTATE

DBMS_XMLSCHEMA_ANNOTATE Overview 238-1
DBMS_XMLSCHEMA_ANNOTATE Security Model 238-1
Summary of DBMS_XMLSCHEMA_ANNOTATE Subprograms 238-1
ADDXDBNAMESPACE Procedure 238-3
DISABLEDEFAULTTABLECREATION Procedure 238-3
DISABLEMAINTAINDOM Procedure 238-4
ENABLEDEFAULTTABLECREATION Procedure 238-4
ENABLEMAINTAINDOM Procedure 238-5
GETSCHEMAANNOTATIONS Function 238-5
GETSIDXDEFFROMVIEW Function 238-6
PRINTWARNINGS Procedure 238-7
REMOVEANYSTORAGE Procedure 238-7
REMOVEDEFAULTTABLE Procedure 238-8
REMOVEMAINTAINDOM Procedure 238-8
REMOVEOUTOFLINE Procedure 238-9
REMOVESQLCOLLTYPE Procedure 238-10
REMOVESQLNAME Procedure 238-10
REMOVESQLTYPE Procedure 238-11
REMOVESQLTYPEMAPPING Procedure 238-12
REMOVETABLEPROPS Procedure 238-12
REMOVETIMESTAMPWITHTIMEZONE Procedure 238-13
SETANYSTORAGE Procedure 238-14
SETDEFAULTTABLE Procedure 238-14
SETOUTOFLINE Procedure 238-15
SETSCHEMAANNOTATATIONS Procedure 238-17
SETSQLCOLLTYPE Procedure 238-18
SETSQLNAME Procedure 238-19
SETSQLTYPE Procedure 238-19
SETSQLTYPEMAPPING Procedure 238-21
SETTABLEPROPS Procedure 238-21
SETTIMESTAMPWITHTIMEZONE Procedure 238-22

239 DBMS_XMLSCHEMA_UTIL

DBMS_XMLSCHEMA_UTIL Security Model 239-1
Summary of DBMS_XMLSCHEMA_UTIL Subprograms 239-1
- CONFORMING Functions 239-1
- VALIDATE Procedures 239-3

240 DBMS_XMLSTORAGE_MANAGE

DBMS_XMLSTORAGE_MANAGE Overview 240-1
DBMS_XMLSTORAGE_MANAGE Security Model 240-1
Summary of DBMS_XMLSTORAGE_MANAGE Subprograms 240-1
- DISABLEINDEXESANDCONSTRAINTS Procedure 240-2
- ENABLEINDEXESANDCONSTRAINTS Procedure 240-4
- EXCHANGEPOSTPROC Procedure 240-5
- EXCHANGEPREPROC Procedure 240-5
- INDEXXMLREFERENCES Procedure 240-5
- REFPARTITIONEXCHANGEIN Procedure 240-6
- REFPARTITIONEXCHANGEOUT Procedure 240-7
- RENAMECOLLECTIONTABLE Procedure 240-8
- SCOPEXMLREFERENCES Procedure 240-10
- XPATH2TABCOLMAPPING Function 240-10

241 DBMS_XMLSTORE

DBMS_XMLSTORE Security Model 241-1
Types 241-1
Summary of DBMS_XMLSTORE Subprograms 241-2
- CLEARKEYCOLUMNLIST 241-2
- CLEARUPDATECOLUMNLIST 241-2
- CLOSECONTEXT 241-3
- DELETEXML 241-3
- INSERTXML 241-4
- NEWCONTEXT 241-4
- SETKEYCOLUMN 241-5
- SETROWTAG 241-5
- SETUPDATECOLUMN 241-5
- UPDATEXML 241-6

242 DBMS_XPLAN

DBMS_XPLAN Overview 242-1
DBMS_XPLAN Security Model 242-2

DBMS_XPLAN Data Structures 242-2
DBMS_XPLAN PLAN_OBJECT_LIST Table Type 242-2
Examples 242-4
Summary of DBMS_XPLAN Subprograms 242-7
COMPARE_PLANS Function 242-7
DIFF_PLAN Function 242-9
DISPLAY Function 242-10
DISPLAY_AWR Function 242-12
DISPLAY_CURSOR Function 242-15
DISPLAY_PLAN Function 242-18
DISPLAY_SQL_PLAN_BASELINE Function 242-20
DISPLAY_SQLSET Function 242-21
DISPLAY_WORKLOAD_REPOSITORY Function 242-25

243 DBMS_XSLPROCESSOR

DBMS_XSLPROCESSOR Overview 243-1
DBMS_XSLPROCESSOR Security Model 243-1
Summary of DBMS_XSLPROCESSOR Subprograms 243-2
FREEPROCESSOR Procedure 243-2
FREESTYLESHEET Procedure 243-2
NEWPROCESSOR Function 243-3
NEWSTYLESHEET Functions 243-3
PROCESSXSL Functions and Procedures 243-4
REMOVEPARAM Procedure 243-6
RESETPARAMS Procedure 243-6
SELECTNODES Function 243-6
SELECTSINGLENODE Function 243-7
SETERRORLOG Procedure 243-7
SETPARAM Procedure 243-8
SHOWWARNINGS Procedure 243-8
TRANSFORMNODE Function 243-9
VALUEOF Function and Procedure 243-9

244 DBMS_XSTREAM_ADM

DBMS_XSTREAM_ADM Overview 244-1
DBMS_XSTREAM_ADM Security Model 244-2
DBMS_XSTREAM_ADM Operational Notes 244-2
Summary of DBMS_XSTREAM_ADM Subprograms 244-3
ADD_COLUMN Procedure 244-5
ADD_GLOBAL_PROPAGATION_RULES Procedure 244-8

ADD_GLOBAL_RULES Procedure 244-12
ADD_OUTBOUND Procedure 244-16
ADD_SCHEMA_PROPAGATION_RULES Procedure 244-20
ADD_SCHEMA_RULES Procedure 244-24
ADD_SUBSET_OUTBOUND_RULES Procedure 244-28
ADD_SUBSET_PROPAGATION_RULES Procedure 244-31
ADD_SUBSET_RULES Procedure 244-34
ADD_TABLE_PROPAGATION_RULES Procedure 244-39
ADD_TABLE_RULES Procedure 244-43
ALTER_INBOUND Procedure 244-47
ALTER_OUTBOUND Procedure 244-48
CREATE_INBOUND Procedure 244-53
CREATE_OUTBOUND Procedure 244-55
DELETE_COLUMN Procedure 244-60
DROP_INBOUND Procedure 244-62
DROP_OUTBOUND Procedure 244-62
ENABLE_GG_XSTREAM_FOR_STREAMS Procedure 244-63
GET_MESSAGE_TRACKING Function 244-64
GET_TAG Function 244-65
IS_GG_XSTREAM_FOR_STREAMS Function 244-65
KEEP_COLUMNS Procedure 244-66
MERGE_STREAMS Procedure 244-68
MERGE_STREAMS_JOB Procedure 244-71
PURGE_SOURCE_CATALOG Procedure 244-74
RECOVER_OPERATION Procedure 244-75
REMOVE_QUEUE Procedure 244-77
REMOVE_RULE Procedure 244-78
REMOVE_SUBSET_OUTBOUND_RULES Procedure 244-79
REMOVE_XSTREAM_CONFIGURATION Procedure 244-80
RENAME_COLUMN Procedure 244-82
RENAME_SCHEMA Procedure 244-84
RENAME_TABLE Procedure 244-86
SET_MESSAGE_TRACKING Procedure 244-88
SET_PARAMETER Procedure 244-89
SET_TAG Procedure 244-90
SET_UP_QUEUE Procedure 244-91
SPLIT_STREAMS Procedure 244-93
START_OUTBOUND Procedure 244-97
STOP_OUTBOUND Procedure 244-97

245 DEBUG_EXTPROC

DEBUG_EXTPROC Security Model 245-1
DEBUG_EXTPROC Operational Notes 245-1
Rules and Limits 245-2
Summary of DEBUG_EXTPROC Subprograms 245-2
STARTUP_EXTPROC_AGENT Procedure 245-2

246 HTF

HTF Deprecated Subprograms 246-1
HTF Operational Notes 246-1
Rules and Limits 246-2
HTF Examples 246-2
Summary of Tags 246-2
Summary of HTF Subprograms 246-5
ADDRESS Function 246-11
ANCHOR Function 246-12
ANCHOR2 Function 246-12
APPLETCLOSE Function 246-13
APPLETOPEN Function 246-13
AREA Function 246-14
BASE Function 246-15
BASEFONT Function 246-15
BGSOUND Function 246-16
BIG Function 246-16
BLOCKQUOTECLOSE Function 246-17
BLOCKQUOTEOPEN Function 246-17
BODYCLOSE Function 246-18
BODYOPEN Function 246-18
BOLD Function 246-19
BR Function 246-19
CENTER Function 246-20
CENTERCLOSE Function 246-20
CENTEROPEN Function 246-20
CITE Function 246-21
CODE Function 246-21
COMMENT Function 246-22
DFN Function 246-22
DIRLISTCLOSE Function 246-23
DIRLISTOPEN Function 246-23
DIV Function 246-24

DLISTCLOSE Function 246-24
DLISTDEF Function 246-25
DLISTOPEN Function 246-25
DLISTTERM Function 246-26
EM Function 246-26
EMPHASIS Function 246-27
ESCAPE_SC Function 246-27
ESCAPE_URL Function 246-28
FONTCLOSE Function 246-29
FONTOPEN Function 246-29
FORMAT_CELL Function 246-30
FORMCHECKBOX Function 246-30
FORMCLOSE Function 246-31
FORMFILE Function 246-31
FORMHIDDEN Function 246-32
FORMIMAGE Function 246-32
FORMOPEN Function 246-33
FORMPASSWORD Function 246-34
FORMRADIO Function 246-34
FORMRESET Function 246-35
FORMSELECTCLOSE Function 246-35
FORMSELECTOPEN Function 246-36
FORMSELECTOPTION Function 246-37
FORMSUBMIT Function 246-37
FORMTEXT Function 246-38
FORMTEXTAREA Function 246-38
FORMTEXTAREA2 Function 246-39
FORMTEXTAREACLOSE Function 246-40
FORMTEXTAREAOPEN Function 246-40
FORMTEXTAREAOPEN2 Function 246-41
FRAME Function 246-42
FRAMESETCLOSE Function 246-42
FRAMESETOPEN Function 246-43
HEADCLOSE Function 246-43
HEADER Function 246-44
HEADOPEN Function 246-44
HR Function 246-45
HTMLCLOSE Function 246-45
HTMLOPEN Function 246-45
IMG Function 246-46
IMG2 Function 246-46
ISINDEX Function 246-47

ITALIC Function 246-48
KBD Function 246-48
KEYBOARD Function 246-49
LINE Function 246-49
LINKREL Function 246-50
LINKREV Function 246-50
LISTHEADER Function 246-51
LISTINGCLOSE Function 246-52
LISTINGOPEN Function 246-52
LISTITEM Function 246-52
MAILTO Function 246-53
MAPCLOSE Function 246-54
MAPOPEN Function 246-54
MENULISTCLOSE Function 246-54
MENULISTOPEN Function 246-55
META Function 246-55
NL Function 246-56
NOBR Function 246-56
NOFRAMESCLOSE Function 246-57
NOFRAMESOPEN Function 246-57
OLISTCLOSE Function 246-57
OLISTOPEN Function 246-58
PARA Function 246-58
PARAGRAPH Function 246-59
PARAM Function 246-59
PLAINTEXT Function 246-60
PRECLOSE Function 246-60
PREOPEN Function 246-61
PRINT Functions 246-61
PRN Functions 246-62
S Function 246-63
SAMPLE Function 246-63
SCRIPT Function 246-64
SMALL Function 246-64
STRIKE Function 246-65
STRONG Function 246-65
STYLE Function 246-66
SUB Function 246-66
SUP Function 246-67
TABLECAPTION Function 246-67
TABLECLOSE Function 246-68
TABLEDATA Function 246-68

TABLEHEADER Function 246-69
TABLEOPEN Function 246-70
TABLEROWCLOSE Function 246-70
TABLEROWOPEN Function 246-71
TELETYPE Function 246-71
TITLE Function 246-72
ULISTCLOSE Function 246-72
ULISTOPEN Function 246-73
UNDERLINE Function 246-73
VARIABLE Function 246-74
WBR Function 246-74

247 HTP

HTP Operational Notes 247-1
HTP Rules and Limits 247-2
HTP Examples 247-2
HTP Summary of Tags 247-2
Summary of HTP Subprograms 247-5
ADDRESS Procedure 247-11
ANCHOR Procedure 247-11
ANCHOR2 Procedure 247-12
APPLETCLOSE Procedure 247-13
APPLETOPEN Procedure 247-13
AREA Procedure 247-14
BASE Procedure 247-15
BASEFONT Procedure 247-15
BGSOUND Procedure 247-16
BIG Procedure 247-16
BLOCKQUOTECLOSE Procedure 247-17
BLOCKQUOTEOPEN Procedure 247-17
BODYCLOSE Procedure 247-17
BODYOPEN Procedure 247-18
BOLD Procedure 247-18
BR Procedure 247-19
CENTER Procedure 247-19
CENTERCLOSE Procedure 247-20
CENTEROPEN Procedure 247-20
CITE Procedure 247-20
CODE Procedure 247-21
COMMENT Procedure 247-21
DFN Procedure 247-22

DIRLISTCLOSE Procedure 247-22
DIRLISTOPEN Procedure 247-23
DIV Procedure 247-23
DLISTCLOSE Procedure 247-24
DLISTDEF Procedure 247-24
DLISTOPEN Procedure 247-25
DLISTTERM Procedure 247-25
EM Procedure 247-26
EMPHASIS Procedure 247-26
ESCAPE_SC Procedure 247-27
FONTCLOSE Procedure 247-27
FONTOPEN Procedure 247-28
FORMCHECKBOX Procedure 247-28
FORMCLOSE Procedure 247-29
FORMOPEN Procedure 247-29
FORMFILE Procedure 247-30
FORMHIDDEN Procedure 247-30
FORMIMAGE Procedure 247-31
FORMPASSWORD Procedure 247-32
FORMRADIO Procedure 247-32
FORMRESET Procedure 247-33
FORMSELECTCLOSE Procedure 247-33
FORMSELECTOPEN Procedure 247-34
FORMSELECTOPTION Procedure 247-35
FORMSUBMIT Procedure 247-35
FORMTEXT Procedure 247-36
FORMTEXTAREA Procedure 247-36
FORMTEXTAREA2 Procedure 247-37
FORMTEXTAREACLOSE Procedure 247-38
FORMTEXTAREAOPEN Procedure 247-38
FORMTEXTAREAOPEN2 Procedure 247-39
FRAME Procedure 247-39
FRAMESETCLOSE Procedure 247-40
FRAMESETOPEN Procedure 247-40
HEADCLOSE Procedure 247-41
HEADER Procedure 247-41
HEADOPEN Procedure 247-42
HR Procedure 247-42
HTMLCLOSE Procedure 247-43
HTMLOPEN Procedure 247-43
IMG Procedure 247-43
IMG2 Procedure 247-44

ISINDEX Procedure 247-45
ITALIC Procedure 247-45
KBD Procedure 247-46
KEYBOARD Procedure 247-46
LINE Procedure 247-47
LINKREL Procedure 247-47
LINKREV Procedure 247-48
LISTHEADER Procedure 247-49
LISTINGCLOSE Procedure 247-49
LISTINGOPEN Procedure 247-49
LISTITEM Procedure 247-50
MAILTO Procedure 247-50
MAPCLOSE Procedure 247-51
MAPOPEN Procedure 247-51
MENULISTCLOSE Procedure 247-52
MENULISTOPEN Procedure 247-52
META Procedure 247-53
NL Procedure 247-53
NOBR Procedure 247-54
NOFRAMESCLOSE Procedure 247-54
NOFRAMESOPEN Procedure 247-55
OLISTCLOSE Procedure 247-55
OLISTOPEN Procedure 247-55
PARA Procedure 247-56
PARAGRAPH Procedure 247-56
PARAM Procedure 247-57
PLAINTEXT Procedure 247-57
PRECLOSE Procedure 247-58
PREOPEN Procedure 247-58
PRINT Procedures 247-59
PRINTS Procedure 247-59
PRN Procedures 247-60
PS Procedure 247-61
S Procedure 247-61
SAMPLE Procedure 247-62
SCRIPT Procedure 247-62
SMALL Procedure 247-63
STRIKE Procedure 247-64
STRONG Procedure 247-64
STYLE Procedure 247-65
SUB Procedure 247-65
SUP Procedure 247-66

TABLECAPTION Procedure 247-66
TABLECLOSE Procedure 247-67
TABLEDATA Procedure 247-67
TABLEHEADER Procedure 247-68
TABLEOPEN Procedure 247-68
TABLEROWCLOSE Procedure 247-69
TABLEROWOPEN Procedure 247-69
TELETYPE Procedure 247-70
TITLE Procedure 247-70
ULISTCLOSE Procedure 247-71
ULISTOPEN Procedure 247-71
UNDERLINE Procedure 247-72
VARIABLE Procedure 247-72
WBR Procedure 247-73

248 OWA_CACHE

OWA_CACHE Constants 248-1
Summary of OWA_CACHE Subprograms 248-1
DISABLE Procedure 248-2
GET_ETAG Function 248-2
GET_LEVEL Function 248-2
SET_CACHE Procedure 248-2
SET_EXPIRES Procedure 248-3
SET_NOT_MODIFIED Procedure 248-3
SET_SURROGATE_CONTROL Procedure 248-4

249 OWA_COOKIE

OWA_CUSTOM Overview 249-1
OWA_COOKIE Types 249-1
OWA_COOKIE Rules and Limits 249-1
Summary of OWA_COOKIE Subprograms 249-2
GET Function 249-2
GET_ALL Procedure 249-2
REMOVE Procedure 249-3
SEND procedure 249-3

250 OWA_CUSTOM

OWA_CUSTOM Constants 250-1
Summary of OWA_CUSTOM Subprograms 250-1

AUTHORIZE Function 250-1

251 OWA_IMAGE

OWA_IMAGE Overview 251-1
OWA_IMAGE Types 251-1
OWA_IMAGE Variables 251-1
OWA_IMAGE Examples 251-2
Summary of OWA_IMAGE Subprograms 251-2
GET_X Function 251-2
GET_Y Function 251-3

252 OWA_OPT_LOCK

OWA_OPT_LOCK Overview 252-1
OWA_TEXT Types 252-1
Summary of OWA_OPT_LOCK Subprograms 252-2
CHECKSUM Functions 252-2
GET_ROWID Function 252-3
STORE_VALUES Procedure 252-3
VERIFY_VALUES Function 252-4

253 OWA_PATTERN

OWA_PATTERN Types 253-1
OWA_PATTERN Operational Notes 253-1
OWA_PATTERN Wildcards 253-2
OWA_PATTERN Quantifiers 253-2
OWA_PATTERN Flags 253-3
Summary of OWA_PATTERN Subprograms 253-3
AMATCH Function 253-3
CHANGE Functions and Procedures 253-5
GETPAT Procedure 253-6
MATCH Function 253-6

254 OWA_SEC

OWA_SEC Operational Notes 254-1
Summary of OWA_SEC Subprograms 254-1
GET_CLIENT_HOSTNAME Function 254-1
GET_CLIENT_IP Function 254-2
GET_PASSWORD Function 254-2

GET_USER_ID Function 254-2
SET_AUTHORIZATION Procedure 254-3
SET_PROTECTION_REALM Procedure 254-4

255 OWA_TEXT

OWA_OPT_LOCK Types 255-1
MULTI_LINE DATA TYPE 255-1
ROW_LIST DATA TYPE 255-1
VC_ARR DATA TYPE 255-2
Summary of OWA_TEXT Subprograms 255-2
ADD2MULTI Procedure 255-2
NEW_ROW_LIST Function and Procedure 255-3
PRINT_MULTI Procedure 255-3
PRINT_ROW_LIST Procedure 255-4
STREAM2MULTI Procedure 255-4

256 OWA_UTIL

OWA_UTIL Overview 256-1
OWA_UTIL Types 256-1
DATETYPE Datatype 256-1
IDENT_ARR Datatype 256-2
IP_ADDRESS Datatype 256-2
Summary of OWA_UTIL Subprograms 256-2
BIND_VARIABLES Function 256-3
CALENDARPRINT Procedures 256-3
CELLSPRINT Procedures 256-4
CHOOSE_DATE Procedure 256-6
GET_CGI_ENV Function 256-7
GET_OWA_SERVICE_PATH Function 256-7
GET_PROCEDURE Function 256-8
HTTP_HEADER_CLOSE Procedure 256-8
LISTPRINT Procedure 256-8
MIME_HEADER Procedure 256-9
PRINT_CGI_ENV Procedure 256-10
REDIRECT_URL Procedure 256-10
SHOWPAGE Procedure 256-11
SHOWSOURCE Procedure 256-12
SIGNATURE procedure 256-12
STATUS_LINE Procedure 256-13
TABLEPRINT Function 256-13

TODATE Function 256-16
WHO_CALLED_ME Procedure 256-17

257 SDO_CS

258 SDO_CSW_PROCESS

259 SDO_GCDR

260 SDO_GEOM

261 SDO_GEOR

262 SDO_GEOR_ADMIN

263 SDO_GEOR_AGGR

264 SDO_GEOR_RA

265 SDO_GEOR_UTL

266 SDO_LRS

267 SDO_MIGRATE

268 SDO_NET

269 SDO_NFE

270 SDO_OLS

271 SDO_PC_PKG

272 SDO_SAM

273 SDO_TIN_PKG

274 SDO_TOPO

275 SDO_TOPO_MAP

276 SDO_TUNE

277 SDO_UTIL

278 SDO_WFS_LOCK

279 SDO_WFS_PROCESS

280 SEM_APIS

281 SEM_OLS

282 SEM_PERF

283 SEM_RDFCTX

284 SEM_RDFSA

285 UTL_CALL_STACK

UTL_CALL_STACK Overview 285-1
UTL_CALL_STACK Security Model 285-2
UTL_CALL_STACK Operational Notes 285-3
UTL_CALL_STACK Exceptions 285-3
UTL_CALL_STACK Data Structures 285-3
UNIT_QUALIFIED_NAME 285-3
Summary of UTL_CALL_STACK Subprograms 285-4
BACKTRACE_DEPTH Function 285-4
BACKTRACE_LINE Function 285-5
BACKTRACE_UNIT Function 285-5
CURRENT_EDITION Function 285-5
CONCATENATE_SUBPROGRAM Function 285-6
DYNAMIC_DEPTH Function 285-6
ERROR_DEPTH Function 285-6
ERROR_MSG Function 285-7

ERROR_NUMBER Function 285-7
LEXICAL_DEPTH Function 285-8
OWNER Function 285-8
UNIT_LINE Function 285-8
SUBPROGRAM Function 285-9

286 UTL_COLL

Summary of UTL_COLL Subprograms 286-1
IS_LOCATOR Function 286-1

287 UTL_COMPRESS

UTL_COMPRESS Constants 287-1
UTL_COMPRESS Exceptions 287-1
UTL_COMPRESS Operational Notes 287-1
Summary of UTL_COMPRESS Subprograms 287-2
ISOPEN Function 287-2
LZ_COMPRESS Functions and Procedures 287-3
LZ_COMPRESS_ADD Procedure 287-4
LZ_COMPRESS_CLOSE 287-4
LZ_COMPRESS_OPEN 287-5
LZ_UNCOMPRESS Functions and Procedures 287-6
LZ_UNCOMPRESS_EXTRACT Procedure 287-6
LZ_UNCOMPRESS_OPEN Function 287-7
LZ_UNCOMPRESS_CLOSE Procedure 287-8

288 UTL_ENCODE

Summary of UTL_ENCODE Subprograms 288-1
BASE64_DECODE Function 288-2
BASE64_ENCODE Function 288-2
MIMEHEADER_DECODE Function 288-3
MIMEHEADER_ENCODE Function 288-4
QUOTED_PRINTABLE_DECODE Function 288-5
QUOTED_PRINTABLE_ENCODE Function 288-5
TEXT_DECODE Function 288-6
TEXT_ENCODE Function 288-7
UUDECODE Function 288-8
UUENCODE Function 288-9

289 UTL_FILE

UTL_FILE Security Model 289-1
UTL_FILE Operational Notes 289-2
UTL_FILE Rules and Limits 289-3
UTL_FILE Exceptions 289-3
UTL_FILE Examples 289-4
UTL_FILE Data Structures 289-5
FILETYPE Record Type 289-5
Summary of UTL_FILE Subprograms 289-6
FCLOSE Procedure 289-7
FCLOSE_ALL Procedure 289-7
FCOPY Procedure 289-8
FFLUSH Procedure 289-8
FGETATTR Procedure 289-9
FGETPOS Function 289-10
FOPEN Function 289-10
FOPEN_NCHAR Function 289-12
FREMOVE Procedure 289-13
FRENAME Procedure 289-13
FSEEK Procedure 289-14
GET_LINE Procedure 289-15
GET_LINE_NCHAR Procedure 289-16
GET_RAW Procedure 289-17
IS_OPEN Function 289-18
NEW_LINE Procedure 289-18
PUT Procedure 289-19
PUT_LINE Procedure 289-19
PUT_LINE_NCHAR Procedure 289-20
PUT_NCHAR Procedure 289-21
PUTF Procedure 289-22
PUTF_NCHAR Procedure 289-23
PUT_RAW Procedure 289-24

290 UTL_HTTP

UTL_HTTP Overview 290-1
UTL_HTTP Security Model 290-2
UTL_HTTP Constants 290-2
UTL_HTTP Exceptions 290-5
UTL_HTTP Examples 290-7
UTL_HTTP General Usage 290-7

UTL_HTTP Retrieving HTTP Response Headers 290-7
UTL_HTTP Handling HTTP Authentication 290-8
UTL_HTTP Handling HTTP Digest Authentication 290-9
UTL_HTTP Retrieving and Restoring Cookies 290-9
UTL_HTTP Making HTTP Request with Private Wallet and Cookie Table 290-10
UTL_HTTP Using a Proxy Server 290-11
UTL_HTTP Data Structures 290-11
REQ Type 290-12
REQUEST_CONTEXT_KEY Type 290-12
RESP Type 290-13
COOKIE and COOKIE_TABLE Types 290-13
CONNECTION Type 290-14
UTL_HTTP Operations 290-15
UTL_HTTP Operational Flow 290-15
UTL_HTTP Simple HTTP Fetches 290-18
UTL_HTTP HTTP Requests 290-18
UTL_HTTP HTTP Responses 290-19
UTL_HTTP HTTP Cookies 290-19
UTL_HTTP HTTP Persistent Connections 290-19
UTL_HTTP Error Conditions 290-20
UTL_HTTP Session Settings 290-20
UTL_HTTP Request Context 290-20
UTL_HTTP External Password Store 290-21
UTL_HTTP Subprogram Groups 290-21
UTL_HTTP Simple HTTP Fetches in a Single Call Subprograms 290-21
UTL_HTTP Session Settings Subprograms 290-21
UTL_HTTP HTTP Requests Subprograms 290-22
UTL_HTTP HTTP Request Contexts Subprograms 290-23
UTL_HTTP HTTP Responses Subprograms 290-23
UTL_HTTP HTTP Cookies Subprograms 290-24
UTL_HTTP HTTP Persistent Connections Subprograms 290-24
UTL_HTTP Error Conditions Subprograms 290-25
Summary of UTL_HTTP Subprograms 290-25
ADD_COOKIES Procedure 290-29
BEGIN_REQUEST Function 290-30
CLEAR_COOKIES Procedure 290-31
CLOSE_PERSISTENT_CONN Procedure 290-32
CLOSE_PERSISTENT_CONNS Procedure 290-32
CREATE_REQUEST_CONTEXT Function 290-33
DESTROY_REQUEST_CONTEXT Procedure 290-35
END_REQUEST Procedure 290-35
END_RESPONSE Procedure 290-36

GET_AUTHENTICATION Procedure 290-36
GET_BODY_CHARSET Procedure 290-37
GET_COOKIE_COUNT Function 290-38
GET_COOKIE_SUPPORT Procedure 290-38
GET_COOKIES Function 290-39
GET_DETAILED_EXCP_SUPPORT Procedure 290-39
GET_DETAILED_SQLCODE Function 290-40
GET_DETAILED_SQLERRM Function 290-40
GET_FOLLOW_REDIRECT Procedure 290-40
GET_HEADER Procedure 290-41
GET_HEADER_BY_NAME Procedure 290-42
GET_HEADER_COUNT Function 290-42
GET_PERSISTENT_CONN_COUNT Function 290-43
GET_PERSISTENT_CONN_SUPPORT Procedure 290-43
GET_PERSISTENT_CONNS Procedure 290-44
GET_PROXY Procedure 290-45
GET_RESPONSE Function 290-45
GET_RESPONSE_ERROR_CHECK Procedure 290-47
GET_TRANSFER_TIMEOUT Procedure 290-47
READ_LINE Procedure 290-48
READ_RAW Procedure 290-49
READ_TEXT Procedure 290-50
REQUEST Function 290-51
REQUEST_PIECES Function 290-53
SET_AUTHENTICATION Procedure 290-56
SET_AUTHENTICATION_FROM_WALLET Procedure 290-57
SET_BODY_CHARSET Procedures 290-59
SET_COOKIE_SUPPORT Procedures 290-60
SET_DETAILED_EXCP_SUPPORT Procedure 290-61
SET_FOLLOW_REDIRECT Procedures 290-62
SET_HEADER Procedure 290-63
SET_PERSISTENT_CONN_SUPPORT Procedure 290-64
SET_PROXY Procedure 290-67
SET_RESPONSE_ERROR_CHECK Procedure 290-68
SET_TRANSFER_TIMEOUT Procedure 290-68
SET_WALLET Procedure 290-69
WRITE_LINE Procedure 290-70
WRITE_RAW Procedure 290-71
WRITE_TEXT Procedure 290-72

291 UTL_I18N

UTL_I18N Overview 291-1
UTL_I18N Security Model 291-2
UTL_I18N Constants 291-2
UTL_I18N Data Structures 291-3
- CHARSET_RESULT_RECORD Record Type 291-4
- LANGUAGE_CHARSET_RESULT_RECORD Record Type 291-4
- LANGUAGE_RESULT_RECORD Record Type 291-5
- CHARSET_RESULT_TABLE Table Type 291-5
- LANGUAGE_CHARSET_RESULT_TABLE Table Type 291-5
- LANGUAGE_RESULT_TABLE Table Type 291-6

Summary of UTL_I18N Subprograms 291-6
- DETECT_CHARSET Procedure 291-7
- DETECT_LANGUAGE Procedure 291-9
- DETECT_LANGUAGE_CHARSET Procedure 291-11
- ESCAPE_REFERENCE Function 291-14
- GET_COMMON_TIME_ZONES Function 291-15
- GET_DEFAULT_CHARSET Function 291-15
- GET_DEFAULT_ISO_CURRENCY Function 291-16
- GET_DEFAULT_LINGUISTIC_SORT Function 291-17
- GET_LOCAL_LANGUAGES Function 291-17
- GET_LOCAL_LINGUISTIC_SORTS Function 291-18
- GET_LOCAL_TERRITORIES Function 291-19
- GET_LOCAL_TIME_ZONES Function 291-20
- GET_MAX_CHARACTER_SIZE Function 291-21
- GET_TRANSLATION Function 291-22
- MAP_CHARSET Function 291-23
- MAP_FROM_SHORT_LANGUAGE Function 291-24
- MAP_LANGUAGE_FROM_ISO Function 291-25
- MAP_LOCALE_TO_ISO Function 291-26
- MAP_TERRITORY_FROM_ISO Function 291-27
- MAP_TO_SHORT_LANGUAGE Function 291-27
- RAW_TO_CHAR Functions 291-28
- RAW_TO_NCHAR Functions 291-30
- STRING_TO_RAW Function 291-31
- TRANSLITERATE Function 291-32
- UNESCAPE_REFERENCE Function 291-34
- VALIDATE_CHARACTER_ENCODING Functions 291-35

292 UTL_IDENT

UTL_IDENT Overview 292-1
UTL_IDENT Security Model 292-1
UTL_IDENT Constants 292-1

293 UTL_INADDR

UTL_INADDR Security Model 293-1
UTL_INADDR Exceptions 293-1
UTL_INADDR Examples 293-1
Summary of UTL_INADDR Subprograms 293-2
- GET_HOST_ADDRESS Function 293-2
- GET_HOST_NAME Function 293-3

294 UTL_LMS

UTL_LMS Security Model 294-1
Summary of UTL_LMS Subprograms 294-1
- FORMAT_MESSAGE Function 294-1
- GET_MESSAGE Function 294-2

295 UTL_MAIL

UTL_MAIL Security Model 295-1
UTL_MAIL Operational Notes 295-1
UTL_MAIL Rules and Limits 295-1
Summary of UTL_MAIL Subprograms 295-2
- SEND Procedure 295-2
- SEND_ATTACH_RAW Procedure 295-3
- SEND_ATTACH_VARCHAR2 Procedure 295-4

296 UTL_MATCH

UTL_MATCH Overview 296-1
UTL_MATCH Security Model 296-1
Summary of UTL_MATCH Subprograms 296-2
- EDIT_DISTANCE Function 296-2
- EDIT_DISTANCE_SIMILARITY Function 296-2
- JARO_WINKLER Function 296-3
- JARO_WINKLER_SIMILARITY Function 296-4

297 UTL_NLA

UTL_NLA Overview 297-1
UTL_NLA Rules and Limits 297-2
UTL_NLA Security Model 297-2
Subprogram Groups 297-2
- UTL_NLA BLAS Level 1 (Vector-Vector Operations) Subprograms 297-2
- UTL_NLA BLAS Level 2 (Matrix-Vector Operations) Subprograms 297-3
- UTL_NLA BLAS Level 3 (Matrix-Matrix Operations) Subprograms 297-4
- UTL_NLA LAPACK Driver Routines (Linear Equations) Subprograms 297-5
- UTL_NLA LAPACK Driver Routines (LLS and Eigenvalue Problems) Subprograms 297-6

Summary of UTL_NLA Subprograms 297-7
- BLAS_ASUM Functions 297-13
- BLAS_AXPY Procedures 297-14
- BLAS_COPY Procedures 297-15
- BLAS_DOT Functions 297-16
- BLAS_GBMV Procedures 297-17
- BLAS_GEMM Procedures 297-19
- BLAS_GEMV Procedures 297-21
- BLAS_GER Procedures 297-23
- BLAS_IAMAX Functions 297-24
- BLAS_NRM2 Functions 297-25
- BLAS_ROT Procedures 297-26
- BLAS_ROTG Procedures 297-27
- BLAS_SCAL Procedures 297-27
- BLAS_SPMV Procedures 297-28
- BLAS_SPR Procedures 297-30
- BLAS_SPR2 Procedures 297-31
- BLAS_SBMV Procedures 297-33
- BLAS_SWAP Procedures 297-34
- BLAS_SYMM Procedures 297-35
- BLAS_SYMV Procedures 297-37
- BLAS_SYR Procedures 297-39
- BLAS_SYR2 Procedures 297-40
- BLAS_SYR2K Procedures 297-42
- BLAS_SYRK Procedures 297-44
- BLAS_TBMV Procedures 297-46
- BLAS_TBSV Procedures 297-48
- BLAS_TPMV Procedures 297-50
- BLAS_TPSV Procedures 297-51
- BLAS_TRMM Procedures 297-53
- BLAS_TRMV Procedures 297-55

BLAS_TRSM Procedures 297-56
BLAS_TRSV Procedures 297-58
LAPACK_GBSV Procedures 297-60
LAPACK_GEES Procedures 297-61
LAPACK_GELS Procedures 297-63
LAPACK_GESDD Procedures 297-65
LAPACK_GESV Procedure 297-67
LAPACK_GESVD Procedures 297-69
LAPACK_GEEV Procedures 297-71
LAPACK_GTSV Procedure 297-73
LAPACK_PBSV Procedures 297-75
LAPACK_POSV Procedures 297-76
LAPACK_PPSV Procedures 297-78
LAPACK_PTSV Procedures 297-80
LAPACK_SBEV Procedures 297-81
LAPACK_SBEVD Procedures 297-83
LAPACK_SPEV Procedures 297-85
LAPACK_SPEVD Procedures 297-86
LAPACK_SPSV Procedures 297-88
LAPACK_STEV Procedures 297-90
LAPACK_STEVD Procedures 297-91
LAPACK_SYEV Procedures 297-93
LAPACK_SYEVD Procedures 297-94
LAPACK_SYSV Procedures 297-95

298 UTL_RAW

UTL_RAW Overview 298-1
UTL_RAW Operational Notes 298-1
Summary of UTL_RAW Subprograms 298-1
BIT_AND Function 298-3
BIT_COMPLEMENT Function 298-4
BIT_OR Function 298-4
BIT_XOR Function 298-5
CAST_FROM_BINARY_DOUBLE Function 298-6
CAST_FROM_BINARY_FLOAT Function 298-7
CAST_FROM_BINARY_INTEGER Function 298-8
CAST_FROM_NUMBER Function 298-8
CAST_TO_BINARY_DOUBLE Function 298-9
CAST_TO_BINARY_FLOAT Function 298-10
CAST_TO_BINARY_INTEGER Function 298-11
CAST_TO_NUMBER Function 298-11

CAST_TO_NVARCHAR2 Function 298-12
CAST_TO_RAW Function 298-13
CAST_TO_VARCHAR2 Function 298-13
COMPARE Function 298-14
CONCAT Function 298-15
CONVERT Function 298-16
COPIES Function 298-17
LENGTH Function 298-18
OVERLAY Function 298-18
REVERSE Function 298-20
SUBSTR Function 298-20
TRANSLATE Function 298-21
TRANSLITERATE Function 298-23
XRANGE Function 298-25

299 UTL_RECOMP

UTL_RECOMP Overview 299-1
UTL_RECOMP Operational Notes 299-1
UTL_RECOMP Examples 299-2
Summary of UTL_RECOMP Subprograms 299-2
RECOMP_PARALLEL Procedure 299-2
RECOMP_SERIAL Procedure 299-4

300 UTL_REF

UTL_REF Overview 300-1
UTL_REF Security Model 300-1
UTL_REF Types 300-2
UTL_REF Exceptions 300-2
Summary of UTL_REF Subprograms 300-3
DELETE_OBJECT Procedure 300-3
LOCK_OBJECT Procedure 300-4
SELECT_OBJECT Procedure 300-5
UPDATE_OBJECT Procedure 300-6

301 UTL_RPADV

UTL_RPADV Overview 301-1
DBMS_COMPARISON Security Model 301-1
UTL_RPADV Operational Notes 301-1
Summary of UTL_RPADV Subprograms 301-10

ALTER_MONITORING Procedure 301-11
COLLECT_STATS Procedure 301-12
IS_MONITORING Function 301-13
SHOW_STATS Procedure 301-14
SHOW_STATS_HTML Procedure 301-16
START_MONITORING Procedure 301-18
STOP_MONITORING Procedure 301-20

302 UTL_SMTP

UTL_SMTP Overview 302-1
UTL_SMTP Security Model 302-2
UTL_SMTP Constants 302-2
UTL_SMTP Types 302-2
UTL_SMTP Reply Codes 302-4
UTL_SMTP Operational Notes 302-5
UTL_SMTP Exceptions 302-5
UTL_SMTP Rules and Limits 302-6
UTL_SMTP Examples 302-6
Summary of UTL_SMTP Subprograms 302-7
AUTH Function and Procedure 302-8
CLOSE_CONNECTION Procedure 302-9
CLOSE_DATA Function and Procedure 302-10
COMMAND Function and Procedure 302-10
COMMAND_REPLIES Function 302-11
DATA Function and Procedure 302-12
EHLO Function and Procedure 302-13
HELO Function and Procedure 302-14
HELP Function 302-15
MAIL Function and Procedure 302-15
NOOP Function and Procedure 302-16
OPEN_CONNECTION Functions 302-17
OPEN_DATA Function and Procedure 302-19
QUIT Function and Procedure 302-20
RCPT Function 302-20
RSET Function and Procedure 302-21
STARTTLS Function and Procedure 302-22
VRFY Function 302-23
WRITE_DATA Procedure 302-24
WRITE_RAW_DATA Procedure 302-25

303 UTL_TCP

UTL_TCP Overview 303-1
UTL_TCP Security Model 303-1
UTL_TCP Types 303-1
UTL_TCP Exceptions 303-3
UTL_TCP Rules and Limits 303-3
UTL_TCP Examples 303-3
Summary of UTL_TCP Subprograms 303-4
- AVAILABLE Function 303-5
- CLOSE_ALL_CONNECTIONS Procedure 303-6
- CLOSE_CONNECTION Procedure 303-7
- FLUSH Procedure 303-7
- GET_LINE Function 303-8
- GET_LINE_NCHAR Function 303-8
- GET_RAW Function 303-9
- GET_TEXT Function 303-10
- GET_TEXT_NCHAR Function 303-11
- OPEN_CONNECTION Function 303-12
- READ_LINE Function 303-14
- READ_RAW Function 303-15
- READ_TEXT Function 303-16
- SECURE_CONNECTION Procedure 303-17
- WRITE_LINE Function 303-17
- WRITE_RAW Function 303-18
- WRITE_TEXT Function 303-18

304 UTL_URL

UTL_URL Overview 304-1
UTL_URL Exceptions 304-2
UTL_URL Examples 304-2
Summary of UTL_URL Subprograms 304-2
- ESCAPE Function 304-3
- UNESCAPE Function 304-4

305 WPG_DOCLOAD

WPG_DOCLOAD Constants 305-1
Summary of WPG_DOCLOAD Subprograms 305-1
- DOWNLOAD_FILE Procedures 305-2

306 ANYDATA TYPE

ANYDATA TYPE Restrictions 306-1
ANYDATA TYPE Operational Notes 306-1
Summary of ANYDATA Subprograms 306-2
- BEGINCREATE Static Procedure 306-3
- ENDCREATE Member Procedure 306-3
- GET* Member Functions 306-4
- GETTYPE Member Function 306-6
- GETTYPENAME Member Function 306-7
- PIECEWISE Member Procedure 306-7
- SET* Member Procedures 306-8

307 ANYDATASET TYPE

ANYDATASET TYPE Construction 307-1
Summary of ANYDATASET TYPE Subprograms 307-1
- ADDINSTANCE Member Procedure 307-2
- BEGINCREATE Static Procedure 307-3
- ENDCREATE Member Procedure 307-3
- GET* Member Functions 307-3
- GETCOUNT Member Function 307-6
- GETINSTANCE Member Function 307-6
- GETTYPE Member Function 307-7
- GETTYPENAME Member Function 307-7
- PIECEWISE Member Procedure 307-8
- SET* Member Procedures 307-9

308 ANYTYPE TYPE

Summary of ANYTYPE Subprograms 308-1
- BEGINCREATE Static Procedure 308-2
- SETINFO Member Procedure 308-2
- ADDATTR Member Procedure 308-3
- ENDCREATE Member Procedure 308-4
- GETINFO Member Function 308-5
- GETATTRELEMINFO Member Function 308-6
- GETANYTYPEFROMPERSISTENT Function 308-7

309 Oracle Database Advanced Queuing (AQ) Types

Advanced Queuing (AQ)Types Security Model 309-1
Oracle Database Advanced Queuing (AQ) Types —Summary of Types 309-1

AQ$_AGENT Type 309-2
AQ$_AGENT_LIST_T Type 309-2
AQ$_DESCRIPTOR Type 309-3
AQ$_NTFN_DESCRIPTOR Type 309-3
AQ$_NTFN_MSGID_ARRAY Type 309-4
AQ$_POST_INFO Type 309-4
AQ$_POST_INFO_LIST Type 309-4
AQ$_PURGE_OPTIONS_T Type 309-5
AQ$_RECIPIENT_LIST_T Type 309-5
AQ$_REG_INFO Type 309-6
AQ$_REG_INFO_LIST Type 309-8
AQ$_SUBSCRIBER_LIST_T Type 309-8
DEQUEUE_OPTIONS_T Type 309-9
ENQUEUE_OPTIONS_T Type 309-11
QUEUE_PROPS_T Type 309-12
SEEK_INPUT_T Type 309-13
SEEK_OUTPUT_T Type 309-13
SYS.MSG_PROP_T Type 309-14
MESSAGE_PROPERTIES_T Type 309-16
MESSAGE_PROPERTIES_ARRAY_T Type 309-19
MSGID_ARRAY_T Type 309-20

310 DBFS Content Interface Types

DDBFS Content Interface Types Overview 310-1
DBFS Content Interface Types Security Model 310-1
DBFS Content Interface Types —Data Structures 310-1
DBMS_DBFS_CONTENT_CONTEXT_T Object Type 310-2
DBMS_DBFS_CONTENT_LIST_ITEM_T Object Type 310-2
DBMS_DBFS_CONTENT_PROPERTY_T Object Type 310-3
DBMS_DBFS_CONTENT_LIST_ITEMS_T Table Type 310-3
DBMS_DBFS_CONTENT_PROPERTIES_T Table Type 310-4
DBMS_DBFS_CONTENT_RAW_T Table Type 310-4

311 Database URI TYPEs

Summary of URITYPE Supertype Subprograms 311-1
UriType Supertype GETBLOB 311-2
UriType Supertype GETCLOB 311-3
UriType Supertype GETCONTENTTYPE 311-3
UriType Supertype GETEXTERNALURL 311-3
UriType Supertype GETURL 311-4

UriType Supertype GETXML 311-4
Summary of HTTPURITYPE Subtype Subprograms 311-4
HttpUriType Subtype CREATEURI 311-5
HttpUriType Subtype GETBLOB 311-5
HttpUriType Subtype GETCLOB 311-6
HttpUriType Subtype GETCONTENTTYPE 311-6
HttpUriType Subtype GETEXTERNALURL 311-7
HttpUriType Subtype GETURL 311-7
HttpUriType Subtype GETXML 311-7
HttpUriType Subtype HTTPURITYPE 311-8
Summary of DBURITYPE Subtype Subprogams 311-8
DBUriType Subtype CREATEURI 311-9
DBUriType Subtype DBURITYPE 311-9
DBUriType Subtype GETBLOB 311-9
DBUriType Subtype GETCLOB 311-10
DBUriType Subtype GETCONTENTTYPE 311-10
DBUriType Subtype GETEXTERNALURL 311-11
DBUriType Subtype GETURL 311-11
DBUriType Subtype GETXML 311-11
Summary of XDBURITYPE Subtype Subprograms 311-11
XDBUriType Subtype CREATEURI 311-12
XDBUriType Subtype GETBLOB 311-12
XDBUriType Subtype GETCLOB 311-13
XDBUriType Subtype GETCONTENTTYPE 311-14
XDBUriType Subtype GETEXTERNALURL 311-14
XDBUriType Subtype GETURL 311-14
XDBUriType Subtype GETXML 311-14
XDBUriType subtype XDBURITYPE 311-15
Summary of URIFACTORY Package Subprograms 311-15
UriFactory Package GETURI 311-16
UriFactory Package ESCAPEURI 311-16
UriFactory Package UNESCAPEURI 311-16
UriFactory Package REGISTERURLHANDLER 311-17
UriFactory Package UNREGISTERURLHANDLER 311-17

312 JMS Types

JMS Types Overview 312-1
JMS Types Security Model 312-2
Java Versus PL/SQL Datatypes 312-2
More on Bytes, Stream and Map Messages 312-3
Upcasting and Downcasting Between General and Specific Messages 312-6

JMS Types Error Reporting 312-6
Oracle JMS Type Constants 312-7
CONVERT_JMS_SELECTOR 312-8
Summary of JMS Types 312-10
SYS.AQ$_JMS_MESSAGE Type 312-10
SYS.AQ$_JMS_TEXT_MESSAGE Type 312-16
SYS.AQ$_JMS_BYTES_MESSAGE Type 312-19
SYS.AQ$_JMS_MAP_MESSAGE Type 312-28
SYS.AQ$_JMS_STREAM_MESSAGE Type 312-37
SYS.AQ$_JMS_OBJECT_MESSAGE Type 312-46
SYS.AQ$_JMS_NAMEARRAY Type 312-46
SYS.AQ$_JMS_VALUE Type 312-46
SYS.AQ$_JMS_EXCEPTION Type 312-47

313 JSON Data Structures

JSON_ELEMENT_T Object Type 313-1
JSON_OBJECT_T Object Type 313-4
JSON_ARRAY_T Object Type 313-8
JSON_SCALAR_T Object Type 313-10
JSON_KEY_LIST Type 313-10

314 Logical Change Record TYPEs

Logical Change Record TYPEs Overview 314-1
Logical Change Record Types Security Model 314-1
Summary of Logical Change Record Types 314-1
LCR$_DDL_RECORD Type 314-2
LCR$_ROW_RECORD Type 314-10
Common Subprograms for LCR$_DDL_RECORD and LCR$_ROW_RECORD 314-34
LCR$_ROW_LIST Type 314-44
LCR$_ROW_UNIT Type 314-45

315 MGD_ID Package Types

MGD_ID Package Types Security Model 315-1
Summary of Types 315-2
MGD_ID_COMPONENT Object Type 315-2
MGD_ID_COMPONENT_VARRAY Object Type 315-2
MGD_ID Object Type 315-3
Summary of MGD_ID Subprograms 315-3
MGD_ID Constructor Function 315-4

FORMAT Function 315-7
GET_COMPONENT Function 315-8
TO_STRING Function 315-9
TRANSLATE Function 315-10

316 Rule TYPEs

Rule TYPEs Overview 316-1
Rule TYPEs Security Model 316-1
Summary of Rule Types 316-1
RE$ATTRIBUTE_VALUE Type 316-3
RE$ATTRIBUTE_VALUE_LIST Type 316-3
RE$COLUMN_VALUE Type 316-3
RE$COLUMN_VALUE_LIST Type 316-4
RE$NAME_ARRAY Type 316-4
RE$NV_ARRAY Type 316-4
RE$NV_LIST Type 316-4
RE$NV_NODE Type 316-7
RE$RULE_HIT Type 316-7
RE$RULE_HIT_LIST Type 316-8
RE$RULE_NAME Type 316-8
RE$RULE_NAME_LIST Type 316-8
RE$TABLE_ALIAS Type 316-8
RE$TABLE_ALIAS_LIST Type 316-9
RE$TABLE_VALUE Type 316-10
RE$TABLE_VALUE_LIST Type 316-10
RE$VALUE Type 316-10
RE$VALUE_LIST Type 316-11
RE$VARIABLE_TYPE Type 316-11
RE$VARIABLE_TYPE_LIST Type 316-13
RE$VARIABLE_VALUE Type 316-13
RE$VARIABLE_VALUE_LIST Type 316-13

317 SODA Types

SODA Types Overview 317-1
SODA Types Security Model 317-1
Summary of SODA Types 317-2
SODA_Collection_T Type 317-2
CREATE_INDEX Function 317-3
CREATE_VIEW_FROM_DG Function 317-4
DROP_INDEX Function 317-5

FIND Function 317-6
FIND_ONE Function 317-6
GET_DATA_GUIDE Function 317-7
GET_INDEX Function 317-7
GET_METADATA Function 317-8
GET_NAME Function 317-8
INSERT_ONE Function 317-8
INSERT_ONE_AND_GET Function 317-9
LIST_INDEXES Function 317-9
REMOVE_ONE Function 317-10
REPLACE_ONE Function 317-10
REPLACE_ONE_AND_GET Function 317-11
SAVE Function 317-12
SAVE_AND_GET Function 317-12
TRUNCATE Function 317-13
SODA_Document_T Type 317-13
GET_BLOB Function 317-14
GET_CLOB Function 317-14
GET_CREATED_ON Function 317-15
GET_DATA_TYPE Function 317-15
GET_JSON Function 317-15
GET_KEY Function 317-16
GET_LAST_MODIFIED Function 317-16
GET_MEDIA_TYPE Function 317-16
GET_VARCHAR2 Function 317-17
GET_VERSION Function 317-17
SODA_Document_T Function 317-17
SODA_OPERATION_T Type 317-18
ACQUIRE_LOCK Function 317-20
AS_OF_SCN Function 317-21
AS_OF_TIMESTAMP Function 317-21
COUNT Function 317-22
FILTER Function 317-22
GET_CURSOR Function 317-23
GET_DATA_GUIDE Function 317-23
GET_ONE Function 317-24
HINT Function 317-24
KEY Function 317-25
KEYS Function 317-25
LIMIT Function 317-26
REMOVE Function 317-26
REPLACE_ONE Function 317-26

REPLACE_ONE_AND_GET Function 317-27
SAMPLE Function 317-28
SKIP Function 317-28
VERSION Function 317-29
SODA_CURSOR_T Type 317-29
CLOSE Function 317-30
HAS_NEXT Function 317-30
NEXT Function 317-30

318 UTL Streams Types

UTL Streams Types Security Model 318-1
Summary of UTL Binary Streams Types 318-1
UTL_BINARYINPUTSTREAM Type 318-1
UTL_BINARYOUTPUTSTREAM Type 318-2
UTL_CHARACTERINPUTSTREAM Type 318-3
UTL_CHARACTEROUTPUTSTREAM Type 318-4

319 XMLTYPE

Summary of XMLType Subprograms 319-1
CREATENONSCHEMABASEDXML 319-2
CREATESCHEMABASEDXML 319-2
CREATEXML 319-3
EXISTSNODE 319-5
EXTRACT 319-5
GETBLOBVAL 319-6
GETCLOBVAL 319-6
GETNAMESPACE 319-6
GETNUMBERVAL 319-6
GETROOTELEMENT 319-7
GETSCHEMAURL 319-7
GETSTRINGVAL 319-7
ISFRAGMENT 319-7
ISSCHEMABASED 319-7
ISSCHEMAVALID 319-8
ISSCHEMAVALIDATED 319-8
SCHEMAVALIDATE 319-8
SETSCHEMAVALIDATED 319-9
TOOBJECT 319-9
TRANSFORM 319-9

Index