Index

A	DBMS_SQL_FIREWALL package (continued)
ADD ALLOWED CONTEXT procedure (of	DISABLE procedure, <i>B-10</i>
ADD_ALLOWED_CONTEXT procedure (of DBMS_SQL_FIREWALL), <i>B-4</i>	DISABLE_ALLOW_LIST procedure, <i>B-11</i>
APPEND_ALLOW_LIST procedure (of	DROP CAPTURE procedure, <i>B-12</i> DROP ALLOW LIST procedure, <i>B-11</i>
DBMS_SQL_FIREWALL), B-5	ENABLE procedure, <i>B-12</i>
APPEND_ALLOW_LIST_SINGLE_SQL	ENABLE procedure, B-12 ENABLE_ALLOW_LIST procedure, B-13
procedure (of DBMS_SQL_FIREWALL),	EXCLUDE procedure, <i>B-14</i>
B-6	EXPORT_ALLOW_LIST procedure, <i>B-14</i>
B 0	FLUSH_LOGS procedure, B-15
	GENERATE_ALLOW_LIST procedure, B-16
C	IMPORT_ALLOW_LIST procedure, <i>B-17</i>
Centrally managed users	INCLUDE procedure, <i>B-18</i>
Oracle SQL Firewall, 3-5	overview, B-1
CREATE_CAPTURE procedure (of	PURGE_LOG procedure, B-18
DBMS_SQL_FIREWALL), B-8	security model, <i>B-1</i>
	START_CAPTURE procedure, B-19
D	STOP_CAPTURE procedure, B-20
D	UPDATE_ALLOW_LIST_ENFORCEMENT
DBA_SQL_FIREWALL_ALLOW_LISTS view, A-1	procedure, <i>B-20</i>
DBA_SQL_FIREWALL_ALLOWED_IP_ADDR	DELETE_ALLOWED_CONTEXT procedure (of
view, <i>A-1</i>	DBMS_SQL_FIREWALL), B-9
DBA_SQL_FIREWALL_ALLOWED_OS_PROG	DELETE_ALLOWED_SQL procedure (of
view, <i>A-2</i>	DBMS_SQL_FIREWALL), B-10
DBA_SQL_FIREWALL_ALLOWED_OS_USER	DISABLE procedure (of
view, <i>A-2</i>	DBMS_SQL_FIREWALL), B-10
DBA_SQL_FIREWALL_ALLOWED_SQL view,	DISABLE_ALLOW_LIST procedure (of
A-2	DBMS_SQL_FIREWALL), <i>B-11</i>
DBA_SQL_FIREWALL_CAPTURE_LOGS view,	DROP_ALLOW_LIST procedure (of
A-3	DBMS_SQL_FIREWALL), <i>B-11</i>
DBA_SQL_FIREWALL_CAPTURES view, A-4	DROP_CAPTURE procedure (of DBMS_SQL_FIREWALL), <i>B-12</i>
DBA_SQL_FIREWALL_SESSION_LOGS view,	DBIVIS_SQL_FIREWALL), B-12
A-5	_
DBA_SQL_FIREWALL_SQL_LOGS view, A-5	E
DBA_SQL_FIREWALL_STATUS view, A-5	ENABLE procedure (of DBMS_SQL_FIREWALL,
DBA_SQL_FIREWALL_VIOLATIONS view, A-6 DBMS_SQL_FIREWALL_package	B-12
ADD ALLOWED CONTEXT procedure, <i>B-4</i>	ENABLE_ALLOW_LIST procedure (of
APPEND_ALLOW_LIST procedure, B-5	DBMS_SQL_FIREWALL), B-13
APPEND_ALLOW_LIST_SINGLE_SQL	enterprise users
procedure, B-6	Oracle SQL Firewall, 3-5
constants, B-2	EXCLUDE procedure (of
CREATE CAPTURE procedure, B-8	DBMS_SQL_FIREWALL, <i>B-14</i>
DELETE_ALLOWED_CONTEXT procedure,	EXPORT_ALLOW_LIST procedure (of
B-9	DBMS_SQL_FIREWALL), B-14
DELETE_ALLOWED_SQL procedure, B-10	



F	Oracle SQL Firewall (continued)
Foot Ingot	DBMS_SQL_FIREWALL.INCLUDE, 3-3
Fast Ingest	DBMS_SQL_FIREWALL.PURGE_LOG, 2-7
Oracle SQL Firewall, used for, 2-7	DBMS_SQL_FIREWALL.STOP_CAPTURE, 2-5
FLUSH_LOGS procedure (of	DBMS_SQL_FIREWALL.UPDATE_ALLOW_LIST_ENFORC
DBMS_SQL_FIREWALL), <i>B-15</i>	2-5 DDBMS_SQL_FIREWALL.APPEND_ALLOW_LIST_SINGLI
G	2-5
<u> </u>	delete operations, 2-5
GENERATE_ALLOW_LIST procedure (of	disable operations, 2-5
DBMS_SQL_FIREWALL), B-16	enterprise users, 3-5
	Fast Ingest, 2-7
ı	getting started, 1-3
I	licensing, 1-3
IMPORT_ALLOW_LIST procedure (of	monitoring, 2-8
DBMS_SQL_FIREWALL), B-17	multitenant environment, 3-6
INCLUDE procedure (of	Oracle Data Pump, 3-2
DBMS SQL FIREWALL), B-18	Oracle Data Safe, 2-9
DBMO_OQE_I INCEWNICE), D 10	Oracle Real Application Security, 3-5
	Oracle Scheduler, excluding from, 3-3
M	Oracle Virtual Private Database, 3-5
multitanant antian	privileges, 1-5
multitenant option	purging log files, 2-7
Oracle SQL Firewall, 3-6	sample script, 1-5
	SQL_FIREWALL_ADMIN role, 1-5
0	SQL_FIREWALL_VIEWER role, 1-5
	trace files, 2-9
Oracle Data Pump	troubleshooting, 2-9
Oracle SQL Firewall, 3-2	unified audit policies, 2-8
Oracle Database Vault	update operations, 2-5
SQL Firewall, authorization, 3-5	video, 1-5
SQL Firewall, comparison, 3-4	Oracle Virtual Private Database
Oracle Real Application Security	Oracle SQL Firewall, 3-5
Oracle SQL Firewall, 3-5	
Oracle Scheduler	P
excluding from Oracle SQL Firewall, 3-3	<u>'</u>
Oracle SQL Firewall	PURGE_LOG procedure, B-18
about, 1-1	purging
auditing, 2-8	Oracle SQL Firewall, 2-7
capture logs, managing performance for, 2-7	,
centrally managed users, 3-5	S
configuring, 2-1	3
data dictionary views, 4-1	SQL Firewall
Data Pump operations, about, 3-1	Oracle Database Vault authorization 3-5
Data Pump operations, skipped captures and allow-lists	Oracle Database Vault, use cases, 3-4
import, 3-2	START_CAPTURE procedure (of
DBMS_SQL_FIREWALL.APPEND_ALLOW_LIST, 2-5	
DBMS_SQL_FIREWALL.DELETE_ALLOWED_CONTE DBMS_SQL_FIREWALL.DELETE_ALLOWED_SQL, 2-	STOP CAPTURE procedure (of
DBMS_SQL_FIREWALL.DELETE_ALLOWED_SQL, 2-	DBMS_SQL_FIREWALL), B-20
DBMS_SQL_FIREWALL.DISABLE, 2-5	<u>-</u>
DBMS_SQL_FIREWALL.DISABLE_ALLOW_LIST, 2-5	т
DBMS_SQL_FIREWALL.DROP_ALLOW_LIST, 2-5	Т
DBMS_SQL_FIREWALL.DROP_CAPTURE, 2-5	trace files
DBMS_SQL_FIREWALL.EXCLUDE, 2-5, 3-3	Oracle SQL Firewall, 2-9
DBMS_SQL_FIREWALL.EXPORT_ALLOW_LIST, 2-5 DBMS_SQL_FIREWALL.IMPORT_ALLOW_LIST, 2-5	J. M. O. O. C.
DDIVID DOLL FINL VVALLATIVIE OR I ALLOVY LIDI, 2-3	

U

UPDATE_ALLOW_LIST_ENFORCEMENT procedure (of DBMS_SQL_FIREWALL),

B-20

users

Oracle SQL Firewall violations, 4-2 Oracle SQL Firewall, allowed IP address, 4-2 Oracle SQL Firewall, allowed SQL, 4-2

