

Oracle® Database

Database Performance Tuning Guide



23ai
F47529-08
January 2025

ORACLE®

Copyright © 2007, 2025, Oracle and/or its affiliates.

Contributing Authors: Glenn Maxey, Manish Garodia, Rajesh Bhatiya, Immanuel Chan, Lance Ashdown

Contributors: Hermann Baer, Deba Chatterjee, Maria Colgan, Mikael Fries, Prabhaker Gongloor, Kevin Jernigan, Sue K. Lee, William Lee, David McDermid, Uri Shaft, Oscar Suro, Trung Tran, Sriram Vrinda, Yujun Wang

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Audience	xix
Documentation Accessibility	xix
Related Documents	xix
Conventions	xx

Changes in This Release for Oracle Database Performance Tuning Guide

Changes in Oracle Database Release 23ai	xxi
---	-----

Part I Database Performance Fundamentals

1 Performance Tuning Overview

Introduction to Performance Tuning	1-1
Performance Planning	1-1
Instance Tuning	1-1
Performance Principles	1-2
Baselines	1-2
The Symptoms and the Problems	1-2
When to Tune	1-3
SQL Tuning	1-4
Query Optimizer and Execution Plans	1-4
Introduction to Performance Tuning Features and Tools	1-4
Automatic Performance Tuning Features	1-5
Additional Oracle Database Tools	1-5
V\$ Performance Views	1-6

2 Designing and Developing for Performance

Oracle Methodology	2-1
Understanding Investment Options	2-1
Understanding Scalability	2-2

What is Scalability?	2-2
System Scalability	2-3
Factors Preventing Scalability	2-4
System Architecture	2-5
Hardware and Software Components	2-5
Hardware Components	2-5
Software Components	2-6
Configuring the Right System Architecture for Your Requirements	2-7
Application Design Principles	2-9
Simplicity In Application Design	2-9
Data Modeling	2-10
Table and Index Design	2-10
Appending Columns to an Index or Using Index-Organized Tables	2-11
Using a Different Index Type	2-11
Finding the Cost of an Index	2-12
Serializing within Indexes	2-12
Ordering Columns in an Index	2-12
Using Views	2-13
SQL Execution Efficiency	2-13
Implementing the Application	2-14
Trends in Application Development	2-16
Workload Testing, Modeling, and Implementation	2-16
Sizing Data	2-17
Estimating Workloads	2-17
Application Modeling	2-18
Testing, Debugging, and Validating a Design	2-18
Deploying New Applications	2-19
Rollout Strategies	2-19
Performance Checklist	2-19

3 Performance Improvement Methods

The Oracle Performance Improvement Method	3-1
Steps in the Oracle Performance Improvement Method	3-2
A Sample Decision Process for Performance Conceptual Modeling	3-3
Top Ten Mistakes Found in Oracle Systems	3-4
Emergency Performance Methods	3-5
Steps in the Emergency Performance Method	3-6

4 Configuring a Database for Performance

Performance Considerations for Initial Instance Configuration	4-1
---	-----

Initialization Parameters	4-1
Undo Space	4-3
Redo Log Files	4-4
Tablespaces	4-4
Creating and Maintaining Tables for Optimal Performance	4-6
Table Compression	4-6
Reclaiming Unused Space	4-8
Indexing Data	4-8
Performance Considerations for Shared Servers	4-9
Identifying and Reducing Contention Using the Dispatcher-Specific Views	4-9
Identifying Contention for Shared Servers	4-11
Improved Client Connection Performance Due to Prespawnd Processes	4-12

Part II Diagnosing and Tuning Database Performance

5 Measuring Database Performance

About Database Statistics	5-1
Time Model Statistics	5-1
Active Session History Statistics	5-2
Wait Events Statistics	5-3
Session and System Statistics	5-4
Interpreting Database Statistics	5-4
Using Hit Ratios	5-5
Using Wait Events with Timed Statistics	5-5
Using Wait Events without Timed Statistics	5-5
Using Idle Wait Events	5-6
Comparing Database Statistics with Other Factors	5-6
Using Computed Statistics	5-6

6 Gathering Database Statistics

About Gathering Database Statistics	6-1
Automatic Workload Repository	6-2
Snapshots	6-2
Baselines	6-3
Fixed Baselines	6-3
Moving Window Baselines	6-3
Baseline Templates	6-4
Space Consumption	6-4
Managing the Automatic Workload Repository	6-5
Enabling the Automatic Workload Repository	6-6

Managing Snapshots	6-6
User Interfaces for Managing Snapshots	6-6
Creating Snapshots	6-7
Dropping Snapshots	6-8
Modifying Snapshot Settings	6-8
Managing Baselines	6-10
User Interface for Managing Baselines	6-10
Creating a Baseline	6-10
Dropping a Baseline	6-11
Renaming a Baseline	6-12
Displaying Baseline Metrics	6-12
Resizing the Default Moving Window Baseline	6-13
Managing Baseline Templates	6-13
User Interfaces for Managing Baseline Templates	6-14
Creating a Single Baseline Template	6-14
Creating a Repeating Baseline Template	6-15
Dropping a Baseline Template	6-15
Transporting Automatic Workload Repository Data to Another System	6-16
Exporting AWR Data	6-16
Importing AWR Data	6-17
Using Automatic Workload Repository Views	6-18
Managing Automatic Workload Repository in a Multitenant Environment	6-20
Categorization of AWR Data in a Multitenant Environment	6-20
AWR Data Storage and Retrieval in a Multitenant Environment	6-21
Viewing AWR Data in a Multitenant Environment	6-23
Managing Automatic Workload Repository in Active Data Guard Standby Databases	6-24
Configuring the Remote Management Framework (RMF)	6-26
Managing Snapshots for Active Data Guard Standby Databases	6-30
Viewing AWR Data in Active Data Guard Standby Databases	6-33
Generating Automatic Workload Repository Reports	6-34
User Interface for Generating an AWR Report	6-34
Generating an AWR Report Using the Command-Line Interface	6-34
Generating an AWR Report for the Local Database	6-35
Generating an AWR Report for a Specific Database	6-36
Generating an AWR Report for the Local Database in Oracle RAC	6-37
Generating an AWR Report for a Specific Database in Oracle RAC	6-37
Generating an AWR Report for a SQL Statement on the Local Database	6-39
Generating an AWR Report for a SQL Statement on a Specific Database	6-39
Generating Performance Hub Active Report	6-41
Overview of Performance Hub Active Report	6-41
About Performance Hub Active Report Tabs	6-41
About Performance Hub Active Report Types	6-42

Command-Line User Interface for Generating a Performance Hub Active Report	6-43
Generating a Performance Hub Active Report Using a SQL Script	6-43
Performance Workload Analysis	6-44

7 Automatic Performance Diagnostics

Overview of the Automatic Database Diagnostic Monitor	7-1
ADDM Analysis	7-2
Using ADDM with Oracle Real Application Clusters	7-4
Using ADDM in a Multitenant Environment	7-4
Enabling ADDM in a Pluggable Database	7-6
Real-Time ADDM Analysis	7-7
Real-Time ADDM Connection Modes	7-7
Real-Time ADDM Triggers	7-7
Real-Time ADDM Trigger Controls	7-8
ADDM Analysis Results	7-9
Reviewing ADDM Analysis Results: Example	7-9
Setting Up ADDM	7-10
Diagnosing Database Performance Problems with ADDM	7-11
Running ADDM in Database Mode	7-11
Running ADDM in Instance Mode	7-12
Running ADDM in Partial Mode	7-13
Displaying an ADDM Report	7-13
Re-Running Failed ADDM Tasks	7-14
FAILED_AUTO_TASKS_REPORT Function	7-14
REEXECUTE_FAILED_AUTO_TASKS Procedure	7-15
ADDM Views	7-15
ADDM Spotlight	7-16

8 Monitoring Databases with Performance Hub

About Performance Hub	8-1
What is Performance Hub?	8-1
How Performance Hub Works	8-1
Performance Hub Features	8-2
ASH Analytics	8-3
ASH Sample Resolution	8-4
Activity Tables	8-4
SQL Monitoring	8-4
Real-time SQL Monitoring	8-5
Graphical Explain Plan	8-5
Automatic Database Diagnostic Monitor (ADDM)	8-5

Workload	8-5
Monitored and Analyzed Time Indications	8-6
Regions	8-6
Blocking Sessions	8-6
Exadata	8-7
Exadata Details	8-7
Top Activity Lite	8-8
Simplified UI Options	8-8
AWR Snapshot Collection	8-10
Reports	8-10
Automatic Workload Repository (AWR)	8-10
Active Session History (ASH)	8-11
Performance Hub	8-11
Using Performance Hub to Analyze Database Performance	8-12
Access	8-12
For Autonomous Database	8-12
For Base Database Service and Exadata Databases	8-13
For External Database Service	8-14
View	8-15
Average Active Sessions Data	8-16
SQL Monitoring Report	8-17
Real-time SQL Activity	8-18
Graphical Explain Plan	8-20
Workload Metrics	8-21
Blocking and Waiting Sessions	8-22
ADDM Data	8-24
Exadata Statistics	8-28
Top Activity Lite Data	8-28
Manage	8-29
AWR Settings	8-29
Download	8-31
Automatic Workload Repository (AWR) Report	8-31
Active Sessions History (ASH) Report	8-32
Performance Hub Report	8-32

9 Comparing Database Performance Over Time

About Automatic Workload Repository Compare Periods Reports	9-1
Generating Automatic Workload Repository Compare Periods Reports	9-2
User Interfaces for Generating AWR Compare Periods Reports	9-2
Generating an AWR Compare Periods Report Using the Command-Line Interface	9-2
Generating an AWR Compare Periods Report for the Local Database	9-3

Generating an AWR Compare Periods Report for a Specific Database	9-4
Generating an Oracle RAC AWR Compare Periods Report for the Local Database	9-5
Generating an Oracle RAC AWR Compare Periods Report for a Specific Database	9-6
Interpreting Automatic Workload Repository Compare Periods Reports	9-8
Summary of the AWR Compare Periods Report	9-8
Snapshot Sets	9-8
Host Configuration Comparison	9-8
System Configuration Comparison	9-8
Load Profile	9-9
Top 5 Timed Events	9-9
Details of the AWR Compare Periods Report	9-9
Time Model Statistics	9-9
Operating System Statistics	9-10
Wait Events	9-10
Service Statistics	9-10
SQL Statistics	9-10
Instance Activity Statistics	9-12
I/O Statistics	9-12
Advisory Statistics	9-13
Wait Statistics	9-13
Undo Segment Summary	9-14
Latch Statistics	9-14
Segment Statistics	9-14
In-Memory Segment Statistics	9-15
Dictionary Cache Statistics	9-16
Library Cache Statistics	9-16
Memory Statistics	9-16
Advanced Queuing Statistics	9-17
Supplemental Information in the AWR Compare Periods Report	9-17
init.ora Parameters	9-17
Complete List of SQL Text	9-17

10 Analyzing Sampled Data

About Active Session History	10-1
Generating Active Session History Reports	10-2
User Interfaces for Generating ASH Reports	10-2
Generating an ASH Report Using the Command-Line Interface	10-2
Generating an ASH Report on the Local Database Instance	10-3
Generating an ASH Report on a Specific Database Instance	10-3
Generating an ASH Report for Oracle RAC	10-5
Interpreting Results from Active Session History Reports	10-6

Top Events	10-7
Top User Events	10-7
Top Background Events	10-7
Top Event P1/P2/P3	10-7
Load Profile	10-7
Top Service/Module	10-8
Top Client IDs	10-8
Top SQL Command Types	10-8
Top Phases of Execution	10-8
Top SQL	10-8
Top SQL with Top Events	10-8
Top SQL with Top Row Sources	10-8
Top SQL Using Literals	10-9
Top Parsing Module/Action	10-9
Complete List of SQL Text	10-9
Top PL/SQL	10-9
Top Java	10-9
Top Sessions	10-9
Top Sessions	10-9
Top Blocking Sessions	10-9
Top Sessions Running PQs	10-10
Top Objects/Files/Latches	10-10
Top DB Objects	10-10
Top DB Files	10-10
Top Latches	10-10
Activity Over Time	10-10

11 Instance Tuning Using Performance Views

Instance Tuning Steps	11-1
Define the Problem	11-2
Examine the Host System	11-2
CPU Usage	11-3
Identifying I/O Problems	11-4
Identifying Network Issues	11-6
Examine the Oracle Database Statistics	11-6
Setting the Level of Statistics Collection	11-7
Wait Events	11-7
Dynamic Performance Views Containing Wait Event Statistics	11-8
System Statistics	11-9
Segment-Level Statistics	11-10
Implement and Measure Change	11-11

Interpreting Oracle Database Statistics	11-11
Examine Load	11-12
Using Wait Event Statistics to Drill Down to Bottlenecks	11-12
Table of Wait Events and Potential Causes	11-14
Additional Statistics	11-15
Wait Events Statistics	11-17
Changes to Wait Event Statistics from Past Releases	11-18
buffer busy waits	11-20
db file scattered read	11-21
db file sequential read	11-23
direct path read and direct path read temp	11-24
direct path write and direct path write temp	11-26
enqueue (enq:) waits	11-26
events in wait class other	11-29
free buffer waits	11-29
Idle Wait Events	11-31
latch events	11-32
log file parallel write	11-36
library cache pin	11-36
library cache lock	11-36
log buffer space	11-36
log file switch	11-36
log file sync	11-37
rdbms ipc reply	11-38
SQL*Net Events	11-38
Tuning Instance Recovery Performance: Fast-Start Fault Recovery	11-39
About Instance Recovery	11-39
Cache Recovery (Rolling Forward)	11-40
Transaction Recovery (Rolling Back)	11-40
Checkpoints and Cache Recovery	11-40
Configuring the Duration of Cache Recovery: FAST_START_MTTR_TARGET	11-41
Practical Values for FAST_START_MTTR_TARGET	11-41
Reducing Checkpoint Frequency to Optimize Run-Time Performance	11-42
Monitoring Cache Recovery with V\$INSTANCE_RECOVERY	11-42
Tuning FAST_START_MTTR_TARGET and Using MTTR Advisor	11-43
Calibrate the FAST_START_MTTR_TARGET	11-43
Determine the Practical Range for FAST_START_MTTR_TARGET	11-43
Evaluate Different Target Values with MTTR Advisor	11-45
Determine the Optimal Size for Redo Logs	11-46

12 Database Memory Allocation

About Database Memory Caches and Other Memory Structures	12-1
Database Memory Management Methods	12-2
Automatic Memory Management	12-3
Automatic Shared Memory Management	12-4
Manual Shared Memory Management	12-5
Automatic PGA Memory Management	12-5
Manual PGA Memory Management	12-5
Summary of Memory Management Methods	12-6
Using Automatic Memory Management	12-8
Monitoring Memory Management	12-8

13 Tuning the System Global Area

Using Unified Memory	13-1
Using Automatic Shared Memory Management	13-1
User Interfaces for Setting the SGA_TARGET Parameter	13-2
Setting the SGA_TARGET Parameter in Oracle Enterprise Manager Cloud Control	13-2
Setting the SGA_TARGET Parameter in the Command-Line Interface	13-2
Setting the SGA_TARGET Parameter	13-3
Enabling Automatic Shared Memory Management	13-3
Disabling Automatic Shared Memory Management	13-3
Unified Program Global Area	13-3
Sizing the SGA Components Manually	13-4
SGA Sizing Unit	13-5
Maximum Size of the SGA	13-5
Application Considerations	13-6
Operating System Memory Use	13-6
Reduce Paging	13-6
Fit the SGA into Main Memory	13-7
Allow Adequate Memory to Individual Users	13-7
Iteration During Configuration	13-7
Monitoring Shared Memory Management	13-8
Improving Query Performance with the In-Memory Column Store	13-8
Enabling High Performance Data Streaming with the Memoptimized Rowstore	13-9
About the Memoptimized Rowstore	13-9
Using Fast Ingest	13-9
Prerequisites for Fast Ingest Table	13-12
Enabling a Table for Fast Ingest	13-14

Specifying a Hint for Using Fast Ingest for Data Inserts	13-15
Disabling a Table for Fast Ingest	13-15
Managing Fast Ingest Data in the Large Pool	13-15
Using Fast Lookup	13-17
Prerequisites for Fast Lookup	13-18
Enabling the Memoptimize Pool	13-18
Enabling a Table for Fast Lookup	13-20
Disabling a Table for Fast Lookup	13-21
Managing Fast Lookup Data in the Memoptimize Pool	13-21

14 Tuning the Database Buffer Cache

About the Database Buffer Cache	14-1
Configuring the Database Buffer Cache	14-1
Using the V\$DB_CACHE_ADVICE View	14-2
Calculating the Buffer Cache Hit Ratio	14-4
Interpreting the Buffer Cache Hit Ratio	14-5
Increasing Memory Allocated to the Database Buffer Cache	14-5
Reducing Memory Allocated to the Database Buffer Cache	14-6
Configuring Multiple Buffer Pools	14-6
Considerations for Using Multiple Buffer Pools	14-7
Random Access to Large Segments	14-7
Oracle Real Application Cluster Instances	14-8
Using Multiple Buffer Pools	14-8
Using the V\$DB_CACHE_ADVICE View for Individual Buffer Pools	14-8
Calculating the Buffer Pool Hit Ratio for Individual Buffer Pools	14-9
Examining the Buffer Cache Usage Pattern	14-9
Examining the Buffer Cache Usage Pattern for All Segments	14-9
Examining the Buffer Cache Usage Pattern for a Specific Segment	14-10
Configuring the KEEP Pool	14-11
Configuring the RECYCLE Pool	14-11
Configuring the Redo Log Buffer	14-12
Sizing the Redo Log Buffer	14-13
Using Redo Log Buffer Statistics	14-13
Configuring the Database Caching Mode	14-14
Default Database Caching Mode	14-14
Force Full Database Caching Mode	14-15
Determining When to Use Force Full Database Caching Mode	14-15
Verifying the Database Caching Mode	14-16

15 Tuning the Shared Pool and the Large Pool

About the Shared Pool	15-1
Benefits of Using the Shared Pool	15-1
Shared Pool Concepts	15-1
Library Cache Concepts	15-2
Data Dictionary Cache Concepts	15-3
SQL Sharing Criteria	15-3
Using the Shared Pool	15-4
Use Shared Cursors	15-5
Use Single-User Logon and Qualified Table Reference	15-6
Use PL/SQL	15-6
Avoid Performing DDL Operations	15-6
Cache Sequence Numbers	15-6
Control Cursor Access	15-6
Controlling Cursor Access Using OCI	15-7
Controlling Cursor Access Using Oracle Precompilers	15-7
Controlling Cursor Access Using SQLJ	15-8
Controlling Cursor Access Using JDBC	15-8
Controlling Cursor Access Using Oracle Forms	15-8
Maintain Persistent Connections	15-8
Configuring the Shared Pool	15-8
Sizing the Shared Pool	15-9
Using Library Cache Statistics	15-9
Using Shared Pool Advisory Statistics	15-11
Using Dictionary Cache Statistics	15-13
Increasing Memory Allocated to the Shared Pool	15-15
Reducing Memory Allocated to the Shared Pool	15-15
Deallocating Cursors	15-15
Caching Session Cursors	15-16
About the Session Cursor Cache	15-16
Enabling the Session Cursor Cache	15-17
Sizing the Session Cursor Cache	15-17
Sharing Cursors	15-19
About Cursor Sharing	15-19
Forcing Cursor Sharing	15-19
Keeping Large Objects to Prevent Aging	15-20
Configuring the Reserved Pool	15-21
Sizing the Reserved Pool	15-22
Increasing Memory Allocated to the Reserved Pool	15-22
Reducing Memory Allocated to the Reserved Pool	15-23
Configuring the Large Pool	15-23

Configuring the Large Pool for Shared Server Architecture	15-24
Configuring the Large Pool for Parallel Query	15-25
Sizing the Large Pool	15-25
Limiting Memory Use for User Sessions	15-26
Reducing Memory Use Using Three-Tier Connections	15-27

16 Tuning the Result Cache

About the Result Cache	16-1
Server Result Cache Concepts	16-1
Benefits of Using the Server Result Cache	16-1
Understanding How the Server Result Cache Works	16-2
Client Result Cache Concepts	16-3
Benefits of Using the Client Result Cache	16-4
Understanding How the Client Result Cache Works	16-4
Brownouts and Automatic Exclusion for the Result Cache	16-5
Configuring the Result Cache	16-5
Configuring the Server Result Cache	16-6
Sizing the Server Result Cache Using Initialization Parameters	16-6
Managing the Server Result Cache Using DBMS_RESULT_CACHE	16-7
Configuring the Client Result Cache	16-8
Setting the Result Cache Mode	16-9
Requirements for the Result Cache	16-11
Read Consistency Requirements	16-12
Query Parameter Requirements	16-12
Restrictions for the Result Cache	16-12
Specifying Queries for Result Caching	16-12
Using SQL Result Cache Hints	16-13
Using the RESULT_CACHE Hint	16-13
Using the NO_RESULT_CACHE Hint	16-13
Using the RESULT_CACHE Hint in Views	16-13
Using Result Cache Table Annotations	16-14
Using the DEFAULT Table Annotation	16-15
Using the FORCE Table Annotation	16-15
Monitoring the Result Cache	16-16

17 Tuning the Process Global Area

About the Process Global Area	17-1
Work Area Sizes	17-1
Sizing the Program Global Area Using Automatic Memory Management	17-2
Configuring Automatic PGA Memory Management	17-3

Setting the Initial Value for PGA_AGGREGATE_TARGET	17-3
Monitoring Automatic PGA Memory Management	17-4
Using the V\$PGASTAT View	17-5
Using the V\$PROCESS View	17-7
Using the V\$PROCESS_MEMORY View	17-7
Using the V\$SQL_WORKAREA_HISTOGRAM View	17-8
Using the V\$WORKAREA_ACTIVE View	17-10
Using the V\$SQL_WORKAREA View	17-10
Tuning PGA_AGGREGATE_TARGET	17-12
Enabling Automatic Generation of PGA Performance Advisory Views	17-12
Using the V\$PGA_TARGET_ADVICE View	17-13
Using the V\$PGA_TARGET_ADVICE_HISTOGRAM View	17-15
Using the V\$SYSSTAT and V\$SESSTAT Views	17-16
Tutorial: How to Tune PGA_AGGREGATE_TARGET	17-17
Sizing the Program Global Area by Specifying an Absolute Limit	17-18
Sizing the Program Global Area Using the PGA_AGGREGATE_LIMIT Parameter	17-18
Sizing the Program Global Area Using the Resource Manager	17-19

Part IV Managing System Resources

18 I/O Configuration and Design

About I/O	18-1
I/O Configuration	18-2
Lay Out the Files Using Operating System or Hardware Striping	18-2
Requested I/O Size	18-2
Concurrency of I/O Requests	18-3
Alignment of Physical Stripe Boundaries with Block Size Boundaries	18-4
Manageability of the Proposed System	18-4
Manually Distributing I/O	18-5
When to Separate Files	18-5
Tables, Indexes, and TEMP Tablespaces	18-6
Redo Log Files	18-6
Archived Redo Logs	18-6
Three Sample Configurations	18-7
Stripe Everything Across Every Disk	18-7
Move Archive Logs to Different Disks	18-8
Move Redo Logs to Separate Disks	18-8
Oracle Managed Files	18-8
Choosing Data Block Size	18-9
Reads	18-9

Writes	18-10
Block Size Advantages and Disadvantages	18-10
I/O Calibration Inside the Database	18-10
Prerequisites for I/O Calibration	18-11
Running I/O Calibration	18-11
I/O Calibration with the Oracle Orion Calibration Tool	18-13
Introduction to the Oracle Orion Calibration Tool	18-13
Orion Test Targets	18-14
Orion for Oracle Administrators	18-14
Getting Started with Orion	18-14
Orion Input Files	18-15
Orion Parameters	18-16
Orion Required Parameter	18-16
Orion Optional Parameters	18-18
Orion Command Line Samples	18-20
Orion Configuration for Exadata Storage Cells	18-21
Orion Output Files	18-22
Orion Sample Output Files	18-22
Orion Troubleshooting	18-25

19 Managing Operating System Resources

Understanding Operating System Performance Issues	19-1
Using Operating System Caches	19-1
Asynchronous I/O	19-2
FILESYSTEMIO_OPTIONS Initialization Parameter	19-2
Limiting Asynchronous I/O in NFS Server Environments	19-3
Improving I/O Performance Using Direct NFS Client	19-3
Memory Usage	19-4
Buffer Cache Limits	19-4
Parameters Affecting Memory Usage	19-4
Using Operating System Resource Managers	19-4
Resolving Operating System Issues	19-6
Performance Hints on UNIX-Based Systems	19-6
Performance Hints on Windows Systems	19-6
Performance Hints on HP OpenVMS Systems	19-6
Understanding CPU	19-7
Resolving CPU Issues	19-8
Finding and Tuning CPU Utilization	19-8
Checking Memory Management	19-9
Checking I/O Management	19-10
Checking Network Management	19-10

Checking Process Management	19-10
Managing CPU Resources Using Oracle Database Resource Manager	19-11
Managing CPU Resources Using Instance Caging	19-12

20 Working With Automatic Materialized Views

Overview of Automatic Materialized Views	20-1
Workload Information Provided by the Object Activity Tracking System	20-2
Data Dictionary Views That Provide Information About Automatic Materialized Views and OATS	20-2
The DBMS_AUTO_MV Package	20-4
The DBMS_ACTIVITY Package	20-12

Glossary

Index

Preface

This preface contains these topics:

- [Audience](#)
- [Documentation Accessibility](#)
- [Related Documents](#)
- [Conventions](#)

Audience

This document is intended for database administrators (DBAs) who are responsible for the operation, maintenance, and performance of Oracle Database. This guide describes how to use Oracle Database performance tools to optimize database performance. This guide also describes performance best practices for creating an initial database and includes performance-related reference information.

See Also:

- *Oracle Database SQL Tuning Guide* for information about how to optimize and tune SQL performance
- *Oracle Database 2 Day + Performance Tuning Guide* to learn how to use Oracle Enterprise Manager Cloud Control (Cloud Control) to tune database performance

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Related Documents

Before reading this guide, you should be familiar with the following documents:

- *Oracle Database Concepts*
- *Oracle Database Administrator's Guide*
- *Oracle Multitenant Administrator's Guide*

- *Oracle Database 2 Day DBA*
- *Oracle Database 2 Day + Performance Tuning Guide*

To learn how to tune data warehouse environments, see *Oracle Database Data Warehousing Guide*.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.