



Daily Carpet Cleaning Guide

Procedure:



1. Put on PPE



7. *Use appropriate spotting guide to remove soils



2. Assemble equipment and supplies



8. Remove Wet Floor signs and Caution tape once carpet is dry.



3. Remove large debris



9. Clean and store equipment



4. Vacuum carpet



5. Inspect and identify spots



6. Post Wet Floor signs and Caution tape



Daily Carpet Cleaning Guide

Procedure:



1. Put on PPE



7. *Use appropriate spotting guide to remove soils



2. Assemble equipment and supplies



8. Remove Wet Floor signs and Caution tape once carpet is dry.



3. Remove large debris



9. Clean and store equipment



4. Vacuum carpet



5. Inspect and identify spots



6. Post Wet Floor signs and Caution tape

*For first time use, test the spotter in an inconspicuous place such as a corner.



*For first time use, test the spotter in an inconspicuous place such as a corner.

Always Wear Appropriate Personal Protective Equipment



Refer to Material Safety Data Sheet and product label for appropriate personal protective equipment and precautions.

Always Use Appropriate Cleaning Equipment



Wet Floor Sign



Vacuum,
attachments,
extra belts and
bags



Hand Held
Extractor




General Purpose
Spotter



Gum Remover



P.O.G. Remover



Cloths, carpet scraper and spotting guide



JohnsonDiversey
Clean is just the beginning



If you have any questions or concerns, please call the JohnsonDiversey
Technical Support Hotline at 1-877-JDTARGT.

© 2007 JohnsonDiversey, Inc. All rights reserved.

LIT755 (07/010)

Always Wear Appropriate Personal Protective Equipment



Refer to Material Safety Data Sheet and product label for appropriate personal protective equipment and precautions.

Always Use Appropriate Cleaning Equipment



Wet Floor Sign



Vacuum,
attachments,
extra belts and
bags



Hand Held
Extractor




General Purpose
Spotter



Gum Remover



P.O.G. Remover



Cloths, carpet scraper and spotting guide




JohnsonDiversey
Clean is just the beginning



Si tiene preguntas o dudas, llame por favor a
Equipo de Asistencia Técnica de JohnsonDiversey al 1-877-JDTARGT.
© 2007 JohnsonDiversey, Inc. Todos los derechos reservados.


LIT755 (07/010)

TARGET® Carpet Spotting Guide

Stain:	Procedure:
All Stains   	<p>1. Apply General Purpose Spotter (#1)*.</p>  <p>4. Extract with water. OR Blot soiled area. Rinse and blot dry.</p> <p>2. Agitate stain with carpet scraper working from the outside in.</p>  <p>5. If General Purpose Spotter (#1) is ineffective, repeat procedure using P.O.G. (#6)*</p> <p>3. Allow to work 5-10 minutes.</p> 
Paint/Oil/Lipstick/Grease   	<p>1. Apply P.O.G. (#6)*.</p>  <p>4. Extract with water. OR Blot soiled area. Rinse and blot dry.</p> <p>2. Agitate stain with carpet scraper working from the outside in.</p>  <p>3. Allow to work 5-10 minutes.</p> 
Gum 	<p>1. Apply Gum Remover (#8)*.</p>  <p>3. If sticky residue remains, apply P.O.G. (#6)*.</p> <p>2. Scrape off frozen matter with carpet scraper.</p>  <p>4. Extract with water. OR Blot soiled area. Rinse and blot dry.</p>

*For first time use, test spotter in an inconspicuous place such as a corner.

TARGET® Carpet Spotting Guide

Stain:	Procedure:
All Stains   	<p>1. Apply General Purpose Spotter (#1)*.</p>  <p>4. Extract with water. OR Blot soiled area. Rinse and blot dry.</p> <p>2. Agitate stain with carpet scraper working from the outside in.</p>  <p>5. If General Purpose Spotter (#1) is ineffective, repeat procedure using P.O.G. (#6)*</p> <p>3. Allow to work 5-10 minutes.</p> 
Paint/Oil/Lipstick/Grease   	<p>1. Apply P.O.G. (#6)*.</p>  <p>4. Extract with water. OR Blot soiled area. Rinse and blot dry.</p> <p>2. Agitate stain with carpet scraper working from the outside in.</p>  <p>3. Allow to work 5-10 minutes.</p> 
Gum 	<p>1. Apply Gum Remover (#8)*.</p>  <p>3. If sticky residue remains, apply P.O.G. (#6)*.</p> <p>2. Scrape off frozen matter with carpet scraper.</p>  <p>4. Extract with water. OR Blot soiled area. Rinse and blot dry.</p>

*For first time use, test spotter in an inconspicuous place such as a corner.

Always Wear Appropriate Personal Protective Equipment



Refer to Material Safety Data Sheet and product label for appropriate personal protective equipment and precautions.

Always Use Appropriate Cleaning Equipment



Wet Floor Sign



Carpet Extractor and attachments




General Purpose Spotter



P.O.G. Remover



Gum Remover



Cloths, carpet scraper and spotting guide



JohnsonDiversey
Clean is just the beginning



If you have any questions or concerns, please call the JohnsonDiversey
Technical Support Hotline at 1-877-JDTARGT.

© 2007 JohnsonDiversey, Inc. All rights reserved.

LIT755 (07/010)

Always Wear Appropriate Personal Protective Equipment



Refer to Material Safety Data Sheet and product label for appropriate personal protective equipment and precautions.

Always Use Appropriate Cleaning Equipment



Wet Floor Sign



Carpet Extractor and attachments




General Purpose Spotter



P.O.G. Remover



Gum Remover



Cloths, carpet scraper and spotting guide



JohnsonDiversey
Clean is just the beginning



Si tiene preguntas o dudas, llame por favor a
Equipo de Asistencia Técnica de JohnsonDiversey al 1-877-JDTARGT.
© 2007 JohnsonDiversey, Inc. Todos los derechos reservados.

LIT755 (07/010)

TARGET® Stench & Stain Digester Guide

Procedure:




1. Post Wet Floor signs and Caution tape



7. Place a towel moistened with **Stench and Stain Digester** over treated area



2. Put on recommended PPE



8. Allow towel to remain on carpet for a minimum of 4–8 hours



3. Dilute **Stench and Stain Digester** at 1 ounce per gallon



9. Extract with water.
OR
Blot soiled area.
Rinse and blot dry.




4. Remove gross soil. Follow bloodborne pathogen procedures if required



10. If stain/odor persists, repeat steps 5–8



5. Apply **Stench and Stain Digester** to area using a pump-up sprayer or spray bottle



11. Allow carpet to dry. If necessary, use fans.



6. Agitate the treated area with a rotary nylon carpet brush or carpet scraper

TARGET® Stench & Stain Digester Guide

Procedure:




1. Post Wet Floor signs and Caution tape



7. Place a towel moistened with **Stench and Stain Digester** over treated area



2. Put on recommended PPE



8. Allow towel to remain on carpet for a minimum of 4–8 hours



3. Dilute **Stench and Stain Digester** at 1 ounce per gallon



9. Extract with water.
OR
Blot soiled area.
Rinse and blot dry.




4. Remove gross soil. Follow bloodborne pathogen procedures if required



10. If stain/odor persists, repeat steps 5–8



5. Apply **Stench and Stain Digester** to area using a pump-up sprayer or spray bottle



11. Allow carpet to dry. If necessary, use fans.




Always Wear Appropriate Personal Protective Equipment



Refer to Material Safety Data Sheet and product label for appropriate personal protective equipment and precautions.

Always Use Appropriate Cleaning Equipment



Wet Floor Sign

Pump up sprayer

Extractor

Fan



Stench & Stain
Digester



Cloths, carpet scraper or rotary nylon carpet brush, and spotting guide



If you have any questions or concerns, please call the JohnsonDiversey
Technical Support Hotline at 1-877-JDTARGT.

© 2007 JohnsonDiversey, Inc. All rights reserved.


LIT755 (07/010)

Always Wear Appropriate Personal Protective Equipment



Refer to Material Safety Data Sheet and product label for appropriate personal protective equipment and precautions.

Always Use Appropriate Cleaning Equipment



Wet Floor Sign

Pump up
sprayer

Extractor

Fan



Stench & Stain
Digester



Cloths, carpet scraper or rotary nylon carpet brush, and spotting guide



Si tiene preguntas o dudas, llame por favor a
Equipo de Asistencia Técnica de JohnsonDiversey al 1-877-JDTARGT.

© 2007 JohnsonDiversey, Inc. Todos los derechos reservados.

LIT755 (07/010)




Prespray Extraction Cleaning

Procedure:



1. Put on PPE




7. Allow **Heavy Duty Prespray Plus (#40)** to dwell on carpet for 5-10 minutes



2. Assemble equipment and supplies. Add **Extraction Rinse SC (#27)** to solution tank & **Liquid Defoamer** to recovery tank of extractor and **Heavy Duty Prespray Plus (#40)** to pump-up sprayer.



8. During dwell time, treat spots with **General Purpose Spotter (#1)** or appropriate spotter




3. Remove large debris



9. Extract area using **Extraction Rinse SC (#27)**



4. Vacuum carpet



10. Dry carpet with fans. Use clean, white carpet bonnet if necessary



5. Post Wet Floor signs and Caution tape



11. Remove Wet Floor signs and Caution tape once carpet is dry



6. Apply **Heavy Duty Prespray Plus (#40)** to area using pump-up sprayer. Work in manageable areas.



12. Clean and store equipment




Prespray Extraction Cleaning

Procedure:



1. Put on PPE




7. Allow **Heavy Duty Prespray Plus (#40)** to dwell on carpet for 5-10 minutes



2. Assemble equipment and supplies. Add **Extraction Rinse SC (#27)** to solution tank & **Liquid Defoamer** to recovery tank of extractor and **Heavy Duty Prespray Plus (#40)** to pump-up sprayer.



8. During dwell time, treat spots with **General Purpose Spotter (#1)** or appropriate spotter




3. Remove large debris



9. Extract area using **Extraction Rinse SC (#27)**



4. Vacuum carpet



10. Dry carpet with fans. Use clean, white carpet bonnet if necessary



5. Post Wet Floor signs and Caution tape



11. Remove Wet Floor signs and Caution tape once carpet is dry



6. Apply **Heavy Duty Prespray Plus (#40)** to area using pump-up sprayer. Work in manageable areas.



12. Clean and store equipment



Always Wear Appropriate Personal Protective Equipment



Refer to Material Safety Data Sheet and product label for appropriate personal protective equipment and precautions.

Always Use Appropriate Cleaning Equipment



Wet Floor Sign




Vacuum,
attachments,
extra belts and
bags



Pump up
sprayer



Extractor



Fan



Heavy Duty
Prespray Plus



General Purpose
Spotter



Gum Remover




P.O.G. Remover



Extraction Rinse



Liquid Defoamer



Cloths, carpet scraper, and spotting guide



JohnsonDiversey
Clean is just the beginning

If you have any questions or concerns, please call the JohnsonDiversey
Technical Support Hotline at 1-877-JDTARGT.

© 2007 JohnsonDiversey, Inc. All rights reserved.

LIT755 (07/010)

Always Wear Appropriate Personal Protective Equipment



Refer to Material Safety Data Sheet and product label for appropriate personal protective equipment and precautions.

Always Use Appropriate Cleaning Equipment



Wet Floor Sign




Vacuum,
attachments,
extra belts and
bags



Pump up
sprayer



Extractor



Fan



Heavy Duty
Prespray Plus



General Purpose
Spotter



Gum Remover




P.O.G. Remover



Extraction Rinse



Liquid Defoamer



Cloths, carpet scraper, and spotting guide



JohnsonDiversey
Clean is just the beginning

Si tiene preguntas o dudas, llame por favor a
Equipo de Asistencia Técnica de JohnsonDiversey al 1-877-JDTARGT.
© 2007 JohnsonDiversey, Inc. Todos los derechos reservados.

LIT755 (07/010)




Restorative Extraction Cleaning

Procedure:



1. Put on PPE




8. Use a 175 rpm swing machine equipped with a rotary nylon carpet brush to agitate area



2. Assemble equipment and supplies. Add **Extraction Rinse SC (#27)** to solution tank & **Liquid Defoamer** to recovery tank of extractor and **Heavy Duty Prespray Plus (#40)** to pump-up sprayer.



9. During dwell time, treat spots with **General Purpose Spotter (#1)** or appropriate spotter




3. Remove large debris



10. Extract area using **Extraction Rinse SC (#27)**



4. Vacuum carpet



11. Dry carpet with fans. Use clean, white carpet bonnet if necessary



5. Post Wet Floor signs and Caution tape




12. Remove Wet Floor signs and Caution tape once carpet is dry



6. Apply **Heavy Duty Prespray Plus (#40)** to area using pump-up sprayer. Work in manageable areas.



13. Clean and store equipment



7. Allow **Heavy Duty Prespray Plus (#40)** to dwell on carpet for 5-10 minutes




Restorative Extraction Cleaning

Procedure:



1. Put on PPE



8. Use a 175 rpm swing machine equipped with a rotary nylon carpet brush to agitate area



2. Assemble equipment and supplies. Add **Extraction Rinse SC (#27)** to solution tank & **Liquid Defoamer** to recovery tank of extractor and **Heavy Duty Prespray Plus (#40)** to pump-up sprayer.



9. During dwell time, treat spots with **General Purpose Spotter (#1)** or appropriate spotter




3. Remove large debris



10. Extract area using **Extraction Rinse SC (#27)**



4. Vacuum carpet



11. Dry carpet with fans. Use clean, white carpet bonnet if necessary



5. Post Wet Floor signs and Caution tape




12. Remove Wet Floor signs and Caution tape once carpet is dry



6. Apply **Heavy Duty Prespray Plus (#40)** to area using pump-up sprayer. Work in manageable areas.



13. Clean and store equipment




7. Allow **Heavy Duty Prespray Plus (#40)** to dwell on carpet for 5-10 minutes

Always Wear Appropriate Personal Protective Equipment




Refer to Material Safety Data Sheet and product label for appropriate personal protective equipment and precautions.

Always Use Appropriate Cleaning Equipment



Wet Floor Sign
Vacuum, attachments,
extra belts and bags
Pump up sprayer
Extractor
175 rpm Swing
Machine with
nylon rotary
carpet brush
Fan



General Purpose
Spotter
Extraction Rinse
SC
Liquid Defoamer
Heavy Duty
Prespray Plus
Gum Remover
P.O.G. Remover



Cloths, carpet scraper and spotting guide

JohnsonDiversey
Clean is just the beginning

If you have any questions or concerns, please call the JohnsonDiversey
Technical Support Hotline at 1-877-JDTARGT.

© 2007 JohnsonDiversey, Inc. All rights reserved.


LIT755 (07/010)

Always Wear Appropriate Personal Protective Equipment



Refer to Material Safety Data Sheet and product label for appropriate personal protective equipment and precautions.

Always Use Appropriate Cleaning Equipment



Wet Floor Sign
Vacuum, attachments,
extra belts and bags
Pump up sprayer
Extractor
175 rpm Swing
Machine with
nylon rotary
carpet brush
Fan



General Purpose
Spotter
Extraction Rinse
SC
Liquid Defoamer
Heavy Duty
Prespray Plus
Gum Remover
P.O.G. Remover



Cloths, carpet scraper and spotting guide

JohnsonDiversey
Clean is just the beginning

Si tiene preguntas o dudas, llame por favor a
Equipo de Asistencia Técnica de JohnsonDiversey al 1-877-JDTARGT.
© 2007 JohnsonDiversey, Inc. Todos los derechos reservados.

LIT755 (07/010)