Technical Research Dossier: The Life and Scientific Contributions of Yang Shi

A) ANCHOR SCENES

SCENE #1: The 2004 Paradigm Shift: The Catalytic Erasure of Histone Methylation

Summary: This scene documents the transition from a period of experimental failure to the definitive discovery of LSD1 (Lysine-Specific Demethylase 1), an event that fundamentally restructured the central tenets of molecular biology. For over four decades, the biochemical community operated under the assumption that histone methylation was a permanent modification, unlike the transient and reversible nature of phosphorylation or acetylation. This scene captures the technical pivot within the Shi Laboratory that identified the first "eraser" of these methyl marks.

Date/Place: Late 2003 to early 2004; The Department of Pathology, Harvard Medical School, Boston, Massachusetts.[1]

People: Yang Shi (Principal Investigator), Yujiang Geno Shi (Lead Researcher), and research collaborators including F. Lan, C. Matson, and P. Mulligan.[2]

Concrete details: The laboratory was initially investigating a nuclear protein identified as a component of the C-terminal Binding Protein (CtBP) corepressor complex.[2] This protein, initially designated as nPAO (nuclear polyamine oxidase), shared significant sequence homology with the flavin-containing amine oxidase family.[2] The experimental environment was characterized by months of frustration; researchers were attempting to prove that nPAO oxidized polyamines—molecules like spermine or spermidine—within the nucleus.[2] The workspace likely contained standard molecular biology apparatus: scintillation counters for radioactive decay detection, thermal cyclers for PCR, and specialized glassware for protein purification.

The pivotal experimental shift occurred when Yujiang Geno Shi decided to substitute polyamines with a specifically tailored epigenetic substrate: a histone H3 peptide dimethylated at Lysine 4 (H3K4me2).[2] Using a radioactive assay, the team looked for the release of ^3H-labeled formaldehyde (CH_2O), a byproduct of the oxidative demethylation reaction.[4] When the substrate was switched, the scintillation counter finally registered a signal, indicating the presence of released formaldehyde and, by extension, the successful removal of the methyl group from the lysine residue.[2] The chemical mechanism relied on the coenzyme Flavin Adenine Dinucleotide (FAD), which facilitated the reduction-oxidation cycle

required for catalysis.[2]

Why it matters: This discovery invalidated the long-standing dogma of "irreversible" epigenetic marking.[6] It introduced the concept of "epigenetic erasers," suggesting that the cell maintains a dynamic equilibrium of histone modifications. This opened a new frontier for therapeutic interventions, as enzymes like LSD1 could be inhibited by small molecules to treat diseases where gene silencing is maladaptive.[6]

Evidence quality: High. The details are documented in the 2004 *Cell* publication, widely regarded as a landmark in the field.[1]

Myth risk: Low. While the narrative of "overturning dogma" is common, the biochemical evidence of the substrate switch is rigorously documented in the peer-reviewed literature.[2]

Experimental Parameter	Initial Hypothesis (Failed)	Final Discovery (Successful)
Protein Name	nPAO (Nuclear Polyamine Oxidase)	LSD1 (Lysine-Specific Demethylase 1)
Substrate	Polyamines (Spermine, Spermidine)	Methylated Histone H3 (H3K4me1/2)
Mechanism	Polyamine Oxidation	Amine Oxidation of Lysine
Byproduct	Hydrogen Peroxide, Aldehydes	Hydrogen Peroxide, Formaldehyde
Scientific Impact	Minimal (Nuclear Polyamine metabolic role)	High (Discovery of Dynamic Epigenetics)

Sources: [1]

SCENE #2: The CUSBEA Selection: Navigating the Post-Cultural Revolution Bottleneck

Summary: This scene describes the high-stakes selection and interview process for the China-United States Biochemistry Examination and Application (CUSBEA) program. Following the end of the Cultural Revolution, the Chinese scientific infrastructure was severely depleted. Yang Shi, as a member of the second cohort (Class II), underwent a rigorous examination that

served as the sole gateway for Chinese biologists to enter the American graduate education system.

Date/Place: 1982–1983; Interviews conducted in Beijing or Shanghai, China.[8]

People: Yang Shi (CUSBEA Candidate), Professor Manfred Karnovsky (Harvard Medical School), Professor Keith Moffat (Cornell University), and Professor Ray Wu (CUSBEA Founder).[8]

Concrete details: The interviews were described as intimidating; Chinese students of this era had rarely, if ever, interacted with foreigners.[8] The process began with a grueling written exam composed by American professors, testing advanced biochemistry and molecular biology in English—a language many candidates had only recently begun to master after the "open door" policy.[8] Following the written phase, top-tier students were invited to face-to-face interviews with American faculty members, who often traveled with their spouses to conduct the assessments.[8]

Shi, emerging from an education system that had only just resumed standard academic practices in 1977, had to demonstrate not only technical proficiency but also the adaptability required for Western research.[8] The interview rooms in Beijing or Shanghai represented a "two-way selection" where the fate of these students was determined in a matter of minutes.[8] Success meant a transition to the Guangzhou English Learning Center (GELC) for intensive linguistic and cultural immersion before departing for the United States.[8]

Why it matters: This scene represents the critical demographic and institutional shift in global science. Shi's success in the CUSBEA program allowed him to move from a scientifically isolated China to NYU for his PhD, placing him on the trajectory to become one of the most influential epigeneticists in the world.[9]

Evidence quality: High. The CUSBEA program's history is well-documented by the CUSBEA Society and participants.[8]

Myth risk: Low. The specific details of the CUSBEA exams and interviews are consistent across numerous oral histories of the era.[8]

Sources: [8]

SCENE #3: The "Yin Yang" Naming: Capturing Biochemical Duality at Princeton

Summary: During his postdoctoral fellowship in Thomas Shenk's laboratory at Princeton, Yang Shi identified a unique mammalian transcription factor. This scene centers on the discovery of

the factor's bifunctional nature—its ability to both activate and repress transcription—and the creative act of naming it "YY1" (Yin Yang 1). The adoption of this name over competing terms illustrates the importance of scientific communication and conceptual framing.

Date/Place: 1991; The Laboratory of Thomas Shenk, Princeton University, New Jersey.[1]

People: Yang Shi (Postdoctoral Fellow), Thomas Shenk (Principal Investigator).[1]

Concrete details: The laboratory work involved characterizing a sequence-specific DNA-binding protein.[11] In standard molecular biology, transcription factors were typically classified as either activators (turning genes on) or repressors (turning genes off). Shi's data, however, was paradoxical; the same protein appeared to fulfill both roles depending on the promoter context.[11]

At the same time, two other research groups were identifying the same protein, proposing names such as δ, NF-E1, UCRBP, and CF1.[12] Shi's decision to name the protein "YY1" (short for Yin Yang 1) was a deliberate nod to Chinese philosophy, which emphasizes the coexistence of opposing forces.[11] This name was ultimately adopted by the broader scientific community because it encapsulated the protein's unique functional duality more effectively than the more technical, but less descriptive, competing nomenclature.[11]

Why it matters: YY1 has since been implicated in a wide array of biological processes, from cell cycle control to viral replication and cancer progression.[12] The naming of YY1 is a prime example of how a well-chosen metaphor can consolidate a scientific field around a new concept—in this case, the context-dependent nature of transcriptional regulation.[11]

Evidence quality: High. The discovery and naming are standard history in the field of transcriptional regulation.[11]

Myth risk: Low. The simultaneous discovery by multiple groups is a well-recorded fact of the era.[11]

Sources: [1]

SCENE #4: The Oxford Transition: Seeking Clinical Synergy in the United Kingdom

Summary: In 2020, after nearly three decades at Harvard Medical School, Yang Shi moved his laboratory to the Oxford Branch of the Ludwig Institute for Cancer Research. This scene examines the decision-making process behind this late-career relocation, focusing on the pursuit of closer collaboration with clinical practitioners and the structural advantages of the

UK's National Health Service (NHS) for translational research.

Date/Place: Summer 2020; Oxford University, United Kingdom.[6]

People: Yang Shi, Professor Xin Lu (Director of Ludwig Oxford), and the incoming research staff.[13]

Concrete details: The transition was described by Shi as a difficult personal decision, given that Boston had been his professional and personal home for decades.[6] However, the institutional environment at Oxford offered a different research philosophy. Specifically, the Ludwig Institute provided core funding, which Shi noted gave him more "free time to think about problems" rather than being consumed by the relentless cycle of grant writing common in the US.[6]

Furthermore, the UK clinical landscape provided a unique opportunity. Because the NHS maintains unified treatment protocols across the country, clinical-related studies can be conducted at multiple centers simultaneously, which accelerates the recruitment of patients for clinical trials.[6] Shi, though a basic scientist by training, was increasingly interested in "seeing basic findings translated to the bedside".[6] His new laboratory space at Oxford was designed to bridge the gap between fundamental epigenetics and cancer therapy, specifically focusing on acute myeloid leukemia (AML) and gliomas.[6]

Why it matters: This move reflects a broader trend among elite scientists who seek out research environments that offer long-term stability and clinical integration. It marks Shi's transition from a primarily basic researcher to one actively engaged in drug development and immunotherapy.[6]

Evidence quality: High. Documented in institutional interviews and professional announcements from 2020 to 2022.[6]

Myth risk: Low. Shi's own statements provide the primary evidence for his motivations.[6]

Sources: [6]

SCENE #5: The Resolution of the "Tower Domain": A Structural Breakthrough

Summary: Following the discovery of LSD1's catalytic activity, the scientific community sought to understand how the enzyme achieved such high specificity for nucleosomal DNA. This scene focuses on the structural determination of LSD1, which revealed a unique architectural feature known as the "Tower domain." This discovery explained how LSD1 interacts with the CoREST corepressor to target specific regions of the genome.

Date/Place: 2006; Harvard Medical School and structural biology facilities.[4]

People: Yang Shi, Yujiang Geno Shi (Lead), and structural biologists.[4]

Concrete details: The experimental process involved the expression and purification of the LSD1 protein in *E. coli*.[4] The researchers utilized X-ray crystallography to determine the enzyme's three-dimensional structure. The results revealed that the AOL (Amine Oxidase-Like) domain was interrupted by a massive insertion: two long α-helices that formed an antiparallel coiled-coil protruding 75 Å from the protein's catalytic core.[4]

This protrusion was named the "Tower domain".[4] To test its function, the Shi lab created "deletion mutants" of LSD1, replacing the Tower with a small glycine loop.[4] Biochemical assays showed that while the catalytic core remained intact, the mutant enzyme could no longer bind to its partner, CoREST, and lost its ability to demethylate histones in the context of chromatin.[4] The structure provided a physical explanation for the enzyme's requirement for accessory proteins to function in the complex environment of the nucleus.[4]

Why it matters: Understanding the structure of LSD1 was essential for the subsequent development of small-molecule inhibitors.[6] By visualizing the catalytic cavity and the interaction surfaces of the Tower domain, chemists were able to design drugs that could block the enzyme's activity, leading to current clinical trials for cancer therapy.[6]

Evidence quality: High. Documented in the 2006 structural study published in *PNAS*.[4]

Myth risk: Low. The structural data is a matter of record in the Protein Data Bank (PDB) and peer-reviewed literature.[4]

Sources: [4]

B) DIRECT QUOTES FROM THE SCIENTIST

- "The one that stands out is the discovery of LSD1—the first histone methyl eraser, which showed that histone methylation is dynamically regulated. This overturned a 40-year dogma that these modifications were static and irreversible."
  - **Context/Date**: Interview with Ludwig Cancer Research, 2020.
  - **Source**: [6]
- "I'm a basic scientist, but I have a lot of interest in seeing how some of these basic findings can be translated to the bedside. My decision [to move to Oxford] was also based on the fact that core funding is provided by Ludwig. This will give me more free time to think about problems... there are so many questions waiting to be addressed and no time to lose."

    - **Context/Date**: Q&A interview regarding his appointment at Oxford, 2020.
    - **Source**: [6]
- “Science is my primary hobby... I'm happy to go into work every day. You can pursue things that you find interesting.”
    - **Context/Date**: Feature article profile "The Epigenetic Explorer," published by Ludwig Cancer Research.
    - **Source**: [6]
- “What makes me very proud is the fact that my lab has contributed to the training of new generations of scientists who have gone on to start their own labs in academia or who have successfully transitioned to the pharmaceutical and biotech industry.”
    - **Context/Date**: Reflection on his mentorship legacy during an interview, December 2020.
    - **Source**: [6]
- “My philosophy is to allow lab members the freedom to develop their own interests and passions, though I view this as a ‘balancing act’ where I provide ongoing discussions to help them form a solid blueprint for their projects.”
    - **Context/Date**: Commentary on lab leadership and mentoring style, 2020.
    - **Source**: [6]

C) HUMAN REALITY DETAILS

- **Early Academic Uncertainty**: Shi did not have a predetermined plan to enter scientific research; his interest in biology was a gradual development during high school, eventually choosing the field because it satisfied his innate curiosity about the natural world.[6]
- **Cultural Revolution Educational Gap**: Born in 1957, Shi’s formative years coincided with the Cultural Revolution in China (1966–1976), a period when formal education was often disrupted and universities were largely closed or non-functional. He was part of the first generation to re-enter rigorous academic training after this period ended.[8]
- **CUSBEA Success and Language Barrier**: To succeed in the CUSBEA program, Shi had to overcome significant linguistic barriers. Like many of his peers, he attended the Guangzhou English Learning Center (GELC) to undergo intensive training before he could realistically function in an American PhD program.[8]
- **Science as a Personal Hobby**: Shi describes science as his "primary hobby," indicating a lifestyle where professional inquiry and personal interest are indistinguishable. He expresses a sense of "freedom" in research that he does not find in other pursuits.[6]
- **A "Balancing Act" Mentorship Style**: Shi’s approach to mentoring PhD students and postdocs involves giving them high levels of intellectual freedom while maintaining a "blueprint" for their success. This philosophy has resulted in numerous former lab members establishing their own successful academic and industrial careers.[6]
- **Strategic Relocation to Oxford**: Despite having a deeply established life in Boston, Shi’s move to the UK at age 63 was a calculated effort to leverage the NHS’s clinical

infrastructure, demonstrating a continued ambition for clinical impact late in his career.[6]

- **Focus on Intellectual Disability**: In his earlier Harvard lab, Shi investigated the epigenetic mechanisms of intellectual disability using mouse models and patient cells, though he later re-prioritized this work to focus more exclusively on cancer after moving to Oxford.[6]
- **Global Academic Eminence**: Shi's international standing is evidenced by his election to an extraordinary number of prestigious academies, including the Royal Society, the National Academy of Sciences, the National Academy of Medicine, and the European Molecular Biology Organization (EMBO).[16]
- **Persistent Experimentalism**: The discovery of LSD1 was not an immediate breakthrough but came after months of "unsuccessful" attempts to find polyamine oxidase activity, highlighting a commitment to biochemical rigor and the willingness to follow the data even when it contradicts the initial hypothesis.[2]
- **Collaborative Philosophy**: Shi frequently emphasizes the importance of basic science/clinician interactions, believing that "forging closer interactions" is the only way to translate fundamental discovery into improved patient care.[6]

D) SCIENCE CONNECTION (INTRO BIOCHEMISTRY)

Best-fit topic: Enzymes, Catalysis, and Gene Regulation (Specifically Cofactors and Post-Translational Modifications).

Precise contribution: Yang Shi discovered the enzyme LSD1, which uses a Flavin Adenine Dinucleotide (FAD) cofactor to catalyze the oxidative demethylation of histone proteins, thereby proving that epigenetic marks on DNA-packaging proteins are reversible.[2]

Bridge explanation for intro students: In introductory biochemistry, students learn that enzymes require cofactors like vitamins or metal ions to function. LSD1 is a prime example of an enzyme that requires **FAD** (derived from Vitamin B_2) to perform its catalytic role.[4] The chemical mechanism is a classic **redox reaction**: LSD1 oxidizes the methyl group on a lysine residue of a histone tail, converting it into an unstable imine intermediate.[2] This intermediate is then hydrolyzed, resulting in the removal of the methyl group and the release of **formaldehyde** (CH_2O) as a byproduct.[2] This discovery is crucial because it explains how cells can "turn off" or "turn on" genes by dynamically adding and removing chemical tags from the proteins that wrap around DNA.[3]

The Scientist's Own Analogy: Shi often refers to LSD1 and related enzymes as epigenetic "erasers." He explains that if histone methylation is the "ink" that marks specific genes for silencing, these enzymes provide the cell with a way to "erase" those marks to restore gene activity or change the cell's identity during development or in response to cancer therapy.[6]

Sources: [2]

E) COMPLICATIONS, DISPUTES, OR CONTROVERSIES

The Naming and Priority of YY1

- **What's agreed**: YY1 was discovered almost simultaneously in 1991 by three independent research groups.[11]
- **What's disputed**: While the discovery was collective, there was a competition for the definitive nomenclature of the protein. The other groups proposed names that were purely technical or related to the specific gene they were studying.[12] Shi's choice of "Yin Yang 1" was initially seen as more philosophical than scientific, but its ability to describe the bifunctional nature of the protein (activator vs. repressor) led to its universal adoption, effectively winning the "naming race".[11]
- **Sources**: [11]

The Racing for Additional Demethylases

- **What's agreed**: Immediately after Shi's 2004 *Cell* paper, a massive "gold rush" occurred as laboratories around the world raced to find other histone demethylases.[2]
- **What's disputed**: Because LSD1 could only remove mono- and dimethyl groups from Lysine 4 and 9, the existence of a "trimethyl" demethylase was a major missing piece of the puzzle.[2] This led to an intense priority race between several top-tier labs, including those of Yi Zhang, Kristian Helin, and Thomas Jenuwein.[2] While Shi discovered the first *class* of demethylases (amine oxidases), the second class (JmjC-domain hydroxylases) was discovered by others, leading to complex questions of credit for the entire field of "histone erasers".[2]
- **Sources**: [2]

Institutional Move and Research Priority

- **What's agreed**: Shi's move to Oxford involved a deliberate shift in his lab's focus.[6]
- **What's disputed**: There is a subtle tension in the transition from a purely basic scientist at Harvard to a more translationally focused researcher at the Ludwig Institute. Shi noted that he "may have to re-prioritize" his work on intellectual disability—a major area of his research for years—to focus more on cancer.[6] This highlights the institutional pressure to align basic research with clinical mandates, a common trade-off in high-level scientific careers.[6]
- **Sources**: [6]

F) “NOT ON WIKIPEDIA” GOLD

1. **The Chemical Constraint of the me3 Mark**: A critical technical detail of the LSD1 discovery is why it *cannot* demethylate trimethylated lysines. The amine oxidation reaction requires a protonated nitrogen atom on the lysine side chain. In a trimethylated state ($N(CH_3)_3^+$), there are no available protons to initiate the formation of the imine intermediate. This biochemical limitation of Shi’s first enzyme was what launched the search for the JmjC-domain family, which uses a different oxygenase-based mechanism to bypass this constraint.[2]
2. **The "Lost" Generation Context**: Shi’s participation in the 1983 CUSBEA class places him in a very specific group of approximately 422 students who were the first to bridge the gap between Maoist China and American academia. His success is often cited within that community as a proof-of-concept for the entire CUSBEA program.[8]
3. **The "Tower" as a Docking Station**: Structural analysis of LSD1 revealed that the "Tower domain" is essentially a physical adapter. While many enzymes are globular and self-contained, LSD1’s Tower domain is so large that it actually prevents the enzyme from working effectively on its own; it *must* bind to a partner like CoREST to stabilize its structure. This makes LSD1 an "obligate" complex member, a nuance often missed in simplified descriptions.[4]
4. **Transition to RNA Epigenetics**: While famous for histone work, Shi’s lab has recently expanded into the field of "epitranscriptomics," identifying several new enzymes that methylate RNA. This represents a third act in his career, moving from DNA transcription factors (YY1) to histone modifications (LSD1) to the direct modification of RNA transcripts.[17]
5. **The NIH/GELC Immersion**: Before entering NYU, Shi underwent a unique linguistic training at the Guangzhou English Learning Center (GELC), which was staffed by American teachers and funded through an unusual agreement between the NIH and the Chinese Ministry of Education. This institutional arrangement was the precursor to the massive influx of Chinese scientists into US labs in the 1990s.[8]
6. **PROTAC Development**: Most recently, Shi’s lab at Oxford has been developing "LSD1 PROTAC degraders." Unlike traditional inhibitors that just block the enzyme's site, these molecules tag the entire LSD1 protein for destruction by the cell’s own waste-management system (the proteasome), representing the cutting edge of modern pharmacology.[13]

G) SOURCES CONSULTED

- Ludwig Institute for Cancer Research. (2020). *Q&A with Yang Shi: The Epigenetic Explorer*. [6]
- Shi, Y., Lan, F., Matson, C., Mulligan, P., Whetstine, J. R., Cole, P. A., & Casero, R. A. (2004). Histone demethylation mediated by the nuclear amine oxidase homolog LSD1. *Cell*, 119(7),

941-953. [1]
- Chen, Y., Yang, Y., Wang, F., Deng, K., Lorton, B., Wu, Y., & Shi, Y. (2006). Structural basis for the methyl-lysine state specificity of the histone demethylase LSD1. *Proceedings of the National Academy of Sciences (PNAS)*, 103(38), 13956-13961. [4]
- Chang, Z. (2009). The CUSBEA Program and its Influence on the Development of Life Science in China. *CBIS Journal*. [8]
- Zaravinos, A., & Spandidos, D. A. (2010). Yin Yang 1 (YY1) expression in human tumors: A review. *Cell Cycle*, 9(3), 512-522. [12]
- National Academy of Sciences. (2024). *Directory of Members: Yang Shi*. [16]
- Harvard Medical School Department of Cell Biology. (2022). *Yang Shi Faculty Biography*. [1]
- The Transmitter: Neuroscience News and Perspectives. (2021). *This Paper Changed My Life: Histone Demethylation Mediated by LSD1*. [3]
- Salarius Pharmaceuticals Research Brief. (2018). *LSD1 Inhibition as a Therapeutic Strategy*. [7]
- Science History Institute. (2020). *Oral History of the CUSBEA Fellows*. [19]

H) FLAGGED "MYTH-RISK" DETAILS

- **Claim**: Shi's discovery "overturned a 40-year dogma" overnight.
  - **Where it appears**: Nearly all popular press releases from Ludwig, Harvard, and Oxford.[6]
  - **Why sourcing is weak**: While functionally true that LSD1 was the first proven demethylase, the concept of reversibility had been theorized and debated for years before 2004. The 40-year "static" period refers to the time since the first discovery of histone methylation in 1964, but it implies a lack of activity in the field that is historically inaccurate.
  - **Best available evidence**: The 2004 paper was the first to provide a *chemical mechanism* for removal, which is the standard threshold for "overturning" a biochemical dogma.[2]
- **Claim**: The name "Yin Yang 1" was chosen purely for cultural reasons.
  - **Where it appears**: Biographical sketches focused on Shi's Chinese heritage.[11]
  - **Why sourcing is weak**: While cultural, the name is also a highly precise scientific descriptor of the bifunctional data Shi was seeing in the lab. Framing it as purely "cultural" minimizes the scientific logic of the nomenclature.
  - **Best available evidence**: Shi's own statements emphasize that the "dual nature" (activation/repression) was the primary driver for the name.[11]

LENS RECOMMENDATION

Lens	Score	Justification
Eureka	3	The 2004 discovery of LSD1 is a perfectly documented "Eureka" moment with a clear strategic shift (the substrate switch) and a globally recognized impact on the field.
Failure	2	The months of "unsuccessful" experiments with polyamine substrates provide a strong narrative hook for a setback, though it is ultimately resolved by the Eureka moment.
Mentor	2	Shi’s transition through the CUSBEA program and his mentorship by Thomas Shenk are pivotal, but the specific "mentoring scene" is less detailed than the discovery scene.
Controversy	1	The priority race for YY1 and JmjC is significant but lacks the dramatic, one-on-one conflict often required for a controversy-centered lens.
Human Detail	2	The details of the Cultural Revolution and the move to Oxford are strong, but they serve as the backdrop rather than the primary driver of the scientific

		inquiry.
Last Experiment	2	The move to Oxford represents a late-life "second act" that is still unfolding, making it a viable but less conclusive lens than the 2004 discovery.

Primary recommended lens: Eureka (Discovery Crystallized)

- **Why it fits**: The narrative of the 2004 substrate pivot (Scene #1) is the most impactful for a BIOL 3030 biochemistry audience. It allows the writer to explain fundamental concepts (enzymes, cofactors, redox) while telling a high-stakes story of how a single decision—changing one variable in a reaction—can change the course of biology.
- **Best opening scene**: Scene #1 (The 2004 Paradigm Shift).
- **One quote to use early**: Quote #1 ("The discovery of LSD1... overturned a 40-year dogma").
- **Cautions**: Avoid the "lone genius" trope by ensuring the role of Yujiang Geno Shi and the collaborative nature of the lab are mentioned.

Backup lens: Failure (Setback that Changed Trajectory)

- **Why it fits**: Starting the story with the months of failed experiments trying to prove nPAO was a polyamine oxidase (Scene #1, first half) creates immediate empathy and demonstrates the reality of high-level research.
- **Best opening scene**: A descriptive look at the "negative results" coming off the scintillation counter in late 2003.
- **One quote to use early**: Quote #3 ("Science is my primary hobby... you can pursue things that you find interesting").
- **Cautions**: Ensure the failure is clearly linked to the eventual discovery so the story doesn't feel overly discouraged.

Works cited

1. Yang Shi | K36tx, accessed January 24, 2026, https://www.k36tx.com/yang-shi
2. The Discovery of Histone Demethylases - PMC, accessed January 24, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC3753710/
3. This paper changed my life: 'Histone demethylation mediated by the ..., accessed January 24, 2026, https://www.thetransmitter.org/this-paper-changed-my-life/this-paper-changed-my-life-histone-demethylation-mediated-by-the-nuclear-amine-oxidase-homol

og-lsd1-from-the-shi-lab/
4. Crystal structure of human histone lysine-specific demethylase 1 ..., accessed January 24, 2026, https://www.pnas.org/doi/10.1073/pnas.0606381103
5. A Systematic Review of Histone Lysine-Specific Demethylase 1 and ..., accessed January 24, 2026, https://pubmed.ncbi.nlm.nih.gov/25990136/
6. Basic understanding: Q&A with Yang Shi - Ludwig Cancer Research, accessed January 24, 2026, https://www.ludwigcancerresearch.org/success-story/basic-understanding-qa-with-yang-shi/
7. The histone LSD1 demethylase in stemness and cancer ..., accessed January 24, 2026, https://salariuspharma.com/wp-content/uploads/2018/11/10-1-s2.0-S1874939913000941-main.pdf
8. The CUSBEA program: Twenty years after, accessed January 24, 2026, https://www.cbisociety.org/uploads/3/2/0/1/32012105/changzengyithe_cusbea.pdf
9. RNA-Protein Interactions Long Noncoding RNAs: - ORBi, accessed January 24, 2026, https://orbi.uliege.be/bitstream/2268/260001/2/2019X1FinalBook.pdf
10. Oral history interview with Yue Xiong, accessed January 24, 2026, https://digital.sciencehistory.org/works/q87u4qt
11. The epigenetic explorer - Ludwig Cancer Research, accessed January 24, 2026, https://www.ludwigcancerresearch.org/success-story/the-epigenetic-explorer/
12. Yin Yang 1 expression in human tumors, accessed January 24, 2026, https://www.tandfonline.com/doi/pdf/10.4161/cc.9.3.10588
13. Q&A with Yang Shi - Ludwig Institute for Cancer Research, accessed January 24, 2026, https://www.ludwig.ox.ac.uk/news/q-a-with-yang-shi
14. Yang Shi - Ludwig Cancer Research, accessed January 24, 2026, https://www.ludwigcancerresearch.org/scientist/yang-shi/
15. LSD 1 inhibition induces differentiation and cell death in Merkel cell ..., accessed January 24, 2026, https://www.researchgate.net/publication/345995424_LSD_1_inhibition_induces_differentiation_and_cell_death_in_Merkel_cell_carcinoma
16. Yang Shi – NAS - National Academy of Sciences, accessed January 24, 2026, https://www.nasonline.org/directory-entry/yang-shi-jsgd6c/
17. Ludwig Link, accessed January 24, 2026, https://www.ludwigcancerresearch.org/wp-content/uploads/2022/09/LudwigLink_Sep22.pdf
18. Dr. Yang Shi | Speaker, accessed January 24, 2026, https://raywu-symposium.westlake.edu.cn/speakers/yang-shi.html
19. Oral history interview with Shi Huang, accessed January 24, 2026, https://digital.sciencehistory.org/works/4iwqlkv