The Michael Ashburner Research Dossier: From Cytogenetic Puffs to Genomic Ontologies

The following research materials constitute a comprehensive evidentiary archive regarding the life and scientific legacy of Michael Ashburner (1942–2023). This dossier is designed to provide high-signal raw material for the construction of a biographical narrative aimed at an introductory biochemistry audience (BIOL 3030). The evidence spans Ashburner's early career in traditional cytogenetics, his pioneering role in the molecular characterization of gene regulation, and his eventual leadership in the bioinformatics revolution that defined the post-genomic era.

A) ANCHOR SCENES

SCENE #1: The Montreal Naive Proposal and the Barroom Founding of the Gene Ontology

Summary:

The scene captures a pivotal moment in the history of bioinformatics where a formal rejection in a professional setting led to an informal, high-stakes agreement that changed the infrastructure of modern biology. During a bioinformatics workshop, Michael Ashburner's proposal for a simplified, biologically-grounded language for gene function was publicly dismissed by computational specialists as "naive." That evening, Ashburner bypassed the formal academic resistance by convening a small group of model organism database leaders in a hotel bar, where they reached a verbal pact to create the Gene Ontology (GO).

Date/Place: July 1998; International Conference on Intelligent Systems for Molecular Biology (ISMB), Bio-ontologies Workshop, Montreal, Canada.[1]

People: Michael Ashburner (representing FlyBase); Suzanna E. Lewis (FlyBase); Steve Chervitz (Saccharomyces Genome Database - SGD); Judith Blake (Mouse Genome Informatics - MGI).[1]

Concrete details: The setting for the initial conflict was a formal academic session where Ashburner presented a proposal to use a simple hierarchical controlled vocabulary to unify biological descriptions.[1] The audience, largely comprised of computer scientists focused on complex, formalized logic systems, found Ashburner's biological pragmatism to be "naïve".[1] The texture of the scene shifted from the sterile conference room to the Montreal hotel bar later that evening. In this informal setting, the founders of the three major databases (fly, yeast, and mouse) discussed the "data-interconnection problem"—the reality that each organism's

database used different terms for the same biological processes.[1] Ashburner's persistence in the face of the formal rejection led to a agreement that each database would adopt a shared vocabulary for molecular function, biological process, and cellular component.[2]

Why it matters: This scene documents the transition of biology from a series of isolated "islands" of information (organism-specific databases) to a unified, computable science. The Gene Ontology (GO) became the first of hundreds of biomedical ontologies, allowing researchers to compare gene function across the entire tree of life.[3] For a biochemistry student, this highlights that the "language" of science is as much a social construct as a technical one.

Evidence quality: High. This is documented by primary participant accounts and official history documents from the Gene Ontology Consortium.[1]

Myth risk: Medium. The "barroom founding" is a classic trope in the history of science; however, it is corroborated by consistent primary accounts from the participants involved in the Montreal meeting.[1]

Sources: .[1]

SCENE #2: The Celera Annotation Jamboree and the Footnote Marathon

Summary:

Following a tense period of competition and collaboration between the public Human Genome Project and Craig Venter's Celera Genomics, Ashburner helped organize a "jamboree" to annotate the Drosophila genome. This event gathered dozens of international experts to manually verify computational predictions of gene function in a high-pressure, communal environment.

Date/Place: November 1999; Celera Genomics Headquarters, Rockville, Maryland.[5]

People: Michael Ashburner (Co-organizer); Craig Venter (Director of Celera); Gerry Rubin (Berkeley Drosophila Genome Project); over forty international researchers.[5]

Concrete details: The "Jamboree" was a two-week sprint to assign biological meaning to 120 million base pairs of DNA.[7] Ashburner described the participants as the "rock stars of the genome project," detailing their quirks—from red Honda Nighthawk motorcycles to purple hair—in the exhaustive footnotes of his later book, "Won for All".[6] The workspace was an intense computational suite at Celera where scientists worked in shifts, using newly developed software tools like the Genome Annotation Assessment Project (GASP) to predict gene structures.[8] The documentation includes "Celera Jamboree Pre-docs," "IT Orientation," and

"Jamboree Quality Control" files preserved in the Ashburner archives.[5] Ashburner himself remained through January 2000 for the final ten days of grueling quality assurance work with a small handful of colleagues.[5]

Why it matters: The Drosophila Jamboree established the "community annotation" model now used for nearly every major genome project. It also represented a unique moment of functional cooperation between "public mammon and private mammon"—the government-funded projects and the corporate-funded Celera.[9] Ashburner's choice to document this in a book with 161 footnotes highlights his commitment to individual credit in large-scale collaboration.[6]

Evidence quality: Very high. Primary documentation exists in Ashburner's archival collections (Wellcome Collection) and his published personal memoir of the event.[5]

Myth risk:

Low. While Ashburner's narrative in "Won for All" is idiosyncratic and subjective, the logistical existence and technical output of the Jamboree are standard scientific history.

Sources: .[5]

SCENE #3: The Priority Dispute at the 1985 CSHL Symposium

Summary:

During a prestigious symposium on the Molecular Biology of Development, a major priority dispute erupted over the discovery of the "homeodomain," a key DNA-binding protein motif. Michael Ashburner, watching from a side room, witnessed the frustration of junior researchers who were being denied credit by a prominent laboratory head. Ashburner used his own lecture the next day to deliver a sharp, humorous corrective that restored visibility to the junior scientists.

Date/Place: 1985; Cold Spring Harbor Laboratory (CSHL) Symposium on the Molecular Biology of Development, Bush Auditorium.[11]

People: Michael Ashburner; Walter Gehring (Swiss geneticist); David Hogness; David Goldberg; Michael Goldberg.[11]

Concrete details: The lecture hall was packed, but many of Walter Gehring's former postdocs could not bear to be in the room and were watching on a TV in the side room.[11] Gehring's talk claimed personal credit for discovering the homeodomain on a Southern blot, stating he "told the postdocs what to do," which caused the postdocs in the side room to "erupt" in anger.[11] The next day, Ashburner was scheduled to speak about the Alcohol dehydrogenase (*Adh*) gene. He knew David Goldberg had actually sequenced the *Adh* gene and Michael Goldberg (David's brother) was a postdoc in Gehring's lab. Ashburner began his talk by acknowledging David

Goldberg's sequencing work, then paused and mentioned Michael Goldberg's status as Walter Gehring's postdoc. This remark, delivered with Ashburner's characteristic dry wit, caused the room to break into laughter for five minutes, effectively highlighting the absurdity of Gehring's previous day's claims.[11]

Why it matters:

This scene illustrates the high stakes of "credit assignment" in molecular biology and Ashburner's role as a defender of junior researchers and scientific integrity. It provides a human perspective on how professional norms are enforced through humor and public acknowledgement.

Evidence quality: Strong. This is a detailed account from Ashburner's own oral history transcript.[11]

Myth risk:

Medium. The claim of "five minutes" of laughter is likely a subjective exaggeration, but the tension of the Gehring dispute is well-documented in the history of developmental biology.

Sources: .[11]

SCENE #4: The 1996 Bermuda Principles Strategy Meeting

Summary:

Ashburner was part of a select group of international scientists who met in Bermuda to define the rules for sharing the Human Genome Project's data. The meeting established a radical new paradigm: that all DNA sequence data must be released into the public domain within 24 hours of generation, effectively preventing the patenting of human genes.

Date/Place: February 1996; Hamilton Princess Hotel, Bermuda.[12]

Who was involved: Michael Ashburner; John Sulston; Robert Waterston; administrators from the US NIH and the British Wellcome Trust.[12]

Concrete details: The meeting was held on neutral but British soil (the Hamilton Princess Hotel) to satisfy international funding requirements.[14] Ashburner was a key voice in the discussion that pitted the traditional academic "wait for publication" model against the "immediate release" model.[13] The resulting "Bermuda Principles" mandated that assemblies of 1,000 to 2,000 bases be deposited daily into GenBank.[12] Ashburner would later profess to be "outraged and infuriated" when these principles were challenged by private corporations like Celera in 2000.[15]

Why it matters:

This meeting defined the "Open Science" ethos that characterizes modern genomics. For the BIOL 3030 student, this scene provides the origin story of why genomic data is freely accessible today.

Evidence quality: High. Documented in policy papers, historical reviews, and institutional press releases.[12]

Myth risk:

Low. The 24-hour rule and the location are technical facts of policy.

Sources: .[12]

SCENE #5: The Sydney Brenner Rejection (1963-1964)

Summary:

As a high-achieving undergraduate at Cambridge, Ashburner applied to work for his PhD with Sydney Brenner at the Laboratory of Molecular Biology (LMB). Despite contributing to the foundational "triplet code" experiments, he was rejected by Brenner, forcing him to find his own path in the genetics department where he eventually made his name.

Date/Place: 1963–1964; Laboratory of Molecular Biology (LMB), Cambridge, UK.[17]

Who was involved: Michael Ashburner; Sydney Brenner; Steve Martin; Brigid Hogan.[17]

Concrete details: The LMB held evening seminars as "recruiting grounds" for students. Ashburner worked two vacations in Brenner's lab on the famous experiment that proved the triplet nature of the genetic code.[17] Out of three applicants in his year, Brenner only selected one (Steve Martin), telling Ashburner and Brigid Hogan "no".[17] Ashburner recalled that Brenner was "probably the cleverest person" he ever met but noted that they were both too "strong" as personalities to work together.[17] Years later, they reconciled while snowed-in at an airport, drinking together and agreeing the rejection was for the best.[17]

Why it matters:

This scene humanizes the "path to discovery" by showing that even world-class scientists face early-career rejection. It also explains why Ashburner’s research trajectory moved toward Drosophila cytogenetics rather than the phage genetics dominated by Brenner and Francis Crick.

Evidence quality: Strong. Recounted by Ashburner in his CSHL oral history.[17]

Myth risk:

Medium. The airport reconciliation story is a vivid narrative detail that is difficult to independently verify but consistent with Ashburner's social reputation.

Sources: .[17]

B) DIRECT QUOTES FROM THE SCIENTIST

- "Sydney is probably the cleverest person I know, the cleverest scientist I ever met... Sometimes people are too clever and they never actually do anything because they think of an experiment and they immediately think of all the reasons why... it won't work."
  - **Context/Date**: 2003 Oral History interview reflecting on his 1960s education at Cambridge.[17]
- "DNA, you know, is Midas' gold."
  - **Context/Date**: Quote attributed to Maurice Wilkins, which Ashburner often repeated to describe the corrosive nature of the race for genomic priority.[19]
- "I first came here in 1970... You'll see a photograph of me there, kissing a girl's hand."
  - **Context/Date**: Opening of his 2003 CSHL interview, illustrating the social fluidity of the scientific community at the time.[20]
- "I was born on the 23rd of May, 1942... my father was a photographer and my mother was an East End first generation from Ukraine."
  - **Context/Date**: 2008 Oral History segment on "Becoming a Scientist".[21]
- "The results were presented as a proposal to use a simple hierarchical controlled vocabulary; his proposal was dismissed by other participants as naïve."
  - **Context/Date**: Describing the 1998 Montreal workshop in a 2004 retrospective paper on the Gene Ontology.[1]
- "The rivalries have been transformed into a new wholeness of biology, united through its common history written in the language of the genomes."
  - **Context/Date**: From the conclusion of his book "Won for All" (2006) regarding the unification of biological data.[19]

C) HUMAN REALITY DETAILS

- **Taxonomic Incentive**: His father, Geoffrey, gave him a penny for every plant or bird species he correctly identified during walks on the South Downs, instilling a lifelong passion for systematic classification that later informed the Gene Ontology.[22]
- **The 161 Footnotes**: Ashburner's book *Won for All* (2006) is famous for containing 161 footnotes in only 74 pages, often taking up more space than the main text. This reflected his desire to ensure every contributor was credited, no matter how minor.[6]
- **Aversion to Global Logistics**: He famously documented his "hatred" of airlines and Marriott hotels in his professional writing, viewing them as necessary but unpleasant obstacles to international collaboration.[9]
- **Early Classmates**: He attended primary school in Buckinghamshire with Christine Keeler,

who would later become a central figure in the 1963 Profumo political scandal.[22]

- **Mentorship Principle**: Ashburner was known for pioneering a research area (like the *Adh* region) and then handing the "best" parts of the project over to his postdocs so they could establish independent careers.[22]
- **Schooling Rebellion**: He attended the Royal Grammar School in High Wycombe, a "traditionalist establishment" that he admitted was "not entirely to his liking," contributing to his later reputation as an iconoclast.[22]
- **Lab Culture and Drinking**: He frequently met colleagues in social settings, such as the barroom founding of GO or getting drunk with Sydney Brenner in a snowed-in airport, highlighting his belief in science as a social endeavor.[1]
- **Obsessive Naturalist**: Even at the height of his bioinformatics career, he remained an avid birdwatcher, a hobby that linked his modern work back to his childhood interests in natural history.[22]
- **Parental Heritage**: His maternal grandparents were refugees from Odessa and Kiev who settled in the East End of London, where his grandfather worked as a cabinet maker.[21]
- **Social Signifiers**: During his 1970 visit to CSHL, he was described as a "gentleman scientist" who would jokingly kiss women's hands, signaling his connection to an older, more courtly academic era.[20]

D) SCIENCE CONNECTION (INTRO BIOCHEMISTRY)

Best-fit topic: Steroid Hormones and Gene Regulation (Metabolic Cascades)

Precise contribution:

Ashburner developed the "Ashburner Model" in 1974, which explains how the steroid hormone 20-hydroxyecdysone (20E) triggers a hierarchical cascade of gene activation and repression visible as "puffs" on chromosomes.[24]

Bridge explanation:

In biochemistry, signaling molecules like steroid hormones must communicate with the cell's DNA to coordinate complex responses like growth or metabolism. Because steroid hormones are lipid-soluble, they can pass through the cell membrane and bind to a receptor inside the cell.[26] Ashburner's research showed that this hormone-receptor complex acts as a transcription factor, turning on a small group of "Early Genes." The proteins produced from these Early Genes then act as "master regulators" that turn on hundreds of "Late Genes" and simultaneously turn off the Early Genes themselves.[24] This ensures that biological transitions, such as the metamorphosis of a larva into an adult fly, occur in a precise, timed sequence.[24]

Scientist's own framing/analogy:

Ashburner referred to the resulting pattern as a "cascade" of gene activity.[4] His colleagues often used the term "worker proteins" to describe the products of the late genes that actually carry out the metabolic and physiological changes of metamorphosis.[24]

E) COMPLICATIONS, DISPUTES, OR CONTROVERSIES

The Gehring "Nervous Tic" of Credit

- **What's agreed**: In the 1980s, Walter Gehring and several other labs (Hogness, Scott, Kaufmann) were in a race to identify the "homeodomain," the part of a protein that binds to DNA to control development.[11]
- **What's disputed**: Ashburner and others argued that Gehring chronically failed to credit his postdocs (like Michael Goldberg or Rich Garver) in public settings, claiming their experimental breakthroughs as his own top-down ideas.[11] Ashburner described this behavior not as malice, but as a "nervous tic" in Gehring's public persona.[11]
- **Sources**:.[11]

The Public vs. Private Sequence Battle (1998–2000)

- **What's agreed**: Craig Venter's Celera Genomics used a "whole-genome shotgun" method to sequence the fly genome, which was faster than the public project's "clone-by-clone" method.[7]
- **What's disputed**: There was intense controversy over whether the public FlyBase project should partner with Celera. Many feared that Venter would patent the fly genes and restrict research access.[9] Ashburner was the central negotiator who helped ensure that the Celera sequence was deposited into the public domain (GenBank) as part of the partnership.[9]
- **Sources**:.[7]

The "Naïve" Label for Gene Ontology

- **What's agreed**: At the 1998 ISMB meeting, Ashburner's proposal for a simple hierarchical vocabulary for genes was rejected by computational specialists.[1]
- **What's disputed**: Critics felt his approach lacked the formal logical complexity of "true" ontologies.[1] Ashburner argued that biological complexity required a pragmatically simple language that real biologists would actually use.[1]
- **Sources**:.[1]

F) "NOT ON WIKIPEDIA" GOLD

- **The 2.9 Mb "Adh" Pilot**: Before the whole genome was sequenced, Ashburner's lab spent twenty years (1979–2000) saturating the 2.9 Mb region around the Alcohol dehydrogenase gene with mutations. This became the most thoroughly characterized

piece of DNA in any multi-cellular organism and was used as the "gold standard" to prove that Venter's sequencing methods actually worked.[22]

- **Enzymatic Specificity**: Ashburner's lab determined that Drosophila alcohol dehydrogenase (*Adh*) is not a metalloenzyme (unlike the zinc-dependent versions found in humans), despite carrying out a similar chemical reaction—a key example of convergent evolution in biochemistry.[32]
- **Hand-Kissing at CSHL**: In his 2003 interview, Ashburner reminds the interviewer to look at a 1970 group photo of himself "kissing a girl's hand," a specific detail he used to describe the "crazy" and social nature of Cold Spring Harbor in the 1970s.[20]
- **The "Unilimist" Badge**: In the early 1970s, during a controversy over whether chromosomes consisted of one or many strands of DNA, Ashburner wore a lapel badge that said "I am a unilimist," signifying his early commitment to the emerging physical model of the chromosome.[20]
- **Therapeutic Writing**: Ashburner revealed that he originally wrote his book "Won for All" (2006) as a form of "therapy" to process the stress of the Celera negotiations, only deciding to publish it years later.[9]
- **The Penny System**: His taxonomic training was strictly financial: his father paid him one penny per species identified. This specific childhood economy transitioned into a professional career dedicated to classifying every gene in the fly genome.[22]

G) TABULAR SUMMARIES OF KEY DATA

TABLE 1: Key Scientific Milestones and Contributions

Milestone	Date	Significance
Ashburner Model	1974	First hierarchical model of steroid hormone gene regulation.[24]
Adh Region Mapping	1979-2000	Saturated 2.9 Mb of the genome; provided a pilot for whole-genome sequencing.[22]
Founding of FlyBase	1992	Created the primary database for Drosophila genetics.[22]
Bermuda Principles	1996	Established the 24-hour rule for open data release in

		genomics.[12]
Gene Ontology (GO)	1998	Created the first standardized language for gene function across all species.[1]
Drosophila Genome	2000	Co-led the annotation of the first complex metazoan genome.[9]

TABLE 2: Professional Awards and Honors

Award	Year	Citation Context
EMBO Member	1977	Recognition as a leading European molecular biologist.[34]
Fellow of the Royal Society	1990	First Churchill College undergraduate to be elected FRS.[25]
George Beadle Award	1999	For outstanding contributions to the genetics community.[35]
Benjamin Franklin Award	2006	For advocacy of open access and bioinformatics.[33]
Thomas Hunt Morgan Medal	2008	Lifetime achievement in genetics.[33]

TABLE 3: Taxonomic and Bibliographic Scale

Metric	Detail	Source
Adh Papers	35 papers on a single 2.9 Mb chromosomal stretch	[22]

"Won for All" Footnotes	161 footnotes in 74 pages of text	[9]
Drosophila Handbook	12 volumes; over 1,000 pages in the 1989 edition	[4]
GO Citations	Cited in tens of thousands of scientific studies	[3]

H) FLAGGED “MYTH-RISK” DETAILS

- **Claim**: The Gene Ontology was founded "in a hotel bar."
  - **Where it appears**: Multiple memoirs and Consortium history pages.[1]
  - **Why sourcing is weak**: It is a narrative-perfect "eureka" trope. While consistent with participants' recollections, it may simplify a more complex series of meetings.
  - **Best available evidence**: Primary memoir of Suzanna Lewis in *Nature Genetics* and other retrospectives.[1]
- **Claim**: Ashburner’s retort to Gehring caused "five minutes of laughter."
  - **Where it appears**: Ashburner's 2003 CSHL oral history transcript.[11]
  - **Why sourcing is weak**: Laughter duration in oral history is notoriously subject to exaggeration. It serves as a rhythmic device in the storyteller's narrative.
  - **Best available evidence**: The existence of the Gehring/Goldberg priority row is documented in several histories of the homeobox, but the specific "five minutes" is likely an anecdotal flourish.
- **Claim**: The "Bermuda Principles" were adopted within a single meeting.
  - **Where it appears**: Popular genomic histories.[12]
  - **Why sourcing is weak**: While the 1996 meeting was the catalyst, the implementation took years and faced significant resistance from Japan, France, and Germany.
  - **Best available evidence**: Policy analysis papers show a multi-year implementation window from 1996 to 1998.[12]

I) LENS RECOMMENDATION

Lens Scoring Rubric (0–3 each)

Lens	Score	Justification
Eureka	2	The founding of GO has a clear "moment" in Montreal, but the

		Ashburner Model was a gradual synthesis of years of puffing data.
Failure	2	The Sydney Brenner rejection (Scene #5) is a vivid setback that redirected his entire career toward Drosophila.
Mentor	1	He had strong relationships (Mitchell, Brenner), but his story is more about his own role as a mentor to others.
Controversy	3	The Celera/Venter race and the Gehring priority dispute (Scenes #2 & #3) provide the most dramatic and revealing evidence of his character.
Human Detail	3	The "penny for a bird" and "161 footnotes" details are unique and link his childhood hobby to his professional life.
Last Experiment	2	His transition to EMBL-EBI and the successful completion of the Drosophila genome provide a strong late-career arc.

Primary Recommended Lens: Controversy (The "Gentle Firm"

Guardian of Credit)

- **Why it fits**: Ashburner's career is defined by high-stakes conflicts that reveal his core values: the defense of junior researchers (Scene #3), the defense of the public domain against private patents (Scene #2), and the defense of biological pragmatism against theoretical abstraction (Scene #1). This lens allows the writer to explain complex science (the homeodomain, genomic sequencing) through the relatable human struggle for fairness and openness.
- **Best opening scene**: Scene #3 (The Gehring retort). It immediately establishes his humor and his commitment to scientific integrity.
- **One quote to use early**: Quote #2 ("DNA... is Midas' gold.").[19]
- **Cautions**: Avoid making him seem anti-corporate. Emphasize that he *partnered* with Celera to ensure the data was "Won for All".[9]

Backup Lens: Failure (The Productive Setback)

- **Why it fits**: The rejection by Sydney Brenner (Scene #5) provides a classic narrative hook: a young talent is told "no" by the world's most famous lab, only to build an even more influential "parallel empire" in the genetics department across town.
- **Best opening scene**: Scene #5 (The 1963 rejection).
- **One quote to use early**: Quote #1 ("Sydney is probably the cleverest person I know...").[17]
- **Cautions**: Ensure the story doesn't end with the rejection; the narrative must bridge quickly to his success with the "Ashburner Model" in the 1970s.

J) BIOCHEMICAL CONTEXTUALIZATION: THE ASHBURNER MODEL

The Ashburner Model is critical for a BIOL 3030 audience because it provides a physical, visible representation of the central dogma of molecular biology. In the 1970s, before DNA could be easily sequenced or cloned, Ashburner used the giant "polytene" chromosomes of Drosophila salivary glands to *watch* gene expression happen in real-time.[24]

Mechanism of the Ecdysone Response

When the steroid hormone ecdysone (20E) binds to its receptor (EcR), the complex undergoes a conformational change and binds to specific DNA sequences called Ecdysone Response Elements (EcREs).[26] The "puffs" seen under the microscope are actually areas where the DNA has unwound (decondensed) to allow RNA polymerase access to the genes.[24]

Kinetic Regulation

The model is defined by two distinct phases of induction:

1. **Primary Response (Early Puffs)**: Rapid induction (within minutes) of a small number of

genes (e.g., at chromosomal locations 74EF and 75B). This induction is independent of protein synthesis.[24]

2. **Secondary Response (Late Puffs)**: A delayed induction (several hours) of over 100 different genes. This phase *requires* the protein products of the early puffs to be synthesized first.[24]

Teachable Bridge

This illustrates the biochemical principle of "Feedback Inhibition." The products of the Early Genes not only activate the Late Genes but also bind to the DNA of their own genes to turn them off.[27] This ensures that the hormone signal produces a pulse of activity rather than a continuous, uncontrolled state of metamorphosis. For a biochemistry student, this is the genetic equivalent of a metabolic pathway controlled by its own end-products.

Works cited

1. Gene Ontology: looking backwards and forwards - PMC, accessed January 27, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC549054/
2. Creating the Gene Ontology Resource: Design and Implementation - ResearchGate, accessed January 27, 2026, https://www.researchgate.net/publication/24682463_Creating_the_Gene_Ontology_Resource_Design_and_Implementation
3. About the GO - Gene Ontology, accessed January 27, 2026, https://geneontology.org/docs/introduction-to-go
4. Michael Ashburner | Department of Genetics - University of Cambridge, accessed January 27, 2026, https://www.gen.cam.ac.uk/department/history-of-the-department/michael-ashburner
5. Celera Jamboree files | Wellcome Collection, accessed January 27, 2026, https://preview.wellcomecollection.org/works/gtpyc4gw
6. Won for All: How the Drosophila Genome Was Sequenced - Cold Spring Harbor Laboratory Press, accessed January 27, 2026, https://www.cshlpress.com/default.tpl?action=full&--eqskudatarq=543
7. (PDF) A Whole-Genome Assembly of Drosophila - ResearchGate, accessed January 27, 2026, https://www.researchgate.net/publication/12585344_A_Whole-Genome_Assembly_of_Drosophila
8. Genome Annotation Assessment in Drosophila melanogaster - PMC - PubMed Central, accessed January 27, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC310877/
9. Fly's time - PMC, accessed January 27, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC1794551/
10. Drosophila melanogaster: A case study of a model genomic sequence and its consequences - Research Explorer - The University of Manchester, accessed January 27, 2026,

https://research.manchester.ac.uk/en/publications/drosophila-melanogaster-a-case-study-of-a-model-genomic-sequence-/
11. Symposia | Michael Ashburner on 1985 CSHL Symposium and Sequencing ADH - Library, accessed January 27, 2026, http://library.cshl.edu/oralhistory/interview/cshl/symposia/1985-cshl-symposium-and-sequencing-adh/
12. The Bermuda Triangle: The Pragmatics, Policies, and Principles for ..., accessed January 27, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC7307446/
13. Bermuda Rules: Community Spirit, With Teeth - ResearchGate, accessed January 27, 2026, https://www.researchgate.net/publication/12099291_Bermuda_Rules_Community_Spirit_With_Teeth
14. CSHL | Meetings & Courses | David Bentley on 'Bermuda Principles' Meetings - Oral History, accessed January 27, 2026, https://library.cshl.edu/oralhistory/interview/cshl/meetings-courses/bermuda-principles-meetings/
15. Tag: human genome project - Septisphere - WordPress.com, accessed January 27, 2026, https://septisphere.wordpress.com/tag/human-genome-project/
16. Browsing The Bermuda Principles by Issue Date - DukeSpace, accessed January 27, 2026, https://dukespace.lib.duke.edu/browse/dateissued?scope=9bf2e54b-6912-407e-90a7-22213ff0c90a
17. Oral History | Life in Science | Researchers | Michael Ashburner on Syndey Brenner - Library, accessed January 27, 2026, https://library.cshl.edu/oralhistory/interview/scientific-experience/molecular-biologists/syndey-brenner/
18. Oral History | Michael Ashburner - Library - Cold Spring Harbor Laboratory, accessed January 27, 2026, https://library.cshl.edu/oralhistory/speaker/michael-ashburner/
19. All for All - PMC - NIH, accessed January 27, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC1475689/
20. Oral history interview with Michael Ashburner (b. 1942) - Library, accessed January 27, 2026, http://library.cshl.edu/static/oh4/transcript/CSHL1010-1011_Ashburner.pdf
21. Oral History | Life in Science | Becoming a Scientist | Michael Ashburner on Becoming a Scientist - Library, accessed January 27, 2026, http://library.cshl.edu/oralhistory/interview/scientific-experience/becoming-scientist/michael-ashburner-becoming-scientist/
22. Michael Ashburner. 23 May 1942—7 July 2023 | Biographical Memoirs of Fellows of the Royal Society, accessed January 27, 2026, https://royalsocietypublishing.org/rsbm/article/doi/10.1098/rsbm.2024.0036/363227/Michael-Ashburner-23-May-1942-7-July-202323-May
23. Supplementary material from "MICHAEL ASHBURNER. 23 May 1942 – 7 July 2023" - Figshare, accessed January 27, 2026, https://rs.figshare.com/collections/Supplementary_material_from_MICHAEL_ASH

BURNER_23_May_1942_7_July_2023_/7700798
24. Launching the molecular genetic investigation of the ecdysone signaling cascade: a tribute to David S. Hogness (1925–2019) - Oxford Academic, accessed January 27, 2026, https://academic.oup.com/genetics/article/231/3/iyaf211/8321633
25. Michael Ashburner - Wikipedia, accessed January 27, 2026, https://en.wikipedia.org/wiki/Michael_Ashburner
26. Ecdysone Receptors: From the Ashburner Model to Structural Biology - ResearchGate, accessed January 27, 2026, https://www.researchgate.net/publication/232276875_Ecdysone_Receptors_From_the_Ashburner_Model_to_Structural_Biology
27. Ecdysone Control of Developmental Transitions: Lessons from Drosophila Research - PMC, accessed January 27, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC4060523/
28. A direct and widespread role for the nuclear receptor EcR in mediating the response to ecdysone in Drosophila - preLights, accessed January 27, 2026, https://prelights.biologists.com/highlights/a-direct-and-widespread-role-for-the-nuclear-receptor-ecr-in-mediating-the-response-to-ecdysone-in-drosophila/
29. Isolation and characterization of the ecdysone receptor and its heterodimeric partner ultraspiracle through development in Sciara coprophila - PubMed Central, accessed January 27, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC3964788/
30. Ecdysone receptors: from the Ashburner model to structural biology. - Semantic Scholar, accessed January 27, 2026, https://www.semanticscholar.org/paper/Ecdysone-receptors%3A-from-the-Ashburner-model-to-Hill-Billas/acbccaaefecbe12a62ad2ce2b52fdee77d9c1dde
31. FlyBase Reference Report: Ashburner et al., 1999, Genetics 153(1): 179--219, accessed January 27, 2026, http://flybase.org/reports/FBrf0111326.html
32. Biochemical properties of alcohol dehydrogenase from Drosophila lebanonensis - PMC, accessed January 27, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC1146711/
33. Professor Michael Ashburner - Churchill College - University of Cambridge, accessed January 27, 2026, https://www.chu.cam.ac.uk/obituaries/professor-michael-ashburner/
34. The 2008 Thomas Hunt Morgan Medal - PMC - NIH, accessed January 27, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC2278087/
35. Michael Ashburner Receives GSA's Morgan Medal - Genetics Society of America, accessed January 27, 2026, https://genetics-gsa.org/wp-content/uploads/2019/09/Morgan_AshburnerPressRel.pdf