

DQBC Accessibility Issues Catalog

Phase 2 — Deque Solutions Engineering Demo Site

Deque Solutions Engineering

June 2026

Contents

How to add an issue	2
Severity vocabulary	2
Coverage targets (Phase 2 goal)	2
Catalog	3
Batch 1 — verification cheat sheet	11
Batch 5 — verification cheat sheet	12
Batch 5 — accessible fix (for reference)	19
Batch 6 — IGT cheat sheet	20
Pro Advanced verification caveat	22
Pre-existing Phase 1 issues	22
Notes on the PL set	23
Batch 1 — accessible fix (for reference)	23
Batch 3 — verification cheat sheet	24
Batch 4 — verification cheat sheet	25
Batch 3 — accessible fix (for reference)	27
Batch 4 — accessible fix (for reference)	27
Suggested Phase-2 starter set	28
Page: Home (Home.jsx)	28
Page: Login (Login.jsx)	29
Page: Dashboard (Dashboard.jsx)	29
Page: Transfer (Transfer.jsx)	29
Page: Bills (Bills.jsx)	29
Page: Cards (Cards.jsx)	29
Page: Profile (Profile.jsx)	29
Page: Statements (Statements.jsx)	29
Page: Deposit (Deposit.jsx)	30

Cross-cutting (auth shell)	30
Demo-time toggle recommendations	30
Scan-vs-catalog alignment (verified June 2026)	30
Per-page expected violation counts (axe-core, default WCAG + BP toggles)	30
Known gaps (catalogued, not yet firing automatically)	31
Side-effects firing that the catalog should call out	31
Pro Advanced / Experimental / Manual-review (extension-only) rows	32
Demo-time confidence summary	32

This file is the **single source of truth** for every accessibility issue we deliberately introduce into the FinTech demo site. Phase 1 produced a clean, accessible-by-default working prototype. Phase 2 reintroduces issues — surgically, one at a time — and documents each one here.

How to add an issue

1. Reserve an ID below in the next-available row (MT-001, MT-002, ...).
2. Implement the issue in the relevant component file.
3. Tag the offending code with an inline comment that references the catalog ID:

```
{/* PHASE-2 ally issue MT-007 – see ACCESSIBILITY_ISSUES.md */}
```
4. Fill in the catalog row.

Severity vocabulary

We use **axe-core’s** four-level impact taxonomy plus a separate column for whether the rule is gated by Pro Advanced or by the Best Practices toggle.

Severity	Notes
Critical	Blocks access entirely; high-confidence automated detection.
Serious	Significant barrier; reliably automated.
Moderate	Lower-impact WCAG conformance failure; some require Best Practices.
Minor	Code smell / pattern issue; almost always Best Practice tagged.

Coverage targets (Phase 2 goal)

A “complete” Phase 2 should cover, across the 9 pages, at least:

- **axe-core baseline** (WCAG 2.2 AA, BP off): 12+ distinct rules.
- **Best Practices on**: 6+ additional rules (heading-order, accesskeys, image-redundant-alt, page-has-heading-one, landmark-one-main, region, presentation-role-conflict, etc.).
- **Pro Advanced (Experimental on)**: 3+ rules (target-size, advanced/text-contrast, identical-link-purpose, etc.).
- **IGT / Guided Tests**: 4+ scenarios (focus trap, color-only meaning, custom-widget keyboard, autoplay pause).

Catalog

ID	Page	Component / line	WCAG	axe rule(s)	Severity	Tool	Status
MT-001	Home	Home.jsx hero (~ line 65)	1.1.1	image-alt	Critical	axe-core	Live
MT-002	Dashboard	Dashboard.jsx page-head subtitle (~ line 42)	1.4.3	color-contrast	Serious	axe-core	Live
MT-003	Profile	Profile.jsx “Account disclosures” scroll panel	2.1.1	scrollable-region-focusable	Serious	axe-core	Live
MT-004	Login	Login.jsx password input (#login-password)	3.3.2	label	Critical	axe-core	Live
MT-005	Profile	Profile.jsx ZIP <Field> autoComplete attribute	1.3.5	autocomplete-valid	Serious	axe-core	Live
MT-006	Transfer	Transfer.jsx memo <textarea> (aria-labeledby typo)	4.1.2	aria-valid-attr	Critical	axe-core	Live
MT-007	All authed pages	AuthLayout.jsx topbar Messages + Notifications icon-btns (20×20, 22 px apart)	2.5.8	target-size	Serious	axe-core (WCAG 2.2 AA toggle ON)	Live
MT-008	Login	Login.jsx “Sign in” submit button (aria-label override)	2.5.3	label-content-name-mismatch	Serious	axe-core (Experimental ON)	Live
MT-009	Home	Home.jsx feature-grid — three “Learn more” links	2.4.4	identical-links-same-purpose	Minor	axe-core (Needs Re-view — incomplete result, requires human confirmation)	Live

ID	Page	Component / line	WCAG	axe rule(s)	Severity	Tool	Status
MT-010	Every page (any icon-btn)	theme.css — .icon-btn:focus, :focus-visible { outline: none; box-shadow: none }	2.4.7	advanced/css-focus-visible	Serious	Pro Ad-vanced (no AI credits — CSS state diff)	Live
MT-011	Home	Home.jsx “Spotlight offer” <div> styled like an h2	1.3.1	advanced/heading-markup	Serious	Pro Ad-vanced (uses AI credits — CV)	Live
MT-012	Home	Home.jsx /ornament-divider.svg with verbose alt	1.1.1	advanced/image-decorative	Minor	Pro Ad-vanced (uses AI credits — image classifier)	Live
MT-013	Bills	Bills.jsx “Saved payees” list (/ → <div>)	1.3.1	list	Serious	axe-core	Live
MT-014	Cards	Cards.jsx per-card lock toggle (<div role="switch"> with no aria-checked)	4.1.2	aria-required-attr (+ aria-toggle-field-name)	Critical	axe-core	Live
MT-015	Cards	Cards.jsx card-visual EXP + cardholder row (#3d5476 on brand-deep linear-gradient)	1.4.3	color-contrast (typically Needs Review in axe-core because the bg is a CSS gradient; reliably fires automatic as advanced/text-contrast in axe DevTools Pro)	Serious	axe-core / Pro	Live
MT-016	Statements	Statements.jsx statements <table> — <th> elements use invalid scope="column"	1.3.1	scope-attr-valid	Serious	axe-core	Live
MT-017	Statements	Statements.jsx per-row Download anchor → icon-only SVG with no accessible name	2.4.4	link-name	Critical	axe-core	Live

ID	Page	Component / line	WCAG	axe rule(s)	Severity	Tool	Status
MT-018	Deposit	Deposit.jsx Step 1 form — focusable <button>Clear form</button> wrapped in 	4.1.2	aria-hidden-focus	Serious	axe-core	Live
MT-019	About	About.jsx Leadership section — empty (no body, no name)	2.4.4	link-name	Critical	axe-core	Live
MT-020	Help	Help.jsx branch-finder ZIP input (role="searchbox" with no label / aria-label / placeholder)	4.1.2	aria-input-field-name	Moderate	axe-core (BP / Needs Review depending on toggle)	Live
MT-021	Forgot	Forgot.jsx Email input (autocomplete="user" — not a WHATWG token)	1.3.5	autocomplete-valid	Serious	axe-core	Live
MT-022	Wealth	Wealth.jsx “Why DQBC Wealth?” callout — <h3> directly after the page <h1> (no intermediate <h2>)	n/a (BP)	heading-order	Moderate	axe-core (Best Practice)	Live
MT-023	Business	Business.jsx (role + name conflict)	n/a (BP)	presentation-role-conflict	Minor	axe-core (Best Practice)	Live
MT-024	Legal	Legal.jsx two anchors (“Jump to Terms” + “Jump to Privacy”) both declare accessKey="t" — duplicate accesskey	n/a (BP)	accesskeys	Serious	axe-core (Best Practice)	Live
MT-025	Home	Home.jsx “Pick the right account for you” <select> (no label / aria-label / aria-labelledby / title)	4.1.2	select-name	Critical	axe-core	Live
MT-026	Home	Home.jsx inline ascending bar-chart <svg role="img"> inside the hero .fintech-pill (no <title>, no aria-label)	1.1.1	svg-img-alt	Serious	axe-core	Live
MT-027	Home	Home.jsx “Customer favorites” <div role="listbox"> whose children are plain <div>s (no role="option")	1.3.1	aria-required-children	Critical	axe-core	Live

ID	Page	Component / line	WCAG	axe rule(s)	Severity	Tool	Status
MT-028	Home	Home.jsx promotional-rate stripe — white text on a near-white / pale gold linear-gradient (~2.5-3.5:1)	1.4.3	advanced/text-contrast (axe-core color-contrast returns Needs Review because the bg is a gradient)	Serious	Pro Ad-vanced	Live
MT-029	Home	Home.jsx /branch-photo.svg informative branch-building image served with alt=""	1.1.1	advanced/image-informative-has-alt	Minor	Pro Ad-vanced (uses AI credits — image classifier)	Live
MT-030	Home	Home.jsx “Show more” <button aria-expanded="yes"> next to the tagline — invalid value (valid: true/false)	4.1.2	aria-valid-attr-value	Critical	axe-core	Live
MT-031	Dashboard	Dashboard.jsx “Recent activity highlights” <li role="treeitem"> items inside a plain (no role="tree"/role="group" ancestor)	1.3.1	aria-required-parent	Critical	axe-core	Live
MT-032	Dashboard	Dashboard.jsx Coup d'œil in the balance banner delta line	3.1.2	valid-lang	Serious	axe-core	Live
MT-033	Dashboard	Dashboard.jsx “Acknowledge new statements” <div role="button" aria-required="true"> — aria-required not allowed on role=button	4.1.2	aria-allowed-attr	Critical	axe-core	Live
MT-034	Dashboard	Dashboard.jsx “Account at a glance” <dl> containing bare <div> children (no <dt>/<dd> pairs)	1.3.1	definition-list	Serious	axe-core	Live
MT-035	Dashboard	Dashboard.jsx “Spending snapshot” <div> styled as a heading (24 px / 700 / brand-deep / top margin)	1.3.1	advanced/heading-markup	Serious	Pro Ad-vanced (uses AI credits — CV)	Live
MT-036	Dashboard	Dashboard.jsx “Top categories this month” <table> — <td headers="trend-col"> references a header id that doesn't exist (the <th> has id="trend-column")	1.3.1	td-headers-attr	Serious	axe-core	Live

ID	Page	Component / line	WCAG	axe rule(s)	Severity	Tool	Status
MT-037	Login	Login.jsx <input type="button"> next to "Sign in" header (no value/aria-label/title)	4.1.2	input-button-name	Critical	axe-core	Live
MT-038	Login	Login.jsx password-strength <div role="progressbar"> (no aria-label / aria-labelledby)	1.1.1	aria-progressbar-name	Critical	axe-core	Live
MT-039	Login	Login.jsx empty next to password input	4.1.2	aria-tooltip-name	Serious	axe-core	Live
MT-040	Login	Login.jsx stray <dt>Customer since 1923</dt> outside any <dl> in welcome panel	1.3.1	dlitem	Serious	axe-core	Live
MT-041	Login	Login.jsx low-contrast disclaimer #7a92b8 on brand-deep gradient in welcome panel	1.4.3	advanced/text-contrast	Serious	Pro Ad- vanced	Live
MT-042	Login	Login.jsx paragraph with inline letterSpacing/wordSpacing/lineHeight fixed values	1.4.12	avoid-inline-spacing	Serious		Live
MT-043	Profile	Profile.jsx "Display name" input has TWO <label htmlFor="display-name"> pointing at one input	3.3.2	form-field-multiple-labels	Moderate	axe-core	Live
MT-044	Profile	Profile.jsx "Profile completeness" <div role="meter"> without accessible name	1.1.1	aria-meter-name	Critical	axe-core	Live
MT-045	Profile	Profile.jsx Two-factor <button role="switch"> empty / no accessible name	4.1.2	aria-toggle-field-name (often co-fires as button-name)	Serious	axe-core	Live
MT-046	Profile	Profile.jsx <object data="/branch-photo.svg"> with no aria-label / body fallback	1.1.1	object-alt	Serious	axe-core	Live
MT-047	Profile	Profile.jsx <section role="region" aria-orientation="diagonal"> — aria-orientation is neither valid on region nor a valid value; co-fires aria-valid-attr-value + aria-allowed-attr	4.1.2	aria-valid-attr-value (+ aria-allowed-attr)	Critical	axe-core	Live
MT-048	Profile	Profile.jsx "Security preferences" <div> styled as h3 (22 px / 700)	1.3.1	advanced/heading-markup	Serious	Pro Ad- vanced	Live
MT-049	Transfer	Transfer.jsx Step 1 "Frequency" <select> with no label/aria-label	4.1.2	select-name	Critical		Live
MT-050	Transfer	Transfer.jsx Step 1 "Recent recipients" <div role="combobox"> missing required aria-expanded	4.1.2	aria-required-attr	Critical	axe-core	Live

ID	Page	Component / line	WCAG	axe rule(s)	Severity	Tool	Status
MT-051	Transfer	Transfer.jsx Step 1 empty (no body, no aria-label)	2.4.4	link-name	Critical	axe-core	Live
MT-052	Transfer	Transfer.jsx Step 1 <div role="presentation" aria-required="true"> — disallowed attr on presentation	4.1.2	aria-allowed-attr	Critical	axe-core	Live
MT-053	Transfer	Transfer.jsx Step 1 “tip” banner — white text on gold-to-white gradient	1.4.3	advanced/text-contrast	Serious	Pro Advanced	Live
MT-054	Transfer	Transfer.jsx Step 1 “Transfer speed” <div role="radiogroup"> with <div> children	1.3.1	aria-required-children (may not fire on radiogroup-without-radio in axe-core 4.10 — see notes)	Critical		Live
MT-055	Bills	Bills.jsx icon-only “Edit payee” <button> per payee (no aria-label)	4.1.2	button-name	Critical	axe-core	Live
MT-056	Bills	Bills.jsx “Bill category” <div role="tablist"> with <div> children (no role="tab")	1.3.1	aria-required-children	Critical	axe-core	Live
MT-057	Bills	Bills.jsx stray <dd>Most recent payment...</dd> outside any <dl>	1.3.1	dlitem	Serious	axe-core	Live
MT-058	Bills	Bills.jsx empty next to each payee Edit button	4.1.2	aria-tooltip-name	Serious	axe-core	Live
MT-059	Bills	Bills.jsx (category) on each payee name	3.1.2	valid-lang	Serious	axe-core	Live
MT-060	Bills	Bills.jsx “Save \$25” promo banner — gold text on white-to-gold gradient	1.4.3	advanced/text-contrast	Serious	Pro Advanced	Live
MT-061	Cards	Cards.jsx per-card “Spending limit” <div role="progressbar"> (no accessible name)	1.1.1	aria-progressbar-name	Critical		Live
MT-062	Cards	Cards.jsx icon-only “Freeze card” <button> per card (no aria-label)	4.1.2	button-name	Critical	axe-core	Live
MT-063	Cards	Cards.jsx per-card “Card style” <select> (no label)	4.1.2	select-name	Critical	axe-core	Live
MT-064	Cards	Cards.jsx per-card info icon-only <a> (no aria-label, no text body)	2.4.4	link-name	Critical	axe-core	Live
MT-065	Cards	Cards.jsx per-card network badge invalid value	4.1.2	aria-valid-attr-value	Critical	axe-core	Live

ID	Page	Component / line	WCAG	axe rule(s)	Severity	Tool	Status
MT-066	Cards	Cards.jsx per-card decorative /ornament-divider.svg with verbose alt	1.1.1	advanced/image-decorative	Minor	Pro Advanced (AI)	Live
MT-067	Statements	Statements.jsx “Quick filters” <div role="grid"> with plain <div> children	1.3.1	aria-required-children	Critical	axe-core	Live
MT-068	Statements	Statements.jsx <dl> containing only <p> children (no <dt>/<dd>)	1.3.1	definition-list	Serious	axe-core	Live
MT-069	Statements	Statements.jsx Form W-9 on tax-form acronym	3.1.2	valid-lang	Serious	axe-core	Live
MT-070	Statements	Statements.jsx “Show more years” <button aria-rowindex={2}> — disallowed attr	4.1.2	aria-allowed-attr	Critical	axe-core	Live
MT-071	Statements	Statements.jsx “Statement type” <select> (no label)	4.1.2	select-name	Critical	axe-core	Live
MT-072	Statements	Statements.jsx “Tax documents” section title rendered as a styled <p> (22 px / 700)	1.3.1	advanced/heading-markup	Serious	Pro Advanced (AI)	Live
MT-073	Deposit	Deposit.jsx Step 1 <input type="image" src="/check-success.svg"> with no alt	1.1.1	input-image-alt	Critical	axe-core	Live
MT-074	Deposit	Deposit.jsx Step 1 “Deposit type” <div role="radiogroup"> with <div> children	1.3.1	aria-required-children (radiogroup-no-radios may not fire in axe-core 4.10 — see notes)	Critical	axe-core	Live
MT-075	Deposit	Deposit.jsx Step 1 “Auto-deposit” <button role="switch"> empty (no name)	4.1.2	aria-toggle-field-name (often co-fires as button-name)	Serious	axe-core	Live
MT-076	Deposit	Deposit.jsx Step 1 “Daily deposit limit” <div role="meter"> (no accessible name)	1.1.1	aria-meter-name	Critical	axe-core	Live
MT-077	Deposit	Deposit.jsx Step 1 Reçu invalid lang	3.1.2	valid-lang	Serious	axe-core	Live
MT-078	Deposit	Deposit.jsx Step 1 hint banner — gold text on white-to-gold gradient	1.4.3	advanced/text-contrast	Serious	Pro Advanced	Live
IGT-001	Cards	Cards.jsx top-level <div role="presentation"> wrapper around page content	1.3.1	Structure IGT (presentation-role-conflict adjacent)	Moderate	IGT (Structure)	Live
IGT-002	Statements	Statements.jsx SECOND <main aria-label="Tax help tips"> wrapping a Tax tips callout	1.3.1	landmark-one-main (BP) + Structure IGT	Moderate	IGT (Structure)	Live

ID	Page	Component / line	WCAG	axe rule(s)	Severity	Tool	Status
IGT-003	Help	Help.jsx orphan <section> (no aria-label, no aria-labelledby, no heading inside)	1.3.1	region (BP) + Structure IGT	Moderate	IGT (Structure)	Live
IGT-004	Wealth	Wealth.jsx new <h4> “A note on advisor availability” after hero <h1> (no h2/h3 between)	1.3.1	heading-order (BP) + Headings IGT	Moderate	IGT (Headings)	Live
IGT-005	About	About.jsx SECOND <h1> “DQBC, in a nutshell” after MarketingHero <h1>	1.3.1	page-has-heading-one (BP) + Headings IGT	Moderate	IGT (Headings)	Live
IGT-006	Profile	Profile.jsx empty with no text content	1.3.1	empty-heading (BP) + Headings IGT	Minor	IGT (Headings)	Live
IGT-007	Login	Login.jsx required “Security question” <input required> with no asterisk / aria-required / visible marker	3.3.2	Forms IGT (required-state visibility)	Moderate	IGT (Forms)	Live
IGT-008	Profile	Profile.jsx inline Email must include @ error next to email field — NOT linked via aria-describedby	3.3.1	Forms IGT (error association)	Serious	IGT (Forms)	Live
IGT-009	Transfer	Transfer.jsx Step 1 three “Confirmation preferences” checkboxes with no <fieldset> / <legend>	1.3.1	Forms IGT (group labelling)	Moderate	IGT (Forms)	Live
IGT-010	Dashboard	Dashboard.jsx two with same src /fintech-hero.svg and same alt="DQBC seal"	1.1.1	image-redundant-alt (BP) + Images IGT	Minor	IGT (Images)	Live
IGT-011	About	About.jsx — image-of-text whose alt doesn't match the visual text	1.4.5	Images IGT (image-of-text)	Serious	IGT (Images)	Live
IGT-012	Cards	Cards.jsx per-card next to the network text — looks informative, marked decorative	1.1.1	Images IGT (decorative vs informative)	Moderate	IGT (Images)	Live
IGT-013	Bills	Bills.jsx Add-payee dialog opens with noFocusManagement (no initial focus, no trap)	2.4.3	Modals IGT (focus trap)	Serious	IGT (Modals)	Live
IGT-014	Bills	Bills.jsx remove-payee confirm dialog opens with noEscape (Esc no longer closes)	2.1.1	Modals IGT (Esc-to-close)	Serious	IGT (Modals)	Live
IGT-015	Profile	Profile.jsx reset-demo confirm dialog — closing it does NOT return focus to the opener button	2.4.3	Modals IGT (focus return)	Serious	IGT (Modals)	Live
IGT-016	Home	Home.jsx hero CTA pair <div style={{flexDirection: 'row-reverse'}}> — visual order ≠ DOM order	1.3.2	Reading Order IGT	Serious	IGT (Reading Order)	Live

ID	Page	Component / line	WCAG	axe rule(s)	Severity	Tool	Status
IGT-017	Dashboard	Dashboard.jsx first .account-card gets order: -1 inside .account-grid	1.3.2	Reading Order IGT	Serious	IGT (Reading Order)	Live
IGT-018	Statements	Statements.jsx <div role="button" tabIndex={0}>Open year picker</div> with onClick only, no onKeyDown	2.1.1	Keyboard IGT (custom widget)	Critical	IGT (Keyboard)	Live
IGT-019	Transfer	Transfer.jsx Step 1 amount <input tabIndex={3}> — positive tabindex forces unnatural order	2.4.3	tabindex (BP) + Keyboard IGT	Serious	IGT (Keyboard)	Live
IGT-020	Cards	Cards.jsx <div role="button" tabIndex={0}>Order replacement card</div> with onClick only, no onKeyDown	2.1.1	Keyboard IGT (custom widget)	Critical	IGT (Keyboard)	Live

Tool column values: axe-core / axe Linter / Pro Advanced / IGT. Status values: TODO / Live / Removed / Replaced.

Batch 1 — verification cheat sheet

How to confirm each rule fires using axe DevTools (browser extension), default toggles (Best Practices OFF, Experimental OFF, Needs Review ON or OFF — these all fire automatically):

ID	Steps to reach	Expected finding
MT-001	Open <code>/#/fintech</code> (Home) and run a scan	Critical: Images must have alternate text (image-alt) on <code>img[src="/fintech-hero.svg"]</code>
MT-002	Sign in, open <code>/#/fintech/dashboard</code> , run a scan	Serious: Elements must meet minimum color contrast (color-contrast) on the “Last sign-in: today, 9:42 AM · Chicago, IL” line
MT-003	Sign in, open <code>/#/fintech/profile</code> , scroll past Notifications, run a scan	Serious: Scrollable region must have keyboard access (scrollable-region-focusable) on the “Account disclosures” container
MT-004	Sign out, open <code>/#/fintech/login</code> , run a scan	Critical: Form elements must have labels (label) on <code>#login-password</code>
MT-005	Sign in, open <code>/#/fintech/profile</code> , run a scan	Serious: autocomplete attribute is correctly formatted (autocomplete-valid) on the ZIP input
MT-006	Sign in, open <code>/#/fintech/transfer</code> , run a scan on Step 1	Critical: ARIA attributes must conform to valid names (aria-valid-attr) on the memo textarea
MT-007	Sign in, open any authed page (<code>/#/fintech/dashboard</code> is easy). Verify WCAG 2.2 AA is ticked in the toggle row, then run a scan	Serious: All touch targets must be 24×24 or have sufficient space (target-size) on two icon-btns (Messages + Notifications)

ID	Steps to reach	Expected finding
MT-008	Sign out, open <code>/#/fintech/login</code> , flip Experimental: ON , then run a scan	Serious: Elements with visible labels must include the visible label in the accessible name (label-content-name-mismatch) on the Sign-in button. Note: axe-core 4.10 tags this rule experimental, so it does not appear with Experimental OFF.
MT-009	Open <code>/#/fintech</code> (Home), run a scan	This rule comes back as a Needs Review / incomplete finding (not an automatic violation). The axe engine can't programmatically decide whether 3 "Learn more" links serve a similar purpose, so it flags it for human inspection. In the extension, look in the Needs Review section.
MT-010	Sign in, open any authed page (Dashboard is easy). Tab to the topbar Messages / Notifications icon — there is no visible focus ring . In axe DevTools Pro, run a scan; the finding will appear in Automatic Issues (advanced) rather than the core axe-core bucket.	
MT-011	Open <code>/#/fintech</code> (Home). Scroll past the feature cards to the "Spotlight offer" line — it's visually a heading but semantically a <code><div></code> . In axe DevTools Pro, run a scan; the finding appears in Automatic Issues (advanced) . Note: this rule consumes AI credits, so if your org's credit pool is exhausted, the rule is skipped automatically (the panel will tell you).	
MT-012	Open <code>/#/fintech</code> (Home). Just above the Spotlight section sits a thin ornamental gold divider — the verbose alt description claims "ornamental gold-toned divider..." but the AI rule recognises it as a purely decorative element. In axe DevTools Pro, run a scan; the finding appears in Automatic Issues (advanced) . AI credits required.	

Batch 5 — verification cheat sheet

All axe-core rows fire on **default toggles** (WCAG 2.2 AA ON, BP OFF, Experimental OFF) unless noted. Pro Advanced rows appear in **Automatic Issues (advanced)** in axe DevTools Pro.

ID	Steps to reach	Expected finding
MT-037	Sign out, open /#/fintech/login	Critical: Input buttons must have a discernible text (input-button-name) on the small <input type="button"> next to the "Sign in" heading.
MT-038	Same as MT-037	Critical: Progressbar elements must have an accessible name (aria-progressbar-name) on the password-strength bar.
MT-039	Same as MT-037	Serious: Tooltip elements must have an accessible name (aria-tooltip-name) on the empty next to the password input.
MT-040	Same as MT-037	Serious: <dt> and <dd> elements must be contained by a <dl> (dlitem) on the stray "Customer since 1923" element in the welcome panel.
MT-041	Same as MT-037 (Pro Advanced)	Serious: text-contrast finding on the low-contrast disclaimer line over the dark gradient panel. Appears in Automatic Issues (advanced) .

ID	Steps to reach	Expected finding
MT-042	Same as MT-037	Serious: Inline styles should not be used to set spacing (avoid-inline-spacing) on the paragraph with letterSpacing / wordSpacing / lineHeight inline.
MT-043	Sign in, open /#/fintech/profile	Moderate: Form field has multiple label elements (form-field-multiple-labels) on the #display-name input.
MT-044	Same as MT-043	Critical: Meter elements must have an accessible name (aria-meter-name) on the "Profile completeness" meter at the top.
MT-045	Same as MT-043	Serious: Toggle field / button must have an accessible name (aria-toggle-field-name or button-name) on the empty Two-factor switch.
MT-046	Same as MT-043	Serious: <object> elements must have alternate text (object-alt) on the embedded branch-photo svg.
MT-047	Same as MT-043	Critical: ARIA attribute value must be valid (aria-valid-attr-value) on <section aria-orientation="diagonal">.

ID	Steps to reach	Expected finding
MT-048	Same as MT-043 (Pro Advanced)	Serious: heading-markup finding on the “Security preferences” pseudo-heading. Automatic Issues (advanced).
MT-049	Sign in, open /#/fintech/transfer (Step 1)	Critical: Select must have an accessible name (select-name) on the unlabelled “Frequency” select.
MT-050	Same as MT-049	Critical: Required ARIA attributes must be provided (aria-required-attr) on the “Recent recipients” combobox missing aria-expanded.
MT-051	Same as MT-049	Critical: Links must have discernible text (link-name) on the empty Help anchor.
MT-052	Same as MT-049	Critical: Elements must only use allowed ARIA attributes (aria-allowed-attr) on <div role="presentation" aria-required="true">.
MT-053	Same as MT-049 (Pro Advanced)	Serious: text-contrast finding on the white-on-gradient “tip” banner. Automatic Issues (advanced).

ID	Steps to reach	Expected finding
MT-054	Same as MT-049	Critical: ARIA roles must contain particular children (aria-required-children) on the Transfer speed radiogroup. Note: axe-core 4.10 may not fire radiogroup-with-no-radios in all configurations — verify in the extension.
MT-055	Sign in, open <code>/#/fintech/bills</code>	Critical: Buttons must have discernible text (button-name) on each per-payee Edit icon-button.
MT-056	Same as MT-055	Critical: ARIA roles must contain particular children (aria-required-children) on the “Bill category” tablist.
MT-057	Same as MT-055	Serious: <code>dlitem</code> on the stray <code><dd></code> above the saved-payees list.
MT-058	Same as MT-055	Serious: Tooltip must have an accessible name (aria-tooltip-name) on the empty tooltip span beside each Edit button.
MT-059	Same as MT-055	Serious: <code>lang</code> attribute must have a valid value (valid-lang) on the (category) span beside each payee name.

ID	Steps to reach	Expected finding
MT-060	Same as MT-055 (Pro Advanced)	Serious: text-contrast on the “Save \$25” promo banner. Automatic Issues (advanced).
MT-061	Sign in, open <code>/#/fintech/cards</code>	Critical: Progressbar must have a name (aria-progressbar-name) on each card’s “Spending limit” bar.
MT-062	Same as MT-061	Critical: Button name on each card’s Freeze icon-button.
MT-063	Same as MT-061	Critical: Select name on each “Card style” select.
MT-064	Same as MT-061	Critical: Link name on each per-card info icon-link.
MT-065	Same as MT-061	Critical: ARIA attribute value must be valid (aria-valid-attr-value) on <code></code> .
MT-066	Same as MT-061 (Pro Advanced)	Minor: image-decorative on the per-card ornament with verbose alt. Automatic Issues (advanced).
MT-067	Sign in, open <code>/#/fintech/statements</code>	Critical: Required children on the “Quick filters” grid.
MT-068	Same as MT-067	Serious: <code><dl></code> must only contain proper dt/dd (definition-list) on the prose dl.

ID	Steps to reach	Expected finding
MT-069	Same as MT-067	Serious: <code>valid-lang</code> on the <code>Form W-9</code> element.
MT-070	Same as MT-067	Critical: <code>aria-allowed-attr</code> on the “Show more years” button with <code>aria-rowindex</code> .
MT-071	Same as MT-067	Critical: <code>select-name</code> on the “Statement type” select.
MT-072	Same as MT-067 (Pro Advanced)	Serious: <code>heading-markup</code> on the “Tax documents” pseudo-heading paragraph. Automatic Issues (advanced).
MT-073	Sign in, open <code>/#/fintech/deposit</code> (Step 1)	Critical: Image inputs must have alternate text (<code>input-image-alt</code>) on the scan-to-capture image input.
MT-074	Same as MT-073	Critical: Required children on the “Deposit type” radiogroup. (Same caveat as MT-054 — verify in the extension.)
MT-075	Same as MT-073	Serious: Toggle field / button name on the empty Auto-deposit switch.
MT-076	Same as MT-073	Critical: Meter must have an accessible name on the “Daily deposit limit” meter.
MT-077	Same as MT-073	Serious: <code>valid-lang</code> on the <code>Reçu</code> element.

ID	Steps to reach	Expected finding
MT-078	Same as MT-073 (Pro Advanced)	Serious: text-contrast on the deposit hint banner. Automatic Issues (advanced).

Batch 5 — accessible fix (for reference)

ID	Minimal fix
MT-037	Add a value="Help" (or aria-label="Help") to the <input type="button">.
MT-038	Add aria-label="Password strength" (or aria-labelledby pointing to a visible label) to the progressbar <div>.
MT-039	Either remove the empty tooltip span entirely, or give it text content / aria-label.
MT-040	Move the <dt> inside a real <dl> paired with a <dd>, OR change the <dt> to a <p> / .
MT-041	Pick a foreground colour that meets 4.5:1 on the darkest portion of the gradient (e.g. #cfe0f3), or solidify the background.
MT-042	Remove the inline letterSpacing / wordSpacing / lineHeight and let user stylesheets / the cascade decide.
MT-043	Keep exactly one <label htmlFor="display-name">; remove the second.
MT-044	Add aria-label="Profile completeness" (or aria-labelledby) to the <div role="meter">.
MT-045	Add aria-label="Two-factor authentication" to the switch, or wrap it in a <label> and include text.
MT-046	Add an aria-label or fallback body text inside the <object>.
MT-047	Either remove aria-orientation or set it to horizontal, vertical, or undefined.
MT-048	Replace the styled <div> with <h3>Security preferences</h3>.
MT-049	Add a <label> (or aria-label) for the Frequency select.
MT-050	Add aria-expanded="false" to the combobox (required attribute).
MT-051	Give the Help anchor text (e.g. "Need help?") or an aria-label.
MT-052	Remove aria-required from a presentation element, or drop role="presentation".
MT-053	Pick a foreground colour with sufficient contrast against the gold gradient.
MT-054	Use <input type="radio" name="speed"> inside the radiogroup (or set role="radio" on the option <div>s with aria-checked).
MT-055	Add aria-label="Edit payee" to each Edit icon-button.
MT-056	Use <button role="tab"> for the tab children (or add role="tab" to the existing <div>s).
MT-057	Move the <dd> inside a <dl> paired with a <dt>, or use <p>.
MT-058	Remove or name the empty tooltip span.
MT-059	Use a valid BCP 47 code (e.g. lang="en") or remove the attribute.
MT-060	Increase the foreground colour contrast against the gradient.
MT-061	Add aria-label="Spending limit used: X%" to each progressbar.

ID	Minimal fix
MT-062	Add aria-label="Freeze card" to each Freeze button.
MT-063	Add a <label> for each Card style select.
MT-064	Add aria-label="Card help" to the info link.
MT-065	Set aria-orientation to a valid value or remove it.
MT-066	Use alt="" (or role="presentation") on the decorative ornament.
MT-067	Use role="row" children on the grid (or remove the role="grid" and use a).
MT-068	Restructure the <dl> with <dt> / <dd> pairs, or convert to <p>s outside the dl.
MT-069	Use a valid BCP 47 code (or remove the attribute).
MT-070	Remove aria-rowindex from the button (it's only valid on table-row roles).
MT-071	Add a <label> for the Statement type select.
MT-072	Replace the styled <p> with <h3>Tax documents</h3>.
MT-073	Add an alt attribute to the <input type="image"> (e.g. alt="Scan check").
MT-074	Use <input type="radio"> inside the radiogroup (or set role="radio" + aria-checked on the option divs).
MT-075	Add aria-label="Auto-deposit recurring checks" to the switch.
MT-076	Add aria-label="Daily deposit limit used" to the meter.
MT-077	Use a valid BCP 47 code (or remove the attribute).
MT-078	Increase the foreground colour contrast against the gradient.

Batch 6 — IGT cheat sheet

These rows target patterns axe DevTools Pro's **Intelligent Guided Tests (IGTs)** verify. They typically surface in the extension as **Needs Review** / **Manual Issues** rather than automatic violations — an SE walks the customer through each guided test in the IGT panel. Where an adjacent axe-core BP rule also fires (e.g. landmark-one-main, heading-order, region, empty-heading, image-redundant-alt, tabindex), it is noted.

IGT ID	family	Page URL	Where to look	How the SE walks a customer through it in the extension
IGT-001	Structure	#/fintech/cards	The outer wrapper that contains the page-head and the cards grid (the whole page).	Open axe DevTools Pro → IGTs tab → run the Structure guided test. Inspector flags the role="presentation" wrapper that strips implicit landmark/region semantics. Walk the customer through “why presentation here breaks structure”.
IGT-002	Structure	#/fintech/statements	The “Tax help tips” callout above the tax-documents section.	Run the Structure IGT. It counts <main> elements per document; this page has two (AuthLayout's <main> + our <main aria-label="Tax help tips">). BP rule landmark-one-main co-fires on default BP toggle.
IGT-003	Structure	#/fintech/help	The grey-soft callout box “Branch hours may vary on bank holidays...” between branch-finder and FAQs.	Run the Structure IGT. It surfaces the “orphan region” — a <section> that contributes a landmark but has no accessible name (no aria-label / aria-labelledby / heading). BP rule region co-fires when BP is on.

IGT ID	family	Page URL	Where to look	How the SE walks a customer through it in the extension
IGT-004	Headings	##/fintech/w	Available on advisor availability” callout below the hero.	Run the Headings IGT. It traverses heading order and flags h1 → h4 jumps (skipped h2, h3). Walk the customer through the heading-tree visualisation. BP rule heading-order already covers MT-022 (h1 → h3); IGT-004 widens it to h1 → h4.
IGT-005	Headings	##/fintech/a	DQBC, in a nutshell” headline directly below the MarketingHero (above “Our story”).	Run the Headings IGT. It detects the second <h1> on the page. BP rule page-has-heading-one does NOT fire (the page still has one h1) — heading-order is fine too — so this lands as a Manual / IGT-only finding.
IGT-006	Headings	##/fintech/p	Just below the saved-notice banner / above the Profile-completeness meter card.	Run the Headings IGT. It flags empty heading elements (with no text). BP rule empty-heading co-fires when BP is on.
IGT-007	Forms	##/fintech/l	Security question” input inside the Sign-in form, between Password row and the Remember-this-device row.	Run the Forms IGT. It walks each required field and asks “does a sighted user know this is required?” — no asterisk, no aria-required, no “required” text. SE shows the customer the required attribute in DevTools to prove the mismatch.
IGT-008	Forms	##/fintech/p	The “Email must include @” line directly under the personal-info name/email row.	Run the Forms IGT. The error message is visually adjacent but the Email <input> has no aria-describedby pointing to it — turn on a screen reader, focus the input, and the customer hears the label only, not the error.
IGT-009	Forms	##/fintech/t (Step 1)	Confirmation preferences” block (Send confirmation email / Send SMS / Skip if duplicate) below the Memo field.	Run the Forms IGT. It walks related controls and asks “is this group programmatically labelled?” Show that there’s no <fieldset> / <legend> — an SR user reading each checkbox doesn’t hear the group’s purpose.
IGT-010	Images	##/fintech/d	The “Official member portal” strip directly above the balance banner — two small DQBC seals flank the line.	Run the Images IGT. It scans the page for s and surfaces any with the same src+alt rendered multiple times. Walk the customer through the SR experience hearing “DQBC seal” twice for the same logical badge.
IGT-011	Images	##/fintech/a	The small branch-photo SVG immediately under “DQBC, in a nutshell” (above “Our story”).	Run the Images IGT. It detects images whose visible content is itself text (image-of-text) and whose alt doesn’t match the visible text. SE shows the visible text (“DQBC Downtown” signage) vs the alt (“Our story”).
IGT-012	Images	##/fintech/c	Red card row beside the Visa network badge — a tiny gold ornament SVG.	Run the Images IGT. It flags images that <i>look</i> informative beside text but are marked decorative (alt=””). Walk the customer through “is this decorative or informative?” using the visual + adjacent text.
IGT-013	Modals	##/fintech/b	Click “Add payee” in the top-right page header. The Add-payee dialog opens.	Run the Modals IGT. Open the dialog, press Tab repeatedly — focus escapes the dialog into the page behind it (no trap). Initial focus also doesn’t land on the first input. SE narrates the focus-trap requirement.

ID	IGT family	Page URL	Where to look	How the SE walks a customer through it in the extension
IGT-014	Modals	##/fintech/bills	Open Bills, click any payee's "Remove" link in the saved-payees list. Confirm dialog opens.	Run the Modals IGT. Open the dialog and press Esc — nothing happens. SE walks the customer through "Esc-to-close" as one of the required modal behaviours (WAI-ARIA APG dialog pattern).
IGT-015	Modals	##/fintech/pills	Scroll to the "Reset demo data" card at the bottom, click the button, then Cancel.	Run the Modals IGT. Open the alertdialog, click Cancel (or Yes, reset) — focus drops to <body> instead of returning to the "Reset demo data" button. SE narrates the WCAG 2.4.3 Focus Order requirement.
IGT-016	Reading Order	##/fintech/ (Home)	The "Get started" / "See Smart Savings" CTA pair below the hero copy.	Run the Reading Order IGT. Visually "See Smart Savings" appears first, but DOM has "Get started" first. SE turns on a screen reader and shows that NVDA/VO read DOM order, mismatching the visual.
IGT-017	Reading Order	##/fintech/dashboard	"Your accounts" grid — the first account card visually but second in DOM.	Run the Reading Order IGT. The first child has order: -1 so it floats to slot 1 visually. SE shows DOM order vs tab order vs visual order divergence.
IGT-018	Keyboard	##/fintech/savings	"Open a picker" pill below the tax-tips callout / above "Tax documents" section.	Run the Keyboard IGT. Tab to the element — it focuses (has tabindex=0). Press Enter / Space — nothing happens (no onKeyDown). SE compares with a real <button> that activates on Enter and Space.
IGT-019	Keyboard	##/fintech/transfer (Step 1)	Amount input field.	Run the Keyboard IGT. Tab through the form — focus jumps to Amount unnaturally because tabIndex={3} overrides source order. BP rule tabindex co-fires on positive tabindex values when BP is on.
IGT-020	Keyboard	##/fintech/cards	"Order replacement card" pill below the cards grid (bottom of the page).	Run the Keyboard IGT. Same pattern as IGT-018: focusable <div role="button"> with onClick only, no keyboard handler. SE narrates the custom-widget keyboard-pattern requirement (Enter + Space for button role).

Pro Advanced verification caveat

The MT-010, MT-011, MT-012 rules ship with **axe DevTools Pro** (the Advanced rules pack), not axe-core. Any verification harness that loads axe-core from CDN — including the JS-injection check used during this project — **cannot** fire these rules. The only way to confirm they trigger is to scan the page in a Chrome window where the licensed axe DevTools Pro extension is installed. In the extension, the findings appear under **Automatic Issues (advanced)** rather than **Automatic Issues (axe-core)**.

Two of the three (heading-markup, image-decorative) consume **AI credits** from your org allocation; if the pool is exhausted, the rule is silently skipped and the issue won't appear. css-focus-visible does **not** use AI credits (it's a deterministic CSS-state diff).

Pre-existing Phase 1 issues

These are issues that pre-date the Phase 2 effort. They were introduced inadvertently while building the clean baseline (most are slightly-too-light colors and inline body links without underlines). They are catalogued here so a customer scan returns no "mystery" findings — every finding has a row.

The MT-* IDs above are deliberate Phase 2 additions; the PL-* IDs below are Phase 1 Leftovers. Status Pre-existing means we know about it, we haven't fixed it, and we're choosing to leave it in for now so demos look realistic.

ID	Page(s)	Component	WCAG axe rule		SeverityTool	Status
PL-001	Every public page (header)	PublicLayout.jsx "Open account" CTA .btn-accent--accessible (gold #c9a961 on white $\approx$ 2.5:1)	1.4.3	color-contrast	Serious axe-core	Pre-existing
PL-002	Dashboard	Dashboard.jsx .card-head > a "See all" link	1.4.3	color-contrast	Serious axe-core	Pre-existing
PL-003	Login	Login.jsx inline "Terms" link in body copy (no underline)	1.4.1	link-in-text-block	Serious axe-core	Pre-existing
PL-004	Login	Login.jsx inline "Privacy Notice" link in body copy	1.4.1	link-in-text-block	Serious axe-core	Pre-existing

Notes on the PL set

- **PL-001 is single-source, multi-instance.** The button is rendered once in PublicLayout.jsx but appears on every public route (Home, Login, About, Business, Wealth, products/*). One fix covers all instances.
- **PL-002** is likely the .card-head a style — a desaturated brand-blue that loses a few points against the panel background. Fix: drop the opacity / fade and use the full --brand-primary token.
- **PL-003 / PL-004** both fail link-in-text-block because the inline links in the legal sentence below the Sign-in card are color-only (no underline). Fix: add text-decoration: underline to inline body links, or any non-color visual indicator.
- These rows don't get PHASE-2 inline tags in the source — they pre-date Phase 2. They're tracked here purely for catalog completeness.

Batch 1 — accessible fix (for reference)

ID	Minimal fix
MT-001	Restore alt="" + role="presentation" on the decorative hero img, OR give it a meaningful alt="..." if it's content.
MT-002	Remove the inline style={{ color: '#8a92a3' }} so the .subtitle class falls back to var(--text-secondary).
MT-003	Add tabIndex={0} + role="region" to the scrollable container; the existing aria-labelledby already names it.
MT-004	Replace the styled with a real <label htmlFor="login-password">Password</label>.
MT-005	Restore autoComplete="postal-code" on the ZIP field (a valid WHATWG autofill token).
MT-006	Fix the misspelling: aria-labeledby → aria-labelledby (or remove the attribute entirely since the <label> already names it).

ID	Minimal fix
MT-007	Drop the inline <code><div style={{ display: 'inline-flex', gap: 2 }}></code> wrapper and remove the <code>width: 20, height: 20</code> inline styles on both icon-btns. The <code>.icon-btn</code> class default is 38×38 and the parent <code>.auth-topbar-right</code> already has 12 px gap.
MT-008	Remove <code>aria-label="Submit credentials"</code> from the submit button — the visible text “Sign in” already provides a sufficient accessible name.
MT-009	Differentiate the link text: “Learn about checking”, “Learn about mortgages”, “Learn about investing” (or add <code>aria-label="Learn more about <topic>"</code> per link).
MT-010	Remove the <code>.sector-fintech .icon-btn:focus, :focus-visible { outline: none; box-shadow: none }</code> block in <code>theme.css</code> . The global <code>:focus-visible { outline: 2px solid var(--brand-primary) }</code> then re-applies.
MT-011	Replace the styled <code><div>Spotlight offer</div></code> with <code><h2 className="section-title">Spotlight offer</h2></code> (the existing class gives the right visual weight).
MT-012	Change the ornament <code></code> to <code>alt=""</code> (or add <code>role="presentation"</code> , or <code>aria-hidden="true"</code>).

Batch 3 — verification cheat sheet

How to confirm each Batch 3 rule fires using axe DevTools (browser extension). Default toggles (Best Practices OFF, Experimental OFF, Needs Review ON) catch most of these; the ones that need **Best Practices: ON** are called out per row.

ID	Steps to reach	Expected finding
MT-013	Sign in, open <code>/#/fintech/bills</code> , scroll to “Saved payees”, run a scan	Serious: <code></code> and <code></code> must only directly contain <code></code> , <code><script></code> or <code><template></code> elements (list) — or, depending on how axe interprets the demoted markup, a related semantics finding. The visual list is now built from <code><div></code> wrappers, so it has no programmatic list role.
MT-014	Sign in, open <code>/#/fintech/cards</code> , run a scan	Critical: Required ARIA attributes must be provided (<code>aria-required-attr</code>) on the <code><div role="switch"></code> lock toggle — <code>aria-checked</code> is required for switch and is missing. Often co-fires <code>aria-toggle-field-name</code> (Serious) because the switch also has no accessible name.
MT-015	Sign in, open <code>/#/fintech/cards</code> , run a scan	The element fails 4.5:1 by hex math (<code>#3d5476</code> over the deep-blue gradient $\approx 2.6:1$). In axe-core baseline this typically surfaces as a Needs Review because the background is a CSS linear-gradient and axe-core can't pick a definitive background colour. In axe DevTools Pro (Experimental ON) the screenshot-based advanced/text-contrast rule analyses the rendered pixels and reports it as an automatic Serious finding.
MT-016	Sign in, open <code>/#/fintech/statements</code> , run a scan	Serious: ARIA scope attribute values must be valid (<code>scope-attr-valid</code>) on every <code><th></code> in the statements table — <code>scope="column"</code> is invalid (valid tokens: <code>col</code> , <code>row</code> , <code>colgroup</code> , <code>rowgroup</code>). WCAG 1.3.1.
MT-017	Sign in, open <code>/#/fintech/statements</code> , run a scan	Critical: Links must have discernible text (<code>link-name</code>) on the per-row download anchor — the only child is an <code>aria-hidden</code> SVG, so there is no accessible name.

ID	Steps to reach	Expected finding
MT-018	Sign in, open <code>/#/fintech/deposit</code> , run a scan on Step 1 (no form interaction required, no Best Practices toggle needed)	Serious: ARIA hidden element must not be focusable or contain focusable elements (aria-hidden-focus) — the “Clear form” <code><button></code> is keyboard-focusable but its <code></code> wrapper hides it from assistive tech.
MT-019	Open <code>/#/fintech/about</code> and run a scan	Critical: Links must have discernible text (link-name) on the empty <code></code> in the Leadership section.
MT-020	Open <code>/#/fintech/help</code> , scroll to “Find a branch”, run a scan	Moderate: ARIA input fields must have an accessible name (aria-input-field-name) on the ZIP input — <code>role="searchbox"</code> with no <code><label></code> , no <code>aria-label</code> , no <code>aria-labelledby</code> , no placeholder.
MT-021	Sign out (or open a private window), open <code>/#/fintech/forgot</code> , run a scan	Serious: autocomplete attribute must be used correctly (autocomplete-valid) on the email input — <code>autocomplete="user"</code> is not a valid WHATWG autofill token.
MT-022	Open <code>/#/fintech/wealth</code> , flip Best Practices: ON , run a scan	Moderate (BP): Heading levels should only increase by one (heading-order) — the page jumps from the hero <code><h1></code> to the “Why DQBC Wealth?” <code><h3></code> with no intermediate <code><h2></code> .
MT-023	Open <code>/#/fintech/business</code> , flip Best Practices: ON , run a scan	Minor (BP): Elements with <code>role="presentation"</code> must not have an accessible name (presentation-role-conflict) on the small <code></code> near the top of the page — it declares both <code>role="presentation"</code> and <code>aria-label="DQBC business banking icon"</code> , which contradict each other. (Originally this row demoed the region rule via a stray <code><div><p>...</p></div></code> , but <code>PublicLayout.jsx</code> wraps every page in <code><main></code> , so the stray paragraph was already inside a landmark and region never fired. The paragraph was left in place; the failing element is now the conflicting <code></code> .)
MT-024	Open <code>/#/fintech/legal</code> , flip Best Practices: ON , run a scan	Serious (BP): <code>accesskey</code> attribute value should be unique (accesskeys) — two anchors at the top of the page (“Jump to Terms of service” and “Jump to Privacy notice”) both declare <code>accesskey="t"</code> . The rule fires on duplicate accesskey values; a single unique accesskey on its own does not trip it.

Batch 4 — verification cheat sheet

How to confirm each Batch 4 rule fires using axe DevTools (browser extension). Default toggles (WCAG 2.2 AA ON, Best Practices OFF, Experimental OFF) catch all of the axe-core rows below — no toggles need to be flipped. The three Pro Advanced rules (MT-028, MT-029, MT-035) only appear when scanning in a Chrome window with the licensed **axe DevTools Pro** extension installed; they surface in **Automatic Issues (advanced)** rather than the axe-core bucket. MT-029 and MT-035 consume AI credits.

ID	Steps to reach	Expected finding
MT-025	Open <code>/#/fintech</code> (Home), scroll to “Pick the right account for you” above the feature cards, run a scan	Critical: Select element must have an accessible name (select-name) on the <code><select></code> — no <code><label></code> , no <code>aria-label</code> , no <code>aria-labelledby</code> , no title.

ID	Steps to reach	Expected finding
MT-026	Open <code>/#/fintech</code> (Home), run a scan	Serious: <code><svg></code> elements with an <code>img</code> role must have an alternative text (<code>svg-img-alt</code>) on the small ascending bar-chart <code>svg</code> inside the New · Smart Savings 4.25% APY pill.
MT-027	Open <code>/#/fintech</code> (Home), scroll to “Customer favorites”, run a scan	Critical: Certain ARIA roles must contain particular children (<code>aria-required-children</code>) on the <code><div role="listbox"></code> — the children are bare <code><div></code> s with no <code>role="option"</code> .
MT-028	Open <code>/#/fintech</code> (Home) in a Chrome window with axe DevTools Pro installed. Run a scan. The finding appears in Automatic Issues (advanced)	Serious: Text contrast (<code>advanced/text-contrast</code>) on the “Limited-time promotional rate...” stripe — white text on a near-white / pale gold linear-gradient. <code>axe-core color-contrast</code> will simultaneously return this as Needs Review because the background is a gradient and single-colour math can't decide.
MT-029	Open <code>/#/fintech</code> (Home) in a Chrome window with axe DevTools Pro installed (AI credits available). Scroll to the branch-photo image under “Customer favorites”. Run a scan. The finding appears in Automatic Issues (advanced)	Minor: Informative images must have alternative text (<code>advanced/image-informative-has-alt</code>) on <code>/branch-photo.svg</code> . The image shows a stylised bank branch with “DQBC Downtown” signage; the AI classifier reads it as informative content rather than decoration, but it ships with <code>alt=""</code> .
MT-030	Open <code>/#/fintech</code> (Home), run a scan	Critical: ARIA attribute value must be valid (<code>aria-valid-attr-value</code>) on the “Show more” disclosure <code><button aria-expanded="yes"></code> . <code>aria-expanded</code> accepts only <code>true</code> / <code>false</code> .
MT-031	Sign in, open <code>/#/fintech/dashboard</code> , scroll to “Recent activity highlights”, run a scan	Critical: Certain ARIA roles must be contained by particular parents (<code>aria-required-parent</code>) on each <code><li role="treeitem"></code> — the surrounding <code></code> has implicit role <code>list</code> , not <code>tree</code> or <code>group</code> .
MT-032	Sign in, open <code>/#/fintech/dashboard</code> , run a scan	Serious: <code>lang</code> attribute must have a valid value (<code>valid-lang</code>) on the <code>Coup d'œil</code> inside the balance banner delta line. <code>frx</code> is not a valid BCP 47 primary language subtag.
MT-033	Sign in, open <code>/#/fintech/dashboard</code> , run a scan	Critical: ARIA attributes must be allowed for an element's role (<code>aria-allowed-attr</code>) on the “Acknowledge new statements” <code><div role="button" aria-required="true"></code> . <code>aria-required</code> is not in the <code>allowed-attr</code> list for <code>role=button</code> .
MT-034	Sign in, open <code>/#/fintech/dashboard</code> , scroll to “Account at a glance”, run a scan	Serious: <code><dl></code> elements must only directly contain properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code> , <code><template></code> or <code><div></code> wrappers (<code>definition-list</code>) — the <code><dl></code> here has bare <code><div></code> children with no <code><dt>/<dd></code> pairs inside.
MT-035	Sign in, open <code>/#/fintech/dashboard</code> in a Chrome window with axe DevTools Pro installed (AI credits available). Scroll to the “Spending snapshot” text above the spending breakdown. Run a scan. The finding appears in Automatic Issues (advanced)	Serious: Heading markup (<code>advanced/heading-markup</code>) on the “Spending snapshot” <code><div></code> — visually a heading (24 px / 700 / brand-deep / top margin), semantically a <code><div></code> . CV/AI classifier detects the heading pattern.

ID	Steps to reach	Expected finding
MT-036	Sign in, open <code>/#/fintech/dashboard</code> , scroll to “Top categories this month”, run a scan	Moderate: All cells with a <code>headers</code> attribute must refer to header cells in the same table (<code>td-headers-attr</code>) on the 3 <code><td headers="trend-col"></code> cells — there is no <code><th id="trend-col"></code> (the actual id is <code>"trend-column"</code>).

Batch 3 — accessible fix (for reference)

ID	Minimal fix
MT-013	Restore the <code><ul className="payee-list"></code> wrapper and the <code><li className="payee-row"></code> items. The list-style is already cleared in CSS; semantics return immediately.
MT-014	Restore the native <code><input type="checkbox"></code> wrapped in a <code><label htmlFor={lockId}></code> . (If the team really wants a styled switch, add <code>aria-checked={card.locked}</code> and <code>aria-label="Lock this card"</code> to the <code><div role="switch"></code> .)
MT-015	Remove the inline color: <code>'#3d5476'</code> from the cardholder/EXP row so the <code>.card-visual</code> default white text re-applies (white on the deep-blue gradient passes contrast).
MT-016	Change <code>scope="column"</code> to the valid <code>scope="col"</code> on each of the five <code><th></code> elements in the statements table head.

MT-017 | Restore the visible “Download” text inside each per-row anchor (and the visually-hidden `{period} ... statement (PDF, ...)` span for full context). Alternatively keep the icon and add `aria-label={\Download ${period} statement (PDF, ${sizeKB} KB)}`.` |

MT-018 | Remove the `<span aria-hidden="true">` wrapper from the “Clear form” `<button>` (or add `tabindex="-1"` to the button so it’s not focusable while hidden — though removing the wrapper is the clean fix). |

MT-019 | Remove the empty `<a>`, or give it real text (e.g. `<a href="#leaders">Share this story</a>`). |

MT-020 | Restore the `<label htmlFor={filterId}>ZIP code</label>` and the `placeholder="60607"`; drop `role="searchbox"` (the native `<input type="text">` is already a textbox). |

MT-021 | Restore `autoComplete="email"` (a valid WHATWG autofill token). |

MT-022 | Either promote the callout to `<h2>` so the order is `h1 → h2 → h2 → h2...`, or remove the callout entirely. |

MT-023 | Remove either the `role="presentation"` OR the `aria-label="..."` from the `<img>` — a presentational element must not have an accessible name. (If the image is purely decorative, also set `alt=""` and drop the `aria-label` entirely.) |

MT-024 | Drop the `accessKey="t"` attribute from both anchors (or at minimum give each `accesskey` a unique value). |

Batch 4 — accessible fix (for reference)

ID	Minimal fix
MT-025	Add a <code><label htmlFor="account-picker">Pick the right account for you</label></code> and give the <code><select></code> matching <code>id="account-picker"</code> . (Or, if a visible label is undesirable, add <code>aria-label="Pick the right account for you"</code> on the <code><select></code> itself.)

ID	Minimal fix
MT-026	Add <code><title>Recent savings growth</title></code> as the first child of the <code><svg></code> , OR move the icon to <code>aria-hidden="true"</code> and drop <code>role="img"</code> if it's purely decorative alongside the visible "Smart Savings 4.25% APY" text.
MT-027	Either add <code>role="option"</code> to each child <code><div></code> (and <code>tabindex="-1"</code> plus keyboard handling for a real listbox), OR drop <code>role="listbox"</code> and let the list be a plain <code> / </code> group. The simplest fix in this demo is to remove <code>role="listbox"</code> .
MT-028	Replace the white text with a colour that meets 4.5:1 against the lightest stop of the gradient (e.g. <code>color: var(--brand-deep)</code> over the pale-gold side), or change the gradient to a single solid background that yields $\geq 4.5:1$ with the existing text colour.
MT-029	Give the image a meaningful alt (e.g. <code>alt="DQBC Downtown branch building"</code>), OR — if it really is decorative beside the other branch copy — drop it from the markup. (<code>role="presentation" / aria-hidden="true"</code> is acceptable only when the image conveys nothing the surrounding text doesn't.)
MT-030	Set <code>aria-expanded="true"</code> or <code>aria-expanded="false"</code> (boolean) — "yes" is not a valid value for that attribute.
MT-031	Add <code>role="tree"</code> (and <code>aria-label="Recent activity highlights"</code>) to the <code></code> , OR drop <code>role="treeitem"</code> from the <code></code> s and let the list be a plain unordered list.
MT-032	Change <code>lang="frx"</code> to a valid BCP 47 value — e.g. <code>lang="fr"</code> for French. (Or drop the <code>lang</code> attribute entirely if the surrounding text is already in English.)
MT-033	Replace the <code><div role="button"></code> with a native <code><button type="button"></code> and drop <code>aria-required</code> (it isn't meaningful on a button). If the styled-div pattern must stay, simply remove <code>aria-required="true"</code> .
MT-034	Wrap each row in <code><div><dt>Routing number</dt><dd>071000013</dd></div></code> etc., OR drop the <code><dl></code> and use a plain <code> / </code> (or a small <code><table></code>) instead.
MT-035	Replace the styled <code><div>Spending snapshot</div></code> with <code><h2 style={...}>Spending snapshot</h2></code> (or <code><h3></code> if <code><h2></code> is already taken at this level — the existing "Spending this month" <code><h2></code> would then need to be re-evaluated).
MT-036	Fix the <code><th id="trend-column"> ↔ <td headers="trend-col"></code> mismatch — either rename the <code><th></code> id to "trend-col" or change every <code><td></code> 's headers to "trend-column". If the column doesn't carry header semantics at all, drop the headers attributes from the body cells.

Suggested Phase-2 starter set

Below is a recommended seed list to draw from when populating the catalog. None of these are implemented yet — they're a menu for the SE team to pick from based on what each demo conversation needs.

Page: Home (Home.jsx)

- Drop `alt=""` from the hero `<img>` and remove `role="presentation"` → image-alt (Critical, WCAG 1.1.1).
- Add a second `<h1>` ("By the numbers") → page-has-heading-one (Moderate, BP).
- Add an empty `<a href="#"></a>` to the public nav → link-name (Serious, WCAG 2.4.4).
- Lower contrast on `.fintech-pill color` → color-contrast (Serious, WCAG 1.4.3).
- Remove the carousel pause control → IGT for WCAG 2.2.2.
- Make the icon-only header search button anonymous → button-name (Critical, WCAG 4.1.2).

Page: Login (Login.jsx)

- Drop the `<label>` on email/password and rely on placeholder → label (Critical, WCAG 3.3.2).
- Remove `role="tablist"` / `aria-selected` from the personal/business/wealth tabs → IGT for keyboard pattern.
- Strip `aria-describedby` link from the inline error → `aria-describedby` not associated.
- Remove modal focus trap on a forgot-password dialog (when added) → IGT.

Page: Dashboard (Dashboard.jsx)

- Strip `<th scope>` from the transactions table → `th-has-data-cells` / `scope` attribute (Serious, WCAG 1.3.1).
- Make spending-breakdown bar lose its `role="img"` + label → color only meaning (IGT).
- Replace the filter chips with `<div onClick>` lookalikes → `aria-allowed-role` / IGT keyboard.

Page: Transfer (Transfer.jsx)

- Replace native `<select>` for “To account” with a `<div>` custom dropdown → `aria-allowed-attr`, IGT keyboard.
- Remove `aria-describedby` from the amount field → error not associated (Serious).
- Add `aria-labeledby` (typo) on the memo textarea → `aria-valid-attr` (Critical, WCAG 4.1.2).
- Add `tabIndex={5}` to a stat → `tabindex` (Serious, BP).

Page: Bills (Bills.jsx)

- Remove dialog focus trap → IGT.
- Drop `<fieldset>/<legend>` from notification grouping (when added) → `fieldset-legend`.
- Ungroup the “saved payees” list (drop `<ul>/<li>`) → list (Serious, WCAG 1.3.1).

Page: Cards (Cards.jsx)

- Lock toggle as a `<div role="switch">` with no `aria-checked` → `aria-required-attr` (Critical) + `aria-toggle-field-name` (Serious).
- Card visual gradient w/ low-contrast EXP text → color-contrast.

Page: Profile (Profile.jsx)

- Drop `autoComplete` on PII fields → `autocomplete-valid` (Serious, WCAG 1.3.5).
- Strip `<fieldset>/<legend>` from the notifications block → `fieldset-legend`.
- Use `<span lang="zz">` somewhere → `valid-lang` (Serious, WCAG 3.1.2).

Page: Statements (Statements.jsx)

- Drop `<caption>` / `<th scope>` from the statements table.
- Remove descriptive download text (“Download” only) → `link-purpose-in-context`.

Page: **Deposit (Deposit.jsx)**

- Drop <fieldset>/<legend> from the check-images group.
- Remove the aria-live region from the success step.

Cross-cutting (auth shell)

- Remove the skip link.
- Replace <main> with <div>.
- Add a tiny touch-target icon to the topbar (≤ 18×18 px) → target-size (Pro Advanced).
- Add an accesskey somewhere on the sidebar → accesskeys (Serious, BP).

Demo-time toggle recommendations

For the most balanced spread across the four severity buckets:

- **Best Practices: ON** during customer demos. This is where the heading-order, accesskeys, image-redundant-alt, page-has-heading-one, region, landmark-one-main, and presentation-role-conflict findings appear.
- **Experimental: ON** if you want target-size (WCAG 2.5.8) to fire automatically on the small touch targets we add.
- **Needs Review: ON** to surface placeholder-as-label and similar deferred checks.

Scan-vs-catalog alignment (verified June 2026)

This appendix is the result of a full Chrome sanity sweep across all 15 pages using axe-core 4.10.2 with WCAG 2.2 AA + Best Practices tags enabled. It’s the SE’s quick reference for “what should I expect to fire where” — and where the gaps are.

Per-page expected violation counts (axe-core, default WCAG + BP toggles)

Page	Distinct rules	Catalog rows fired	Notes
/fintech (Home)	9 rules	MT-001, 025-027, 030 + PL-001	+ BP firings: aria-allowed-role x3, heading-order, region. Pro: MT-011/012/028/029 in extension.
/fintech/login	10 rules	MT-004, 037-040 + PL-001, 003, 004	+ BP region, heading-order. MT-008 is Experimental, MT-041 is Pro.
/fintech/about	4 rules	MT-019 + PL-001	+ BP heading-order, region. IGT-005 (multi-h1) and IGT-011 (image-of-text) are manual review.
/fintech/help	4 rules	MT-020 + PL-001	MT-020 fires as label (broader than the original aria-input-field-name target — still valid). + BP heading-order, region. IGT-003 manual.
/fintech/forgot	4 rules	MT-021 + PL-001	+ BP heading-order, region.
/fintech/wealth	3 rules	MT-022, IGT-004 + PL-001	heading-order carries 2 nodes (MT-022’s <h1>→<h3> and IGT-004’s <h1>→<h4>).
/fintech/business	5 rules	MT-023 + PL-001	+ BP aria-allowed-role, heading-order, region.

Page	Distinct rules	Catalog rows fired	Notes
/fintech/legal	4 rules	MT-024 + PL-001	+ BP heading-order, region.
/fintech/dashboard	8 rules	MT-002, 007, 031-034, 036 + PL-002	+ BP side-effect list x1. Pro MT-010/035 and IGT-010/017 in extension.
/fintech/transfer	8 rules	MT-006, 049-052, IGT-019 + PL pre-existings	target-size count is 5 (AuthLayout topbar 2 + 3 small inline targets). Pro MT-053 and IGT-009 manual.
/fintech/bills	7 rules	MT-013, 055-059 + MT-007	Each repeats 4x across saved payees. Pro MT-060 and IGT-013/014 manual.
/fintech/cards	8 rules	MT-014, 061-065 + MT-007	Each repeats 2x across cards. IGT-001 (role="presentation" wrapper) causes a side-effect aria-allowed-attr x2. Pro MT-066 in extension.
/fintech/statements	10 rules	MT-016 (x5), 017 (x36), 067-071 + MT-007	IGT-002 (second <main>) co-fires landmark-main-is-top-level + landmark-no-duplicate-main. Pro MT-072 and IGT-018 manual.
/fintech/deposit	6 rules	MT-018, 073, 075 (as button-name), 076, 077 + MT-007	Pro MT-078 in extension; MT-074 radiogroup pattern doesn't fire (see Gaps).
/fintech/profile	9 rules	MT-003, 005, 044, 045 (as button-name), 046, 047 (co-fires aria-allowed-attr), IGT-006 (empty-heading) + MT-007	MT-043 form-field-multiple-labels doesn't fire on default toggles (see Gaps). Pro MT-048, IGT-008/015 manual.

Known gaps (catalogued, not yet firing automatically)

1. **MT-042** avoid-inline-spacing (Login) — axe-core 4.10 doesn't reliably flag inline letterSpacing/wordSpacing/lineHeight set in CSS px. Probable pivot: use !important (requires a CSS class rather than inline React style) or em-unit values that more clearly defeat user stylesheets.
2. **MT-043** form-field-multiple-labels (Profile) — two <label htmlFor="display-name"> on one <input> doesn't trip the rule in 4.10. Probable pivot: place a <label> and an aria-labelledby by referencing another visible-text element so two distinct labelling mechanisms collide.
3. **MT-054 / MT-074** aria-required-children (Transfer / Deposit) — a role="radiogroup" with no role="radio" children passes in 4.10. Probable pivot: change role to role="tree" (which still requires treeitem children and reliably fires) or add at least one child with role="radio" missing aria-checked so a different rule lights up.

Side-effects firing that the catalog should call out

- **Cards / IGT-001** — wrapping the page top-level in <div role="presentation"> strips landmark/region semantics AND lifts aria-allowed-attr violations on descendant elements that would otherwise be allowed in the now-removed role. Counts as 2 extra aria-allowed-attr nodes per

scan. Realistic and useful for the Structure IGT demo.

- **Statements / IGT-002** — adding a second <main> co-fires axe-core BP landmark-main-is-top-level + landmark-no-duplicate-main in addition to the IGT Structure script manual review. Useful demo beat.
- **Dashboard / MT-031** — a containing <li role="treeitem"> sometimes triggers the BP list rule as a side-effect alongside the primary aria-required-parent violation. Counts as +1 node.

Pro Advanced / Experimental / Manual-review (extension-only) rows

These appear in your axe DevTools® Pro panel but NOT in any CDN-loaded axe-core verification harness:

- **Pro Advanced (Automatic Issues — advanced bucket):** MT-010, MT-011, MT-012, MT-015 (gradient fallback), MT-028, MT-029, MT-035, MT-041, MT-048, MT-053, MT-060, MT-066, MT-072, MT-078.
- **Experimental (gated by Experimental toggle ON):** MT-008.
- **Needs Review (incomplete, surfaces in Guided Issues / Needs Review):** MT-009, MT-015 (gradient).
- **IGT manual-review only:** all 20 IGT-001..IGT-020 rows require the SE to run the relevant axe DevTools Pro Intelligent Guided Test script — they don't appear in a default scan.

Demo-time confidence summary

- Default scan (WCAG 2.2 AA, BP OFF, Experimental OFF) — 30-40 distinct rule violations across the 13 fintech pages, dominated by axe-core baseline.
- Default scan + **BP ON** — adds roughly 12 BP-tagged rule firings (the per-page region + heading-order baseline, plus aria-allowed-role, landmark-*, list, image-redundant-alt, presentation-role-conflict, accesskeys, tabindex).
- - **Experimental ON** — adds MT-008 (label-content-name-mismatch on Login).
- - **Pro pack** (always on with Pro license) — adds ~13 Automatic Issues (advanced) rows across Home, Login, Dashboard, Cards, Profile, Statements, Transfer, Bills, Deposit.
- - **Guided Tests run** — surfaces all 20 IGT-* findings.