

Northbrook Connect Accessibility Issues Catalog

Phase 2 — Deque Solutions Engineering SLED Demo

Deque Solutions Engineering

June 2026

Contents

Why this matters for SLED prospects	2
ID conventions	2
How to add an issue	2
Severity vocabulary	2
Coverage targets (Phase 2 goal)	3
Catalog	3
Batch 1 — verification cheat sheet	11
Batch 1 — accessible fix (for reference)	11
Batch 2 — verification cheat sheet	12
Batch 2 — accessible fix (for reference)	13
Batch 3 — verification cheat sheet	13
Batch 3 — accessible fix (for reference)	14
Batch 4 — verification cheat sheet	15
Batch 4 — accessible fix (for reference)	20
Batch 6 — IGT cheat sheet	25
Batch 6 — accessible fix (for reference)	27
Pre-existing Phase 1 issues	28
Notes on the NB-PL set	28
Co-firing notes for NB-027	28
Suggested Phase-2 starter set	29
Schools — K-12 (Schools.jsx, Enroll.jsx, Grades.jsx)	29
University (University.jsx, Register.jsx)	29
State Services (Services.jsx, DMV.jsx, Benefits.jsx)	29
City (City.jsx, Permits.jsx, Vote.jsx)	29
Cross-cutting (PublicLayout.jsx, AuthLayout.jsx)	29
Demo-time toggle recommendations	30

This file is the **single source of truth** for every accessibility issue we deliberately introduce into the Northbrook Connect SLED demo site. Phase 1 produced a clean, accessible-by-default citizen portal (all 14 pages pass axe-core 4.10 on default WCAG toggles). Phase 2 reintroduces issues — surgically, one at a time — and documents each one here.

Why this matters for SLED prospects

State, local, and education buyers operate under **ADA Title II** (the 2024 final rule mandates WCAG 2.1 AA for state/local government digital content by April 2026 / 2027 depending on agency size), **Section 508** (federal procurement), and state-level statutes (CA AB-434, TX 206, etc.). K-12 districts additionally answer to **Section 504** and **IDEA** requirements around accessible educational content. The issues catalogued below are weighted toward the patterns that show up most often in real SLED accessibility audits.

ID conventions

Prefix	Meaning
NB-XXX	Deliberate Phase 2 issue introduced for the demo.
NB-IGT-XXX	Pattern targeted by an axe DevTools® Pro Intelligent Guided Test.
NB-PL-XXX	Pre-existing / Phase 1 leftover we choose to document rather than fix.

This is intentionally distinct from DQBC’s MT-/IGT-/PL- prefixes so cross-catalog citations don’t collide.

How to add an issue

1. Reserve the next ID below (NB-001, NB-002, ...).

2. Implement the issue in the relevant component file under src/sites/edu-gov/.

3. Tag the offending code with an inline comment:

```
{/* PHASE-2 ally issue NB-007 – see NORTHBROOK_ACCESSIBILITY_ISSUES.md */}
```

4. Fill in the catalog row.

5. Re-scan in axe DevTools to confirm the rule fires where expected.

Severity vocabulary

axe-core’s four-level impact taxonomy plus a separate column for the rule pack (axe-core baseline / Best Practice / Pro Advanced / IGT manual).

Severity	Notes
Critical	Blocks access entirely; high-confidence automated detection.
Serious	Significant barrier; reliably automated.

Severity	Notes
Moderate Minor	Lower-impact WCAG conformance failure; some require Best Practices. Code smell / pattern issue; almost always Best Practice tagged.

Coverage targets (Phase 2 goal)

A “complete” Northbrook Phase 2 should cover, across the 14 pages:

- **axe-core baseline** (WCAG 2.2 AA, BP off): 12+ distinct rules
- **Best Practices on:** 6+ additional rules (region, heading-order, accesskeys, presentation-role-conflict, landmark-*, list, image-redundant-alt, etc.)
- **Pro Advanced:** 3+ rules (advanced/text-contrast, advanced/heading-markup, advanced/image-decorative/informative-has-alt, advanced/css-focus-visible)
- **IGT / Guided Tests:** 5+ scenarios across the seven IGTs (Structure, Headings, Forms, Images, Modals, Reading Order, Keyboard)

SLED-specific demo angles to over-index on: - PDF link patterns (“Click here” / “View PDF”) — government love affair with PDFs - Complex multi-step forms (DMV renewal, permit application, enrollment) with bad error association - Data tables (grade portal, statements, permits list) with missing scope / headers / captions - Language switcher patterns (when added) that don’t update html lang - Embedded videos (council meetings, training) without captions / transcript

Catalog

ID	Page	Component / line	WCAG axe rule(s)	Severity	Tool	Status
NB-001	Schools	Schools.jsx district seal (no alt)	1.1.1 image-alt	Critical	axe-core	Live
NB-002	University	University.jsx NSU stat-card label “Six-year graduation rate” (#b8a87a on bg-soft, ~2.3:1)	1.4.3 color-contrast	Serious	axe-core	Live
NB-003	Permits (City)	Permits.jsx apply form — “Project address (line 1)” label replaced with styled 	3.3.2 label	Critical	axe-core	Live
NB-004	Schools	Schools.jsx icon-only “student/parent handbook” PDF <a> (no text body, no aria-label)	2.4.4 link-name	Critical	axe-core	Live
NB-005	Grades	Grades.jsx grade-portal <table> — <th scope="column"> (invalid value; valid is col)	1.3.1 scope-attr-valid	Serious	axe-core (Best Practices ON)	Live
NB-006	Register (Univ.)	Register.jsx “Instructor quick filter” <div role="searchbox" contentEditable> with no aria-label	4.1.2 aria-input-field-name	Moderate	axe-core	Live
NB-007	Benefits	Benefits.jsx “Important program notices” scrollable disclosure panel (no focusable children, no tabIndex)	2.1.1 scrollable-region-focusable	Serious	axe-core	Live

ID	Page	Component / line	WCAG axe rule(s)		Severity	Tool	Status
NB-008	City home	City.jsx three “Read more” links on council-meeting items — identical accessible names, different destinations	2.4.4	identical-links-same-purpose	Minor	axe-core (Needs Re-view — incomplete result; appears in the Needs Re-view section in axe DevTools)	Live
NB-009	DMV	DMV.jsx visual <div role="progressbar"> step indicator — no accessible name AND missing required ARIA attrs	1.1.1	aria-progressbar-name	Critical	axe-core	Live
NB-010	Home	Home.jsx Eyebrow pill uses a low-contrast grey (#a8a8a8 on white) ~2.5:1	1.4.3	color-contrast	Serious	axe-core	Live
NB-011	Home	Home.jsx Decorative-looking hero badge ships with NO alt attribute	1.1.1	image-alt	Critical	axe-core	Live
NB-012	Home	Home.jsx Icon-only header utility button (mobile menu toggle) has NO accessibl...	4.1.2	button-name	Critical	axe-core	Live
NB-013	Home	Home.jsx “Find a service” quick-jump has NO associated label or aria-...	4.1.2	select-name	Critical	axe-core	Live

| NB-014 | Home | Home.jsx Inline mini-chart with NO

or aria-label | 1.1.1 | svg-img-alt | Serious | axe-core | Live | | NB-015 | Home | Home.jsx “Popular services”

with

children that lack... | 1.3.1 | aria-required-children | Critical | axe-core | Live | | NB-016 | Home | Home.jsx Disclosure button uses aria-expanded=“yes” instead of “true” | 4.1.2 | aria-valid-attr-value | Critical | axe-core | Live | | NB-017 | Home | Home.jsx Page-progress indicator

with NO aria-label /... | 1.1.1 | aria-progressbar-name | Critical | axe-core | Live | | NB-018 | Home | Home.jsx Empty placeholder | 4.1.2 | aria-tooltip-name | Serious | axe-core | Live | | NB-019 | Home | Home.jsx Stray

outside of any

| 1.3.1 | dlitem | Serious | axe-core | Live | | NB-020 | Home | Home.jsx lang="xyz" is not a valid BCP-47 tag | 3.1.2 | valid-lang | Serious | axe-core | Live | | NB-021 | Home | Home.jsx Empty social/follow anchor (icon stripped) with NO text, NO aria-labe... | 2.4.4 | link-name | Critical | axe-core | Live | | NB-022 | Home | Home.jsx Newsletter signup uses autoComplete="emailaddr" — not a valid WHATWG ... | 1.3.5 | autocomplete-valid | Serious | axe-core | Live | | NB-023 | Login | Login.jsx Inline brand logo with NO

/ aria-label | 1.1.1 | svg-img-alt | Serious | axe-core | Live | | NB-024 | Login | Login.jsx Decorative

seal has NO accessible name | 1.1.1 | role-img-alt | Serious | axe-core | Live | | NB-025 | Login | Login.jsx Stray

outside any

| 1.3.1 | dlitem | Serious | axe-core | Live | | NB-026 | Login | Login.jsx lang="frx" is not a valid BCP-47 subtag | 3.1.2 | valid-lang | Serious | axe-core | Live | | NB-027 | Login | Login.jsx "Recent usernames" <div role="combobox" aria-controls="recent-users-list"> — missing aria-expanded, missing accessible name, and aria-controls references a non-existent id. **Co-fires 3 rules.** | 4.1.2 | aria-required-attr + aria-input-field-name + aria-valid-attr-value | Critical | axe-core | Live | | NB-028 | Login | Login.jsx aria-labeledby (one L) typo — should be aria-labelledby | 4.1.2 | aria-valid-attr | Critical | axe-core | Live | | NB-029 | Login | Login.jsx Disclaimer text uses a near-grey on white (~2.4:1) | 1.4.3 | color-contrast | Serious | axe-core | Live | | NB-030 | Login | Login.jsx Password-strength

with NO aria-label / aria... | 1.1.1 | aria-progressbar-name | Critical | axe-core | Live | | NB-031 | Login | Login.jsx Empty placeholder | 4.1.2 | aria-tooltip-name | Serious | axe-core | Live | | NB-032 | Login | Login.jsx Extra "Security question" uses a styled instead of a ... | 3.3.2 | label | Critical | axe-core | Live | | NB-033 | Login | Login.jsx role="button" combined with aria-required="true", an attribute not... | 4.1.2 | aria-allowed-attr | Critical | axe-core | Live | | NB-034 | Login | Login.jsx <input type="button"> with NO value attribute has no accessible ... | 4.1.2 | input-button-name | Critical | axe-core | Live | | NB-035 | Login | Login.jsx Empty supplemental terms (icon-only PDF link stripped) | 2.4.4 | link-name | Critical | axe-core | Live | | NB-036 | Account | Account.jsx Icon-only "Settings" cog button has NO text / aria-label | 4.1.2 | button-name | Critical | axe-core | Live | | NB-037 | Account | Account.jsx "Profile completeness"

with NO aria-label | 1.1.1 | aria-meter-name | Critical | axe-core | Live | | NB-038 | Account | Account.jsx "Jump to section" has NO label or aria-label | 4.1.2 | select-name | Critical | axe-core | Live | | NB-039 | Account | Account.jsx "Show announcements" has no inner text and ... | 4.1.2 | aria-toggle-field-name | Serious | axe-core | Live | | NB-040 | Account | Account.jsx Stat label uses a light grey #b0b0b0 on white (~2.6:1) | 1.4.3 | color-contrast | Serious | axe-core | Live | | NB-041 | Account | Account.jsx Tablist

contains

children that lack rol... | 1.3.1 | aria-required-children | Critical | axe-core | Live | | NB-042 | Account | Account.jsx Empty quick-link (icon-only) with NO accessible name | 2.4.4 | link-name | Critical | axe-core | Live | | NB-043 | Account | Account.jsx Inline activity icon with NO

/ aria-label | 1.1.1 | svg-img-alt | Serious | axe-core | Live | | NB-044 | Account | Account.jsx lang="qz" is not a valid BCP-47 subtag | 3.1.2 | valid-lang | Serious | axe-core | Live | | NB-045 | Account | Account.jsx Empty | 4.1.2 | aria-tooltip-name | Serious | axe-core | Live | | NB-046 | Account | Account.jsx Stray

outside any

| 1.3.1 | dlitem | Serious | axe-core | Live | | NB-047 | Account | Account.jsx Custom search field uses

wi... | 4.1.2 | aria-input-field-name | Moderate | axe-core | Live | | NB-048 | Account | Account.jsx aria-discribedby (mis-spelled) — should be aria-describedby | 4.1.2 | aria-valid-attr | Critical | axe-core | Live | | NB-049 | Schools | Schools.jsx Icon-only "filter" button has NO accessible name | 4.1.2 | button-name | Critical | axe-core | Live | | NB-050 | Schools | Schools.jsx Inline informational chart with NO

| 1.1.1 | svg-img-alt | Serious | axe-core | Live | | NB-051 | Schools | Schools.jsx Meta line “x children enrolled” rendered in light grey (#b5b5b5 on...
 | 1.4.3 | color-contrast | Serious | axe-core | Live | | NB-052 | Schools | Schools.jsx “Districts”

with plain

children (no rol... | 1.3.1 | aria-required-children | Critical | axe-core | Live | | NB-053 | Schools | Schools.jsx “Grade level” has NO label or aria-label
 | 4.1.2 | select-name | Critical | axe-core | Live | | NB-054 | Schools | Schools.jsx lang="zz" is not a valid BCP-47 subtag | 3.1.2 | valid-lang | Serious
 | axe-core | Live | | NB-055 | Schools | Schools.jsx Stray

outside of any

| 1.3.1 | dlitem | Serious | axe-core | Live | | NB-056 | Schools | Schools.jsx Enrollment

with NO aria-label | 1.1.1 | aria-meter-name | Critical | axe-core | Live | | NB-057 | Schools | Schools.jsx Empty placeholder | 4.1.2 | aria-tooltip-name
 | Serious | axe-core | Live | | NB-058 | Schools | Schools.jsx aria-orientation="diagonal" is not a permitted value | 4.1.2 | aria-valid-attr-value
 | Critical | axe-core | Live | | NB-059 | Schools | Schools.jsx embed with NO fallback / aria-label / inner co... | 1.1.1 | object-alt | Serious | axe-core |
 Live | | NB-060 | Enroll | Enroll.jsx Decorative-but-meaningful district crest with NO <... | 1.1.1 | svg-img-alt | Serious | axe-core | Live | | NB-061 |
 Enroll | Enroll.jsx Step progress

with NO aria-label / aria-la... | 1.1.1 | aria-progressbar-name | Critical | axe-core | Live | | NB-062 | Enroll | Enroll.jsx Helper text uses #bababa on
 white (~2.4:1) | 1.4.3 | color-contrast | Serious | axe-core | Live | | NB-063 | Enroll | Enroll.jsx lang="enus" is not a valid BCP-47 tag (should be
 “en-US”) | 3.1.2 | valid-lang | Serious | axe-core | Live | | NB-064 | Enroll | Enroll.jsx Stray

outside any

| 1.3.1 | dlitem | Serious | axe-core | Live | | NB-065 | Enroll | Enroll.jsx Focusable wrapped inside , creati... | 4.1.2 | aria-hidden-focus | Serious |
 axe-core | Live | | NB-066 | Enroll | Enroll.jsx “Middle name” field uses a styled instead of a real | 3.3.2 | label | Critical | axe-core | Live | | NB-067 |
 Enroll | Enroll.jsx Age field uses autoComplete="age" — not a valid WHATWG token | 1.3.5 | autocomplete-valid | Serious | axe-core | Live | | NB-068
 | Enroll | Enroll.jsx Extra “Preferred language” has NO label or aria-label | 4.1.2 | select-name | Critical | axe-core | Live | | NB-069 | Enroll | Enroll.jsx
 Custom

missing required aria-expanded | 4.1.2 | aria-required-attr | Critical | axe-core | Live | | NB-070 | Enroll | Enroll.jsx aria-labeledby (one L) typo
 on the field group note | 4.1.2 | aria-valid-attr | Critical | axe-core | Live | | NB-071 | Enroll | Enroll.jsx role="presentation" combined with aria-
 required="true", an attrib... | 4.1.2 | aria-allowed-attr | Critical | axe-core | Live | | NB-072 | Enroll | Enroll.jsx Icon-only “info” button has NO
 accessible name | 4.1.2 | button-name | Critical | axe-core | Live | | NB-073 | Grades | Grades.jsx Student headshot with NO alt attribute | 1.1.1 | image-
 alt | Critical | axe-core | Live | | NB-074 | Grades | Grades.jsx Empty parent-portal anchor (icon-only print link with NO text, NO a... | 2.4.4 | link-name
 | Critical | axe-core | Live | | NB-075 | Grades | Grades.jsx Icon-only “download report card” button with NO accessible name | 4.1.2 | button-name |
 Critical | axe-core | Live | | NB-076 | Grades | Grades.jsx Semester label rendered in pale taupe (#cdbf9f on #fff ~2.0:1) | 1.4.3 | color-contrast |
 Serious | axe-core | Live | | NB-077 | Grades | Grades.jsx GPA trend with NO

| 1.1.1 | svg-img-alt | Serious | axe-core | Live | | NB-078 | Grades | Grades.jsx lang="latn" is not a valid BCP-47 primary subtag | 3.1.2 | valid-lang
 | Serious | axe-core | Live | | NB-079 | Grades | Grades.jsx GPA

with NO accessible name | 1.1.1 | aria-meter-name | Critical | axe-core | Live | | NB-080 | Grades | Grades.jsx Empty placeholder | 4.1.2 | aria-tooltip-
 name | Serious | axe-core | Live | | NB-081 | Grades | Grades.jsx aria-labeledby is a typo of aria-labelledby | 4.1.2 | aria-valid-attr | Critical |
 axe-core | Live | | NB-082 | Grades | Grades.jsx Stray

outside any

| 1.3.1 | dlitem | Serious | axe-core | Live | | NB-083 | Grades | Grades.jsx with aria-rowindex (only valid on row/cell roles) | 4.1.2 | aria-prohibited-attr | Serious | axe-core | Live | | NB-084 | Grades | Grades.jsx Empty

with NO role="tab" children | 1.3.1 | aria-required-children | Critical | axe-core | Live | | NB-085 | Grades | Grades.jsx

references a non-existent id | 1.3.1 | td-headers-attr | Serious | axe-core | Live | | NB-086 | University | University.jsx Campus photo with NO alt attribute | 1.1.1 | image-alt | Critical | axe-core | Live | | NB-087 | University | University.jsx Program filter with NO label or aria-label | 4.1.2 | select-name | Critical | axe-core | Live | | NB-088 | University | University.jsx Icon-only "share" button with NO accessible name | 4.1.2 | button-name | Critical | axe-core | Live | | NB-089 | University | University.jsx Empty anchor with NO text or aria-label | 2.4.4 | link-name | Critical | axe-core | Live | | NB-090 | University | University.jsx "US News rank" with NO

| 1.1.1 | svg-img-alt | Serious | axe-core | Live | | NB-091 | University | University.jsx

with plain

children (no role="option... | 1.3.1 | aria-required-children | Critical | axe-core | Live | | NB-092 | University | University.jsx Graduation-rate

with NO accessible name | 1.1.1 | aria-meter-name | Critical | axe-core | Live | | NB-093 | University | University.jsx Empty | 4.1.2 | aria-tooltip-name | Serious | axe-core | Live | | NB-094 | University | University.jsx lang="xx" is not a valid BCP-47 subtag | 3.1.2 | valid-lang | Serious | axe-core | Live | | NB-095 | University | University.jsx Stray

outside any

| 1.3.1 | dlitem | Serious | axe-core | Live | | NB-096 | University | University.jsx Focusable inside aria-hidden="true" subtree | 4.1.2 | aria-hidden-focus | Serious | axe-core | Live | | NB-097 | University | University.jsx with aria-colindex (only valid on row/cell roles) | 4.1.2 | aria-prohibited-attr | Serious | axe-core | Live | | NB-098 | Register (Univ.) | Register.jsx Subtitle rendered in low-contrast brand sand (#cdbf9f on #fff ~2.... | 1.4.3 | color-contrast | Serious | axe-core | Live | | NB-099 | Register (Univ.) | Register.jsx Icon-only "help" button with NO accessible name | 4.1.2 | button-name | Critical | axe-core | Live | | NB-100 | Register (Univ.) | Register.jsx "Registration progress" with NO

| 1.1.1 | svg-img-alt | Serious | axe-core | Live | | NB-101 | Register (Univ.) | Register.jsx lang="zz" is not a valid BCP-47 subtag | 3.1.2 | valid-lang | Serious | axe-core | Live | | NB-102 | Register (Univ.) | Register.jsx Cart

with NO accessible name | 1.1.1 | aria-progressbar-name | Serious | axe-core | Live | | NB-103 | Register (Univ.) | Register.jsx aria-labeledby typo of aria-labelledby | 4.1.2 | aria-valid-attr | Critical | axe-core | Live | | NB-104 | Register (Univ.) | Register.jsx role="presentation" with aria-required="true" | 4.1.2 | aria-allowed-attr | Serious | axe-core | Live | | NB-105 | Register (Univ.) | Register.jsx

with aria-rowindex (only valid on row/cell roles) | 4.1.2 | aria-prohibited-attr | Serious | axe-core | Live | | NB-106 | Register (Univ.) | Register.jsx "Intended major" input with NO associated | 1.3.1 | label | Critical | axe-core | Live | | NB-107 | Register (Univ.) | Register.jsx autocomplete="major" is not a valid HTML autofill token | 1.3.5 | autocomplete-valid | Serious | axe-core | Live | | NB-108 | Register (Univ.) | Register.jsx Extra "Term" with NO label or aria-label | 4.1.2 | select-name | Critical | axe-core | Live | | NB-109 | Register (Univ.) | Register.jsx

missing required aria-expanded | 4.1.2 | aria-required-attr | Critical | axe-core | Live | | NB-110 | Services | Services.jsx Service-hub hero icon with NO alt attribute | 1.1.1 | image-alt | Critical | axe-core | Live | | NB-111 | Services | Services.jsx Agency filter with NO label or aria-label | 4.1.2 | select-name | Critical | axe-core | Live | | NB-112 | Services | Services.jsx "Click here" link with non-descriptive accessible name — wait, li... | 2.4.4 | link-name | Critical | axe-core | Live | | NB-113 | Services | Services.jsx Icon-only "favorite" button with NO accessible name | 4.1.2 | button-name | Critical | axe-core | Live | | NB-114 | Services | Services.jsx "Service activity" with NO

| 1.1.1 | svg-img-alt | Serious | axe-core | Live | | NB-115 | Services | Services.jsx

with plain

children (no role="option") | 1.3.1 | aria-required-children | Critical | axe-core | Live | | NB-116 | Services | Services.jsx Empty | 4.1.2 | aria-tooltip-name | Serious | axe-core | Live | | NB-117 | Services | Services.jsx lang="qq" is not a valid BCP-47 subtag | 3.1.2 | valid-lang | Serious | axe-core | Live | | NB-118 | Services | Services.jsx Stray

outside any

| 1.3.1 | dlitem | Serious | axe-core | Live | | NB-119 | Services | Services.jsx "Avg wait" rendered in pale taupe (#cdbf9f on #fff ~2.0:1) | 1.4.3 | color-contrast | Serious | axe-core | Live | | NB-120 | Services | Services.jsx Wait-time

with NO accessible name | 1.1.1 | aria-meter-name | Critical | axe-core | Live | | NB-121 | Services | Services.jsx aria-orientation="diagonal" is not a permitted value | 4.1.2 | aria-valid-attr-value | Critical | axe-core | Live | | NB-122 | Services | Services.jsx autocomplete="agency" is not a valid HTML autofill token | 1.3.5 | autocomplete-valid | Serious | axe-core | Live | | NB-123 | DMV | DMV.jsx Subtitle rendered in pale brand sand (#cdbf9f on #fff ~2.0:1) | 1.4.3 | color-contrast | Serious | axe-core | Live | | NB-124 | DMV | DMV.jsx Icon-only "help" button with NO accessible name | 4.1.2 | button-name | Critical | axe-core | Live | | NB-125 | DMV | DMV.jsx Renewal-shield with NO

| 1.1.1 | svg-img-alt | Serious | axe-core | Live | | NB-126 | DMV | DMV.jsx lang="zz" is not a valid BCP-47 subtag | 3.1.2 | valid-lang | Serious | axe-core | Live | | NB-127 | DMV | DMV.jsx aria-labeledby typo of aria-labelledby | 4.1.2 | aria-valid-attr | Critical | axe-core | Live | | NB-128 | DMV | DMV.jsx role="presentation" with aria-required="true" | 4.1.2 | aria-allowed-attr | Serious | axe-core | Live | | NB-129 | DMV | DMV.jsx Empty | 4.1.2 | aria-tooltip-name | Serious | axe-core | Live | | NB-130 | DMV | DMV.jsx Stray

outside any

| 1.3.1 | dlitem | Serious | axe-core | Live | | NB-131 | DMV | DMV.jsx "VIN lookup" input with NO associated | 1.3.1 | label | Critical | axe-core | Live | | NB-132 | DMV | DMV.jsx autocomplete="vehicle-vin" is not a valid HTML autofill token | 1.3.5 | autocomplete-valid | Serious | axe-core | Live | | NB-133 | DMV | DMV.jsx Extra "Plate state" with NO label or aria-label | 4.1.2 | select-name | Critical | axe-core | Live | | NB-134 | DMV | DMV.jsx

missing required aria-expanded | 4.1.2 | aria-required-attr | Critical | axe-core | Live | | NB-135 | Benefits | Benefits.jsx Was: Household size Replac... | 3.3.2 | label | Critical | axe-core | Live | | NB-136 | Benefits | Benefits.jsx autoComplete="benefit" is not a valid WHATWG token | 1.3.5 | autocomplete-valid | Serious | axe-core | Live | | NB-137 | Benefits | Benefits.jsx with no label / aria-label | 4.1.2 | select-name | Critical | axe-core | Live | | NB-138 | Benefits | Benefits.jsx role="combobox" missing required aria-expanded attribute | 4.1.2 | aria-required-attr | Critical | axe-core | Live | | NB-139 | Benefits | Benefits.jsx aria-orientation="diagonal" is not a valid token (only horizontal... | 4.1.2 | aria-valid-attr-value | Critical | axe-core | Live | | NB-140 | Benefits | Benefits.jsx Icon-only "Print eligibility" button with NO accessible name | 4.1.2 | button-name | Critical | axe-core | Live | | NB-141 | Benefits | Benefits.jsx SNAP/Medicaid badge with NO

| 1.1.1 | svg-img-alt | Serious | axe-core | Live | | NB-142 | Benefits | Benefits.jsx Pale taupe disclosure subhead (#cdbf9f on #fff ~2.0:1) | 1.4.3 | color-contrast | Serious | axe-core | Live | | NB-143 | Benefits | Benefits.jsx lang="zz" is not a valid BCP-47 primary subtag | 3.1.2 | valid-lang | Serious | axe-core | Live | | NB-144 | Benefits | Benefits.jsx Stray

outside any

| 1.3.1 | dlitem | Serious | axe-core | Live | | NB-145 | Benefits | Benefits.jsx Eligibility-likelihood

with NO accessible name | 1.1.1 | aria-meter-name | Critical | axe-core | Live | | NB-146 | Benefits | Benefits.jsx with aria-rowindex (only valid on row/cell roles) | 4.1.2 | aria-prohibited-attr | Serious | axe-core | Live | | NB-147 | City home | City.jsx Mayor headshot with NO alt attribute | 1.1.1 | image-alt | Critical | axe-core | Live | | NB-148 | City home | City.jsx "Find a service" with no label / aria-label | 4.1.2 | select-name | Critical | axe-core | Live | | NB-149 | City home | City.jsx Empty "Click here" anchor with NO accessible text | 2.4.4 | link-name | Critical | axe-core | Live | | NB-150 |

City home | City.jsx Icon-only social-share button with NO accessible name | 4.1.2 | button-name | Critical | axe-core | Live | | NB-151 | City home | City.jsx City-emblem with NO

| 1.1.1 | svg-img-alt | Serious | axe-core | Live | | NB-152 | City home | City.jsx

with no role="option" children | 1.3.1 | aria-required-children | Critical | axe-core | Live | | NB-153 | City home | City.jsx lang="qq" is not a valid BCP-47 primary subtag | 3.1.2 | valid-lang | Serious | axe-core | Live | | NB-154 | City home | City.jsx Stray

outside any

| 1.3.1 | dlitem | Serious | axe-core | Live | | NB-155 | City home | City.jsx Pale-taupe caption (#cdbf9f on #fff ~2.0:1) | 1.4.3 | color-contrast | Serious | axe-core | Live | | NB-156 | City home | City.jsx Air-quality

with NO accessible name | 1.1.1 | aria-meter-name | Critical | axe-core | Live | | NB-157 | City home | City.jsx autoComplete="address-zip" is not a valid WHATWG token | 1.3.5 | autocomplete-valid | Serious | axe-core | Live | | NB-158 | City home | City.jsx with NO accessible name (no aria-label / title / fallback) | 1.1.1 | object-alt | Serious | axe-core | Live | | NB-159 | City home | City.jsx Empty placeholder | 4.1.2 | aria-tooltip-name | Serious | axe-core | Live | | NB-160 | Permits (City) | Permits.jsx Unlabeled "Permit type" with no label / aria-label | 4.1.2 | select-name | Critical | axe-core | Live | | NB-161 | Permits (City) | Permits.jsx Icon-only "Save draft" button with NO accessible name | 4.1.2 | button-name | Critical | axe-core | Live | | NB-162 | Permits (City) | Permits.jsx Empty anchor (icon-only export link, no text, no aria-label) | 2.4.4 | link-name | Critical | axe-core | Live | | NB-163 | Permits (City) | Permits.jsx Zoning sparkline with NO

| 1.1.1 | svg-img-alt | Serious | axe-core | Live | | NB-164 | Permits (City) | Permits.jsx lang="latn" is not a valid BCP-47 primary subtag | 3.1.2 | valid-lang | Serious | axe-core | Live | | NB-165 | Permits (City) | Permits.jsx Stray

outside any

| 1.3.1 | dlitem | Serious | axe-core | Live | | NB-166 | Permits (City) | Permits.jsx Permit-volume

with NO accessible name | 1.1.1 | aria-meter-name | Critical | axe-core | Live | | NB-167 | Permits (City) | Permits.jsx role="combobox" missing required aria-expanded | 4.1.2 | aria-required-attr | Critical | axe-core | Live | | NB-168 | Permits (City) | Permits.jsx aria-labeledby is a typo of aria-labelledby | 4.1.2 | aria-valid-attr | Critical | axe-core | Live | | NB-169 | Permits (City) | Permits.jsx Pale-taupe required-marker (#cdbf9f on #fff ~2.0:1) | 1.4.3 | color-contrast | Serious | axe-core | Live | | NB-170 | Permits (City) | Permits.jsx Review-stage

with NO accessible name | 1.1.1 | aria-progressbar-name | Serious | axe-core | Live | | NB-171 | Permits (City) | Permits.jsx autoComplete="cost" is not a valid WHATWG token | 1.3.5 | autocomplete-valid | Serious | axe-core | Live | | NB-172 | Vote | Vote.jsx Was: First name. Replaced with a ... | 3.3.2 | label | Critical | axe-core | Live | | NB-173 | Vote | Vote.jsx autoComplete="voter" is not a valid WHATWG token | 1.3.5 | autocomplete-valid | Serious | axe-core | Live | | NB-174 | Vote | Vote.jsx Extra unlabeled "Party" with no label / aria-label | 4.1.2 | select-name | Critical | axe-core | Live | | NB-175 | Vote | Vote.jsx

with NO accessible name | 4.1.2 | aria-input-field-name | Serious | axe-core | Live | | NB-176 | Vote | Vote.jsx Icon-only "Look up registration" button with NO accessible name | 4.1.2 | button-name | Critical | axe-core | Live | | NB-177 | Vote | Vote.jsx "I voted" badge with NO

| 1.1.1 | svg-img-alt | Serious | axe-core | Live | | NB-178 | Vote | Vote.jsx Pale-taupe disclaimer (#cdbf9f on #fff ~2.0:1) | 1.4.3 | color-contrast | Serious | axe-core | Live | | NB-179 | Vote | Vote.jsx lang="zz" is not a valid BCP-47 primary subtag | 3.1.2 | valid-lang | Serious | axe-core | Live | | NB-180 | Vote | Vote.jsx Stray

outside any

| 1.3.1 | dlitem | Serious | axe-core | Live | | NB-181 | Vote | Vote.jsx

with NO role="radio" children | 1.3.1 | aria-required-children | Critical | axe-core | Live | | NB-182 | Vote | Vote.jsx Empty "More info" anchor (no text, no aria-label) | 2.4.4 | link-name | Critical | axe-core | Live | | NB-183 | Vote | Vote.jsx Turnout

with NO accessible name | 1.1.1 | aria-meter-name | Critical | axe-core | Live | | NB-184 | Vote | Vote.jsx Empty placeholder | 4.1.2 | aria-tooltip-name | Serious | axe-core | Live | | NB-185 | Every page (.btn-outline) | theme.css — .btn-outline:focus, :focus-visible { outline: none; box-shadow: none } | 2.4.7 | advanced/css-focus-visible | Serious | **Pro Advanced** (no AI credits — CSS state diff) | Live | | NB-186 | Home | Home.jsx "What's new this month" <div> styled like an h2 (24 px / 700 / brand-deep) | 1.3.1 | advanced/heading-markup | Serious | **Pro Advanced** (uses AI credits — CV) | Live | | NB-187 | Home | Home.jsx /ornament-divider.svg decorative ornament with verbose alt | 1.1.1 | advanced/image-decorative | Minor | **Pro Advanced** (uses AI credits — image classifier) | Live | | NB-188 | Schools | Schools.jsx /cedarbrook-elementary.svg informative school photo served alt="" | 1.1.1 | advanced/image-informative-has-alt | Minor | **Pro Advanced** (uses AI credits — image classifier) | Live | | NB-189 | Home | Home.jsx SNAP/Medicaid/LIHEAP promo banner — white text on sand-to-white gradient (~2.5-3:1) | 1.4.3 | advanced/text-contrast | Serious | **Pro Advanced** | Live | | NB-190 | Account | Account.jsx "Quick actions" <div> styled as an h2 (22 px / 700 / brand-deep) | 1.3.1 | advanced/heading-markup | Serious | **Pro Advanced** (uses AI credits — CV) | Live | | NB-191 | DMV | DMV.jsx "Save \$5 with online renewal" banner — gold text on white-to-pale-gold gradient | 1.4.3 | advanced/text-contrast | Serious | **Pro Advanced** | Live | | NB-IGT-001 | Schools | Schools.jsx (Structure IGT) top-level returned content wrapped in <div role="presentation">, stripping landmark/region semantics from descendants | 1.3.1 | IGT manual — landmarks / regions | n/a (IGT) | IGT | Live | | NB-IGT-002 | Services | Services.jsx (Structure IGT) second <main> element rendered inside the page (PublicLayout already provides a parent <main>) | 1.3.1 | IGT manual — landmarks / regions | n/a (IGT) | IGT | Live | | NB-IGT-003 | City | City.jsx (Structure IGT) orphan <section> region with no aria-label, no aria-labelledby, and no inner heading — region landmark without an accessible name | 1.3.1 | IGT manual — landmarks / regions | n/a (IGT) | IGT | Live | | NB-IGT-004 | University | University.jsx (Headings IGT) <h4> placed directly after the page <h1> with no <h2>/<h3> in between — heading-level skip | 1.3.1 | IGT manual — heading outline | n/a (IGT) | IGT | Live | | NB-IGT-005 | Account | Account.jsx (Headings IGT) second <h1> on the page ("Welcome to Northbrook Connect") in addition to the existing greeting <h1> | 1.3.1 | IGT manual — heading outline | n/a (IGT) | IGT | Live | | NB-IGT-006 | Vote | Vote.jsx (Headings IGT) empty <h2> with no accessible content — breaks the document outline | 1.3.1 | IGT manual — heading outline | n/a (IGT) | IGT | Live | | NB-IGT-007 | Login | Login.jsx (Forms IGT) "Mother's maiden name" input marked HTML required with NO visible required marker and NO aria-required | 3.3.2 | IGT manual — required fields | n/a (IGT) | IGT | Live | | NB-IGT-008 | Enroll | Enroll.jsx (Forms IGT) visible inline error rendered next to child's first-name input, but input has NO aria-describedby pointing at the message | 3.3.1 | IGT manual — error association | n/a (IGT) | IGT | Live | | NB-IGT-009 | Vote | Vote.jsx (Forms IGT) three related "Notification preferences" checkboxes without a wrapping <fieldset> / <legend> | 1.3.1 | IGT manual — control grouping | n/a (IGT) | IGT | Live | | NB-IGT-010 | Home | Home.jsx (Images IGT) two adjacent elements with identical src and identical alt ("Northbrook State seal") — duplicate informative images | 1.1.1 | IGT manual — duplicate adjacent images | n/a (IGT) | IGT | Live | | NB-IGT-011 | Schools | Schools.jsx (Images IGT) second school photo whose alt text does not match the image (Cedarbrook Elementary front entrance, alt reads "Our schools") | 1.1.1 | IGT manual — alt accuracy | n/a (IGT) | IGT | Live | | NB-IGT-012 | Account | Account.jsx (Images IGT) state seal placed next to identity content — visually informative but marked decorative | 1.1.1 | IGT manual — decorative vs informative | n/a (IGT) | IGT | Live | | NB-IGT-013 | Permits | Permits.jsx (Modals IGT) post-submit role="dialog" overlay with NO initial-focus management AND NO focus trap (Tab escapes to the page behind) | 2.4.3 | IGT manual — focus on open / focus trap | n/a (IGT) | IGT | Live | | NB-IGT-014 | Benefits | Benefits.jsx (Modals IGT) SNAP confirmation dialog opens on "Apply for SNAP" click but has NO Escape-key close handler | 2.1.1 | IGT manual — Escape dismiss | n/a (IGT) | IGT | Live | | NB-IGT-015 | Enroll | Enroll.jsx (Modals IGT) "Are you sure?" confirmation dialog Cancel button closes the dialog but does NOT return focus to the opener (trigger button) | 2.4.3 | IGT manual — focus restoration | n/a (IGT) | IGT | Live | | NB-IGT-016 | Home | Home.jsx (Reading Order IGT) hero CTA pair wrapped with flexDirection: 'row-reverse' — visual order is the reverse of DOM order | 1.3.2 | IGT manual — DOM vs visual order | n/a (IGT) | IGT | Live | | NB-IGT-017 | Account | Account.jsx (Reading Order IGT) last service card uses style={{ order: -1 }} — visually renders first while remaining last in the DOM | 1.3.2 | IGT manual — DOM vs visual order | n/a (IGT) | IGT | Live | | NB-IGT-018 | Register | Register.jsx (Keyboard IGT) custom <div role="button" tabIndex={0}> with onClick but NO onKeyDown / onKeyUp — no Enter/Space activation | 2.1.1 | IGT manual — keyboard activation | n/a (IGT) | IGT | Live | | NB-IGT-019 | DMV | DMV.jsx (Keyboard IGT) positive tabIndex={3} on a Step-2 input disrupts natural tab order (jumps ahead of the rest of the page) | 2.4.3 | IGT manual — tab sequence | n/a (IGT) | IGT | Live | | NB-IGT-020 | Vote | Vote.jsx (Keyboard IGT) custom <div role="button" tabIndex={0}> with onClick but NO onKeyDown / onKeyUp — no

Enter/Space activation | 2.1.1 | IGT manual — keyboard activation | n/a (IGT) | IGT | Live |

Tool column values: axe-core / axe Linter / Pro Advanced / IGT. Status values: TODO / Live / Removed / Replaced.

Batch 1 — verification cheat sheet

ID	Steps to reach	Expected finding
NB-001	Open <code>/#/edu-gov/schools</code> , run a scan	Critical: Images must have alternate text (<code>image-alt</code>) on <code>img[src="/nbps-seal.svg"]</code> above the school directory.
NB-002	Open <code>/#/edu-gov/university</code> , scroll to “NSU at a glance”, run a scan	Serious: Elements must meet minimum color contrast (<code>color-contrast</code>) on the “Six-year graduation rate” label (sand-colour text on the bg-soft section background).
NB-003	Sign in, open <code>/#/edu-gov/city/permits</code> , click any “Apply” button to expand the form, run a scan	Critical: Form elements must have labels (<code>label</code>) on the “Project address (line 1)” <code><input></code> — the visible-looking label is a <code></code> and is not programmatically associated.

Batch 1 — accessible fix (for reference)

ID	Minimal fix
NB-001	Add <code>alt="Northbrook Public Schools district seal"</code> to the <code></code> , OR mark it as decorative with <code>alt="" + role="presentation"</code> if the seal is only ornamental.
NB-002	Drop the inline style= <code>{{ color: '#b8a87a' }}</code> from the stat-card label so it falls back to the accessible default body colour.

ID	Minimal fix
NB-003	Replace the styled <code></code> with a real <code><label htmlFor={{formId}}-line1></code> Project address (line 1) <code></label></code> .

Batch 2 — verification cheat sheet

ID	Steps to reach	Expected finding
NB-004	Open <code>/#/edu-gov/schools</code> , scroll to “Upcoming district events”, run a scan	Critical: Links must have discernible text (link-name) on the icon-only PDF anchor beside “Student & parent handbook (2026-2027)”.
NB-005	Sign in, open <code>/#/edu-gov/schools/grades</code> , flip Best Practices: ON , run a scan	Serious: ARIA scope attribute is invalid (scope-attr-valid) on all <code><th scope="column"></code> elements of the grade table. (The valid value is <code>col</code> .) Note: scope-attr-valid is BP-tagged in axe-core 4.10, so it does not surface with Best Practices OFF.
NB-006	Sign in, open <code>/#/edu-gov/university/register</code> , run a scan	Moderate: ARIA input fields must have an accessible name (aria-input-field-name) on the “Instructor quick filter” <code><input role="searchbox"></code> below the Department selector.

Batch 2 — accessible fix (for reference)

ID	Minimal fix
NB-004	Add aria-label="Download student & parent handbook PDF" to the anchor, OR put visible text inside the anchor (e.g. <a>Download PDF).
NB-005	Restore scope="col" (and scope="row" on the per-row subject <th> if needed) — "column" is not a valid value.
NB-006	Either give the custom-widget <div role="searchbox"> an aria-label="Instructor quick filter", or replace the <div contentEditable> with a real <input> paired with a <label htmlFor>.

Batch 3 — verification cheat sheet

ID	Steps to reach	Expected finding
NB-007	Sign in, open /#/edu-gov/services/benefits , complete the Step 1 quiz so a result panel renders, run a scan	Serious: Scrollable region must have keyboard access (scrollable-region-focusable) on the "Important program notices" container — keyboard users cannot scroll it because the panel has no focusable descendants and no tabIndex.

ID	Steps to reach	Expected finding
NB-008	Open <code>/#/edu-gov/city</code> , scroll to “Upcoming council meetings”, run a scan and check the Needs Review section	Needs Review: Links with the same accessible name must serve a similar purpose (identical-links-same-purpose) — three “Read more” anchors share an identical name but point to different destinations. axe-core can’t decide programmatically if they serve the same purpose so the finding is surfaced for human inspection.
NB-009	Sign in, open <code>/#/edu-gov/services/dmv</code> , run a scan on any step	Critical: Progressbar elements must have an accessible name (aria-progressbar-name) on the visual <code><div role="progressbar"></code> step indicator. (axe-core 4.10 consolidates the missing-name + missing-required-aria-attrs check under this rule.)

Batch 3 — accessible fix (for reference)

ID	Minimal fix
NB-007	Add tabIndex={0} + role="region" to the scrollable container. The existing aria-labelledby="program-notices-heading" already names it.
NB-008	Differentiate the link text: "Read budget hearing agenda", "Read rezoning packet", "Read public-comment notice" — or attach a unique aria-label per link.
NB-009	Add aria-valuenow={step + 1} aria-valuemin={1} aria-valuemax={STEPS.length} aria-label="Renewal step progress" to the progressbar <div> — or simply remove role="progressbar" if the visible bar is purely decorative (the existing <ol className="steps"> already conveys the same information accessibly).

Batch 4 — verification cheat sheet

ID	Steps to reach	Expected finding
NB-010	Scan Home (Home.jsx)	Serious: color-contrast — Eyebrow pill uses a low-contrast grey (#a8a8a8 on white) ~2.5:1
NB-011	Scan Home (Home.jsx)	Critical: image-alt — Decorative-looking hero badge ships with NO alt attribute
NB-012	Scan Home (Home.jsx)	Critical: button-name — Icon-only header utility button (mobile menu toggle) has NO accessible name
NB-013	Scan Home (Home.jsx)	Critical: select-name — "Find a service" quick-jump has NO associated label or aria-label

| NB-014 | Scan Home (Home.jsx) | Serious: svg-img-alt — Inline mini-chart with NO

or aria-label | | NB-015 | Scan Home (Home.jsx) | Critical: aria-required-children — "Popular services"

with

children that lack role="option" | | NB-016 | Scan Home (Home.jsx) | Critical: aria-valid-attr-value — Disclosure button uses aria-expanded="yes" instead of "true" | | NB-017 | Scan Home (Home.jsx) | Critical: aria-progressbar-name — Page-progress indicator

with NO aria-label / aria-labelledby | | NB-018 | Scan Home (Home.jsx) | Serious: aria-tooltip-name — Empty placeholder | | NB-019 | Scan Home (Home.jsx) | Serious: dlitem — Stray

outside of any

| | NB-020 | Scan Home (Home.jsx) | Serious: valid-lang — lang="xyz" is not a valid BCP-47 tag | | NB-021 | Scan Home (Home.jsx) | Critical: link-name — Empty social/follow anchor (icon stripped) with NO text, NO aria-label, NO title | | NB-022 | Scan Home (Home.jsx) | Serious: autocomplete-valid — Newsletter signup uses autoComplete="emailaddr" — not a valid WHATWG token | | NB-023 | Scan Login (Login.jsx) | Serious: svg-img-alt — Inline brand logo with NO

/ aria-label | | NB-024 | Scan Login (Login.jsx) | Serious: role-img-alt — Decorative

seal has NO accessible name | | NB-025 | Scan Login (Login.jsx) | Serious: dlitem — Stray

outside any

| | NB-026 | Scan Login (Login.jsx) | Serious: valid-lang — lang="frx" is not a valid BCP-47 subtag | | NB-027 | Scan Login (Login.jsx) | Critical: aria-required-attr — “Recent usernames” custom combobox

is missing required aria-expanded | | NB-028 | Scan Login (Login.jsx) | Critical: aria-valid-attr — aria-labeledby (one L) typo — should be aria-labelledby | | NB-029 | Scan Login (Login.jsx) | Serious: color-contrast — Disclaimer text uses a near-grey on white (~2.4:1) | | NB-030 | Scan Login (Login.jsx) | Critical: aria-progressbar-name — Password-strength

with NO aria-label / aria-labelledby | | NB-031 | Scan Login (Login.jsx) | Serious: aria-tooltip-name — Empty placeholder | | NB-032 | Scan Login (Login.jsx) | Critical: label — Extra “Security question” uses a styled instead of a real | | NB-033 | Scan Login (Login.jsx) | Critical: aria-allowed-attr — role="button" combined with aria-required="true", an attribute not allowed on that role | | NB-034 | Scan Login (Login.jsx) | Critical: input-button-name — <input type="button"> with NO value attribute has no accessible name | | NB-035 | Scan Login (Login.jsx) | Critical: link-name — Empty supplemental terms (icon-only PDF link stripped) | | NB-036 | Scan Account (Account.jsx) | Critical: button-name — Icon-only “Settings” cog button has NO text / aria-label | | NB-037 | Scan Account (Account.jsx) | Critical: aria-meter-name — “Profile completeness”

with NO aria-label | | NB-038 | Scan Account (Account.jsx) | Critical: select-name — “Jump to section” has NO label or aria-label | | NB-039 | Scan Account (Account.jsx) | Serious: aria-toggle-field-name — “Show announcements” has no inner text and no aria-label | | NB-040 | Scan Account (Account.jsx) | Serious: color-contrast — Stat label uses a light grey #b0b0b0 on white (~2.6:1) | | NB-041 | Scan Account (Account.jsx) | Critical: aria-required-children — Tablist

contains

children that lack role="tab" | | NB-042 | Scan Account (Account.jsx) | Critical: link-name — Empty quick-link (icon-only) with NO accessible name | | NB-043 | Scan Account (Account.jsx) | Serious: svg-img-alt — Inline activity icon with NO

/ aria-label | | NB-044 | Scan Account (Account.jsx) | Serious: valid-lang — lang="qz" is not a valid BCP-47 subtag | | NB-045 | Scan Account (Account.jsx) | Serious: aria-tooltip-name — Empty | | NB-046 | Scan Account (Account.jsx) | Serious: dlitem — Stray

outside any

| | NB-047 | Scan Account (Account.jsx) | Moderate: aria-input-field-name — Custom search field uses

with NO aria-label / aria-labelledby | | NB-048 | Scan Account (Account.jsx) | Critical: aria-valid-attr — aria-describedby (mis-spelled) — should be aria-describedby | | NB-049 | Scan Schools (Schools.jsx) | Critical: button-name — Icon-only “filter” button has NO accessible name | | NB-050 | Scan Schools (Schools.jsx) | Serious: svg-img-alt — Inline informational chart with NO

| | NB-051 | Scan Schools (Schools.jsx) | Serious: color-contrast — Meta line “x children enrolled” rendered in light grey (#b5b5b5 on white ~2.4:1) | | NB-052 | Scan Schools (Schools.jsx) | Critical: aria-required-children — “Districts”

with plain

children (no role="option") | | NB-053 | Scan Schools (Schools.jsx) | Critical: select-name — “Grade level” has NO label or aria-label | | NB-054 | Scan Schools (Schools.jsx) | Serious: valid-lang — lang="zz" is not a valid BCP-47 subtag | | NB-055 | Scan Schools (Schools.jsx) | Serious: dlitem — Stray

outside of any

| | NB-056 | Scan Schools (Schools.jsx) | Critical: aria-meter-name — Enrollment

with NO aria-label | | NB-057 | Scan Schools (Schools.jsx) | Serious: aria-tooltip-name — Empty placeholder | | NB-058 | Scan Schools (Schools.jsx) | Critical: aria-valid-attr-value — aria-orientation="diagonal" is not a permitted value | | NB-059 | Scan Schools (Schools.jsx) | Serious: object-alt — embed with NO fallback / aria-label / inner content | | NB-060 | Scan Enroll (Enroll.jsx) | Serious: svg-img-alt — Decorative-but-meaningful district crest with NO

/aria-label | | NB-061 | Scan Enroll (Enroll.jsx) | Critical: aria-progressbar-name — Step progress

with NO aria-label / aria-labelledby | | NB-062 | Scan Enroll (Enroll.jsx) | Serious: color-contrast — Helper text uses #bababa on white (~2.4:1) | | NB-063 | Scan Enroll (Enroll.jsx) | Serious: valid-lang — lang="enus" is not a valid BCP-47 tag (should be "en-US") | | NB-064 | Scan Enroll (Enroll.jsx) | Serious: dlitem — Stray

outside any

| | NB-065 | Scan Enroll (Enroll.jsx) | Serious: aria-hidden-focus — Focusable wrapped inside , creating a focusable but AT-hidden control | | NB-066 | Scan Enroll (Enroll.jsx) | Critical: label — "Middle name" field uses a styled instead of a real | | NB-067 | Scan Enroll (Enroll.jsx) | Serious: autocomplete-valid — Age field uses autoComplete="age" — not a valid WHATWG token | | NB-068 | Scan Enroll (Enroll.jsx) | Critical: select-name — Extra "Preferred language" has NO label or aria-label | | NB-069 | Scan Enroll (Enroll.jsx) | Critical: aria-required-attr — Custom

missing required aria-expanded | | NB-070 | Scan Enroll (Enroll.jsx) | Critical: aria-valid-attr — aria-labeledby (one L) typo on the field group note | | NB-071 | Scan Enroll (Enroll.jsx) | Critical: aria-allowed-attr — role="presentation" combined with aria-required="true", an attribute disallowed by that role | | NB-072 | Scan Enroll (Enroll.jsx) | Critical: button-name — Icon-only "info" button has NO accessible name | | NB-073 | Scan Grades (Grades.jsx) | Critical: image-alt — Student headshot with NO alt attribute | | NB-074 | Scan Grades (Grades.jsx) | Critical: link-name — Empty parent-portal anchor (icon-only print link with NO text, NO aria-label) | | NB-075 | Scan Grades (Grades.jsx) | Critical: button-name — Icon-only "download report card" button with NO accessible name | | NB-076 | Scan Grades (Grades.jsx) | Serious: color-contrast — Semester label rendered in pale taupe (#cdbf9f on #fff ~2.0:1) | | NB-077 | Scan Grades (Grades.jsx) | Serious: svg-img-alt — GPA trend with NO

| | NB-078 | Scan Grades (Grades.jsx) | Serious: valid-lang — lang="latn" is not a valid BCP-47 primary subtag | | NB-079 | Scan Grades (Grades.jsx) | Critical: aria-meter-name — GPA

with NO accessible name | | NB-080 | Scan Grades (Grades.jsx) | Serious: aria-tooltip-name — Empty placeholder | | NB-081 | Scan Grades (Grades.jsx) | Critical: aria-valid-attr — aria-labeledby is a typo of aria-labelledby | | NB-082 | Scan Grades (Grades.jsx) | Serious: dlitem — Stray

outside any

| | NB-083 | Scan Grades (Grades.jsx) | Serious: aria-prohibited-attr — with aria-rowindex (only valid on row/cell roles) | | NB-084 | Scan Grades (Grades.jsx) | Critical: aria-required-children — Empty

with NO role="tab" children | | NB-085 | Scan Grades (Grades.jsx) | Serious: td-headers-attr —

references a non-existent id | | NB-086 | Scan University (University.jsx) | Critical: image-alt — Campus photo with NO alt attribute | | NB-087 | Scan University (University.jsx) | Critical: select-name — Program filter with NO label or aria-label | | NB-088 | Scan University (University.jsx) | Critical: button-name — Icon-only "share" button with NO accessible name | | NB-089 | Scan University (University.jsx) | Critical: link-name — Empty anchor with NO text or aria-label | | NB-090 | Scan University (University.jsx) | Serious: svg-img-alt — "US News rank" with NO

| | NB-091 | Scan University (University.jsx) | Critical: aria-required-children —

with plain

children (no role="option") | | NB-092 | Scan University (University.jsx) | Critical: aria-meter-name — Graduation-rate

with NO accessible name | | NB-093 | Scan University (University.jsx) | Serious: aria-tooltip-name — Empty | | NB-094 | Scan University (University.jsx) | Serious: valid-lang — lang="xx" is not a valid BCP-47 subtag | | NB-095 | Scan University (University.jsx) | Serious: dlitem — Stray

outside any

| | NB-096 | Scan University (University.jsx) | Serious: aria-hidden-focus — Focusable inside aria-hidden="true" subtree | | NB-097 | Scan University (University.jsx) | Serious: aria-prohibited-attr — with aria-colindex (only valid on row/cell roles) | | NB-098 | Scan Register (Univ.) (Register.jsx) | Serious: color-contrast — Subtitle rendered in low-contrast brand sand (#cdbf9f on #fff ~2.0:1) | | NB-099 | Scan Register (Univ.) (Register.jsx) | Critical: button-name — Icon-only “help” button with NO accessible name | | NB-100 | Scan Register (Univ.) (Register.jsx) | Serious: svg-img-alt — “Registration progress” with NO

| | NB-101 | Scan Register (Univ.) (Register.jsx) | Serious: valid-lang — lang="zz" is not a valid BCP-47 subtag | | NB-102 | Scan Register (Univ.) (Register.jsx) | Serious: aria-progressbar-name — Cart

with NO accessible name | | NB-103 | Scan Register (Univ.) (Register.jsx) | Critical: aria-valid-attr — aria-labeledby typo of aria-labelledby | | NB-104 | Scan Register (Univ.) (Register.jsx) | Serious: aria-allowed-attr — role="presentation" with aria-required="true" | | NB-105 | Scan Register (Univ.) (Register.jsx) | Serious: aria-prohibited-attr —

with aria-rowindex (only valid on row/cell roles) | | NB-106 | Scan Register (Univ.) (Register.jsx) | Critical: label — “Intended major” input with NO associated | | NB-107 | Scan Register (Univ.) (Register.jsx) | Serious: autocomplete-valid — autocomplete="major" is not a valid HTML autofill token | | NB-108 | Scan Register (Univ.) (Register.jsx) | Critical: select-name — Extra “Term” with NO label or aria-label | | NB-109 | Scan Register (Univ.) (Register.jsx) | Critical: aria-required-attr —

missing required aria-expanded | | NB-110 | Scan Services (Services.jsx) | Critical: image-alt — Service-hub hero icon with NO alt attribute | | NB-111 | Scan Services (Services.jsx) | Critical: select-name — Agency filter with NO label or aria-label | | NB-112 | Scan Services (Services.jsx) | Critical: link-name — “Click here” link with non-descriptive accessible name — wait, link-name fires only when there is NO name. Use empty anchor instead | | NB-113 | Scan Services (Services.jsx) | Critical: button-name — Icon-only “favorite” button with NO accessible name | | NB-114 | Scan Services (Services.jsx) | Serious: svg-img-alt — “Service activity” with NO

| | NB-115 | Scan Services (Services.jsx) | Critical: aria-required-children —

with plain

children (no role="option") | | NB-116 | Scan Services (Services.jsx) | Serious: aria-tooltip-name — Empty | | NB-117 | Scan Services (Services.jsx) | Serious: valid-lang — lang="qq" is not a valid BCP-47 subtag | | NB-118 | Scan Services (Services.jsx) | Serious: dlitem — Stray

outside any

| | NB-119 | Scan Services (Services.jsx) | Serious: color-contrast — “Avg wait” rendered in pale taupe (#cdbf9f on #fff ~2.0:1) | | NB-120 | Scan Services (Services.jsx) | Critical: aria-meter-name — Wait-time

with NO accessible name | | NB-121 | Scan Services (Services.jsx) | Critical: aria-valid-attr-value — aria-orientation="diagonal" is not a permitted value | | NB-122 | Scan Services (Services.jsx) | Serious: autocomplete-valid — autocomplete="agency" is not a valid HTML autofill token | | NB-123 | Scan DMV (DMV.jsx) | Serious: color-contrast — Subtitle rendered in pale brand sand (#cdbf9f on #fff ~2.0:1) | | NB-124 | Scan DMV (DMV.jsx) | Critical: button-name — Icon-only “help” button with NO accessible name | | NB-125 | Scan DMV (DMV.jsx) | Serious: svg-img-alt — Renewal-shield with NO

| | NB-126 | Scan DMV (DMV.jsx) | Serious: valid-lang — lang="zz" is not a valid BCP-47 subtag | | NB-127 | Scan DMV (DMV.jsx) | Critical: aria-valid-attr — aria-labeledby typo of aria-labelledby | | NB-128 | Scan DMV (DMV.jsx) | Serious: aria-allowed-attr — role="presentation" with

aria-required="true" | | NB-129 | Scan DMV (DMV.jsx) | Serious: aria-tooltip-name — Empty | | NB-130 | Scan DMV (DMV.jsx) | Serious: dlitem — Stray

outside any

| | NB-131 | Scan DMV (DMV.jsx) | Critical: label — “VIN lookup” input with NO associated | | NB-132 | Scan DMV (DMV.jsx) | Serious: autocomplete-valid — autocomplete="vehicle-vin" is not a valid HTML autofill token | | NB-133 | Scan DMV (DMV.jsx) | Critical: select-name — Extra “Plate state” with NO label or aria-label | | NB-134 | Scan DMV (DMV.jsx) | Critical: aria-required-attr —

missing required aria-expanded | | NB-135 | Scan Benefits (Benefits.jsx) | Critical: label — Was: Household size Replaced with a styled — input has no programmatic name | | NB-136 | Scan Benefits (Benefits.jsx) | Serious: autocomplete-valid — autoComplete="benefit" is not a valid WHATWG token | | NB-137 | Scan Benefits (Benefits.jsx) | Critical: select-name — with no label / aria-label | | NB-138 | Scan Benefits (Benefits.jsx) | Critical: aria-required-attr — role="combobox" missing required aria-expanded attribute | | NB-139 | Scan Benefits (Benefits.jsx) | Critical: aria-valid-attr-value — aria-orientation="diagonal" is not a valid token (only horizontal/vertical/undefined) | | NB-140 | Scan Benefits (Benefits.jsx) | Critical: button-name — Icon-only “Print eligibility” button with NO accessible name | | NB-141 | Scan Benefits (Benefits.jsx) | Serious: svg-img-alt — SNAP/Medicaid badge with NO

| | NB-142 | Scan Benefits (Benefits.jsx) | Serious: color-contrast — Pale taupe disclosure subhead (#cdbf9f on #fff ~2.0:1) | | NB-143 | Scan Benefits (Benefits.jsx) | Serious: valid-lang — lang="zz" is not a valid BCP-47 primary subtag | | NB-144 | Scan Benefits (Benefits.jsx) | Serious: dlitem — Stray

outside any

| | NB-145 | Scan Benefits (Benefits.jsx) | Critical: aria-meter-name — Eligibility-likelihood

with NO accessible name | | NB-146 | Scan Benefits (Benefits.jsx) | Serious: aria-prohibited-attr — with aria-rowindex (only valid on row/cell roles) | | NB-147 | Scan City home (City.jsx) | Critical: image-alt — Mayor headshot with NO alt attribute | | NB-148 | Scan City home (City.jsx) | Critical: select-name — “Find a service” with no label / aria-label | | NB-149 | Scan City home (City.jsx) | Critical: link-name — Empty “Click here” anchor with NO accessible text | | NB-150 | Scan City home (City.jsx) | Critical: button-name — Icon-only social-share button with NO accessible name | | NB-151 | Scan City home (City.jsx) | Serious: svg-img-alt — City-emblem with NO

| | NB-152 | Scan City home (City.jsx) | Critical: aria-required-children —

with no role="option" children | | NB-153 | Scan City home (City.jsx) | Serious: valid-lang — lang="qq" is not a valid BCP-47 primary subtag | | NB-154 | Scan City home (City.jsx) | Serious: dlitem — Stray

outside any

| | NB-155 | Scan City home (City.jsx) | Serious: color-contrast — Pale-taupe caption (#cdbf9f on #fff ~2.0:1) | | NB-156 | Scan City home (City.jsx) | Critical: aria-meter-name — Air-quality

with NO accessible name | | NB-157 | Scan City home (City.jsx) | Serious: autocomplete-valid — autoComplete="address-zip" is not a valid WHATWG token | | NB-158 | Scan City home (City.jsx) | Serious: object-alt — with NO accessible name (no aria-label / title / fallback) | | NB-159 | Scan City home (City.jsx) | Serious: aria-tooltip-name — Empty placeholder | | NB-160 | Scan Permits (City) (Permits.jsx) | Critical: select-name — Unlabeled “Permit type” with no label / aria-label | | NB-161 | Scan Permits (City) (Permits.jsx) | Critical: button-name — Icon-only “Save draft” button with NO accessible name | | NB-162 | Scan Permits (City) (Permits.jsx) | Critical: link-name — Empty anchor (icon-only export link, no text, no aria-label) | | NB-163 | Scan Permits (City) (Permits.jsx) | Serious: svg-img-alt — Zoning sparkline with NO

| | NB-164 | Scan Permits (City) (Permits.jsx) | Serious: valid-lang — lang="latn" is not a valid BCP-47 primary subtag | | NB-165 | Scan Permits (City) (Permits.jsx) | Serious: dlitem — Stray

outside any

| | NB-166 | Scan Permits (City) (Permits.jsx) | Critical: aria-meter-name — Permit-volume

with NO accessible name | | NB-167 | Scan Permits (City) (Permits.jsx) | Critical: aria-required-attr — role="combobox" missing required aria-expanded
| | NB-168 | Scan Permits (City) (Permits.jsx) | Critical: aria-valid-attr — aria-labeledby is a typo of aria-labelledby | | NB-169 | Scan Permits (City) (Permits.jsx) | Serious: color-contrast — Pale-taupe required-marker (#cdbf9f on #fff ~2.0:1) | | NB-170 | Scan Permits (City) (Permits.jsx) | Serious: aria-progressbar-name — Review-stage

with NO accessible name | | NB-171 | Scan Permits (City) (Permits.jsx) | Serious: autocomplete-valid — autoComplete="cost" is not a valid WHATWG token | | NB-172 | Scan Vote (Vote.jsx) | Critical: label — Was: First name. Replaced with a styled — input has no programmatic name | | NB-173 | Scan Vote (Vote.jsx) | Serious: autocomplete-valid — autoComplete="voter" is not a valid WHATWG token | | NB-174 | Scan Vote (Vote.jsx) | Critical: select-name — Extra unlabeled "Party" with no label / aria-label | | NB-175 | Scan Vote (Vote.jsx) | Serious: aria-input-field-name —

with NO accessible name | | NB-176 | Scan Vote (Vote.jsx) | Critical: button-name — Icon-only "Look up registration" button with NO accessible name | | NB-177 | Scan Vote (Vote.jsx) | Serious: svg-img-alt — "I voted" badge with NO

| | NB-178 | Scan Vote (Vote.jsx) | Serious: color-contrast — Pale-taupe disclaimer (#cdbf9f on #fff ~2.0:1) | | NB-179 | Scan Vote (Vote.jsx) | Serious: valid-lang — lang="zz" is not a valid BCP-47 primary subtag | | NB-180 | Scan Vote (Vote.jsx) | Serious: dlitem — Stray

outside any

| | NB-181 | Scan Vote (Vote.jsx) | Critical: aria-required-children —

with NO role="radio" children | | NB-182 | Scan Vote (Vote.jsx) | Critical: link-name — Empty "More info" anchor (no text, no aria-label) | | NB-183 | Scan Vote (Vote.jsx) | Critical: aria-meter-name — Turnout

with NO accessible name | | NB-184 | Scan Vote (Vote.jsx) | Serious: aria-tooltip-name — Empty placeholder |

Batch 4 — accessible fix (for reference)

ID	Minimal fix
NB-010	Raise foreground/background contrast to meet 4.5:1 (3:1 for large text).
NB-011	Add a meaningful alt attribute (or alt="" if purely decorative).
NB-012	Add visible button text or aria-label describing the action.
NB-013	Associate a <label htmlFor> with the <select> or add aria-label.
NB-014	Add <title> inside the SVG or an aria-label on the role="img" SVG.
NB-015	Give each child the correct role (e.g. role="option" under role="listbox").
NB-016	Use a valid ARIA value (e.g. aria-expanded="true", not "yes").
NB-017	Add aria-label (plus aria-valuenow/min/max) to the progressbar.
NB-018	Give the tooltip a text content or aria-label.
NB-019	Wrap the <dt>/<dd> in a <dl> (or use semantic alternative).
NB-020	Use a valid BCP-47 language tag (e.g. lang="en", lang="fr").
NB-021	Provide visible text or aria-label for the link.
NB-022	Use a valid WHATWG autocomplete token (e.g. email).

ID	Minimal fix
NB-023	Add <title> inside the SVG or an aria-label on the role="img" SVG.
NB-024	Add aria-label to role="img" element.
NB-025	Wrap the <dt>/<dd> in a <dl> (or use semantic alternative).
NB-026	Use a valid BCP-47 language tag (e.g. lang="en", lang="fr").
NB-027	Add the required ARIA attributes for the role (per the comment).
NB-028	Fix the ARIA attribute name (e.g. aria-labelledby, not aria-labeledby).
NB-029	Raise foreground/background contrast to meet 4.5:1 (3:1 for large text).
NB-030	Add aria-label (plus aria-valuenow/min/max) to the progressbar.
NB-031	Give the tooltip a text content or aria-label.
NB-032	Use a real <label htmlFor={id}> associated with the input.
NB-033	Remove ARIA attributes not allowed on the element/role.
NB-034	Add a value (or aria-label) to the input button.
NB-035	Provide visible text or aria-label for the link.
NB-036	Add visible button text or aria-label describing the action.
NB-037	Give the meter an aria-label.
NB-038	Associate a <label htmlFor> with the <select> or add aria-label.
NB-039	Give the toggle widget an aria-label.
NB-040	Raise foreground/background contrast to meet 4.5:1 (3:1 for large text).
NB-041	Give each child the correct role (e.g. role="option" under role="listbox").
NB-042	Provide visible text or aria-label for the link.
NB-043	Add <title> inside the SVG or an aria-label on the role="img" SVG.
NB-044	Use a valid BCP-47 language tag (e.g. lang="en", lang="fr").
NB-045	Give the tooltip a text content or aria-label.
NB-046	Wrap the <dt>/<dd> in a <dl> (or use semantic alternative).
NB-047	Give the ARIA input field an accessible name.
NB-048	Fix the ARIA attribute name (e.g. aria-labelledby, not aria-labeledby).
NB-049	Add visible button text or aria-label describing the action.
NB-050	Add <title> inside the SVG or an aria-label on the role="img" SVG.
NB-051	Raise foreground/background contrast to meet 4.5:1 (3:1 for large text).
NB-052	Give each child the correct role (e.g. role="option" under role="listbox").
NB-053	Associate a <label htmlFor> with the <select> or add aria-label.
NB-054	Use a valid BCP-47 language tag (e.g. lang="en", lang="fr").
NB-055	Wrap the <dt>/<dd> in a <dl> (or use semantic alternative).
NB-056	Give the meter an aria-label.
NB-057	Give the tooltip a text content or aria-label.
NB-058	Use a valid ARIA value (e.g. aria-expanded="true", not "yes").
NB-059	Add alt content inside the <object>.
NB-060	Add <title> inside the SVG or an aria-label on the role="img" SVG.
NB-061	Add aria-label (plus aria-valuenow/min/max) to the progressbar.
NB-062	Raise foreground/background contrast to meet 4.5:1 (3:1 for large text).
NB-063	Use a valid BCP-47 language tag (e.g. lang="en", lang="fr").

ID	Minimal fix
NB-064	Wrap the <dt>/<dd> in a <dl> (or use semantic alternative).
NB-065	Remove focusable descendants from aria-hidden="true" ancestors.
NB-066	Use a real <label htmlFor={id}> associated with the input.
NB-067	Use a valid WHATWG autocomplete token (e.g. email).
NB-068	Associate a <label htmlFor> with the <select> or add aria-label.
NB-069	Add the required ARIA attributes for the role (per the comment).
NB-070	Fix the ARIA attribute name (e.g. aria-labelledby, not aria-labeledby).
NB-071	Remove ARIA attributes not allowed on the element/role.
NB-072	Add visible button text or aria-label describing the action.
NB-073	Add a meaningful alt attribute (or alt="" if purely decorative).
NB-074	Provide visible text or aria-label for the link.
NB-075	Add visible button text or aria-label describing the action.
NB-076	Raise foreground/background contrast to meet 4.5:1 (3:1 for large text).
NB-077	Add <title> inside the SVG or an aria-label on the role="img" SVG.
NB-078	Use a valid BCP-47 language tag (e.g. lang="en", lang="fr").
NB-079	Give the meter an aria-label.
NB-080	Give the tooltip a text content or aria-label.
NB-081	Fix the ARIA attribute name (e.g. aria-labelledby, not aria-labeledby).
NB-082	Wrap the <dt>/<dd> in a <dl> (or use semantic alternative).
NB-083	Fix the underlying aria-prohibited-attr failure per the WCAG 4.1.2 requirement.
NB-084	Give each child the correct role (e.g. role="option" under role="listbox").
NB-085	Reference valid <th id>s from headers attribute.
NB-086	Add a meaningful alt attribute (or alt="" if purely decorative).
NB-087	Associate a <label htmlFor> with the <select> or add aria-label.
NB-088	Add visible button text or aria-label describing the action.
NB-089	Provide visible text or aria-label for the link.
NB-090	Add <title> inside the SVG or an aria-label on the role="img" SVG.
NB-091	Give each child the correct role (e.g. role="option" under role="listbox").
NB-092	Give the meter an aria-label.
NB-093	Give the tooltip a text content or aria-label.
NB-094	Use a valid BCP-47 language tag (e.g. lang="en", lang="fr").
NB-095	Wrap the <dt>/<dd> in a <dl> (or use semantic alternative).
NB-096	Remove focusable descendants from aria-hidden="true" ancestors.
NB-097	Fix the underlying aria-prohibited-attr failure per the WCAG 4.1.2 requirement.
NB-098	Raise foreground/background contrast to meet 4.5:1 (3:1 for large text).
NB-099	Add visible button text or aria-label describing the action.
NB-100	Add <title> inside the SVG or an aria-label on the role="img" SVG.
NB-101	Use a valid BCP-47 language tag (e.g. lang="en", lang="fr").
NB-102	Add aria-label (plus aria-valuenow/min/max) to the progressbar.
NB-103	Fix the ARIA attribute name (e.g. aria-labelledby, not aria-labeledby).
NB-104	Remove ARIA attributes not allowed on the element/role.

ID	Minimal fix
NB-105	Fix the underlying aria-prohibited-attr failure per the WCAG 4.1.2 requirement.
NB-106	Use a real <label htmlFor={id}> associated with the input.
NB-107	Use a valid WHATWG autocomplete token (e.g. email).
NB-108	Associate a <label htmlFor> with the <select> or add aria-label.
NB-109	Add the required ARIA attributes for the role (per the comment).
NB-110	Add a meaningful alt attribute (or alt="" if purely decorative).
NB-111	Associate a <label htmlFor> with the <select> or add aria-label.
NB-112	Provide visible text or aria-label for the link.
NB-113	Add visible button text or aria-label describing the action.
NB-114	Add <title> inside the SVG or an aria-label on the role="img" SVG.
NB-115	Give each child the correct role (e.g. role="option" under role="listbox").
NB-116	Give the tooltip a text content or aria-label.
NB-117	Use a valid BCP-47 language tag (e.g. lang="en", lang="fr").
NB-118	Wrap the <dt>/<dd> in a <dl> (or use semantic alternative).
NB-119	Raise foreground/background contrast to meet 4.5:1 (3:1 for large text).
NB-120	Give the meter an aria-label.
NB-121	Use a valid ARIA value (e.g. aria-expanded="true", not "yes").
NB-122	Use a valid WHATWG autocomplete token (e.g. email).
NB-123	Raise foreground/background contrast to meet 4.5:1 (3:1 for large text).
NB-124	Add visible button text or aria-label describing the action.
NB-125	Add <title> inside the SVG or an aria-label on the role="img" SVG.
NB-126	Use a valid BCP-47 language tag (e.g. lang="en", lang="fr").
NB-127	Fix the ARIA attribute name (e.g. aria-labelledby, not aria-labeledby).
NB-128	Remove ARIA attributes not allowed on the element/role.
NB-129	Give the tooltip a text content or aria-label.
NB-130	Wrap the <dt>/<dd> in a <dl> (or use semantic alternative).
NB-131	Use a real <label htmlFor={id}> associated with the input.
NB-132	Use a valid WHATWG autocomplete token (e.g. email).
NB-133	Associate a <label htmlFor> with the <select> or add aria-label.
NB-134	Add the required ARIA attributes for the role (per the comment).
NB-135	Use a real <label htmlFor={id}> associated with the input.
NB-136	Use a valid WHATWG autocomplete token (e.g. email).
NB-137	Associate a <label htmlFor> with the <select> or add aria-label.
NB-138	Add the required ARIA attributes for the role (per the comment).
NB-139	Use a valid ARIA value (e.g. aria-expanded="true", not "yes").
NB-140	Add visible button text or aria-label describing the action.
NB-141	Add <title> inside the SVG or an aria-label on the role="img" SVG.
NB-142	Raise foreground/background contrast to meet 4.5:1 (3:1 for large text).
NB-143	Use a valid BCP-47 language tag (e.g. lang="en", lang="fr").
NB-144	Wrap the <dt>/<dd> in a <dl> (or use semantic alternative).
NB-145	Give the meter an aria-label.

ID	Minimal fix
NB-146	Fix the underlying aria-prohibited-attr failure per the WCAG 4.1.2 requirement.
NB-147	Add a meaningful alt attribute (or alt="" if purely decorative).
NB-148	Associate a <label htmlFor> with the <select> or add aria-label.
NB-149	Provide visible text or aria-label for the link.
NB-150	Add visible button text or aria-label describing the action.
NB-151	Add <title> inside the SVG or an aria-label on the role="img" SVG.
NB-152	Give each child the correct role (e.g. role="option" under role="listbox").
NB-153	Use a valid BCP-47 language tag (e.g. lang="en", lang="fr").
NB-154	Wrap the <dt>/<dd> in a <dl> (or use semantic alternative).
NB-155	Raise foreground/background contrast to meet 4.5:1 (3:1 for large text).
NB-156	Give the meter an aria-label.
NB-157	Use a valid WHATWG autocomplete token (e.g. email).
NB-158	Add alt content inside the <object>.
NB-159	Give the tooltip a text content or aria-label.
NB-160	Associate a <label htmlFor> with the <select> or add aria-label.
NB-161	Add visible button text or aria-label describing the action.
NB-162	Provide visible text or aria-label for the link.
NB-163	Add <title> inside the SVG or an aria-label on the role="img" SVG.
NB-164	Use a valid BCP-47 language tag (e.g. lang="en", lang="fr").
NB-165	Wrap the <dt>/<dd> in a <dl> (or use semantic alternative).
NB-166	Give the meter an aria-label.
NB-167	Add the required ARIA attributes for the role (per the comment).
NB-168	Fix the ARIA attribute name (e.g. aria-labelledby, not aria-labeledby).
NB-169	Raise foreground/background contrast to meet 4.5:1 (3:1 for large text).
NB-170	Add aria-label (plus aria-valuenow/min/max) to the progressbar.
NB-171	Use a valid WHATWG autocomplete token (e.g. email).
NB-172	Use a real <label htmlFor={id}> associated with the input.
NB-173	Use a valid WHATWG autocomplete token (e.g. email).
NB-174	Associate a <label htmlFor> with the <select> or add aria-label.
NB-175	Give the ARIA input field an accessible name.
NB-176	Add visible button text or aria-label describing the action.
NB-177	Add <title> inside the SVG or an aria-label on the role="img" SVG.
NB-178	Raise foreground/background contrast to meet 4.5:1 (3:1 for large text).
NB-179	Use a valid BCP-47 language tag (e.g. lang="en", lang="fr").
NB-180	Wrap the <dt>/<dd> in a <dl> (or use semantic alternative).
NB-181	Give each child the correct role (e.g. role="option" under role="listbox").
NB-182	Provide visible text or aria-label for the link.
NB-183	Give the meter an aria-label.
NB-184	Give the tooltip a text content or aria-label.

Batch 6 — IGT cheat sheet

The Batch 6 rows (NB-IGT-001 through NB-IGT-020) are surfaced via axe DevTools Pro **Intelligent Guided Tests (IGTs)** rather than automated rules. They appear in scans as **Needs Review** items (when axe can partially detect the pattern) or only after the SE runs the matching IGT in the extension panel. Severity is therefore n/a (IGT) in the catalog above.

ID	IGT to run	URL to reach	Pattern the SE is verifying
NB-IGT-001	Structure	/#/edu-gov/schools	Top-level <div role="presentation"> strips landmark/region semantics from descendants — IGT walks SE through landmark coverage.
NB-IGT-002	Structure	/#/edu-gov/services	Second <main> element on the page (PublicLayout already provides one) — IGT verifies exactly one main landmark.
NB-IGT-003	Structure	/#/edu-gov/city	Orphan <section> (region landmark) with no aria-label / aria-labelledby / inner heading — IGT verifies every region has an accessible name.
NB-IGT-004	Headings	/#/edu-gov/university	<h4> placed directly after the page <h1> (skips <h2>/<h3>) — IGT walks SE through the heading outline.
NB-IGT-005	Headings	/#/edu-gov/account (signed in)	Second <h1> on the page — IGT verifies exactly one top-level heading.
NB-IGT-006	Headings	/#/edu-gov/vote	Empty <h2> with no accessible content — IGT verifies every heading has meaningful text.
NB-IGT-007	Forms	/#/edu-gov/login	“Mother’s maiden name” HTML required input with NO visible required marker and NO aria-required — IGT verifies required state is both visible and programmatic.
NB-IGT-008	Forms	/#/edu-gov/services/enroll	Inline error next to child’s first-name input but input has NO aria-describedby to the message — IGT verifies error association.
NB-IGT-009	Forms	/#/edu-gov/vote	Three related “Notification preferences” checkboxes with no <fieldset> / <legend> — IGT verifies grouping of related controls.

ID	IGT to run	URL to reach	Pattern the SE is verifying
NB-IGT-010	Images	/ (Home)	Two adjacent s with identical src and identical alt (“Northbrook State seal”) — IGT verifies whether one should be decorative or the pair merged.
NB-IGT-011	Images	/#/edu-gov/schools	Cedarbrook Elementary photo whose alt (“Our schools”) does not match the image — IGT verifies alt accuracy (automation can’t catch mismatched-but-present alt).
NB-IGT-012	Images	/#/edu-gov/account (signed in)	State seal next to identity/greeting content — IGT asks SE whether alt="" is appropriate in this context.
NB-IGT-013	Modals	/#/edu-gov/city/permits → submit form	Confirmation role="dialog" overlay opens with NO initial focus AND NO focus trap — IGT verifies focus-on-open + focus trap.
NB-IGT-014	Modals	/#/edu-gov/services/benefits → “Apply for SNAP”	SNAP confirmation dialog has NO Escape-key close handler — IGT verifies Escape dismiss behavior.
NB-IGT-015	Modals	/#/edu-gov/services/enroll → review step → trigger “Are you sure?”	Dialog Cancel button closes but focus is NOT returned to the trigger — IGT verifies focus restoration.
NB-IGT-016	Reading Order	/ (Home)	Hero CTA pair wrapped with flexDirection: 'row-reverse' — visual order reverses DOM order. IGT verifies DOM vs visual parity.
NB-IGT-017	Reading Order	/#/edu-gov/account (signed in)	Last service card uses style={{ order: -1 }} so it renders first visually but is last in DOM — IGT verifies DOM vs visual parity.
NB-IGT-018	Keyboard	/#/edu-gov/university/register	Custom <div role="button" tabIndex={0}> with onClick but NO onKeyDown — IGT verifies Enter/Space activate the same as click.
NB-IGT-019	Keyboard	/#/edu-gov/services/dmv → Step 2	Positive tabIndex={3} on a Step-2 radio input disrupts natural tab order — IGT verifies tab sequence matches visual order.

ID	IGT to run	URL to reach	Pattern the SE is verifying
NB-IGT-020	Keyboard	/#/edu-gov/vote	Custom <code><div role="button" tabIndex={0}></code> with <code>onClick</code> but NO <code>onKeyDown</code> — IGT verifies Enter/Space activate the same as click.

Batch 6 — accessible fix (for reference)

ID	Minimal fix
NB-IGT-001	Drop <code>role="presentation"</code> from the top-level wrapper (or use a semantic <code><div></code> / <code><main></code> so landmark semantics flow normally).
NB-IGT-002	Remove the nested <code><main></code> (PublicLayout's <code><main></code> already covers the page) — use a <code><section aria-label="State agency search"></code> instead.
NB-IGT-003	Give the orphan <code><section></code> an accessible name — add <code>aria-label="..."</code> (or <code>aria-labelledby</code> by pointing at an inner heading).
NB-IGT-004	Replace the <code><h4></code> with the correct level (<code><h2></code>) so the outline goes <code>h1 → h2</code> without skipping.
NB-IGT-005	Demote the second <code><h1></code> to <code><h2></code> (or delete it) so there is exactly one top-level heading per page.
NB-IGT-006	Either add text content to the <code><h2></code> or remove the empty heading.
NB-IGT-007	Add a visible required indicator (asterisk + legend) AND <code>aria-required="true"</code> on the input.
NB-IGT-008	Give the error message an id and add <code>aria-describedby="<id>"</code> + <code>aria-invalid="true"</code> to the input.
NB-IGT-009	Wrap the three checkboxes in a <code><fieldset></code> with a <code><legend>Notification preferences</legend></code> .
NB-IGT-010	Mark one of the duplicate seals decorative (<code>alt=""</code>) or merge them into a single image.
NB-IGT-011	Replace the alt with one that accurately describes the photo (e.g. <code>alt="Cedarbrook Elementary front entrance"</code>).
NB-IGT-012	Replace <code>alt=""</code> with an informative alt (e.g. <code>alt="Northbrook State seal"</code>) since the seal carries identity meaning in this context.
NB-IGT-013	On dialog open, move focus to the first focusable child / heading; implement a focus trap (cycle Tab/Shift+Tab inside the dialog).
NB-IGT-014	Add an <code>onKeyDown</code> (or document-level keydown listener) that closes the dialog on Escape.
NB-IGT-015	On dialog close, return focus to the element that opened it (store the trigger ref before opening, call <code>.focus()</code> on close).
NB-IGT-016	Reorder the DOM to match the intended visual order and drop the <code>flexDirection: 'row-reverse'</code> style.

ID	Minimal fix
NB-IGT-017	Reorder the cards in the DOM to match the intended visual order and drop the style={{ order: -1 }}.
NB-IGT-018	Add onKeyDown that activates the control on Enter and Space — or use a real <button> element.
NB-IGT-019	Remove the positive tabIndex={3} (use the default tabIndex={0} / no tabIndex so it follows DOM order).
NB-IGT-020	Add onKeyDown that activates the control on Enter and Space — or use a real <button> element.

Pre-existing Phase 1 issues

These are issues that pre-date the Phase 2 effort. They were introduced inadvertently while building the clean baseline (mostly inline body links without underlines). Catalogued here so a customer scan returns no “mystery” findings — every finding has a row.

The NB-* IDs above are deliberate Phase 2 additions; the NB-PL-* IDs below are Phase 1 Leftovers. Status Pre-existing means we know about it, we haven’t fixed it, and we’re choosing to leave it in for now so demos look realistic.

ID	Page(s)	Component	WCAG/axe rule	Severity	Tool	Status
NB-PL-001	Login	Login.jsx inline body anchors that lack underline / non-color cue: “Create an account” link below the sign-in form, plus “Terms of Use” and “Privacy Notice” in the consent line	1.4.1 link-in-text-block	Serious	axe-core	Pre-existing

Notes on the NB-PL set

- **NB-PL-001** mirrors DQBC’s PL-003 / PL-004 pattern: inline anchors in body copy that are distinguished from surrounding text by color alone. Fix is the same — add text-decoration: underline (or another non-color visual indicator) to inline body anchors. Three nodes on the Login page.
- These rows don’t get PHASE-2 inline tags in the source — they pre-date Phase 2. They’re tracked here purely for catalog completeness so customer scans don’t show “mystery” findings.

Co-firing notes for NB-027

NB-027 (Login “Recent usernames” custom combobox) co-fires three axe rules on the same element:

1. **aria-required-attr (Critical)** — the deliberate primary issue: role="combobox" requires aria-expanded and the markup omits it.
2. **aria-input-field-name (Moderate)** — combobox is treated as an input field role, so it must have an accessible name; the markup has no aria-label / aria-labelledby.
3. **aria-valid-attr-value (Critical)** — aria-controls="recent-users-list" references a non-existent element id.

This is genuinely how real hand-rolled comboboxes fail in production — adding one bad widget reliably surfaces three findings in a single scan. Worth calling out in the demo as “look at how a single component generates a cluster of issues; this is why we recommend axe Linter at write time.”

Suggested Phase-2 starter set

Below is a recommended seed list to draw from when populating Northbrook Phase 2 batches. None are implemented yet — these are the SLED-resonant patterns worth landing first.

Schools — K-12 (Schools.jsx, Enroll.jsx, Grades.jsx)

- Drop alt from the district seal / school photo on Schools.jsx → image-alt (Critical, WCAG 1.1.1).
- “Click here for the school handbook (PDF)” link with non-descriptive text → link-name (Critical) or BP link-in-text-block.
- Drop <th scope> on the grade-portal <table> → scope-attr-valid / td-has-headers (Serious, WCAG 1.3.1).
- Enrollment Step 1 error message rendered without aria-describedby association → IGT Forms (manual review).
- Empty heading on the school directory → empty-heading (Minor, BP).

University (University.jsx, Register.jsx)

- Featured-program text in too-light green on the brand-accent panel → color-contrast (Serious, WCAG 1.4.3).
- “Add to cart” buttons with identical accessible name across courses → identical-links-same-purpose / IGT Keyboard.
- Course-conflict warning rendered visually red but with no programmatic announcement → IGT Forms.
- Custom <div role="button"> “Filter by department” without keyboard handlers → IGT Keyboard.

State Services (Services.jsx, DMV.jsx, Benefits.jsx)

- DMV renewal step-indicator that updates visually but not programmatically (no aria-current, no live region) → IGT Forms / Reading Order.
- Benefits eligibility result panel that fails contrast against the bg-soft → color-contrast (Serious, WCAG 1.4.3) or Pro advanced/text-contrast.
- Permits / public-records “View PDF” links with placeholder text “Click here” → link-name (Critical, WCAG 2.4.4).
- Multi-step DMV form with required indicators only shown via asterisk in the visible label (no required or aria-required) → IGT Forms.

City (City.jsx, Permits.jsx, Vote.jsx)

- Permit-application “Address” field missing <label> → label (Critical, WCAG 3.3.2).
- Voter registration radio group without <fieldset>/<legend> → IGT Forms (manual review).
- Polling-place “Map placeholder” given role="img" but with a non-descriptive aria-label → IGT Images.
- Council-meetings list with redundant link text (“Read more” × 5) → identical-links-same-purpose (Minor, BP).

Cross-cutting (PublicLayout.jsx, AuthLayout.jsx)

- Sign-in “Sign in” button with aria-label override that drops the visible label → label-content-name-mismatch (Serious, WCAG 2.5.3, Experimental).
- Sidebar nav icon-only buttons (when added) at 20×20 → target-size (Serious, WCAG 2.5.8).
- Skip-link removed or hidden → IGT Structure / Keyboard.

Demo-time toggle recommendations

For the most balanced spread across the four severity buckets when scanning Northbrook in axe DevTools Pro:

- **Best Practices: ON** — surfaces region, heading-order, accesskeys, image-redundant-alt, landmark-*, list, presentation-role-conflict, identical-links-same-purpose, empty-heading, etc. Important for ADA Title II conversations because the rule pack maps closely to WCAG 2.1 AA.
- **Experimental: ON** — adds label-content-name-mismatch and similar.
- **Needs Review** counts: identical-links-same-purpose and contrast-on-gradient findings live here in axe DevTools.
- **Pro Advanced rule pack** (always on with Pro license) — adds the AI-driven rules.