

2023-05-12_BasicDataTransformations

May 15, 2023

```
[18]: import numpy as np
import pandas as pd
import matplotlib
import matplotlib.pyplot as plt
import matplotlib.cm as cm

%matplotlib inline
colors=plt.rcParams['axes.prop_cycle'].by_key()['color']
```

1 Basic transformations on tabular data

As example data use UN World Population Example Dataset (see other files)

1.1 Import data

```
[19]: # set up column data types
headerLine="SortOrder,LocID,Notes,ISO3_code,ISO2_code,SDMX_code,LocTypeID,LocTypeName,"+\
        "ParentID,Location,VarID,Variant,"+\
        "\
        ↪"Time,TPopulation1Jan,TPopulation1July,TPopulationMale1July,TPopulationFemale1July,"+\
        "\
        ↪"PopDensity,PopSexRatio,MedianAgePop,NatChange,NatChangeRT,PopChange,PopGrowthRate,"+\
        "\
        ↪"DoublingTime,Births,Births1519,CBR,TFR,NRR,MAC,SRB,Deaths,DeathsMale,DeathsFemale,"+\
        "\
        ↪"CDR,LEx,LExMale,LExFemale,LE15,LE15Male,LE15Female,LE65,LE65Male,LE65Female,"+\
        "LE80,LE80Male,LE80Female,InfantDeaths,IMR,LBsurvivingAge1,Under5Deaths,"+\
        "\
        ↪"Q5,Q0040,Q0040Male,Q0040Female,Q0060,Q0060Male,Q0060Female,Q1550,Q1550Male,"+\
        "Q1550Female,Q1560,Q1560Male,Q1560Female,NetMigrations,CNMR"

dtypeDict={}
for x in headerLine.split(","):
    dtypeDict[x]=np.float64
```

```

for x in "SortOrder,LocID,LocTypeID,ParentID,VarID,Time".split(","):
    dtypeDict[x]=np.int32
for x in "Notes,IS03_code,SDMX_code,IS02_code,LocTypeName,Location,Variant".
    ↪split(","):
    dtypeDict[x]=str

```

```

[20]: dataFull=pd.read_csv("data/WPP2022_Demographic_Indicators_Medium.
    ↪csv",sep="," ,dtype=dtypeDict)

```

```

[21]: # check list of columns
dataFull.keys()

```

```

[21]: Index(['SortOrder', 'LocID', 'Notes', 'IS03_code', 'IS02_code', 'SDMX_code',
    'LocTypeID', 'LocTypeName', 'ParentID', 'Location', 'VarID', 'Variant',
    'Time', 'TPopulation1Jan', 'TPopulation1July', 'TPopulationMale1July',
    'TPopulationFemale1July', 'PopDensity', 'PopSexRatio', 'MedianAgePop',
    'NatChange', 'NatChangeRT', 'PopChange', 'PopGrowthRate',
    'DoublingTime', 'Births', 'Births1519', 'CBR', 'TFR', 'NRR', 'MAC',
    'SRB', 'Deaths', 'DeathsMale', 'DeathsFemale', 'CDR', 'LEx', 'LExMale',
    'LExFemale', 'LE15', 'LE15Male', 'LE15Female', 'LE65', 'LE65Male',
    'LE65Female', 'LE80', 'LE80Male', 'LE80Female', 'InfantDeaths', 'IMR',
    'LBSurvivingAge1', 'Under5Deaths', 'Q5', 'Q0040', 'Q0040Male',
    'Q0040Female', 'Q0060', 'Q0060Male', 'Q0060Female', 'Q1550',
    'Q1550Male', 'Q1550Female', 'Q1560', 'Q1560Male', 'Q1560Female',
    'NetMigrations', 'CNMR'],
    dtype='object')

```

1.2 Transformations

1.2.1 Filtering rows

```

[22]: # keep only rows for locations that are countries
print(f"rows full data: {dataFull.shape[0]}")

# creating boolean indicators according which to filter
countryIndicator=(dataFull["LocTypeName"]=="Country/Area")
timeIndicator=(dataFull["Time"]<=2022)

# apply logical operation and apply filter (apply copy to avoid later issues)
data=dataFull[countryIndicator & timeIndicator]

# apply copy to avoid later issues (will be illustrated below)
# clear original full dataset from memory
data=data.copy()
del dataFull

```

```
print(f"remaining columns: {data.shape[0]}")
```

rows full data: 43472
remaining columns: 17301

1.2.2 Select columns

```
[23]: dataReduced=data[["CBR","CDR"]]  
dataReduced.columns
```

```
[23]: Index(['CBR', 'CDR'], dtype='object')
```

1.2.3 Select rows and columns

(See pandas documentation for more details about accessors.)

```
[24]: dataSel=data.loc[data["Location"]=="Germany",["Time","CBR"]]  
dataSel
```

```
[24]:
```

	Time	CBR
29184	1950	16.222
29185	1951	15.916
29186	1952	15.733
29187	1953	15.643
29188	1954	15.658
...
29252	2018	9.423
29253	2019	9.304
29254	2020	9.144
29255	2021	9.167
29256	2022	9.139

[73 rows x 2 columns]

1.2.4 Careful when writing on selections of dataframe

```
[25]: # try this first:  
# select rows that are to be changed  
dataSel=data[data["Location"]=="United States of America"]  
# try to write on them  
dataSel["Location"]="USA"
```

/tmp/ipykernel_6449/3824782913.py:5: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame.

Try using `.loc[row_indexer,col_indexer] = value` instead

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
`dataSel["Location"]="USA"`

```
[26]: # but in the original dataframe the entries have not been changed
data[data["Location"]=="United States of America"].shape
```

```
[26]: (73, 67)
```

```
[27]: # preferred way to handle this:
data.loc[data["Location"]=="United States of America","Location"]="USA"
```

```
[28]: # check again
data[data["Location"]=="United States of America"].shape
```

```
[28]: (0, 67)
```

1.2.5 Generate derived columns

```
[29]: # compute "crude change rate": crude birth rate - crude death rate
data["CCR"]=data["CBR"]-data["CDR"]
```

1.2.6 Join tables

```
[30]: # have a separate table available, that lists for each country the
      ↪corresponding continent
# now want to add this info as new column into the data frame
# i.e. for each row in main table, look up row with corresponding country and
      ↪copy the given value of continent
# to a new continent column
dataContinents=pd.read_csv("data/UN_population/continent_association.csv",\
                           dtype={"SDMX_code":str,"Continent":str})
dataContinents.dtypes
```

```
[30]: SDMX_code    object
Continent      object
dtype: object
```

```
[31]: dataContinents["Continent"].unique()
```

```
[31]: array(['Africa', 'Asia', 'Europe', 'Central and South America',
        'North America', 'Oceania'], dtype=object)
```

```
[32]: # merge with continent data
data=pd.merge(data,dataContinents,on="SDMX_code")
```

```
[33]: data.shape
```

```
[33]: (17301, 69)
```

1.2.7 Summaries / reductions

Reduce big dataset to smaller one by computing basic aggregations, summaries, statistics. Typical examples are: * Maximum, minimum, mean, median, variance, ... * Count (distinguish: size, count, nunique in pandas)

```
[35]: [data["Time"].min(),data["Time"].max()]
```

```
[35]: [1950, 2022]
```

```
[37]: continents=data["Continent"].unique()
print(continents)
```

```
['Africa' 'Asia' 'Europe' 'Central and South America' 'North America'
 'Oceania']
```

```
[38]: data["Continent"].nunique()
```

```
[38]: 6
```

```
[40]: data["TPopulation1Jan"].median()
```

```
[40]: 3121.132
```

```
[41]: data["TPopulation1Jan"].sum()
```

```
[41]: 365821161.818
```

1.2.8 Grouping

Of course: applying such simplistic summaries to the whole dataset is usually too reductive. Often want to apply them only to subsets separately. This is most conveniently achieved by grouping a dataframe.

```
[42]: # this splits a dataframe into many smaller, according to distinct values of
      ↪ the given column
dataGrouped=data.groupby("Time")
print("year\t# rows")
for year,datasub in dataGrouped:
```

```
print(f"{year}\t{datasub.shape[0]}")
```

year	# rows
1950	237
1951	237
1952	237
1953	237
1954	237
1955	237
1956	237
1957	237
1958	237
1959	237
1960	237
1961	237
1962	237
1963	237
1964	237
1965	237
1966	237
1967	237
1968	237
1969	237
1970	237
1971	237
1972	237
1973	237
1974	237
1975	237
1976	237
1977	237
1978	237
1979	237
1980	237
1981	237
1982	237
1983	237
1984	237
1985	237
1986	237
1987	237
1988	237
1989	237
1990	237
1991	237
1992	237
1993	237

1994	237
1995	237
1996	237
1997	237
1998	237
1999	237
2000	237
2001	237
2002	237
2003	237
2004	237
2005	237
2006	237
2007	237
2008	237
2009	237
2010	237
2011	237
2012	237
2013	237
2014	237
2015	237
2016	237
2017	237
2018	237
2019	237
2020	237
2021	237
2022	237

```
[43]: # can group over several columns
# this splits a dataframe into many smaller, according to distinct values of
↳ the given column
dataGrouped=data.groupby(["Time","Continent"])
print("year\tcont\t# rows")
for (year,continent),datasub in dataGrouped:
    print(f"{year}\t{continent[:4]}\t{datasub.shape[0]}")
```

year	cont	# rows
1950	Afri	58
1950	Asia	51
1950	Cent	50
1950	Euro	50
1950	Nort	5
1950	Ocea	23
1951	Afri	58
1951	Asia	51
1951	Cent	50

1951	Euro	50
1951	Nort	5
1951	Ocea	23
1952	Afri	58
1952	Asia	51
1952	Cent	50
1952	Euro	50
1952	Nort	5
1952	Ocea	23
1953	Afri	58
1953	Asia	51
1953	Cent	50
1953	Euro	50
1953	Nort	5
1953	Ocea	23
1954	Afri	58
1954	Asia	51
1954	Cent	50
1954	Euro	50
1954	Nort	5
1954	Ocea	23
1955	Afri	58
1955	Asia	51
1955	Cent	50
1955	Euro	50
1955	Nort	5
1955	Ocea	23
1956	Afri	58
1956	Asia	51
1956	Cent	50
1956	Euro	50
1956	Nort	5
1956	Ocea	23
1957	Afri	58
1957	Asia	51
1957	Cent	50
1957	Euro	50
1957	Nort	5
1957	Ocea	23
1958	Afri	58
1958	Asia	51
1958	Cent	50
1958	Euro	50
1958	Nort	5
1958	Ocea	23
1959	Afri	58
1959	Asia	51
1959	Cent	50

1959	Euro	50
1959	Nort	5
1959	Ocea	23
1960	Afri	58
1960	Asia	51
1960	Cent	50
1960	Euro	50
1960	Nort	5
1960	Ocea	23
1961	Afri	58
1961	Asia	51
1961	Cent	50
1961	Euro	50
1961	Nort	5
1961	Ocea	23
1962	Afri	58
1962	Asia	51
1962	Cent	50
1962	Euro	50
1962	Nort	5
1962	Ocea	23
1963	Afri	58
1963	Asia	51
1963	Cent	50
1963	Euro	50
1963	Nort	5
1963	Ocea	23
1964	Afri	58
1964	Asia	51
1964	Cent	50
1964	Euro	50
1964	Nort	5
1964	Ocea	23
1965	Afri	58
1965	Asia	51
1965	Cent	50
1965	Euro	50
1965	Nort	5
1965	Ocea	23
1966	Afri	58
1966	Asia	51
1966	Cent	50
1966	Euro	50
1966	Nort	5
1966	Ocea	23
1967	Afri	58
1967	Asia	51
1967	Cent	50

1967	Euro	50
1967	Nort	5
1967	Ocea	23
1968	Afri	58
1968	Asia	51
1968	Cent	50
1968	Euro	50
1968	Nort	5
1968	Ocea	23
1969	Afri	58
1969	Asia	51
1969	Cent	50
1969	Euro	50
1969	Nort	5
1969	Ocea	23
1970	Afri	58
1970	Asia	51
1970	Cent	50
1970	Euro	50
1970	Nort	5
1970	Ocea	23
1971	Afri	58
1971	Asia	51
1971	Cent	50
1971	Euro	50
1971	Nort	5
1971	Ocea	23
1972	Afri	58
1972	Asia	51
1972	Cent	50
1972	Euro	50
1972	Nort	5
1972	Ocea	23
1973	Afri	58
1973	Asia	51
1973	Cent	50
1973	Euro	50
1973	Nort	5
1973	Ocea	23
1974	Afri	58
1974	Asia	51
1974	Cent	50
1974	Euro	50
1974	Nort	5
1974	Ocea	23
1975	Afri	58
1975	Asia	51
1975	Cent	50

1975	Euro	50
1975	Nort	5
1975	Ocea	23
1976	Afri	58
1976	Asia	51
1976	Cent	50
1976	Euro	50
1976	Nort	5
1976	Ocea	23
1977	Afri	58
1977	Asia	51
1977	Cent	50
1977	Euro	50
1977	Nort	5
1977	Ocea	23
1978	Afri	58
1978	Asia	51
1978	Cent	50
1978	Euro	50
1978	Nort	5
1978	Ocea	23
1979	Afri	58
1979	Asia	51
1979	Cent	50
1979	Euro	50
1979	Nort	5
1979	Ocea	23
1980	Afri	58
1980	Asia	51
1980	Cent	50
1980	Euro	50
1980	Nort	5
1980	Ocea	23
1981	Afri	58
1981	Asia	51
1981	Cent	50
1981	Euro	50
1981	Nort	5
1981	Ocea	23
1982	Afri	58
1982	Asia	51
1982	Cent	50
1982	Euro	50
1982	Nort	5
1982	Ocea	23
1983	Afri	58
1983	Asia	51
1983	Cent	50

1983	Euro	50
1983	Nort	5
1983	Ocea	23
1984	Afri	58
1984	Asia	51
1984	Cent	50
1984	Euro	50
1984	Nort	5
1984	Ocea	23
1985	Afri	58
1985	Asia	51
1985	Cent	50
1985	Euro	50
1985	Nort	5
1985	Ocea	23
1986	Afri	58
1986	Asia	51
1986	Cent	50
1986	Euro	50
1986	Nort	5
1986	Ocea	23
1987	Afri	58
1987	Asia	51
1987	Cent	50
1987	Euro	50
1987	Nort	5
1987	Ocea	23
1988	Afri	58
1988	Asia	51
1988	Cent	50
1988	Euro	50
1988	Nort	5
1988	Ocea	23
1989	Afri	58
1989	Asia	51
1989	Cent	50
1989	Euro	50
1989	Nort	5
1989	Ocea	23
1990	Afri	58
1990	Asia	51
1990	Cent	50
1990	Euro	50
1990	Nort	5
1990	Ocea	23
1991	Afri	58
1991	Asia	51
1991	Cent	50

1991	Euro	50
1991	Nort	5
1991	Ocea	23
1992	Afri	58
1992	Asia	51
1992	Cent	50
1992	Euro	50
1992	Nort	5
1992	Ocea	23
1993	Afri	58
1993	Asia	51
1993	Cent	50
1993	Euro	50
1993	Nort	5
1993	Ocea	23
1994	Afri	58
1994	Asia	51
1994	Cent	50
1994	Euro	50
1994	Nort	5
1994	Ocea	23
1995	Afri	58
1995	Asia	51
1995	Cent	50
1995	Euro	50
1995	Nort	5
1995	Ocea	23
1996	Afri	58
1996	Asia	51
1996	Cent	50
1996	Euro	50
1996	Nort	5
1996	Ocea	23
1997	Afri	58
1997	Asia	51
1997	Cent	50
1997	Euro	50
1997	Nort	5
1997	Ocea	23
1998	Afri	58
1998	Asia	51
1998	Cent	50
1998	Euro	50
1998	Nort	5
1998	Ocea	23
1999	Afri	58
1999	Asia	51
1999	Cent	50

1999	Euro	50
1999	Nort	5
1999	Ocea	23
2000	Afri	58
2000	Asia	51
2000	Cent	50
2000	Euro	50
2000	Nort	5
2000	Ocea	23
2001	Afri	58
2001	Asia	51
2001	Cent	50
2001	Euro	50
2001	Nort	5
2001	Ocea	23
2002	Afri	58
2002	Asia	51
2002	Cent	50
2002	Euro	50
2002	Nort	5
2002	Ocea	23
2003	Afri	58
2003	Asia	51
2003	Cent	50
2003	Euro	50
2003	Nort	5
2003	Ocea	23
2004	Afri	58
2004	Asia	51
2004	Cent	50
2004	Euro	50
2004	Nort	5
2004	Ocea	23
2005	Afri	58
2005	Asia	51
2005	Cent	50
2005	Euro	50
2005	Nort	5
2005	Ocea	23
2006	Afri	58
2006	Asia	51
2006	Cent	50
2006	Euro	50
2006	Nort	5
2006	Ocea	23
2007	Afri	58
2007	Asia	51
2007	Cent	50

2007	Euro	50
2007	Nort	5
2007	Ocea	23
2008	Afri	58
2008	Asia	51
2008	Cent	50
2008	Euro	50
2008	Nort	5
2008	Ocea	23
2009	Afri	58
2009	Asia	51
2009	Cent	50
2009	Euro	50
2009	Nort	5
2009	Ocea	23
2010	Afri	58
2010	Asia	51
2010	Cent	50
2010	Euro	50
2010	Nort	5
2010	Ocea	23
2011	Afri	58
2011	Asia	51
2011	Cent	50
2011	Euro	50
2011	Nort	5
2011	Ocea	23
2012	Afri	58
2012	Asia	51
2012	Cent	50
2012	Euro	50
2012	Nort	5
2012	Ocea	23
2013	Afri	58
2013	Asia	51
2013	Cent	50
2013	Euro	50
2013	Nort	5
2013	Ocea	23
2014	Afri	58
2014	Asia	51
2014	Cent	50
2014	Euro	50
2014	Nort	5
2014	Ocea	23
2015	Afri	58
2015	Asia	51
2015	Cent	50

2015	Euro	50
2015	Nort	5
2015	Ocea	23
2016	Afri	58
2016	Asia	51
2016	Cent	50
2016	Euro	50
2016	Nort	5
2016	Ocea	23
2017	Afri	58
2017	Asia	51
2017	Cent	50
2017	Euro	50
2017	Nort	5
2017	Ocea	23
2018	Afri	58
2018	Asia	51
2018	Cent	50
2018	Euro	50
2018	Nort	5
2018	Ocea	23
2019	Afri	58
2019	Asia	51
2019	Cent	50
2019	Euro	50
2019	Nort	5
2019	Ocea	23
2020	Afri	58
2020	Asia	51
2020	Cent	50
2020	Euro	50
2020	Nort	5
2020	Ocea	23
2021	Afri	58
2021	Asia	51
2021	Cent	50
2021	Euro	50
2021	Nort	5
2021	Ocea	23
2022	Afri	58
2022	Asia	51
2022	Cent	50
2022	Euro	50
2022	Nort	5
2022	Ocea	23


[66]: *# now combine this with stats*


```
[44]: dataGrouped=data.groupby(["Continent","Time"])
      dataSummed=dataGrouped["TPopulation1Jan"].sum()
      print(dataSummed)
```

```
Continent  Time
Africa     1950    225120.311
           1951    229978.205
           1952    234989.784
           1953    240182.336
           1954    245492.559
           ...
Oceania    2018    42175.314
           2019    42904.041
           2020    43652.259
           2021    44214.592
           2022    44768.856
```

Name: TPopulation1Jan, Length: 438, dtype: float64

```
[45]: for cont in continents:
      plt.plot(dataSummed[cont].index,dataSummed[cont].values,label=cont)
      plt.yscale("log")
      plt.legend()
      plt.tight_layout()
      plt.show()
```



[]:

[]: