# Simple & Multiple Correspondence Analyses Contingency, categorical, ordinal, continuous and mixed data

Derek Beaton

Rotman Research Institute

October 28, 2019



#### Our new best friends





via @allison\_horst




via @allison\_horst



What do we do with all of these in a PCA like way?









- ▶ What do we do with all of these in a PCA like way?
- ► Some are *very* difficult and effectively ignored









- ▶ What do we do with all of these in a PCA like way?
- ► Some are *very* difficult and effectively ignored
  - ► We won't do that!

► Not everything is a number

- Not everything is a number
- ► Sometimes numbers aren't numbers!

- Not everything is a number
- Sometimes numbers aren't numbers!
- ▶ We need to recognize when this happens

- Not everything is a number
- Sometimes numbers aren't numbers!
- ▶ We need to recognize when this happens
  - And know what to do

### Typology

► SS Stevens (not a boat!)

### Typology

- ► SS Stevens (not a boat!)
- ► Levels of measurement

### Typology

- SS Stevens (not a boat!)
- Levels of measurement
- Excellent examples: https://en.wikipedia.org/wiki/Level\_of\_measurement

### Where to find everything

► Generally: https://github.com/derekbeaton/workshops

### Where to find everything

- ► Generally: https://github.com/derekbeaton/workshops
- ► Today:

► Revisit PCA

- ► Revisit PCA
- ► Looking at some data

- Revisit PCA
- ► Looking at some data
- ► Simple correspondence analysis

- Revisit PCA
- ► Looking at some data
- ► Simple correspondence analysis
  - and many of its connections

- Revisit PCA
- ► Looking at some data
- ► Simple correspondence analysis
  - and many of its connections
- Multiple correspondence analysis

- Revisit PCA
- Looking at some data
- Simple correspondence analysis
  - and many of its connections
- Multiple correspondence analysis
  - generalizes CA (amongst many other things)

- Revisit PCA
- Looking at some data
- Simple correspondence analysis
  - and many of its connections
- Multiple correspondence analysis
  - generalizes CA (amongst many other things)
  - and how to handle various data types

- Revisit PCA
- Looking at some data
- ► Simple correspondence analysis
  - and many of its connections
- Multiple correspondence analysis
  - generalizes CA (amongst many other things)
  - and how to handle various data types
- A whole bunch of bonuses

- Revisit PCA
- Looking at some data
- Simple correspondence analysis
  - and many of its connections
- Multiple correspondence analysis
  - generalizes CA (amongst many other things)
  - and how to handle various data types
- A whole bunch of bonuses
  - Robustness

- Revisit PCA
- Looking at some data
- Simple correspondence analysis
  - and many of its connections
- Multiple correspondence analysis
  - generalizes CA (amongst many other things)
    - and how to handle various data types
- A whole bunch of bonuses
  - Robustness
  - PLS

- Revisit PCA
- Looking at some data
- Simple correspondence analysis
  - and many of its connections
- Multiple correspondence analysis
  - generalizes CA (amongst many other things)
  - and how to handle various data types
- A whole bunch of bonuses
  - Robustness
  - PLS
  - Networks

- Revisit PCA
- Looking at some data
- Simple correspondence analysis
  - and many of its connections
- Multiple correspondence analysis
  - generalizes CA (amongst many other things)
  - and how to handle various data types
- A whole bunch of bonuses
  - Robustness
  - PLS
  - Networks
  - Software

## Revisting PCA

▶ When we can compute a covariance or correlation matrix


- ▶ When we can compute a covariance or correlation matrix
- ► Break data into components

- ▶ When we can compute a covariance or correlation matrix
- ► Break data into components
  - Orthogonal


- ▶ When we can compute a covariance or correlation matrix
- Break data into components
  - Orthogonal
  - Rank ordered

- ▶ When we can compute a covariance or correlation matrix
- Break data into components
  - Orthogonal
  - Rank ordered
  - Made of bits & pieces of original measures


### Eigen- and singular value decompositions




### Eigen- and singular value decompositions




## Eigen- and singular value decompositions



## Eigen- and singular value decompositions



# Eigen- and singular value decompositions




Left (row) singular vectors




# Diagnosis and education


	CN	Dementia	MCI
ADV	39	7	54
В	57	17	75
B+	75	19	113
HS	25	13	46
HS+	39	9	77



<b>•</b>	Given a table, and asked for a multivariate analysis
	We do what we know: PCA



\*\*\*



# What did we analyze?


	CN	Dementia	MCI
CN	1.000	0.730	0.921
Dementia	0.730	1.000	0.652
MCI	0.921	0.652	1.000

## What did PCA detect?

	CN	Dementia	MCI	Row sums
ADV	39	7	54	100
В	57	17	75	149
B+	75	19	113	207
HS	25	13	46	84
HS+	39	9	77	125

# Let's try something different!

	ADV	В	B+	HS	HS+
CN	39	57	75	25	39
Dementia	7	17	19	13	9
MCI	54	75	113	46	77



Component 1. Explained variance: 97.8%

# What did PCA analyze?

	ADV	В	B+	HS	HS+
ADV	1.000	1.000	0.995	0.935	0.963
В	1.000	1.000	0.994	0.932	0.960
B+	0.995	0.994	1.000	0.965	0.984
HS	0.935	0.932	0.965	1.000	0.996
HS+	0.963	0.960	0.984	0.996	1.000

## What did PCA detect?

	ADV	В	В+	HS	HS+	Row sums
CN	39	57	75	25	39	235
Dementia	7	17	19	13	9	<i>65</i>
MCI	54	75	113	46	77	365

#### What is PCA for?

► When we can compute a *meaningful* covariance or correlation matrix

### Let's take another look

	CN	Dementia	MCI	Row sums
ADV	39	7	54	100
В	57	17	75	149
B+	75	19	113	207
HS	25	13	46	84
$\mathit{HS}+$	39	9	77	125
Column sums	235	65	365	

► Tell me things about this matrix

#### Let's take another look

	CN	Dementia	MCI	Row sums
ADV	39	7	54	100
В	57	17	75	149
B+	75	19	113	207
HS	25	13	46	84
$\mathit{HS}+$	39	9	77	125
Column sums	235	65	365	

- ► Tell me things about this matrix
- ▶ What kind of problem does this look like?

# Simple correspondence analysis

▶ Initially: visualize contingency tables (a la PCA, factor analyses)

- ▶ Initially: visualize contingency tables (a la PCA, factor analyses)
  - ► Text (corpus) of philosphy, biblical passages, literature

- ▶ Initially: visualize contingency tables (a la PCA, factor analyses)
  - ► Text (corpus) of philosphy, biblical passages, literature
  - From Benzecri (1964) & Escofier (1965)

- Initially: visualize contingency tables (a la PCA, factor analyses)
  - ► Text (corpus) of philosphy, biblical passages, literature
  - From Benzecri (1964) & Escofier (1965)
- ► Fully developed by Escofier (1969)

- Initially: visualize contingency tables (a la PCA, factor analyses)
  - ► Text (corpus) of philosphy, biblical passages, literature
  - From Benzecri (1964) & Escofier (1965)
- ► Fully developed by Escofier (1969)
- Explosion of the technique in France

- Initially: visualize contingency tables (a la PCA, factor analyses)
  - ► Text (corpus) of philosphy, biblical passages, literature
  - From Benzecri (1964) & Escofier (1965)
- ► Fully developed by Escofier (1969)
- Explosion of the technique in France
  - Across virtually every field (except psychology and neuroscience)

- Initially: visualize contingency tables (a la PCA, factor analyses)
  - ► Text (corpus) of philosphy, biblical passages, literature
  - From Benzecri (1964) & Escofier (1965)
- ► Fully developed by Escofier (1969)
- Explosion of the technique in France
  - Across virtually every field (except psychology and neuroscience)
- ▶ The magic of CA relies on the magic of  $\chi^2$

- Initially: visualize contingency tables (a la PCA, factor analyses)
  - ► Text (corpus) of philosphy, biblical passages, literature
  - ► From Benzecri (1964) & Escofier (1965)
- ► Fully developed by Escofier (1969)
- Explosion of the technique in France
  - Across virtually every field (except psychology and neuroscience)
- ▶ The magic of CA relies on the magic of  $\chi^2$ 
  - And there's some crazy magic here

► Hotelling (1933) & Thurstone (1933)

- ► Hotelling (1933) & Thurstone (1933)
- ► Hirschfeld (1935) & Horst (1935)

- ► Hotelling (1933) & Thurstone (1933)
- ► Hirschfeld (1935) & Horst (1935)
- ► Guttman (1941)

- ► Hotelling (1933) & Thurstone (1933)
- ► Hirschfeld (1935) & Horst (1935)
- ► Guttman (1941)
- ▶ Burt (1950)

- ► Hotelling (1933) & Thurstone (1933)
- ► Hirschfeld (1935) & Horst (1935)
- ► Guttman (1941)
- ▶ Burt (1950)
- ► And then Benzecri (1964) & Escofier (1965)

- ► Hotelling (1933) & Thurstone (1933)
- Hirschfeld (1935) & Horst (1935)
- ► Guttman (1941)
- ▶ Burt (1950)
- ► And then Benzecri (1964) & Escofier (1965)
- Many more very important characters to re-discover CA

➤ See Lebart's History & Prehistory of CA

► See Lebart's History & Prehistory of CA

http://www.dtmvic.com/doc/About\_the\_History\_of\_CA.pdf


- ► See Lebart's History & Prehistory of CA http://www.dtmvic.com/doc/About\_the\_History\_of\_CA.pdf
- And Beh & Lombardo's series.


- ► See Lebart's History & Prehistory of CA
  - http://www.dtmvic.com/doc/About\_the\_History\_of\_CA.pdf
- ► And Beh & Lombardo's series
- A geneaology of CA:
  https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1467-842X.2012.00676.x


- See Lebart's History & Prehistory of CA
- http://www.dtmvic.com/doc/About\_the\_History\_of\_CA.pdf
- - https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1467-842X.2012.00676.x
  - A geneaology of CA 2: http://sibaese.unisalento.it/index.php/ejasa/article/view/19785


# We're diving in

	CN	Dementia	MCI
ADV	39	7	54
В	57	17	75
B+	75	19	113
HS	25	13	46
HS+	39	9	77









	CN	Dementia	MCI
ADV	39	7	54
В	57	17	75
B+	75	19	113
HS	25	13	46

*HS*+ 39

CN


What if we perform CA on this?

**ADV** 

В B+

HS

HS+



# How did that happen?

Table 1: Data

	CN	Dementia	MCI
ADV	39	7	54
В	57	17	75
B+	75	19	113
HS	25	13	46
HS+	39	9	77

Table 2: Observed probabilites

	CN	Dementia	MCI
ADV	0.059	0.011	0.081
В	0.086	0.026	0.113
B+	0.113	0.029	0.170
HS	0.038	0.020	0.069

0.014

0.116

HS+

0.059

Table 3: Observed probabilites and margins

	CN	Dementia	MCI	Row sums
ADV	0.059	0.011	0.081	0.150
В	0.086	0.026	0.113	0.224
B+	0.113	0.029	0.170	0.311
HS	0.038	0.020	0.069	0.126
$\mathit{HS}+$	0.059	0.014	0.116	0.188
Column sums	0.353	0.098	0.549	

Table 4: Expected probabilites and margins

	CN	Dementia	MCI	Row sums
ADV	0.053	0.015	0.083	0.150
В	0.079	0.022	0.123	0.224
B+	0.110	0.030	0.171	0.311
HS	0.045	0.012	0.069	0.126
$\mathit{HS}+$	0.066	0.018	0.103	0.188
Column sums	0.353	0.098	0.549	

Table 5: Deviations: Observed - Expected

	CN	Dementia	MCI
ADV	0.006	-0.004	-0.002
В	0.007	0.004	-0.010
B+	0.003	-0.001	-0.001

0.008 0.000

0.013

-0.004

HS -0.007

HS+ -0.007

Table 6: Row constraints (inverse row margins)

	ADV	В	В+	HS	HS+
ADV	6 65	0.000	0.000	0.000	0.00

	ADV	В	B+	HS	HS+
ADV	6.65	0.000	0.000	0.000	0.00
В	0.00	4.463	0.000	0.000	0.00

3.213

0.000

0.000

0.000

7.917

0.000

0.00

0.00

5.32

0.000

0.000

0.000

B+

HS

HS+

0.00

0.00

0.00

Table 7: Column constraints (inverse row margins)

	CN	Dementia	MCI
CN	2.83	0.000	0.000
Dementia	0.00	10.231	0.000
MCI	0.00	0.000	1.822

► The generalized SVD

- ► The generalized SVD
  - ► Constraints (weights) for rows & columns of rectangular table

- ► The generalized SVD
  - ► Constraints (weights) for rows & columns of rectangular table
  - ▶ Required for CA and fancier PCA-like techniques & extensions

- ▶ The generalized SVD
  - ► Constraints (weights) for rows & columns of rectangular table
  - Required for CA and fancier PCA-like techniques & extensions
- For some matrix **X** with *I* rows and *J* columns

- The generalized SVD
  - Constraints (weights) for rows & columns of rectangular table
  - ▶ Required for CA and fancier PCA-like techniques & extensions
- For some matrix **X** with *I* rows and *J* columns
- $\triangleright$  SVD(**X**) vs. GSVD(**W**<sub>I</sub>,**X**,**W**<sub>J</sub>)

- The generalized SVD
  - Constraints (weights) for rows & columns of rectangular table
  - ▶ Required for CA and fancier PCA-like techniques & extensions
- For some matrix **X** with *I* rows and *J* columns
- $\triangleright$  SVD(**X**) vs. GSVD(**W**<sub>I</sub>,**X**,**W**<sub>J</sub>)
- ► GSVD is

- The generalized SVD
  - Constraints (weights) for rows & columns of rectangular table
  - ▶ Required for CA and fancier PCA-like techniques & extensions
- For some matrix **X** with *I* rows and *J* columns
- $\triangleright$  SVD(**X**) vs. GSVD(**W**<sub>I</sub>,**X**,**W**<sub>J</sub>)
- ► GSVD is
  - Matrix multiplication (by constraints on data)

- The generalized SVD
  - Constraints (weights) for rows & columns of rectangular table
  - ▶ Required for CA and fancier PCA-like techniques & extensions
- For some matrix X with I rows and J columns
- $\triangleright$  SVD(**X**) vs. GSVD(**W**<sub>I</sub>,**X**,**W**<sub>J</sub>)
- ► GSVD is
  - Matrix multiplication (by constraints on data)
  - ► The SVD

- The generalized SVD
  - Constraints (weights) for rows & columns of rectangular table
  - ▶ Required for CA and fancier PCA-like techniques & extensions
- For some matrix **X** with *I* rows and *J* columns
- $\triangleright$  SVD(**X**) vs. GSVD(**W**<sub>I</sub>,**X**,**W**<sub>J</sub>)
- ► GSVD is
  - Matrix multiplication (by constraints on data)
  - ► The SVD
  - More matrix multiplication (by constraints on vectors)

Notation

- Notation
- ► Visualize it in SVD form

- Notation
- ► Visualize it in SVD form
  - That looks familiar...

▶ O, wi & wj, E, Z

- ► O, wi & wj, E, Z
- ▶ Oh look that's Chi2

- ► O, wi & wj, E, Z
- ► Oh look that's Chi2
- ► Sum of eigenvalues \* sum of table = Chi2.

- ► O, wi & wj, E, Z
- ▶ Oh look that's Chi2
- ► Sum of eigenvalues \* sum of table = Chi2.
  - Each component is an additive orthogonal slice of Chi2. WOAH.

- ▶ 0, wi & wj, E, Z
- ► Oh look that's Chi2
- ► Sum of eigenvalues \* sum of table = Chi2.
  - Each component is an additive orthogonal slice of Chi2. WOAH.
  - ► The eigenvalues are *magic*

## CA visualized

► Oh look it's CCA-ish

## CA visualized

- ► Oh look it's CCA-ish
- ▶ Oh it really really is CCA-ish!

► It's like PCA

- ► It's like PCA
  - ► Variance (singular values, eigen values)

- ► It's like PCA
  - Variance (singular values, eigen values)
  - ▶ Directions & inter-relationships

- ► It's like PCA
  - Variance (singular values, eigen values)
  - ► Directions & inter-relationships
  - Components scores

- ► It's like PCA
  - Variance (singular values, eigen values)
  - ▶ Directions & inter-relationships
  - Components scores
- ► It's unlike PCA

- ► It's like PCA
  - Variance (singular values, eigen values)
  - Directions & inter-relationships
  - Components scores
- ► It's unlike PCA
  - ► Relative interpretation *between* sets

- ► It's like PCA
  - Variance (singular values, eigen values)
  - Directions & inter-relationships
  - Components scores
- ► It's unlike PCA
  - ► Relative interpretation *between* sets
  - Generalized singular vectors

- ► It's like PCA
  - Variance (singular values, eigen values)
  - Directions & inter-relationships
  - Components scores
- ► It's unlike PCA
  - ▶ Relative interpretation *between* sets
  - Generalized singular vectors
  - Bifactor


- ► It's like PCA
  - Variance (singular values, eigen values)
  - Directions & inter-relationships
  - Components scores
- ► It's unlike PCA
  - ▶ Relative interpretation *between* sets
  - Generalized singular vectors
  - Bifactor
    - Rows & columns treated the same

- ► It's like PCA
  - Variance (singular values, eigen values)
  - Directions & inter-relationships
  - Components scores
- ► It's unlike PCA
  - ▶ Relative interpretation *between* sets
  - Generalized singular vectors
  - Bifactor
    - Rows & columns treated the same
    - ► Together they help make components, as opposed to PCA







# Chi-squared



# Chi-squared



See here



(Some) References

## See the reference sections of these

▶ Beaton, D., Saporta, G., Abdi, H., & Alzheimer's Disease Neuroimaging Initiative. (2019). A generalization of partial least squares regression and correspondence analysis for categorical and mixed data: An application with the ADNI data. bioRxiv, 598888.

## See the reference sections of these

- ▶ Beaton, D., Saporta, G., Abdi, H., & Alzheimer's Disease Neuroimaging Initiative. (2019). A generalization of partial least squares regression and correspondence analysis for categorical and mixed data: An application with the ADNI data. bioRxiv, 598888.
- Beaton, D., Sunderland, K. M., Levine, B., Mandzia, J., Masellis, M., Swartz, R. H., ... & Strother, S. C. (2019). Generalization of the minimum covariance determinant algorithm for categorical and mixed data types. bioRxiv, 333005.

### And these

Abdi, H., Guillemot, V., Eslami, A., & Beaton, D. (2017). Canonical correlation analysis. Encyclopedia of Social Network Analysis and Mining, 1-16.

### And these

- Abdi, H., Guillemot, V., Eslami, A., & Beaton, D. (2017). Canonical correlation analysis. Encyclopedia of Social Network Analysis and Mining, 1-16.
- Beaton, D., Dunlop, J., & Abdi, H. (2016). Partial least squares correspondence analysis: A framework to simultaneously analyze behavioral and genetic data. Psychological methods, 21(4), 621.

► Greenacre, M. (2017). Correspondence analysis in practice. CRC press.

- Greenacre, M. (2017). Correspondence analysis in practice. CRC press.
- Greenacre, M. J. (1984). Theory and Applications of Correspondence Analysis. Retrieved from http://books.google.com/books?id=LsPaAAAAMAAJ

▶ Greenacre, M. J. (2010). Correspondence analysis. Wiley Interdisciplinary Reviews: Computational Statistics, 2(5), 613–619. https://doi.org/10.1002/wics.114

- ▶ Greenacre, M. J. (2010). Correspondence analysis. Wiley Interdisciplinary Reviews: Computational Statistics, 2(5), 613–619. https://doi.org/10.1002/wics.114
- Lebart, L., Morineau, A., & Warwick, K. M. (1984). Multivariate descriptive statistical analysis: correspondence analysis and related techniques for large matrices. Wiley.

- ▶ Greenacre, M. J. (2010). Correspondence analysis. Wiley Interdisciplinary Reviews: Computational Statistics, 2(5), 613–619. https://doi.org/10.1002/wics.114
- Lebart, L., Morineau, A., & Warwick, K. M. (1984). Multivariate descriptive statistical analysis: correspondence analysis and related techniques for large matrices. Wiley.
- Nguyen, L. H., & Holmes, S. (2019). Ten quick tips for effective dimensionality reduction. PLOS Computational Biology, 15(6), e1006907.

#### Data

► Escofier, B. (1978). Analyse factorielle et distances répondant au principe d'équivalence distributionnelle. Revue de Statistique Appliquée, 26(4), 29–37.

#### Data

- Escofier, B. (1978). Analyse factorielle et distances répondant au principe d'équivalence distributionnelle. Revue de Statistique Appliquée, 26(4), 29–37.
- Escofier, B. (1979). Traitement simultané de variables qualitatives et quantitatives en analyse factorielle. Cahiers de l'Analyse Des Données, 4(2), 137–146.

### Data

- Escofier, B. (1978). Analyse factorielle et distances répondant au principe d'équivalence distributionnelle. Revue de Statistique Appliquée, 26(4), 29–37.
- Escofier, B. (1979). Traitement simultané de variables qualitatives et quantitatives en analyse factorielle. Cahiers de l'Analyse Des Données, 4(2), 137–146.
- Greenacre, M. (2014). Data Doubling and Fuzzy Coding. In J. Blasius & M. Greenacre (Eds.), Visualization and Verbalization of Data (pp. 239–253). Philadelphia, PA, USA: CRC Press.

# History

▶ Holmes S, Josse J. Discussion of "50 Years of Data Science". Journal of Computational and Graphical Statistics. 2017, V26(4) 768-769. https://www.tandfonline.com/doi/full/10.10 80/10618600.2017.1385471