

Acme Agency Accessibility Audit

Generated on 2025-06-24

Confidential – For internal use only


Acme Agency Accessibility Audit

Scanned URL: https://clientsite.com



Date: 2025-06-24

WCAG Level: WCAG 2.2 AA



Executive Summary

This audit identifies potential accessibility issues that may affect users with disabilities. Resolving them improves usability, legal compliance, and inclusivity.

Top Issues: Missing labels, contrast failures

Legal Risk Estimate: High

Common Violations: 1.1.1, 1.3.1, 4.1.2

Accessibility Tools Used: axe-core, WCAG 2.2 validator

Follow-up Recommended: Full manual audit or remediation support

Severity Key

- Critical – Blocks access, legal exposure
- Serious – Major usability barrier
- Moderate – Noticeable but minor impact
- Minor – Cosmetic or edge-case

Visual Highlights



Issue Breakdown

<https://clientsite.com>

76 Score	Critical 2	Serious 3	Moderate 1	Minor 2
-------------	---------------	--------------	---------------	------------




Image missing alt

Description: Image has no alt text

Fix: Add a descriptive alt attribute

Rule: image-alt

Target: img[src='/logo.png']

Glossary

- **WCAG:** Web Content Accessibility Guidelines
- **Alt Text:** Text that describes an image for screen readers
- **ARIA:** Attributes that help assistive tech interpret UI
- **Contrast Ratio:** The difference in brightness between foreground and background
- **Screen Reader:** A tool that reads page content aloud to visually impaired users

Next Steps

We recommend a full manual audit to catch remaining issues, followed by remediation support.

[Schedule a Consultation](#)