

Refrigerant warnings / exterior

FULL-SIZE FIT PROOF / US LETTER / PRINT AT 100%, ACTUAL SIZE

A / Exterior - service and puncture / 190 x 91 mm / 6.5 mm body capitals

DANGER



A3

**RISK OF FIRE OR EXPLOSION.
FLAMMABLE REFRIGERANT USED.
TO BE REPAIRED ONLY BY
TRAINED SERVICE PERSONNEL.
DO NOT PUNCTURE
REFRIGERANT TUBING.**

B / Exterior - disposal / 190 x 71 mm / 6.5 mm body capitals

WARNING

**RISK OF FIRE OR EXPLOSION.
DISPOSE OF PROPERLY IN
ACCORDANCE WITH FEDERAL OR
LOCAL REGULATIONS.
FLAMMABLE REFRIGERANT USED.**

Refrigerant warnings / storage and service

FULL-SIZE FIT PROOF / US LETTER / PRINT AT 100%, ACTUAL SIZE

F / Exterior - non-fixed unit storage / 190 x 71 mm / 6.5 mm body capitals

WARNING

**RISK OF FIRE OR EXPLOSION.
STORE IN A WELL-VENTILATED ROOM
WITHOUT CONTINUOUSLY OPERATING
FLAMES OR OTHER
POTENTIAL IGNITION.**

C / Inside - near compressor / 190 x 89 mm / 6.5 mm body capitals

DANGER

**RISK OF FIRE OR EXPLOSION.
FLAMMABLE REFRIGERANT USED.
CONSULT REPAIR MANUAL/OWNER'S
GUIDE BEFORE ATTEMPTING TO
SERVICE THIS PRODUCT.
ALL SAFETY PRECAUTIONS
MUST BE FOLLOWED.**

Refrigerant warnings / packaging and service port

FULL-SIZE FIT PROOF / US LETTER / PRINT AT 100%, ACTUAL SIZE

D / Packaging - factory-charged unit / 190 x 82 mm / 6.5 mm body capitals

DANGER



A3

**RISK OF FIRE OR EXPLOSION DUE TO
FLAMMABLE REFRIGERANT USED.
FOLLOW HANDLING INSTRUCTIONS
CAREFULLY IN COMPLIANCE WITH
NATIONAL REGULATIONS.**

SERVICE PORT ID / 82 x 33 mm / 21 mm diamond + 7.2 mm A3 capitals



A3

R-600a

Service ports / process tube: PMS 185 or RAL 3020; at least 25 mm each direction.

Actual charge mass needs its own completed, permanent unit marking.

Minimum room area / installation height: determine from the applicable standard.

Ordinary paper is for fit checking. Permanent label material and attachment are unverified.



This line must measure 50 mm. Do not use Fit or Shrink to page.

Provisional marking set. End-use / R-600a acceptance and physical installation remain open.

Source: EPA SNAP Rule 26, 89 FR 50482-50484. See hardware/markings/README.md.