PRIOR-WORK DISCLOSURE — EP-AGENT-001

Version: v0.1-DRAFT (2026-10-15)
Source: Master University Non-Interference + Prior-Work Audit (2026-10-15), Sections J.1 and J.2, and the RF
canonical corpus ledger (v40, 2026-10-08: 109 experiments / 97 PASS / 9 preserved FAIL / 3 special / 14 families /
93 Zenodo records) as cited by that audit.

All prior work below is RF-run, on RF reference implementations, using RF-authored cases. None of it is independent validation. All of it is disclosed and preserved (Rule 2: prior work is not interference).

---

1. RF prior work relevant to the ExecutionProof boundary

Artifact	Repo	Exp. ID(s)	DOI / record	Date	Recorded result	Relationship to EP-AGENT-001
Enterprise Agent Boundary Testbed (ARK corpus)	`execution-proof-testbeds` (`ark-493-498/`)	ARK-493 to ARK-498	10.5281/zenodo.21462612 (prereg v1.1, SHA `464b9fb8…52952a`)	2026-07	161/161 PASS, 0 leaks (RF-run)	Adversarial/boundary content (bypass, mutation, mid-flight authority change, delegation, tamper). **Not imported.**
ARK-496 delegation & self-approval	`execution-proof-testbeds`	ARK-496	10.5281/zenodo.21462612	2026-07	8/8 PASS	Closest prior work to UW P2. **Not imported**; delegation excluded from EP-AGENT-001.
P01 failure-mode series (ARK)	`execution-proof-testbeds` (`P01_COMPLETION_REPORT.md`)..	ARK-458 to ARK-482	Zenodo records 21432645 21433485 (25 records)	2026-07-18	25/25 PASS; 20,000 decisions; 100% JS/Python concordance; synthetic, implementation-specific	Exact-action binding, revocation-at-execution, cross-context replay. **Not imported.**
ARK hardware	`execution-proof-testbeds`	ARK-441 to ARK-446	10.5281/zenodo.21398676	2026-07	443 PASS; 444 PASS;	Background only.

Artifact	Repo	Exp. ID(s)	DOI / record	Date	Recorded result	Relationship to EP-AGENT-001
boundary series					445 FAIL → 445b	
Intent-binding series (IB)	`execution-proof-testbeds` (`intent-binding/`)	IB-001, IB-002, IB-003	10.5281/zenodo.22002829	2026-08	IB-001 FAIL, IB-002 FAIL (preserved); IB-003 PASS 12/12	Showed deterministic matching can falsely block synonyms before normalization fixes. Relevant as background to normalization; EP-AGENT-001 does not test synonym/drift handling.
Authority partitioning (AUTH)	`execution-proof-testbeds` (`authority-partitioning/`)	AUTH-001, AUTH-002 (cases A01–A18)	10.5281/zenodo.22002833	prereg locked 2026-08-15	Per corpus ledger (results not re-read by the audit)	Single-actor capability grants; non-inheritance invariant. Background for the static authority condition in B3.
Execution-Proof production status	`execution-proof` (`PRODUCTION-STATUS.md`)	EP-7006, EP-7008	none	2026-08 (v1.0.0-public)	Live architecture description (four-en-	Describes the system under integration. Records

Artifact	Repo	Exp. ID(s)	DOI / record	Date	Recorded result	Relationship to EP-AGENT-001
					gine pipeline)	RF-100 §8.4 conformance as “pending independent external review” (UW P4 lane left open).
EP security series	`execution-proof-testbeds` (`ep-sec-001-009/`)	EP-SEC-001 to 009 (+009b)	not confirmed	2026	EP-SEC-009 FAIL → 009b (ledger); README returned 404; **contents unverified**	Provisionally POTENTIALLY BIASING for UD/P1. **Nothing from EP-SEC is used by EP-AGENT-001.**

Other RF families (WITNESS, BELLWETHER, CHRONO, OMNI, TRINITY, DM, QG, CUDA-EP, EP-PQC) are classified SAFE
BACKGROUND by the audit and have no bearing on EP-AGENT-001’s design. FIDELITY is SAFE WITH CLAIM BOUNDARY and is
not used. RF-100 is the formal standard; RF-run work cannot self-certify conformance to it.

2. Separation statement

EP-AGENT-001 is intentionally separated from the adversarial and multi-agent prior work above:

1. **It does not import adversarial case tables.** No ARK, P01, ARK-496, EP-SEC, or IB case definition, case list,
   per-cell outcome, or attack-derived input is used in any EP-AGENT-001 fixture.
2. **Its five fixtures (B1–B5) are newly authored**, benign, policy-driven, and correspond one-to-one to the core
   invariants (ALLOW; incomplete → HOLD; authority FAIL → DENY; evidence FAIL → HOLD; constraint FAIL → HOLD).

3. **Its question is different:** integration portability across agent frameworks, not boundary robustness.
4. **Its results cannot serve as an answer key** for UD, UW P1, UW P2, or UW P4 (gate Q3 = NO).
5. **No prior result is reinterpreted, renamed, or suppressed** to frame EP-AGENT-001 as novel.

3. What EP-AGENT-001 relies on from prior work

Only the publicly described ExecutionProof architecture and interface family (`PRODUCTION-STATUS.md`, API v2.1):
the decision path, the ALLOW / HOLD / DENY outcome set, the core invariants, and the `/verify` and `/proof/{id}`
interfaces. These are system descriptions, classified SAFE BACKGROUND for all university teams.

4. Open items

- EP-SEC contents remain unverified (README 404). Re-check at freeze; EP-AGENT-001 does not depend on them.
- AUTH-001/002 results were not re-read by the audit; cited per ledger only.
- The truncated ARK-493–498 prereg SHA (`464b9fb8…52952a`) is reproduced as cited by the audit; the full value should be copied from the source repository at freeze.