










Anise, badian, coriander, cumin, caraway, fennel and juniper berries, raw






Apples






Asparagus




Barley






Beans, dry






Beer of barley, malted






Blueberries






Broad beans and horse beans, dry






Broad beans and horse beans, green






Cabbages






Canary seed






Cantaloupes and other melons






Carrots and turnips






Cauliflowers and broccoli






Cherries




Chicory roots






Chillies and peppers, green (Capsicum spp. and Pimenta spp.)






Coconut oil





Cucumbers and gherkins






Currants






Edible offals of horses and other equines, fresh, chilled or frozen






Eggplants (aubergines)






Fibre Crops, Fibre Equivalent






Flax, raw or retted



Grapes



Green garlic



Green tea (not fermented), black tea (fermented) and partly fermented tea, in immediate packings of a content not exceeding 3 kg

Production

t

0.00204

0.00203


0.00202

0.00201

Data: FAOSTAT

derekmichaelwright.github.io/dblogr/agdata/crops_netherlands

Groundnut oil



Hop cones

Area Harvested

ha




0.050

0.025




0.000

-0.025




Leeks and other alliaceous vegetables






Lettuce and chicory




Linseed






Maize (corn)




Margarine and shortening




Mixed grain






Molasses




Mushrooms and truffles




Oats




Oil of linseed




Oil of maize






Oil of palm kernel






Oil of sesame seed






Onions and shallots, dry (excluding dehydrated)






Onions and shallots, green




Other beans, green






Other berries and fruits of the genus vaccinium n.e.c.



Other oil seeds, n.e.c.




Other vegetables, fresh n.e.c.






Peaches and nectarines

Production




t






Pears






Peas, dry






Peas, green






Plums and sloes






Poppy seed






Potatoes




Pumpkins, squash and gourds






Rape or colza seed






Rapeseed or canola oil, crude




Raspberries






Rye




Safflower-seed oil, crude



Sour cherries



Soya bean oil



Soya beans

Area Harvested

ha




5e-04
4e-04
3e-04
2e-04
1e-04

2020




Data: FAOSTAT

derekmichaelwright.github.io/dblogr/agdata/crops_netherlands




Spinach




Strawberries




Sugar beet






Sunflower seed






Sunflower-seed oil, crude






Tomatoes



Triticale



True hemp, raw or retted



Watermelons

Production

t

0.050

0.025

0.000

-0.025

Wheat

