






Total, all causes of death [A00–Y89]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Salmonella infections [A01-A02]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Shigellosis and amoebiasis [A03, A06]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Tuberculosis [A16–A19]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Whooping cough [A37]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Scarlet fever and erysipelas [A38, A46]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death





Meningococcal infection [A39]







Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Sepsis [A40–A41]



Syphilis [A50–A53]






Acute poliomyelitis [A80]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Arthropod-borne viral encephalitis [A83-A84, A85.2]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Measles [B05]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Viral hepatitis [B15–B19]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Human immunodeficiency virus [HIV] disease [B20–B24]



Measurement


- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Data: STATCAN


derekmichaelwright.github.io/dblogr/blog/canada_deaths

Malaria [B50-B54]


Age-specific mortality rate per 100,000 population



Number of deaths





Rank of leading causes of death




Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death





Malignant neoplasms [C00-C97]





Measurement




In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behaviour [D00–D48]







Anaemias [D50–D64]





Measurement



Diabetes mellitus [E10–E14]






Nutritional deficiencies [E40–E64]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Meningitis [G00, G03]




Measurement


- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Parkinson's disease [G20-G21]


Age-specific mortality rate per 100,000 population



Number of deaths



Rank of leading causes of death




Measurement


- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Alzheimer's disease [G30]


Age-specific mortality rate per 100,000 population



Number of deaths





Rank of leading causes of death



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death





Diseases of heart [I00-I09, I11, I13, I20-I51]






Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



Essential hypertension and hypertensive renal disease [I10, I12, I15]



Cerebrovascular diseases [160–169]







Atherosclerosis [I70]





Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Aortic aneurysm and dissection [I71]





Influenza and pneumonia [J09–J18]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Acute bronchitis and bronchiolitis [J20–J21]






Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Chronic lower respiratory diseases [J40–J47]







Pneumoconioses and chemical effects [J60–J66, J68]






Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Pneumonitis due to solids and liquids [J69]






Peptic ulcer [K25-K28]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Diseases of appendix [K35–K38]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death





Hernia [K40–K46]





Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Chronic liver disease and cirrhosis [K70, K73–K74]





Cholelithiasis and other disorders of gallbladder [K80–K82]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Nephritis, nephrotic syndrome and nephrosis [N00–N07, N17–N19, N25–N27]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



Infections of kidney [N10–N12, N13.6, N15.1]




Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Hyperplasia of prostate [N40]



Measurement






Inflammatory diseases of female pelvic organs [N70–N76]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Pregnancy, childbirth and the puerperium [O00–O99]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death





Certain conditions originating in the perinatal period [P00–P96]






Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Congenital malformations, deformations and chromosomal abnormalities [Q00–Q99]





COVID-19 [U07.1, U07.2, U10.9]



Accidents (unintentional injuries) [V01-X59, Y85-Y86]





Intentional self-harm (suicide) [X60-X84, Y87.0]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Assault (homicide) [X85–Y09, Y87.1]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Legal intervention [Y35, Y89.0]




Measurement


- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Operations of war and their sequelae [Y36, Y89.1]


Age-specific mortality rate per 100,000 population



Number of deaths






Rank of leading causes of death



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Complications of medical and surgical care [U12.9, Y40–Y84, Y88]




Measurement


- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Other causes of death


Age-specific mortality rate per 100,000 population



Rank of leading causes of death



Number of deaths



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death