



Total, all causes of death [A00-Y89]


Age-specific mortality rate per 100,000 population



Number of deaths





Rank of leading causes of death




Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Salmonella infections [A01-A02]



Measurement






Shigellosis and amoebiasis [A03, A06]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Tuberculosis [A16-A19]




Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



Whooping cough [A37]



Measurement






Scarlet fever and erysipelas [A38, A46]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Meningococcal infection [A39]






Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death


Sepsis [A40-A41]







Syphilis [A50-A53]







Measurement






Acute poliomyelitis [A80]






Arthropod-borne viral encephalitis [A83-A84, A85.2]



Measles [B05]







Viral hepatitis [B15-B19]





Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Human immunodeficiency virus [HIV] disease [B20-B24]






Malaria [B50-B54]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death





Malignant neoplasms [C00-C97]







Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death





In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behaviour [D00-D48]






Anaemias [D50-D64]



Diabetes mellitus [E10-E14]






Nutritional deficiencies [E40-E64]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Meningitis [G00, G03]







Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death





Parkinson's disease [G20-G21]







Alzheimer's disease [G30]







Diseases of heart [I00-I09, I11, I13, I20-I51]







Essential hypertension and hypertensive renal disease [I10, I12, I15]







Cerebrovascular diseases [I60-I69]





Atherosclerosis [I70]



Aortic aneurysm and dissection [I71]







Influenza and pneumonia [J09-J18]







Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death





Acute bronchitis and bronchiolitis [J20-J21]







Chronic lower respiratory diseases [J40-J47]







Pneumoconioses and chemical effects [J60-J66, J68]






Pneumonitis due to solids and liquids [J69]



Peptic ulcer [K25-K28]







Diseases of appendix [K35-K38]




Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death





Hernia [K40-K46]







Chronic liver disease and cirrhosis [K70, K73-K74]







Cholelithiasis and other disorders of gallbladder [K80-K82]







Nephritis, nephrotic syndrome and nephrosis [N00-N07, N17-N19, N25-N27]







Infections of kidney [N10-N12, N13.6, N15.1]







Hyperplasia of prostate [N40]







Inflammatory diseases of female pelvic organs [N70-N76]







Pregnancy, childbirth and the puerperium [O00-O99]







Certain conditions originating in the perinatal period [P00-P96]







Congenital malformations, deformations and chromosomal abnormalities [Q00-Q99]




COVID-19 [U07.1, U07.2, U10.9]





Accidents (unintentional injuries) [V01-X59, Y85-Y86]



Intentional self-harm (suicide) [X60-X84, Y87.0]







Assault (homicide) [X85-Y09, Y87.1]






Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death





Legal intervention [Y35, Y89.0]



Operations of war and their sequelae [Y36, Y89.1]




Complications of medical and surgical care [U12.9, Y40-Y84, Y88]




Other causes of death


Age-specific mortality rate per 100,000 population



Number of deaths



Rank of leading causes of death



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death