

Document information

Software: realplex 2.2

File Name: EPPENDORF\Svenja\ileumplate8.3

Printed by: EPPENDORF

Created: Nov/23/2018 14:46

Serial No. Thermo Module: 6325 30387 Serial No. realplex Module.: 630011465

Acquisition Start Time: EPPENDORF Nov/23/2018 14:50
Acquisition End Time: EPPENDORF Nov/23/2018 16:18
Last updated: EPPENDORF Nov/22/2018 17:04

Background: Sarstedt-20µl Sep/12/2011 10:28 Color Calibration: SYBR Mar/12/2018 15:31

ileumplate8.3 Quantification Nov/23/2018 16:30

Melting Curve Nov/23/2018 16:20

Inverted Data: OFF

Comment:




Plate layout

	1	2	3	4	5	6	7	8	9	10	11	12
Α	ILWE_A											
	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00
В	ILWE_A											
	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00
С	ILWE_A											
	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00
D	ILWE_A											
	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00
E	ILWE_A											
	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00
F	ILWE_A											
	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00
G	ILWE_A											
	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00
н	NTC	NTC	NTC	NTC	NTC	NTC	water	water	water	water	water	water



PCR Program




Program Header

Lid Temp	105 °C	TSP Heated Lid	Yes
Temp. Mode	Standard	Switch off lid at low block temp	No
Impulse	No	Simulate Mastercycler gradient	No




Raw Data SYBR

Fluorescence Profile



Temperature Profile





Quantification SYBR

Pos	Name	Ct SYBR	Ct Mean SYBR	Ct Dev. SYBR	Amount SYBR [Copies]	Amount Mean SYBR	Amount Dev. SYBR	Target SYBR
! ■ A1	ILWE_AA_552	30.73	30.91	0.25	1.00			eimeria
■ A2	ILWE_AA_552	30.81	30.91	0.25	1.00			eimeria
! ■ A3	ILWE_AA_552	31.20	30.91	0.25	1.00			eimeria
! ■ A4	ILWE_AA_552	22.49	22.98	0.92	1.00			mouse
! ■ A5	ILWE_AA_552	22.41	22.98	0.92	1.00			mouse
! ■ A6	ILWE_AA_552	24.04	22.98	0.92	1.00			mouse
! ■A7	ILWE_AA_582	31.88	33.16	1.99	1.00			eimeria
! ■ A8	ILWE_AA_582	32.17	33.16	1.99	1.00			eimeria
! ■ A9	ILWE_AA_582	35.45	33.16	1.99	1.00			eimeria
!	ILWE_AA_582	22.56	22.04	0.46	1.00			mouse
!	ILWE_AA_582	21.80	22.04	0.46	1.00			mouse
!	ILWE_AA_582	21.75	22.04	0.46	1.00			mouse
! ■ B1	ILWE_AA_557	32.05	31.75	0.36	1.00			eimeria
! ■ B2	ILWE_AA_557	31.35	31.75	0.36	1.00			eimeria
! ■ B3	ILWE_AA_557	31.84	31.75	0.36	1.00			eimeria
! ■ B4	ILWE_AA_557	22.89	22.82	0.25	1.00			mouse
! ■ B5	ILWE_AA_557	23.03	22.82	0.25	1.00			mouse
! ■ ■B6	ILWE_AA_557	22.55	22.82	0.25	1.00			mouse
! ■ ■B7	ILWE_AA_584	30.59	30.77	0.62	1.00			eimeria
! ■ ■B8	ILWE_AA_584	30.26	30.77	0.62	1.00			eimeria
! ■ B9	ILWE_AA_584	31.46	30.77	0.62	1.00			eimeria
! ■ B10	ILWE_AA_584	20.14	20.00	0.14	1.00			mouse
! ■B11	ILWE_AA_584	19.87	20.00	0.14	1.00			mouse
! ■B12	ILWE_AA_584	20.00	20.00	0.14	1.00			mouse
! ■ C1	ILWE_AA_576	30.61	30.40	0.19	1.00			eimeria
! ■ C2	ILWE_AA_576	30.36	30.40	0.19	1.00			eimeria
!	ILWE_AA_576	30.23	30.40	0.19	1.00			eimeria
! ■ C4	ILWE_AA_576	21.87	21.78	0.20	1.00			mouse
! ■ C5	ILWE_AA_576	21.93	21.78	0.20	1.00			mouse
i	ILWE_AA_576	21.55	21.78	0.20	1.00			mouse
! ∏	ILWE_AA_586	29.92	30.25	0.51	1.00			eimeria
i	ILWE_AA_586	29.98	30.25	0.51	1.00			eimeria
i	ILWE_AA_586	30.84	30.25	0.51	1.00			eimeria
! ∏	ILWE_AA_586	22.17	21.91	0.31	1.00			mouse
! ∏	ILWE_AA_586	21.56	21.91	0.31	1.00			mouse




Pos	Name	Ct SYBR	Ct Mean SYBR	Ct Dev. SYBR	Amount SYBR [Copies]	Amount Mean SYBR	Amount Dev. SYBR	Target SYBR
. C12	ILWE_AA_586	21.99	21.91	0.31	1.00			mouse
<u>-</u> □ D1	ILWE_AA_577	31.63	30.96	0.67	1.00			eimeria
. D2	ILWE_AA_577	30.97	30.96	0.67	1.00			eimeria
! ■ D3	ILWE_AA_577	30.28	30.96	0.67	1.00			eimeria
! ■ D4	ILWE_AA_577	22.86	22.74	0.18	1.00			mouse
! ■ D5	ILWE_AA_577	22.82	22.74	0.18	1.00			mouse
i ■ D6	ILWE_AA_577	22.54	22.74	0.18	1.00			mouse
!	ILWE_AA_587	33.07	33.39	0.67	1.00			eimeria
! ■ D8	ILWE_AA_587	32.93	33.39	0.67	1.00			eimeria
! ■ D9	ILWE_AA_587	34.16	33.39	0.67	1.00			eimeria
!	ILWE_AA_587	23.13	22.91	0.22	1.00			mouse
! □ D11	ILWE_AA_587	22.69	22.91	0.22	1.00			mouse
! ☐ D12	ILWE_AA_587	22.92	22.91	0.22	1.00			mouse
! ■ E1	ILWE_AA_579	30.98	30.80	0.16	1.00			eimeria
! ■ E2	ILWE_AA_579	30.75	30.80	0.16	1.00			eimeria
! ■ E3	ILWE_AA_579	30.67	30.80	0.16	1.00			eimeria
! ■ E4	ILWE_AA_579	21.89	21.93	0.24	1.00			mouse
! ■ E5	ILWE_AA_579	22.19	21.93	0.24	1.00			mouse
! ■ E6	ILWE_AA_579	21.71	21.93	0.24	1.00			mouse
! ■ E 7	ILWE_AA_589	31.78	32.00	0.21	1.00			eimeria
! ■ E8	ILWE_AA_589	32.19	32.00	0.21	1.00			eimeria
! ■ E9	ILWE_AA_589	32.05	32.00	0.21	1.00			eimeria
! ■E10	ILWE_AA_589	22.64	22.73	0.42	1.00			mouse
! ■ E11	ILWE_AA_589	22.36	22.73	0.42	1.00			mouse
! ■ E12	ILWE_AA_589	23.19	22.73	0.42	1.00			mouse
! 	ILWE_AA_580	32.04	31.86	0.19	1.00			eimeria
! ■ F2	ILWE_AA_580	31.66	31.86	0.19	1.00			eimeria
!	ILWE_AA_580	31.88	31.86	0.19	1.00			eimeria
!	ILWE_AA_580	22.65	22.81	0.43	1.00			mouse
!	ILWE_AA_580	22.49	22.81	0.43	1.00			mouse
!	ILWE_AA_580	23.30	22.81	0.43	1.00			mouse
!	ILWE_AA_590	34.68	34.73	0.15	1.00			eimeria
!	ILWE_AA_590	34.90	34.73	0.15	1.00			eimeria
!	ILWE_AA_590	34.61	34.73	0.15	1.00			eimeria
!	ILWE_AA_590	22.02	21.97	0.49	1.00			mouse
! 	ILWE_AA_590	21.46	21.97	0.49	1.00			mouse
. F12	ILWE_AA_590	22.44	21.97	0.49	1.00			mouse
• G1	ILWE_AA_581	29.99	29.99	0.06	1.00			eimeria
! ∏ G 2	ILWE_AA_581	30.05	29.99	0.06	1.00			eimeria



Pos	Name	Ct SYBR	Ct Mean SYBR	Ct Dev. SYBR	Amount SYBR [Copies]	Amount Mean SYBR	Amount Dev. SYBR	Target SYBR
!	ILWE_AA_581	29.93	29.99	0.06	1.00			eimeria
!	ILWE_AA_581	21.56	21.72	0.14	1.00			mouse
!	ILWE_AA_581	21.83	21.72	0.14	1.00			mouse
!	ILWE_AA_581	21.76	21.72	0.14	1.00			mouse
!	ILWE_AA_591	31.39	31.24	0.30	1.00			eimeria
! ∏ G 8	ILWE_AA_591	30.90	31.24	0.30	1.00			eimeria
! ∏ G 9	ILWE_AA_591	31.43	31.24	0.30	1.00			eimeria
_ ! ∏	ILWE_AA_591	22.23	21.95	0.30	1.00			mouse
- ! ∏	ILWE_AA_591	21.62	21.95	0.30	1.00			mouse
!	ILWE_AA_591	21.99	21.95	0.30	1.00			mouse
- ■ H1	NTC	-			-			eimeria
- □ H2	NTC	-			-			eimeria
- ■H3	NTC	-			-			eimeria
H4	NTC	-			-			mouse
- □ ■H5	NTC	-			-			mouse
- □ ■H6	NTC	-			-			mouse
- □ ■H7	water	-			-			eimeria
- ■H8	water	-			-			eimeria
- ∐ ■H9	water	-			-			eimeria
-TH10	water	-			-			mouse
_ - ■ H11	water	-			-			mouse
- □ ■H12	water	-			-			mouse




Amplification Plot



Threshold 240 (Noiseband)

Baseline automatic, Drift correction OFF

Standard curve



Amount[Copies]

Slope - R^2 -Y-Intercept - Efficiency -



Melting Curve SYBR

Pos	Name	No. Tm SYBR	Tm x (°C) SYBR	Tm y (°C) SYBR	Mean SYBR	Dev. SYBR
! ∏ A1	ILWE_AA_552	0				_
!	ILWE_AA_552	0				
!	ILWE_AA_552	0				
!	ILWE_AA_552	1	79.2			
!	ILWE_AA_552	1	79.6			
!	ILWE_AA_552	0				
!	ILWE_AA_582	0				
!	ILWE_AA_582	0				
!	ILWE_AA_582	0				
! 	ILWE_AA_582	1	79.6			
! ∏ A11	ILWE_AA_582	1	79.9			
!	ILWE_AA_582	1	80.2			
!	ILWE_AA_557	0				
! ■ B2	ILWE_AA_557	0				
! ■ B3	ILWE_AA_557	0				
!	ILWE_AA_557	1	79.2			
! ∏ B5	ILWE_AA_557	1	79.4			
! ■ B6	ILWE_AA_557	1	79.6			
!	ILWE_AA_584	0				
! ■ B8	ILWE_AA_584	0				
! ■ B9	ILWE_AA_584	0				
! ■ B10	ILWE_AA_584	1	79.5			
!	ILWE_AA_584	1	79.8			
! ■ B12	ILWE_AA_584	1	79.9			
! ∏ C1	ILWE_AA_576	0				
! ∏ C2	ILWE_AA_576	0				
i∏ C3	ILWE_AA_576	0				
! ∏ C4	ILWE_AA_576	1	78.7			
! ∏ C5	ILWE_AA_576	1	79.2			
i∏ C6	ILWE_AA_576	1	79.3			
! ∏ C7	ILWE_AA_586	0				
i	ILWE_AA_586	0				
i	ILWE_AA_586	0				
! ∏ C10	ILWE_AA_586	1	79.3			
! ∏ C11	ILWE_AA_586	1	79.6			
! ∏ C12	ILWE_AA_586	1	79.7			




Pos	Name	No. Tm SYBR	Tm x (°C) SYBR	Tm y (°C) SYBR	Mean SYBR	Dev. SYBR
<u>•</u> □ D1	ILWE_AA_577	0				
! □ D2	ILWE_AA_577	0				
! ■ D3	ILWE_AA_577	0				
! □ D4	ILWE_AA_577	1	78.9			
! ∏ D5	ILWE_AA_577	1	79.2			
! ☐ D6	ILWE_AA_577	1	79.3			
! ∏ D7	ILWE_AA_587	0				
! ∏ D8	ILWE_AA_587	0				
. □ D9	ILWE_AA_587	0				
. □ D10	ILWE_AA_587	1	79.2			
_ !∏ D11	ILWE_AA_587	1	79.5			
! ∏ D12	ILWE_AA_587	1	79.6			
E1	ILWE_AA_579	0				
! ■ E2	ILWE_AA_579	0				
! 	ILWE_AA_579	0				
! 	ILWE_AA_579	1	79.0			
! ∏ E5	ILWE_AA_579	1	79.3			
!	ILWE_AA_579	1	79.4			
! 	ILWE_AA_589	0				
!	ILWE_AA_589	0				
!	ILWE_AA_589	0				
! ■ E10	ILWE_AA_589	1	79.3			
! 	ILWE_AA_589	1	79.6			
! ■ E12	ILWE_AA_589	1	79.7			
! 	ILWE_AA_580	0				
!	ILWE_AA_580	0				
!	ILWE_AA_580	0				
!	ILWE_AA_580	1	78.7			
!	ILWE_AA_580	1	79.1			
!	ILWE_AA_580	1	79.0			
! ∏ F7	ILWE_AA_590	0				
!	ILWE_AA_590	0				
!	ILWE_AA_590	1	82.2			
!	ILWE_AA_590	1	79.5			
! ∏ F11	ILWE_AA_590	1	79.6			
!	ILWE_AA_590	1	79.6			
!	ILWE_AA_581	0				
!	ILWE_AA_581	0				
!	ILWE_AA_581	0				
! ∏ G4	ILWE_AA_581	1	79.1			



Pos	Name	No. Tm SYBR	Tm x (°C) SYBR	Tm y (°C) SYBR	Mean SYBR	Dev. SYBR
<u>•</u>	ILWE_AA_581	1	79.4			
!	ILWE_AA_581	1	79.7			
!	ILWE_AA_591	0				
!	ILWE_AA_591	0				
!	ILWE_AA_591	0				
!	ILWE_AA_591	1	79.1			
!	ILWE_AA_591	1	79.6			
!	ILWE_AA_591	1	79.7			
- ∏ H1	NTC	0				
-T H2	NTC	0				
- ☐ H3	NTC	0				
- ☐ H4	NTC	0				
-T H5	NTC	0				
- ☐ H6	NTC	0				
- ∏ H7	water	0				
- ∏ H8	water	0				
- ∏ H9	water	0				
- ☐ H10	water	0				
-T H11	water	0				
-T H12	water	0				



Melting curve



Threshold 33%

