Document information

Software:	realplex 2.2	
File Name:	EPPENDORF\Svenja\cecum_plate5	
Printed by:	EPPENDORF	
Created:	Jan/29/2019 12:28	
Serial No. Thermo Module:	6325 30387	
Serial No. realplex Module.:	630011465	
Acquisition Start Time:	EPPENDORF	Jan/29/2019 12:38
Acquisition End Time:	EPPENDORF	Jan/29/2019 14:06
Last updated:	EPPENDORF	Jan/29/2019 12:30
Background:	Sarstedt-20µl	Sep/12/2011 10:28
Color Calibration:	SYBR	Mar/12/2018 15:31
cecum_plate5	Quantification	Jan/29/2019 14:06
	Melting Curve	Jan/29/2019 14:06
Inverted Data:	OFF	
Comment:		

Plate layout

	1	2	3	4	5	6	7	8	9	10	11	12
A	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00
B	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00
C	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00
D	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00
E	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00
F	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00
G	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00
H	NTC	NTC	NTC	NTC	NTC	NTC	water	water	water	water	water	water

PCR Program



Program Header

Lid Temp	105 °C	TSP Heated Lid	Yes
Temp. Mode	Standard	Switch off lid at low block temp	No
Impulse	No	Simulate Mastercycler gradient	No

Raw Data SYBR

Fluorescence Profile



Temperature Profile



Quantification SYBR

Pos	Name	Ct SYBR	Ct Mean SYBR	Ct Dev. SYBR	Amount SYBR [Copies]	Amount Mean SYBR	Amount Dev. SYBR	Target SYBR
A1	CEWE_AA_524	27.77	27.63	0.12	1.00			eimeria
A2	CEWE_AA_524	27.57	27.63	0.12	1.00			eimeria
A3	CEWE_AA_524	27.56	27.63	0.12	1.00			eimeria
A4	CEWE_AA_524	22.45	22.34	0.22	1.00			mouse
A5	CEWE_AA_524	22.48	22.34	0.22	1.00			mouse
A6	CEWE_AA_524	22.08	22.34	0.22	1.00			mouse
A7	CEWE_AA_551	35.79			1.00			eimeria
A8	CEWE_AA_551				1.00			eimeria
A9	CEWE_AA_551				1.00			eimeria
A10	CEWE_AA_551	21.06	20.88	0.36	1.00			mouse
A11	CEWE_AA_551	20.47	20.88	0.36	1.00			mouse
A12	CEWE_AA_551	21.11	20.88	0.36	1.00			mouse
B1	CEWE_AA_525	25.50	25.11	0.48	1.00			eimeria
B2	CEWE_AA_525	24.57	25.11	0.48	1.00			eimeria
B3	CEWE_AA_525	25.27	25.11	0.48	1.00			eimeria
B4	CEWE_AA_525	23.90	23.58	0.35	1.00			mouse
B5	CEWE_AA_525	23.63	23.58	0.35	1.00			mouse
B6	CEWE_AA_525	23.21	23.58	0.35	1.00			mouse
B7	CEWE_AA_556	31.36	29.84	1.32	1.00			eimeria
B8	CEWE_AA_556	29.10	29.84	1.32	1.00			eimeria
B9	CEWE_AA_556	29.05	29.84	1.32	1.00			eimeria
B10	CEWE_AA_556	23.12	23.01	0.09	1.00			mouse
B11	CEWE_AA_556	22.95	23.01	0.09	1.00			mouse
B12	CEWE_AA_556	22.97	23.01	0.09	1.00			mouse
C1	CEWE_AA_528	33.85	32.36	1.30	1.00			eimeria
C2	CEWE_AA_528	31.80	32.36	1.30	1.00			eimeria
C3	CEWE_AA_528	31.45	32.36	1.30	1.00			eimeria
C4	CEWE_AA_528	22.06	22.00	0.11	1.00			mouse
C5	CEWE_AA_528	22.08	22.00	0.11	1.00			mouse
C6	CEWE_AA_528	21.88	22.00	0.11	1.00			mouse
C7	CEWE_AA_558	32.50	31.48	0.88	1.00			eimeria
C8	CEWE_AA_558	30.93	31.48	0.88	1.00			eimeria
C9	CEWE_AA_558	31.02	31.48	0.88	1.00			eimeria
C10	CEWE_AA_558	21.82	21.75	0.22	1.00			mouse
C11	CEWE_AA_558	21.50	21.75	0.22	1.00			mouse

Pos	Name	Ct SYBR	Ct Mean SYBR	Ct Dev. SYBR	Amount SYBR [Copies]	Amount Mean SYBR	Amount Dev. SYBR	Target SYBR
C12	CEWE_AA_558	21.92	21.75	0.22	1.00			mouse
D1	CEWE_AA_529	33.14	31.39	1.53	1.00			eimeria
D2	CEWE_AA_529	30.68	31.39	1.53	1.00			eimeria
D3	CEWE_AA_529	30.34	31.39	1.53	1.00			eimeria
D4	CEWE_AA_529	21.04	21.01	0.10	1.00			mouse
D5	CEWE_AA_529	21.10	21.01	0.10	1.00			mouse
D6	CEWE_AA_529	20.90	21.01	0.10	1.00			mouse
D7	CEWE_AA_565		34.50	0.15	1.00			eimeria
D8	CEWE_AA_565	34.61	34.50	0.15	1.00			eimeria
D9	CEWE_AA_565	34.40	34.50	0.15	1.00			eimeria
D10	CEWE_AA_565	22.61	22.58	0.17	1.00			mouse
D11	CEWE_AA_565	22.39	22.58	0.17	1.00			mouse
D12	CEWE_AA_565	22.73	22.58	0.17	1.00			mouse
E1	CEWE_AA_531	19.30	18.98	0.44	1.00			eimeria
E2	CEWE_AA_531	18.47	18.98	0.44	1.00			eimeria
E3	CEWE_AA_531	19.16	18.98	0.44	1.00			eimeria
E4	CEWE_AA_531	20.80	19.92	0.83	1.00			mouse
E5	CEWE_AA_531	19.81	19.92	0.83	1.00			mouse
E6	CEWE_AA_531	19.14	19.92	0.83	1.00			mouse
E7	CEWE_AA_566				1.00			eimeria
E8	CEWE_AA_566	5.64			1.00			eimeria
E9	CEWE_AA_566				1.00			eimeria
E10	CEWE_AA_566	31.13	30.33	1.00	1.00			mouse
E11	CEWE_AA_566	30.66	30.33	1.00	1.00			mouse
E12	CEWE_AA_566	29.20	30.33	1.00	1.00			mouse
F1	CEWE_AA_539	32.80	31.67	1.08	1.00			eimeria
F2	CEWE_AA_539	31.57	31.67	1.08	1.00			eimeria
F3	CEWE_AA_539	30.64	31.67	1.08	1.00			eimeria
F4	CEWE_AA_539	21.45	21.27	0.22	1.00			mouse
F5	CEWE_AA_539	21.35	21.27	0.22	1.00			mouse
F6	CEWE_AA_539	21.02	21.27	0.22	1.00			mouse
F7	CEWE_AA_570	33.74	31.72	1.76	1.00			eimeria
F8	CEWE_AA_570	30.94	31.72	1.76	1.00			eimeria
F9	CEWE_AA_570	30.48	31.72	1.76	1.00			eimeria
F10	CEWE_AA_570	22.90	22.58	0.34	1.00			mouse
F11	CEWE_AA_570	22.22	22.58	0.34	1.00			mouse
F12	CEWE_AA_570	22.63	22.58	0.34	1.00			mouse
G1	CEWE_AA_544	26.67	30.63	3.43	1.00			eimeria
G2	CEWE_AA_544	32.65	30.63	3.43	1.00			eimeria

Pos	Name	Ct SYBR	Ct Mean SYBR	Ct Dev. SYBR	Amount SYBR [Copies]	Amount Mean SYBR	Amount Dev. SYBR	Target SYBR
G3	CEWE_AA_544	32.56	30.63	3.43	1.00			eimeria
G4	CEWE_AA_544	23.14	23.75	0.78	1.00			mouse
G5	CEWE_AA_544	23.48	23.75	0.78	1.00			mouse
G6	CEWE_AA_544	24.63	23.75	0.78	1.00			mouse
G7	CEWE_AA_582	36.54	33.41	2.72	1.00			eimeria
G8	CEWE_AA_582	32.13	33.41	2.72	1.00			eimeria
G9	CEWE_AA_582	31.58	33.41	2.72	1.00			eimeria
G10	CEWE_AA_582	21.76	21.82	0.06	1.00			mouse
G11	CEWE_AA_582	21.83	21.82	0.06	1.00			mouse
G12	CEWE_AA_582	21.87	21.82	0.06	1.00			mouse
H1	NTC	-			-			eimeria
H2	NTC	-			-			eimeria
H3	NTC	-			-			eimeria
H4	NTC	-			-			mouse
H5	NTC	-			-			mouse
H6	NTC	-			-			mouse
H7	water	-			-			eimeria
H8	water	-			-			eimeria
H9	water	-			-			eimeria
H10	water	-			-			mouse
H11	water	-			-			mouse
H12	water	-			-			mouse

Amplification Plot



Threshold	247 (Noiseband)
Baseline	automatic, Drift correction OFF

Standard curve



Slope	-	R^2	-
Y-Intercept	-	Efficiency	-

Melting Curve SYBR

Pos	Name	No. Tm SYBR	Tm x (°C) SYBR	Tm y (°C) SYBR	Mean SYBR	Dev. SYBR
A1	CEWE_AA_524	1	76.0			
A2	CEWE_AA_524	1	76.4			
A3	CEWE_AA_524	0				
A4	CEWE_AA_524	1	79.7			
A5	CEWE_AA_524	1	79.9			
A6	CEWE_AA_524	1	80.0			
A7	CEWE_AA_551	0				
A8	CEWE_AA_551	0				
A9	CEWE_AA_551	0				
A10	CEWE_AA_551	1	79.6			
A11	CEWE_AA_551	1	80.1			
A12	CEWE_AA_551	1	80.2			
B1	CEWE_AA_525	1	75.0			
B2	CEWE_AA_525	1	75.0			
B3	CEWE_AA_525	1	75.0			
B4	CEWE_AA_525	1	79.5			
B5	CEWE_AA_525	1	79.8			
B6	CEWE_AA_525	1	79.9			
B7	CEWE_AA_556	1	73.5			
B8	CEWE_AA_556	1	74.3			
B9	CEWE_AA_556	1	74.5			
B10	CEWE_AA_556	1	78.6			
B11	CEWE_AA_556	1	79.4			
B12	CEWE_AA_556	1	79.8			
C1	CEWE_AA_528	0				
C2	CEWE_AA_528	0				
C3	CEWE_AA_528	0				
C4	CEWE_AA_528	1	79.7			
C5	CEWE_AA_528	1	79.9			
C6	CEWE_AA_528	1	80.0			
C7	CEWE_AA_558	0				
C8	CEWE_AA_558	0				
C9	CEWE_AA_558	0				
C10	CEWE_AA_558	1	78.9			
C11	CEWE_AA_558	1	79.2			
C12	CEWE_AA_558	1	79.5			

Pos	Name	No. Tm SYBR	Tm x (°C) SYBR	Tm y (°C) SYBR	Mean SYBR	Dev. SYBR
D1	CEWE_AA_529	0				
D2	CEWE_AA_529	0				
D3	CEWE_AA_529	0				
D4	CEWE_AA_529	1	79.6			
D5	CEWE_AA_529	1	79.6			
D6	CEWE_AA_529	1	79.8			
D7	CEWE_AA_565	0				
D8	CEWE_AA_565	0				
D9	CEWE_AA_565	0				
D10	CEWE_AA_565	1	78.7			
D11	CEWE_AA_565	1	79.0			
D12	CEWE_AA_565	1	79.5			
E1	CEWE_AA_531	1	74.7			
E2	CEWE_AA_531	1	74.7			
E3	CEWE_AA_531	1	74.8			
E4	CEWE_AA_531	1	79.6			
E5	CEWE_AA_531	1	79.8			
E6	CEWE_AA_531	1	80.1			
E7	CEWE_AA_566	0				
E8	CEWE_AA_566	0				
E9	CEWE_AA_566	0				
E10	CEWE_AA_566	1	78.5			
E11	CEWE_AA_566	1	78.9			
E12	CEWE_AA_566	1	79.4			
F1	CEWE_AA_539	0				
F2	CEWE_AA_539	0				
F3	CEWE_AA_539	0				
F4	CEWE_AA_539	1	79.7			
F5	CEWE_AA_539	1	79.9			
F6	CEWE_AA_539	1	80.1			
F7	CEWE_AA_570	0				
F8	CEWE_AA_570	0				
F9	CEWE_AA_570	0				
F10	CEWE_AA_570	1	78.8			
F11	CEWE_AA_570	1	79.0			
F12	CEWE_AA_570	1	79.6			
G1	CEWE_AA_544	0				
G2	CEWE_AA_544	0				
G3	CEWE_AA_544	0				
G4	CEWE_AA_544	0				

Pos	Name	No. Tm SYBR	Tm x (°C) SYBR	Tm y (°C) SYBR	Mean SYBR	Dev. SYBR
G5	CEWE_AA_544	0				
G6	CEWE_AA_544	0				
G7	CEWE_AA_582	1	73.9			
G8	CEWE_AA_582	0				
G9	CEWE_AA_582	0				
G10	CEWE_AA_582	1	79.1			
G11	CEWE_AA_582	1	79.3			
G12	CEWE_AA_582	1	79.7			
H1	NTC	0				
H2	NTC	0				
H3	NTC	0				
H4	NTC	0				
H5	NTC	0				
H6	NTC	0				
H7	water	0				
H8	water	0				
H9	water	0				
H10	water	0				
H11	water	0				
H12	water	0				

Melting curve



Threshold 33%