

Patrick Glanville Support Tracker Process Guide

Chapter 1. Purpose and Scope

This project tracks urgent and non-urgent support tasks for Patrick Glanville and provides a repeatable process for creating and emailing the daily Urgency Report.

The project has two automation lanes:

- the main tracker dashboard in the project root
- the Email-folder automation flow for report generation and delivery

The Claude - Anthropic folder is treated as an independent reference process. It contains working Gmail configuration that may be read by other scripts, but it is not the primary Email-folder automation path.

Chapter 2. Dashboard Workflow

The dashboard entry files are:

- index.html
- app.js
- styles.css

Main dashboard actions:

- Save PDF To DB: upload shared PDF documents into the tracker database
- View Saved PDFs: open PDFs stored in the shared database
- Urgency Report: prepare the current Urgency Report workflow
- Create HTML Email: export the current urgency report as a rich HTML file
- History: review task updates
- Export and Import: move tracker data in and out of JSON files

The dashboard is responsible for organizing tasks, calculating urgency content, and providing a manual operator workflow. It is not the scheduled sender by itself.

Chapter 3. Urgency Report Content

The Urgency Report is built from tasks marked with Urgent priority.

The report emphasizes:

- due date
- task owner
- current percent complete
- next required action
- context notes

Urgent job and income tasks are grouped first because restoring income is treated as the highest-leverage path for transportation, housing, debt, and daily living stability.

Chapter 4. Email Folder Scripts

The Email folder contains the main local automation scripts:

- Invoke-DailyUrgencyReport.ps1
- Send-RichUrgencyReport.ps1
- Watch-RichUrgencyReports.ps1
- Set-UrgencyReportSmtplibCredential.ps1
- send_rich_urgency_report.py
- scheduled_urgency_report_sender.py
- Start-DailyUrgencyEmailScheduler.ps1

Roles of these scripts:

- Invoke-DailyUrgencyReport.ps1: pulls the current tracker state from Supabase and builds a fresh patrick-urgency-report-YYYY-MM-DD.html file
- Send-RichUrgencyReport.ps1: sends or drafts the HTML report through Outlook or SMTP
- Watch-RichUrgencyReports.ps1: reacts when a new HTML report is dropped into the Email folder
- Set-UrgencyReportSmtplibCredential.ps1: stores encrypted SMTP credentials for the local machine
- send_rich_urgency_report.py: Python SMTP comparison utility for sending the latest saved HTML report
- scheduled_urgency_report_sender.py: dedicated daily scheduler for the Email-folder automation
- Start-DailyUrgencyEmailScheduler.ps1: PowerShell launcher for the dedicated daily scheduler

Chapter 5. Independent Claude Reference Process

The file:

- Claude - Anthropic/send_daily_email.py

is a separate independent process.

It contains:

- the Gmail sender address
- the Gmail app password
- the recipient list
- an older standalone scheduling flow

This file is used as a reference source for Gmail settings by the separate Email-folder scheduler. The intended boundary is:

- it may be referenced
- it should not be modified as part of the Email-folder automation work unless explicitly requested

Chapter 6. Daily Automated 8:30 AM Process

The dedicated daily automation path is:

1. Start-DailyUrgencyEmailScheduler.ps1 launches scheduled_urgency_report_sender.py
2. scheduled_urgency_report_sender.py reads Gmail settings from Claude - Anthropic/send_daily_email.py
3. At 8:30 AM, the scheduler runs Email/Invoke-DailyUrgencyReport.ps1 -GenerateOnly
4. Invoke-DailyUrgencyReport.ps1 fetches the current tracker state from Supabase
5. A fresh urgency report HTML file is written into the Email folder
6. The scheduler sends that report to all configured recipients using Gmail SMTP

This design separates:

- report generation
- email sending
- Gmail credential reference
- the independent Claude process

Chapter 7. Manual and Semi-Automatic Paths

Manual and semi-automatic alternatives remain available:

- run Invoke-DailyUrgencyReport.ps1 -GenerateOnly to create the HTML without sending

- run Invoke-DailyUrgencyReport.ps1 -OpenDraft to build the HTML and open a draft
- run Invoke-DailyUrgencyReport.ps1 -Send to build the HTML and send immediately
- run Send-RichUrgencyReport.ps1 directly if a current HTML report already exists
- run Watch-RichUrgencyReports.ps1 -Send if a watched folder flow is preferred

Chapter 8. Files and Data Dependencies

Important project dependencies include:

- supabase-config.js: contains Supabase URL and anon key reference for tracker data access
- the Email folder: working location for generated HTML reports and send utilities
- smtp-settings.json and smtp-credential.clixml: optional local SMTP credential storage
- saved PDF documents in the tracker database

If Supabase is unavailable, the automated report generation step cannot complete.

Chapter 9. Testing Procedure

Recommended test sequence:

1. Run Invoke-DailyUrgencyReport.ps1 -GenerateOnly
2. Confirm a new patrick-urgency-report-YYYY-MM-DD.html file appears in the Email folder
3. Run Start-DailyUrgencyEmailScheduler.ps1
4. Temporarily set the scheduler send time to one or two minutes ahead of the current time
5. Confirm the scheduler generates a fresh report and sends the email
6. Restore the scheduler send time to 08:30

If the scheduler starts and prints its configuration, it is waiting normally for the target time.

Chapter 10. Recovery and Troubleshooting

Common issues:

- Python version incompatibility: older Python versions may reject newer type-hint syntax
- Supabase connection failure: report generation cannot complete if the tracker state cannot be fetched
- SMTP failure: the Gmail sender, app password, or connection details may be wrong

- stale report problem: a sender that only mails the latest existing HTML file may not generate a fresh report first

Recovery approach:

1. confirm the scheduler starts cleanly
2. confirm Invoke-DailyUrgencyReport.ps1 -GenerateOnly can build the report
3. confirm the Gmail sender and app password remain correct
4. confirm the separate Email-folder scheduler is the process being launched
5. confirm the Claude - Anthropic process is being used only as a reference source when intended

Chapter 11. Script Reference Summary

Project root:

- index.html: dashboard structure and action buttons
- app.js: dashboard logic, urgency report rendering, and button behavior
- styles.css: dashboard styling
- PROCESS_GUIDE.md: human-readable source for this guide

Independent reference:

- Claude - Anthropic/send_daily_email.py: separate legacy scheduler with embedded Gmail settings

Email automation:

- Email/Invoke-DailyUrgencyReport.ps1: create daily urgency report HTML
- Email/Send-RichUrgencyReport.ps1: send or draft urgency report email
- Email/Watch-RichUrgencyReports.ps1: watcher-based send flow
- Email/send_rich_urgency_report.py: Python SMTP send helper
- Email/scheduled_urgency_report_sender.py: dedicated 8:30 AM scheduler
- Email/Start-DailyUrgencyEmailScheduler.ps1: launcher for the dedicated scheduler