

14:00 - 19:40 Sarghe, Roman Vadya helicity 960 8 quartet

Date	Energy	Pass	Wien	Raster	Target	HWP=IN
03/04/2012	2253.65	2	90, 88.71	-60, 0N		

	Q1	Q2	Q3	D
Bdl				
Gl				
A	111.76	1.3	48.59	144.17

Chan	HV set	Chan	HV set	Chan	HV set
1	1615	5	1620	ApL	
2	1805	6	1510	ApR	
3	1930	7	1660		
4	1800	8	1735		

N	Time	I _b , uk current	Run Number	Thresh mV,	Trigger	Hcoil Sign	Polarization %	Comments
1			Target	Q	21.889		2.906	0.247/1.358
2	14:55	0.115	15193					junk.
3	14:57	0.115	15194					
4	15:24	0.115	15198					no app.
5	15:28	0.115	15199					HV Tuning
6	15:31	0.115	15200					
7	15:34	0.115	15201					
8	15:40	0.11	15202			-8	-79.53	
9	15:47	0.11	15203			+8	-79.76	
10	16:01	0.11	15204			-8	-80.10	
11	16:09	0.11	15205			+8	-79.69	
12	16:13	0.11	15206			-8	-79.82	
13	16:16	0.11	15207			+8	-79.25	BCM calibr.
14	16:27	0.08	15208			-8	-79.33	
15	16:26	0.06	15209			+8	-76.16	
16	16:30	0.15	15210			-8	-80.57	
17								$\langle P \rangle = -79.55 \pm 0.20$
18			Quads Scan		Q3 = 47.25A			
19	17:07	0.15	15211		78973		24209	Q1 = 141.35
20	17:10	0.15	15212		105805		22627	Q = 131.5
21	17:14	0.15	15213		129430		20926	Q = 121.6
22	17:16	0.15	15214		140862		19247	Q = 111.8

7046
Lester

	Time	I _b , uk current	Run Number	Thresh mV,	Trigger	Hcoil Sign	Polarization %	Comments
	17:19	0.15	15215		146184		18397	Q = 106.9
	17:21	-11-	15216		145507		14554	Q = 102.0
	17:24	171-	15217		142082		16103	Q = 97.05
	17:26	-11-	15218		126602		15851	Q = 92.1
	17:29	-11-	15219		98992		15007	Q = 87.2
	17:31	-11-	15220		63138		14167	Q = 82.32
		-11-					18397	Run set file modify
		-11-	Q1 = 2.2kG = 106.87 A					Q3 Scan (HV)
	17:45	-11-	15221		93308		10844	66.52
	17:49	-11-	15222		121760		9791	60.1
	17:52	-11-	15223		137952		8724	53.7
	17:54	-11-	15224		143310		7649	47.25
	17:56	-11-	15225		143135		6573	40.8
	17:59	-11-	15226		136864		6223	38.7
	18:01	-11-	15227		128344		5856	36.5
	18:04	-11-	15228		114542		5506	34.4
	18:06	-11-	15229		96977		5156	32.3
			Q1 = 2.20 = 106.87					Q3 = 1.15kG = 47.25 A
	18:16	0.15	15230				8041	
	18:19	-11-	15231				8081	
							<P>	
							<P> = -79.73 ± 0.18	
			Target 4		9.600/1.66		0.247/1.360	
					-4			Comp. scan
	18:26		15232			-4		
	18:30		15233			-4		
	18:34		15234					
	18:36		15235					
	18:43		15236					
	18:47		15237					

Target N3 15.98 / 2.285 0.254 / 1.382

N	Time	I _b , μ k current	Run Number	Thresh mV,	Trigger	Hcoil Sign	Polarization %	Comments
23	18:57	0.15	15238				80.76	
24	19:00	-4-	15239				80.54	
25	19:01	0.15						
26	19:06	0.075!	15240				77.25	
27	19:11	0.06	15241				75.95	
28	19:25	0.1	15242		-0.00	92C		Beam charge asym test
29	19:28	-4-	15243		-0.00	9148	Set 1	
30								
31	19:32	-4-	15244	0.516 -0.86 10^{-2}			Set N/2	
32	19:34	-4-	15245	-0.86 10^{-2}				
33							Set N/3	
34	19:37		15246	-0.928 10^{-3}				
35	19:40		15247	-0.88 10^{-3}				
36	19:45	HV off						
37	20:00	Target parked.						
38								
39								
40								
41								
42								
43								
44								
45								
46								
47								
48								
49								
50								