

Date	Begin time	End time	Crew	Comments
04 Aug 19	8:00		SIMONA ERIC (ROMAN)	

Energy	Linac	Injector	Pass	Wien Angle	HWP	Slit	Attenuat	Raster
951	450	50.8	1	-13	IN			OFF

	Q1	Q2	Q3	Q4	Dipole
Amps	127	-30.732	0	24.809	

N	Time	I _{beam} Curr	Run Number	Targ et	H _{coil} Field	Polarization %	FADC	Comments
1	7:42		17000	—	—	moller-puls		Pedestals
2								
3	8:26		Cycling Q ₁ Q ₂ Q ₃ Q ₄					
4	8:37		Tune Beam					
5	9:11							
6	9:13		Setup Dipole to 45A					56.56A
7	9:25		Tune Beam					
8	10:17							
9			Set Solenoid to 60A					
10	11:00		Set Solenoid to 75A					(4.02 T)
11	11:14		Tune Beam					
12								
13	11:40		Set Target #3 (4 μm)					PH+ 25 ON
14			Bleedthrough					All OFF
15	11:45	—	17001	3	4	Set 20	150/24	Left 200 mV
16	11:47	—	17002	3	4	A+148		
17	11:52	—	17003	3	4			
18	11:55	—	17004	3	4	Set 16 A+148		Left T=200
19	12:01	—	17005					
20	12:04	—	17006					
21	12:06	—	17007					
22	12:09	—	17008			Set 16 A+148	C=24 μA	
23	12:14	—	17009				C=10 μA	
24	12:19	—	17010				↓	
25	12:22	—	17011				C=10 μA	
26	12:37	—	17012				C=10 μA	

N	Time	I _{beam} curr	Run Number	Targ et	H _{coil} Field	Polarization %	FADC	Comments
1	12:40	—	17013	3	4	U _{all} C=10	B=100	Slit=16 Att=148
2	12:43	—	17014	3	4	U _{all} C=10	B=170	
3								
4	12:54		Cycle Dipole to 60 A					
5			Dipole scan					
6	13:11	0.3	17015	Slit=16	Att=275			Left T=200
7	13:15	0.3	17016	D=59	BCM count low			~1 per hel. w.
8	13:19		17017	D=59				
9			17018					reboot VME crate
10	13:29		17019					
11	13:38		17020					
12	13:40		17021					
13	13:46		17022					
14	1				No Beam			
15	16:10	—	17023	Test run				
16		—	17024	Test				
17		—	17025	Test				
18								
19	19:22	0.3	17026	D=59 A	Att=280	Slit=16		Left T=200
20	19:24	0.3	17027					
21	19:26	0.3	17028					
22	19:28	0.3	17029					
23	19:33	0.3	17030					
24	19:38	0.3	17031	D=58				
25	19:45	0.3	17032	D=58				
26	19:49	0.3	17033					
27	19:54	0.3	17034	D=57				
28	19:59	0.3	17035	D=57				
29	20:05	0.3	17036	D=56				
30	20:09	0.3	17037	D=56				
	20:23	0.3	17038	D=55				

4 Aug 2019

(3)

N	Time	I _{beam} curr	Run Number	Targ et	H _{coil} Field	Polarization %	FADC	Comments
1	20:25	0.3	17039	3	4	D=55		Left T=200
2	20:39	0.3	17040	3		D=54		
3	20:41		17041	3		D=54		
4			cycle Dipole to D=60 Amps					
5	21:11		cycle Dipole to D=54 Amps					
6	21:17	0.3	17042	3	4	D=54		Left T=200
7	21:23	0.3	17043	3	4	D=55		
8	21:28	0.3	17044	3	4	D=56		
9	21:32	0.3	17045	3	4	D=56		
10	21:35	0.3	17046	3	4	D=56		
11	21:37	0.3	17047	3	4	D=56	Short	
12	21:37	0.3	17048	3	4			
13	21:39	0.3	17049	3	4	D=56		Left T=200
14	21:42	0.3	17050			D=57		
15	21:45	0.3	17051			D=57		
16	21:49	0.3	17052			D=58		
17	21:50	0.3	17053			D=58		
18	21:54	0.3	17054			D=59		
19	22:00	0.3	17055			D=60		
20	22:06	0.3	17056			D=60		
21								
22	22:13	0.3	17057	Cycle Dipole D=56				Left T=220
23	22:32	0.3	17058			D=56		T=220
24	22:40	0.3	17059	3	4	D=58		
25	22:45	0.3	17060			D=60		
26	22:50	0.3		cycle Dipole to D=58 Amps				
27	22:56	0.3		cycle Q1 to 145 145 Amps				
28	23:04	0.3	17061			Q1=145		Left T=200
29	23:07	0.3	17062					
30	23:11	0.3	17063			Q1=143		
	23:14	0.3	17064					

4 Aug 2019

(4)

N	Time	I _{beam} curr	Run Number	Targ et	H _{coil} Field	Polarization %	FADC	Comments
1	23:18	0.3	17065	3	4	Q1=141		Left T=200
2	23:21	0.3	17066					D=58 Amps
3	23:25	0.3	17067			Q1=139		
4	23:28	0.3	17068					
5	23:32	0.3	17069			Q1=137		
6	23:34	0.3	17070					
7	23:39	0.3	17071			Q1=135		
8	23:41	0.3	17072					
9	23:45	0.3	17073			Q1=133		
10	23:40	0.3	17074					
11	23:52	0.3	17075			Q1=131		
12	23:55	0.3	17076					
13	23:59	0.3	17077			Q1=129		
14	00:02	0.3	17078					
15	00:07	0.3	17079			Q1=127		
16	00:10	0.3	17080					
17	00:15	0.3	17081			Q1=125		
18	00:18	0.3	17082					
19	00:23	0.3	17083			Q1=123		
20	00:26	0.3	17084					
21	00:31	0.3	17085			Q1=121		
22	00:34	0.3	17086					
23	00:41	0.3	17087			Q1=119		
24	00:45	0.3	17088					
25	00:48	0.3	17089			Q1=117		
26	00:52	0.3	17090					
27	00:55	0.3	17091			Q1=115		
28	01:00	0.3	17092					
29	1:03	0.3	17093					
30				Cycle Q1 to 130.9 Amps				

4-5 Aug 2019

(5)

N	Time	I _{beam} curr	Run Number	Targ et	H _{coil} Field	Polarization %	FADC	Comments
1	1:28	0.5	17094	3	4	Q ₁ = 130.9	D = 58	Amps
2	1:33	0.5	17095			Scit = 15.7	Att = 280	
3	1:37	0.5	17096			A ₂₂ = 7301	Left	T = 200
4	1:41	0.5	17097					
5	1:45	0.5	17098					
6	1:49	0.5	17099					
7	1:53	0.1	17100					
8	1:59	0.1	17101					
9	2:07	0.5	17102			Scit = 16	Att = 333	T = 200
10	2:11	0.5	17103					
11	2:15	0.5	17104					
12	2:19	0.5	17105					
13	2:23	0.5	17106					
14	2:27	0.5	17107					
15	2:32	0.5	17108					
16	2:35	0.5	17109					
17	2:39	0.5	17110					
18	2:43	0.5	17111					
19	2:48	0.5	17112					
20	2:52	0.5	17113					
21	2:56	0.5	17114					
22	3:01	0.5	17115					
23	3:05	0.5	17116					
24	3:09	0.5	17117					
25	3:15	0.5	17118					T = 230
26	3:20	0.5	17119					T = 230
27	3:24	0.5	17120					
28	3:28	0.5	17121					
29	3:32	0.5	17122					
30	3:36	0.5	17123					
	3:40	0.5	17124					T = 230

4-5 Aug 2019

6

N	Time	I _{beam} curr	Run Number	Targ et	H _{coil} Field	Polarization %	FADC	Comments
1	3:44	0.5	17125	3	4	D=58 Q ₁ =130.9		T=230
2						Sett=16 Att=333		
3	3:50			Cycle Q ₁ to 133.518				
4	4:00	0.5	17126	3	4	Q ₁ =133.518		T=200
5	4:04	0.5	17127			Sett=16		
6	4:08	0.5	17128			Att=333		
7	4:12	0.5	17129					
8	4:16	0.5	17130					
9	4:20	0.5	17131					T=200
10	4:24	0.5	17132					
11	4:28	0.5	17133					
12	4:32	0.5	17134					
13	4:36	0.5	17135					
14	4:40	0.5	17136					
15	4:45	0.5	17137					
16	4:48	0.5	17138					
17	4:53	0.5	17139					
18	4:58	0.5	17140					
19	5:02	0.5	17141					
20	5:07	0.5	17142					
21	5:11	0.5	17143					
22	5:15	0.5	17144					
23	5:19	0.5	17145					
24	5:23	0.5	17146					
25	5:27	0.5	17147					
26	5:31	0.5	17148					
27	5:39	0.5	17149			Q = 124.355		T=200
28	5:43	0.5	17150					
29	5:47	0.5	17151					
30	5:51	0.5	17152					
	5:55	0.5	17153					T=200

4-5 Aug 2019

⑦

N	Time	I _{beam} curr	Run Number	Targ et	H _{coil} Field	Polarization %	FADC	Comments
							124.355	
1						D=58 Q1= 133 518		T=200
2	6:00	0.5	17154			Slit=16	Att=333	
3	6:04	0.5	17155					
4	6:08	0.5	17156					
5	6:12	0.5	17157					
6	6:18	0.5	17158					
7	6:22	0.5	17159					
8	6:27					Cycling Q1 to 130.9 Amps		
9	6:39	0.5	17160			Slit=16	Att=333	T=200
10	6:43	0.5	17161			HWP=OUT		
11	6:47	0.5	17162					
12	6:51	0.5	17163		Short			
13	6:55	0.5	17164					
14	6:59	0.5	17165					
15	7:03	0.5	17166					
16	7:07	0.5	17167					
17	7:11	0.5	17168					
18	7:16	0.5	17169					
19	7:21	0.5	17170					T=200
20	7:25	0.5	17171					
21	7:31	0.5	17172					
22	7:37	0.5	17173					
23								
24	7:45					Ramping Solenoid to 0 A		
25						Target Out (Parked)		
26						Dipole OFF		
27								
28								
29								
30								