

①

~moller/doc/runtemplate_2019_1.pdf

Date	Begin time	End time	Crew	Comments
8/10/19			Simona, Eric	HWP-IN

Energy	Linac	Injector	Pass	Wien Angle	HWP	Slit	Attenuat	Raster
0.95								

	Q1	Q2	Q3	Q4	Dipole
Amps	130 A	-30.732 A	OFF	24.809 A	56.65 A @ Start

N	Time	I _{beam} Curr	Run Number	Targ et	H _{coil} Field	Polarization %	FADC	Comments
1		0.3	17222	3	4.0			Dipole 60A.
2		0.3	17223	3	4.0			Dipole 60A.
3								
4			17220	3	4.0	out of order were first.		56.56 A.) dipole
5			17221	3	4.0			56.56 A.) cycled.
6								adder
7			17224	3	4.0			59 A
8			17225	3	4.0			59 A.
9			17226	3	4.0			58 A
10			17227	3	4.0			58 A
11			17228	3	4.0			57 A
12			17229	3	4.0			57 A
13			17230	3	4.0			56 A
14			17231	3	4.0			56 A.
15			17232	3	4.0			55 A
16			17233	3	4.0			55 A
17			17234	3	4.0			54 A
18			17235	3	4.0			54 A
19			17236	3	4.0			53 A
20			17237	3	4.0			53 A.
21			17238	3	4.0			52 A
22			17239	3	4.0			52 A.
23								
24			17243	3	4.0			55.75 A
25			17243	3	4.0			55.75 A.
26								

Correctors H: -2000
V: -900Corrector H: +1400
V: +900
valve change

Correctors set back to
H: -2800; V: -900

~moller/doc/runtemplate_2019_2.pdf

Q1
Scan

N	Time	I _{beam} curr	Run Number	Targ et	H _{coil} Field	Polarization %	FADC ★	Comments
1	15:16	0.3	17245	3	4.0			DP: 55.75 A ★
2	15:19	0.3	17246	3	4.0			Q1: 145 A
3	15:33	0.3	17247	3	4.0			"
4	15:34	0.3	17248	3	4.0			Q1: 140 A
5	15:37	0.3	17249	3	4.0			"
6	15:38	0.3	17250	3	4.0			Q1: 135 A
7	15:40	0.3	17251	3	4.0			"
8	15:42	0.3	17252	3	4.0			Q1: 130 A
9	15:45	0.3	17253	3	4.0			"
10	15:46	0.3	17254	3	4.0			Q1: 125 A
11	15:51	0.3	17255	3	4.0			"
12	15:52	0.3	17256	3	4.0			Q1: 120 A
13	15:57	0.3	17257	3	4.0			"
14	15:59	0.3	17258	3	4.0			Q1: 115 A
15	16:07	0.3	17259	3	4.0			"
16								Q1: 110 A
17	← ————— End Q1 Scan ————— →							
18								DP: 55.75; Q1: 130 A
19	Threshold Scans.							set points
20	4:31	0.3	17260	3	4.0			
21	4:32	0.3	17261	3	4.0			
22	4:35	0.3	17262	3	4.0			Beam Issue
23	4:36	0.3	17263	3	4.0			Left 200 mV.
24	4:37	0.3	17264	3	4.0			Right 200 mV.
25	4:47	0.3	17265	3	4.0			Right 200 mV.
26	4:54	0.3	17266	3	4.0			Coil 200 mV.
27	5:01	0.3	17267	3	4.0			Left 230 mV.
28	5:03	0.3	17268	3	4.0			Right 230 mV.
29	5:08	0.3	17269	3	4.0			Left 230 mV.
30	5:11	0.3	17270	3	4.0			Right 230 mV.
31	5:15	0.3	17271	3	4.0			Left 240 mV.

02000000000000000000

crappy Beats	Right	200mV
	Left	240mV
	Right 200mV	

N	Time PM	I _{beam} curr	Run Number	Targ et	H _{coil} Field	Polarization %	FADC	Comments
1	5:19	0.3	17272	3	4.0			Left 240 mV
2	5:21	0.3	17273	3	4.0			Right 240 mV
3	5:29	0.3	17274	3	4.0			Coinc 240 mV
4	5:33	0.3	17275	3	4.0			Left 280 mV
5	5:35	0.3	17276	3	4.0			Right 280 mV
6	5:36	0.3	17277	3	4.0			Coinc 280 mV
7	5:39	0.3	17278	3	4.0			Coinc 230 mV
8								
9	← Start Pol Measurements →							
10								* 230 mV set threshold
11								
12	17:45	0.8	17279	3	4T			Production
13	17:48	0.8	17280	3	4T			
14	17:51	0.8	17281	3	4T	Junk		
15	17:56	0.8	17282	3	4T			(Q1: 130 A. DP: 55.75 A.)
16	17:58	0.8	17283	3	4T			
17	18:01	0.8	17284	3	4T			
18	18:05	0.8	17285	3	4T			
19	18:09	0.8	17286	3	4T			
20	18:13	0.8	17287	3	4T			
21	18:17	0.8	17288	3	4T			
22	18:20	0.8	17289	3	4T			
23	18:21	0.8	17290	3	4T			
24	18:24	0.8	17291	3	4T			
25	18:27	0.8	17292	3	4T			
26	18:29	0.8	17293	3	4T			
27	18:34	0.8	17294	3	4T			
28	18:37	0.8	17295	3	4T			
29	18:39	0.8	17296	3	4T			
30	18:42	0.8	17297	3	4T			
31	18:44	0.8	17298	3	4T			
32	18:47	0.8	17299	3	4T			


N	Time	I _{beam} curr	Run Number	Targ et	H _{coil} Field	Polarization %	FADC	Comments
1	18:53	0.8	17300	3	4.0			Cont'd tone pol/zn.
2	18:56	0.8	17301	3	4.0			measurement.
3	18:58	0.8	17302	3	4.0			
4								
5								
6								
7	19:07	0.8	17303	3	4.0			Half-wave Plate out!
8	19:09	0.8	17304	3	4.0			
9	19:13	0.8	17305	3	4.0			
10	19:17	0.8	17306	3	4.0			
11	19:21	0.8	17307	3	4.0			
12	19:24	0.8	17308	3	4.0			
13								
14	19:28	0.6	17309	3	4.0			
15	19:29	0.6	17310	3	4.0			
16	19:31	0.6	17311	3	4.0			
17	19:34	0.6	17312	3	4.0			
18	19:37	0.6	17313	3	4.0			
19	19:39	0.6	17314	3	4.0			
20	19:41	0.6	17315	3	4.0			
21	19:43	0.6	17316	3	4.0			
22	19:45	0.6	17317	3	4.0			
23	19:47	0.6	17318	3	4.0			
24	19:49	0.6	17319	3	4.0			
25	19:51	0.6	17320	3	4.0			
26	19:54	0.6	17321	3	4.0			
27	19:56	0.6	17322	3	4.0			
28	19:58	0.6	17323	3	4.0			
29	19:59	0.6	17325	3	4.0			
30	20:03	0.6	17324	3	4.0			

N	Time	Ibeam curr	Run Number	Targ et	Hcoil Field	Polarization %	FADC	Comments
1	20:05	0.6	17325	3	4.0			Cont'd prod run
2	20:06	0.6	17326	3	4.0			HWP out.
3	20:08	0.6	17327	3	4.0			↓
4	20:10	0.6	17328	3	4.0			
5								
6								← HWP BACK IN →
7								
8								← Asymmetry Scan Q1 →
9								
10	20:23	0.6	17329	3	4.0			Q1: 127.4 A
11	20:25	0.6	17330	3	4.0			
12	20:27	0.6	17331	3	4.0			↓
13	20:30	0.6	17332	3	4.0			
14	20:32	0.6	17333	3	4.0			
15	20:34	0.6	17334	3	4.0			
16	20:36	0.6	17335	3	4.0			
17	20:38	0.6	17336	3	4.0			
18	20:40	0.6	17337	3	4.0			
19	20:42	0.6	17338	3	4.0			
20	20:44	0.6	17339	3	4.0			Beam Dropped.
21	21:58	0.6	17340	3	4.0			
22	21:55	0.6	17341	3	4.0			
23	21:57	0.6	17342	3	4.0			
24	21:59	0.6	17343	3	4.0			
25	22:02	0.6	17344	3	4.0			
26	22:04	0.6	17345	3	4.0			
27	22:06	0.6	17346	3	4.0			
28	22:08	0.6	17347	3	4.0			
29	22:10	0.6	17348	3	4.0			
30	22:12	0.6	17349	3	4.0			↓
31	22:14	0.6	17350	3	4.0			

32 22:16 0.6 17351 3 4.0

33 22:19 0.6 17352 3 4.0

-25

N	Time	I _{beam} curr	Run Number	Targ et	H _{coil} Field	Polarization %	FADC	Comments
1	22:26	0.6	17355	3	4.0			-2% Asymmetry Measurements continued
2	22:29	0.6	17356	3	4.0			
3	22:31	0.6	17357	3	4.0			
4	22:33	0.6	17358	3	4.0			
5	22:35	0.6	17359	3	4.0			
6	22:38	0.6	17360	3	4.0			
7	22:40	0.6	17361	3	4.0			
8	22:42	0.6	17362	3	4.0			
9	22:44	0.6	17363	3	4.0			
10	22:46	0.6	17364	3	4.0			
11	22:49	0.6	17365	3	4.0			
12	22:51	0.6	17366	3	4.0			
13	22:55	0.6	17367	3	4.0			
14	23:00	0.6	17368	3	4.0			
15	23:05	0.6	17369	3	4.0			
16	23:07	0.6	17370	3	4.0			
17	23:10	0.6	17371	3	4.0			
18	23:12	0.6	17372	3	4.0			
19	23:14	0.6	17373	3	4.0			
20	23:16	0.6	17374	3	4.0			
21	23:18	0.6	17375	3	4.0			
22	23:20	0.6	17376	3	4.0			
23	23:22	0.6	17377	3	4.0			
24	23:24	0.6	17378	3	4.0			
25	23:26	0.6	17379	3	4.0			
26	23:28	0.6	17380	3	4.0			
27	23:30	0.6	17381	3	4.0			
28	23:31	0.6	17382	3	4.0			
29	23:34	0.6	17383	3	4.0			
30	23:36	0.6	17384	3	4.0			
31	23:38	0.6	17385	3	4.0			

N	Time	I _{beam} curr	Run Number	Targ et	H _{coil} Field	Polarization %	FADC	Comments
1	23:40	0.6	17385	3	23:52	17390 →	0.6	Amps
2	23:42	0.6	17386	3				
3	23:44	0.6	17387	3				
4	23:48	0.6	17388	3				
5	23:50	0.6	17389	3				
6	←				+290	Asymmetry Scan	→	
7								changed
8	00:10	0.6	17391	3	4.0			01: 132.6 A
9	00:11	0.6	17392	3	4.0			
10	00:13	0.6	17393	3	4.0			
11	00:15	0.6	17394					
12	00:17	0.6	17395					
13	00:19	0.6	17396					
14	00:21	0.6	17397					
15	00:23	0.6	17398					
16	00:25	0.6	17399					
17	00:28	0.6	17400					
18	00:30	0.6	17401					
19	00:33	0.6	17402					
20	00:36	0.6	17403					
21	00:38	0.6	17404					
22	00:40	0.6	17405					
23	00:42	0.6	17406					
24	00:44	0.6	17407					
25	00:46	0.6	17408					
26	00:48	0.6	17409					
27	00:50	0.6	17410					
28	00:52		17411					
29	00:54		17412					
30	00:56		17413					
31	00:58		17414	↓	↓			

00:59 17415

01:03 17416

01:05 17417

01:07 17417



N	Time	I _{beam} curr	Run Number	Targ et	H _{coil} Field	Polarization %	FADC	Comments
1	1:09	0.6	17418	4.0	3			
2	1:11	0.6	17419	4.0	3			
3	1:14	0.6	17420	4.0	3			
4								
5	← End Asymmetry Scan →							
6								MBC1 H01
7								Corrector Change
8	Corrector Check							H: +1400
9								V: +900
10								Q1: 130 A.
11	1:48	0.6	17421	3	4.0			DP: 60 A
12	1:50	0.6	17422	3	4.0			DP: 59 A
13	1:52	0.6	17423	3	4.0			DP: 59 A
14	1:54	0.6	17424	3	4.0			DP: 58 A
15	1:56	0.6	17425	3	4.0			DP: 57 A
16	1:59	0.6	17426	3	4.0			DP: 56 A
17	2:02	0.6	17427	3	4.0			DP: 55 A
18	2:04	0.6	17428	3	4.00			DP: 54 A
19	2:07	0.6	17429	3	4.00			DP: 53 A
20	2:10	0.6	17430	3	4.00			DP: 52 A
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								