

```
$ git push -u origin main
Everything up-to-date
Branch 'main' set up to track remote branch 'main' from 'origin'.

DERIN VISHAL@DESKTOP-VSU38DR MINGW64 ~/Desktop/hack (main)
$ echo "# hack" >> PRG2.md

DERIN VISHAL@DESKTOP-VSU38DR MINGW64 ~/Desktop/hack (main)
$ git init
Reinitialized existing Git repository in C:/Users/DERIN VISHAL/Desktop/hack/.git
/

DERIN VISHAL@DESKTOP-VSU38DR MINGW64 ~/Desktop/hack (main)
$ git commit -m "first commit"
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    PRG1.md
    PRG2.md

nothing added to commit but untracked files present (use "git add" to track)

DERIN VISHAL@DESKTOP-VSU38DR MINGW64 ~/Desktop/hack (main)
$ git branch -M main

DERIN VISHAL@DESKTOP-VSU38DR MINGW64 ~/Desktop/hack (main)
$ git remote add origin https://github.com/derinvishal/hack.git
error: remote origin already exists.

DERIN VISHAL@DESKTOP-VSU38DR MINGW64 ~/Desktop/hack (main)
$ git push -u origin main
Everything up-to-date
Branch 'main' set up to track remote branch 'main' from 'origin'.

DERIN VISHAL@DESKTOP-VSU38DR MINGW64 ~/Desktop/hack (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    PRG1.md
    PRG2.md

nothing added to commit but untracked files present (use "git add" to track)

DERIN VISHAL@DESKTOP-VSU38DR MINGW64 ~/Desktop/hack (main)
$ git log
commit 356ff69d2141b334d1e51d24a1be15ca2bebbb6f (HEAD -> main, origin/main)
Author: unknown <you@example.com>
Date: Thu Aug 26 18:12:41 2021 +0530

    first commit

DERIN VISHAL@DESKTOP-VSU38DR MINGW64 ~/Desktop/hack (main)
$
```