

References Section

1. Silverberg, J. I. (2017). Public Health Burden and Epidemiology of Atopic Dermatitis. *Dermatologic Clinics*, 35(3), 283–289. <https://doi.org/10.1016/j.det.2017.02.002>
2. Kim, J., Kim, B. E., & Leung, D. Y. M. (2019). Pathophysiology of atopic dermatitis: Clinical implications. *Allergy and Asthma Proceedings*, 40(2), 84–92. <https://doi.org/10.2500/aap.2019.40.4202>
3. Thomsen, S. F. (2014). Atopic Dermatitis: Natural History, Diagnosis, and Treatment. *ISRN Allergy*, 2014, 1–7. <https://doi.org/10.1155/2014/354250>
4. Jolles, S. (2002). A review of high-dose intravenous immunoglobulin treatment for atopic dermatitis. *Clinical and Experimental Dermatology*, 27(1), 3–7. <https://doi.org/10.1046/j.0307-6938.2001.00955.x>
5. Braham, S., Pugashetti, R., Koo, J., & Maibach, H. (2009). Occlusive therapy in atopic dermatitis: Overview. *Journal of Dermatological Treatment*, 1–11. <https://doi.org/10.1080/09546630902911854>
6. Sampson, H. A. (2001). Atopic dermatitis: immunological mechanisms in relation to phenotype. *Pediatric Allergy and Immunology*, 12, 62–68. <https://doi.org/10.1034/j.1399-3038.2001.121415.x>
7. Chai, Q., Jiao, Y., & Yu, X. (2017). Hydrogels for Biomedical Applications: Their Characteristics and the Mechanisms behind Them. *Gels*, 3(1), 6. <https://doi.org/10.3390/gels3010006>
8. Aswathy, S., Narendrakumar, U., & Manjubala, I. (2020). Commercial hydrogels for biomedical applications. *Heliyon*, 6(4), e03719. <https://doi.org/10.1016/j.heliyon.2020.e03719>
9. Pourjavadi, A., Tavakolizadeh, M., Hosseini, S. H., Rabiee, N., & Bagherzadeh, M. (2020). Highly stretchable, self-adhesive, and self-healable double network hydrogel based on alginate/polyacrylamide with tunable mechanical properties. *Journal of Polymer Science*, 58(15), 2062–2073. <https://doi.org/10.1002/pol.20200295>
10. Yang, C. H., Wang, M. X., Haider, H., Yang, J. H., Sun, J. Y., Chen, Y. M., Zhou, J., & Suo, Z. (2013). Strengthening Alginate/Polyacrylamide Hydrogels Using Various

Multivalent Cations. *ACS Applied Materials & Interfaces*, 5(21), 10418–10422.
<https://doi.org/10.1021/am403966x>

11. Yi, J., Nguyen, K. C. T., Wang, W., Yang, W., Pan, M., Lou, E., Major, P. W., Le, L. H., & Zeng, H. (2020). Polyacrylamide/Alginate double-network tough hydrogels for intraoral ultrasound imaging. *Journal of Colloid and Interface Science*, 578, 598–607.
<https://doi.org/10.1016/j.jcis.2020.06.015>
12. Abasalizadeh, F., Moghaddam, S. V., Alizadeh, E., Akbari, E., Kashani, E., Fazljou, S. M. B., Torbati, M., & Akbarzadeh, A. (2020). Alginate-based hydrogels as drug delivery vehicles in cancer treatment and their applications in wound dressing and 3D bioprinting. *Journal of Biological Engineering*, 14(1). <https://doi.org/10.1186/s13036-020-0227-7>
13. Josef, E., Zilberman, M., & Bianco-Peled, H. (2010). Composite alginate hydrogels: An innovative approach for the controlled release of hydrophobic drugs. *Acta Biomaterialia*, 6(12), 4642–4649. <https://doi.org/10.1016/j.actbio.2010.06.032>
14. Deligkaris, K., Tadele, T. S., Olthuis, W., & van den Berg, A. (2010). Hydrogel-based devices for biomedical applications. *Sensors and Actuators B: Chemical*, 147(2), 765–774. <https://doi.org/10.1016/j.snb.2010.03.083>
15. Zhu, Y., Haghniaz, R., Hartel, M. C., Mou, L., Tian, X., Garrido, P. R., Wu, Z., Hao, T., Guan, S., Ahadian, S., Kim, H. J., Jucaud, V., Dokmeci, M. R., & Khademhosseini, A. (2021). Recent Advances in Bioinspired Hydrogels: Materials, Devices, and Biosignal Computing. *ACS Biomaterials Science & Engineering*.
<https://doi.org/10.1021/acsbiomaterials.1c00741>
16. Ge, G., Wang, Q., Zhang, Y., Alshareef, H. N., & Dong, X. (2021). 3D Printing of Hydrogels for Stretchable Ionotronic Devices. *Advanced Functional Materials*, 31(52), 2107437. <https://doi.org/10.1002/adfm.202107437>
17. Liu, X., Tang, T. C., Tham, E., Yuk, H., Lin, S., Lu, T. K., & Zhao, X. (2017). Stretchable living materials and devices with hydrogel–elastomer hybrids hosting programmed cells. *Proceedings of the National Academy of Sciences*, 114(9), 2200–2205.
<https://doi.org/10.1073/pnas.1618307114>
18. Mandal, A., Clegg, J. R., Anselmo, A. C., & Mitragotri, S. (2020). Hydrogels in the clinic. *Bioengineering & Translational Medicine*, 5(2).
<https://doi.org/10.1002/btm2.10158>

19. Griffin, M. F., Leung, B. C., Premakumar, Y., Szarko, M., & Butler, P. E. (2017). Comparison of the mechanical properties of different skin sites for auricular and nasal reconstruction. *Journal of Otolaryngology - Head & Neck Surgery*, 46(1).
<https://doi.org/10.1186/s40463-017-0210-6>
20. Sun, J. Y., Zhao, X., Illeperuma, W. R. K., Chaudhuri, O., Oh, K. H., Mooney, D. J., Vlassak, J. J., & Suo, Z. (2012). Highly stretchable and tough hydrogels. *Nature*, 489(7414), 133–136. <https://doi.org/10.1038/nature11409>
21. Yuk, H., Zhang, T., Parada, G. A., Liu, X., & Zhao, X. (2016). Skin-inspired hydrogel–elastomer hybrids with robust interfaces and functional microstructures. *Nature Communications*, 7(1). <https://doi.org/10.1038/ncomms12028>

Supplementary References Section

1. Krska, R., Becalski, A., Braekevelt, E., Koerner, T., Cao, X. L., Dabeka, R., Godefroy, S., Lau, B., Moisey, J., Rawn, D. F. K., Scott, P. M., Wang, Z., & Forsyth, D. (2011). Challenges and trends in the determination of selected chemical contaminants and allergens in food. *Analytical and Bioanalytical Chemistry*, 402(1), 139–162. <https://doi.org/10.1007/s00216-011-5237-3>
2. Salisu, A., Sanagi, M. M., Abu Naim, A., Wan Ibrahim, W. A., & Abd Karim, K. J. (2015). Removal of lead ions from aqueous solutions using sodium alginate-graft-poly(methyl methacrylate) beads. *Desalination and Water Treatment*, 57(33), 15353–15361. <https://doi.org/10.1080/19443994.2015.1071685>
3. Liang, Y., He, J., & Guo, B. (2021). Functional Hydrogels as Wound Dressing to Enhance Wound Healing. *ACS Nano*, 15(8), 12687–12722. <https://doi.org/10.1021/acsnano.1c04206>
4. Kass, L. E., & Nguyen, J. (2021). Nanocarrier-hydrogel composite delivery systems for precision drug release. *WIREs Nanomedicine and Nanobiotechnology*, 14(2). <https://doi.org/10.1002/wnan.1756>
5. Pillai, J. J., Thulasidasan, A. K. T., Anto, R. J., Chithralekha, D. N., Narayanan, A., & Kumar, G. S. (2014). Folic acid conjugated cross-linked acrylic polymer (FA-CLAP) hydrogel for site specific delivery of hydrophobic drugs to cancer cells. *Journal of Nanobiotechnology*, 12(1). <https://doi.org/10.1186/1477-3155-12-25>