

INTC Day Trading Framework

Dermot | AWS ASEAN AI & Data GTM Lead | Singapore

Version 1.2 | Built on TradingView NASDAQ Data | 60-Day Validated Dataset

1. Strategy Overview

This framework is a rules-based intraday scalping system for Intel Corporation (INTC) on NASDAQ, operated exclusively on 1-minute candles. The strategy trades the bottom of the bounce — identifying genuine exhaustion lows using VWAP band positioning, RSI oversold conditions, and full bullish engulfing candlestick confirmation.

Validated Dataset Summary

Metric	Value
Dataset period	60 trading days
Total bullish engulfing instances	143
Confirmed (second green candle)	76 (53%)
Average gain on confirmed trades	\$0.84
Instrument	INTC (NASDAQ)
Chart timeframe	1-minute candles
Analysis platform	TradingView (NASDAQ feed)
Execution platform	Saxo TraderGO

2. Platform Discipline — Non-Negotiable

RULE: TradingView confirms the signal. Saxo TraderGO executes the order. Never reversed.

All entry criteria are calibrated to TradingView NASDAQ data. Saxo and TradingView construct candles differently despite using the same underlying feed. A confirmed engulfing on Saxo is not the same as a confirmed engulfing on TradingView. The validated dataset was built on TradingView data — all signals must be confirmed there before any order is placed on Saxo.

3. TradingView Indicator Setup

Indicator	Setting	Value
VWAP	Anchor Period	Session
VWAP	Source	HLC/3
VWAP	Bands	Standard Deviation x1 and x2
RSI	Length	14
RSI	Source	Close
Volume	Display	Colour-coded bars below price

VWAP Band Reference

Band	Line	Colour	Significance
+2SD	Upper Gold	Gold	Extreme extension — fade zone
+1SD	Upper Green	Green	Exit zone for longs

VWAP	Middle	Blue	Session mean — primary exit target
-1SD	Lower Green	Green	Entry zone begins
-2SD	Lower Gold	Gold	Extreme extension — highest conviction

4. Opening Hour Trading Patterns (09:30 — 10:30)

The opening hour is the most important and most dangerous window of the session. It produces the highest volume, the widest price swings, and the most frequent traps. Understanding opening hour behaviour on INTC is a prerequisite to applying the bounce framework correctly.

Pre-Market RSI — The First Warning Signal

Before placing any trade, check the RSI level at the moment the regular session opens at 09:30. Pre-market price action feeds into the RSI calculation and sets the opening condition.

Opening RSI	Condition	Action
Above 70	Overbought at open — opening spike likely a trap	Do not chase opening green candles. Observe only.
40 — 70	Neutral opening — session character unclear	Observe first 5-10 minutes before forming a view
Below 40	Oversold at open — watch for immediate bounce setup	Check VWAP zone and BEP immediately

Real example: June 22nd session opened with RSI above 80 from pre-market. The opening spike to \$136 was immediately distributed by institutional sellers. Anyone buying the opening green candles was trapped within minutes. The pre-market RSI was the warning that was ignored.

The Opening Drive — Three Scenarios

The first 3-5 candles of the session establish the opening drive. This drive sets the session character and determines how the bounce framework applies for the rest of the day.

Scenario 1 — Opening Spike Trap (most common on INTC)

Price opens with aggressive buying, spikes toward or beyond +2SD VWAP, then reverses sharply on high volume. RSI is already overbought at or before the spike high. This is institutional distribution into retail opening buyers.

Rule: Never chase the opening spike. If RSI is above 70 at the open and price is approaching +1SD or +2SD — stay flat. The spike creates the selling opportunity, not the buying opportunity.

Scenario 2 — Opening Flush to the Zone (highest conviction bounce setup)

Price opens and immediately sells off into the -1SD to -2SD VWAP zone on high volume. RSI drops to oversold in the first 10-30 minutes. This is the most powerful bounce setup of the session — the opening flush combined with the zone entry and RSI oversold produces the largest average bounces in the dataset.

Rule: If price flushes to the zone within the first 30 minutes with RSI below 40, this is your highest priority setup of the session. Wait for the BEP confirmation and second green candle — then execute with full conviction.

Scenario 3 — Trend Day Open (no bounce setup)

Price opens and continues in one direction throughout the opening hour without reaching the VWAP zone. RSI stays in the 50-75 range. This is a trend day — price stays above VWAP on bullish trend

days, below on bearish. The bounce framework produces no valid entries because price never reaches the -1SD to -2SD zone.

Rule: If price has not touched the -1SD band by 10:30 and RSI has not dropped below 40, classify as a trend day and stand down. Do not force entries.

The No-Trade Window — First 5 Minutes

The opening 5 minutes of the NASDAQ session (09:30 — 09:35) are excluded from trading entirely. During this window:

- Volume is at its highest of the day — institutional orders executing
- Spreads are widest — execution quality is poorest
- Price discovery is incomplete — candles are unreliable signals
- VWAP bands have not yet established meaningful levels

Any BEP appearing in the first five minutes is disqualified regardless of RSI or zone conditions. Observe and classify — do not trade.

Opening Hour Volume Interpretation

Opening hour volume is structurally different from mid-session volume. The interpretation rules change:

Volume Pattern	Opening Hour Meaning	Action
Extreme spike 09:30-09:35	Normal institutional order execution — not a signal	Observe only — no trade in first 5 minutes
High red volume on opening decline	Institutional selling into the open — watch for exhaustion	Wait for volume spike then decline before looking for BEP
Declining volume into zone low	Sellers losing conviction — exhaustion developing	Constructive — watch for BEP trigger
Dominant single red spike at zone low	Capitulation — final flush of sellers	Highest conviction setup — BEP on next candle is the trigger

Opening Hour Session Classification

By 10:00 — 30 minutes into the session — classify the day into one of three types. This classification sets expectations for bounce size and trade frequency for the rest of the session.

Session Type	Characteristics	Expected Bounce Size	Setup Frequency
Bounce Day	Price reaches -1SD to -2SD zone. RSI drops below 40. Opening flush or mid-morning decline into band.	\$0.84 average. Opening flush setups can produce \$2.00+	1-3 valid setups across session
Trend Day	Price stays consistently above or below VWAP. Zone never reached. RSI holds 50-75.	No bounce setup available	0 — stand down entirely
Choppy Day	Price oscillates around VWAP. Multiple brief zone touches. RSI noisy.	Smaller bounces — \$0.20-\$0.60. Exit earlier.	Multiple setups but lower conviction — be selective

The Opening Hour Trap — What Not to Trade

The opening hour produces the most visually compelling but technically invalid setups. The following patterns appear frequently and must be ignored:

Bullish engulfing mid-decline (09:40-09:50): A green candle engulfing a red candle during an ongoing opening sell-off. RSI is declining but not yet at the oversold threshold. Price is not in the zone. This is a dead cat bounce within the opening flush — not a genuine reversal. The June 22nd 09:47 candle (RSI 58.99, no zone) was a textbook example.

Engulfing at VWAP (not in zone): Price bouncing off VWAP itself rather than the -1SD to -2SD zone. VWAP is the target, not the entry point. A BEP at VWAP fails the zone criterion.

First candle engulfing: Any BEP forming in the first five minutes regardless of RSI or zone. Automatic disqualification. No exceptions.

Opening Hour Decision Framework

At 09:30, run through this sequence before touching Saxo:

1. Note pre-market RSI — above 70 signals opening trap risk
2. Observe the first five candles — do not trade
3. By 09:35 — classify the opening drive (spike trap, flush to zone, or trend)
4. By 10:00 — classify the session type (bounce, trend, or choppy)
5. If bounce day confirmed — apply the three-criteria entry framework
6. If trend day confirmed — stand down entirely

5. Entry Rules — All Three Required

All three criteria must be confirmed on TradingView before any order is placed. Two out of three is not a valid entry.

Criterion 1 — VWAP Zone Location

Any part of the candle body must touch or penetrate the -1SD line, entering the zone between -1SD and -2SD. The zone entry tells you where to watch — not when to act. Price below -2SD is an even stronger location signal.

Criterion 2 — RSI Below 40 on the Red Candle

The red candle immediately preceding the green engulfing candle must have RSI (14, close) below 40. This is the moderate oversold threshold validated against the 60-day dataset. RSI is checked on the red candle — not the green candle.

Criterion 3 — Full Bullish Engulfing Pattern (BEP)

The green candle must fully engulf the prior red candle body to the penny:

- Green candle open must be at or below the red candle close
- Green candle close must be at or above the red candle open

One cent short on either side is a failed engulfing. The rule is binary.

Candle Body Size Classification

Body Size	Classification	Signal Validity
\$0.00 - \$0.02	Doji	Indecision — not a valid confirmation candle

\$0.03 - \$0.09	Spinning Top	Weak signal — use caution
\$0.10+	Meaningful body	Valid confirmation candle

6. Second Candle Confirmation

After the full bullish engulfing candle closes, wait for the next candle to confirm:

- Second candle must be green (close above open)
- Second candle must close above the first green candle close
- Second candle body must be \$0.10 or larger

If the second candle is red — exit immediately at a small loss. The bounce is not confirmed. Do not hold.

Entry price is the close of the first green engulfing candle. The second candle is confirmation — not the entry point.

7. Exit Rules

Exit targets must be set before entry — not during the trade. The pre-trade target cannot be moved further away once set.

Primary Exit — RSI Overbought

RSI reaching 70+ is the primary exit signal. Do not wait for 80 or 90. At 70 the risk/reward has inverted. Exit immediately.

Secondary Exit — Topping Candlestick Signals

- Evening Star pattern (large green, small body/Doji, red candle)
- Shooting Star (long upper wick, small body at top)
- Bearish engulfing of the prior green candle

VWAP Slope Adjusted Targets

VWAP Slope (10 min)	Classification	Target
Steeper than -\$0.25	Steep decline	\$0.50-0.75 — exit early
-\$0.10 to -\$0.25	Moderate decline	\$0.75-1.50
Flatter than -\$0.10	Flat or rising	\$1.50-2.00+ target VWAP

VWAP slope = Current VWAP (blue middle line) minus VWAP 10 minutes ago. Calculated at the moment of entry.

8. Pre-Trade Checklist

Complete every line before touching Saxo TraderGO:

Criterion	Confirmed	Value
Pre-market RSI checked at 09:30	Y / N	
First 5 minutes observed — no trade placed	Y / N	
Session classified by 10:00 (Bounce / Trend / Choppy)	Y / N	
Signal confirmed on TradingView (not Saxo)	Y / N	
Price in -1SD to -2SD VWAP zone (VWAP Band 1-2 = TRUE)	Y / N	
RSI below 40 on the red candle	Y / N	

Full BEP: green open $\leq$ red close AND green close $\geq$ red open (to the penny)	Y / N	
Second green candle confirmed (body \$0.10+, closes above first green)	Y / N	
VWAP slope calculated — exit target set	Y / N	

9. Candlestick Pattern Hierarchy

Bullish Reversal Patterns (Entry Signals)

Pattern	Strength	Validated	Notes
Full Bullish Engulfing (BEP)	Strongest	Yes — 143 instances	Primary entry signal
Morning Star	Strong	Not yet	Log for future validation
Hammer	Strong	Not yet	Log for future validation
Piercing Pattern 70%+	Moderate	Not yet	Observe only — do not trade
Counter Attack / Meeting Lines	Weak	Not yet	Observe only — do not trade

Bearish Reversal Patterns (Exit Signals)

Pattern	Signal	Action
Bearish Engulfing	Strongest reversal	Exit immediately
Evening Star	Three candle top	Exit immediately
Shooting Star	Long upper wick rejection	Exit immediately
Red Doji at peak	Indecision at top	Watch next candle — exit if red follows
Advance Block / Stalled	Momentum exhaustion	Tighten stop — prepare exit

10. Data Tracking Workbook — Column Definitions

The Intel NASDAQ Opening Hours Workbook tracks every 1-minute candle across the session with pre-calculated indicators. Each row represents one candle. The workbook is the source of truth for the 60-day validation dataset and ongoing pattern analysis.

Core Price and Volume Columns

Column	Description
Count	Sequential candle number within the dataset
Time	Candle timestamp in Excel serial date format
Open / High / Low / Close	Standard OHLC price data for the 1-minute candle
Volume	Total shares traded in the candle period
Change in Vol from prior	Absolute volume change versus prior candle
Vol Change as %	Percentage volume change versus prior candle

VWAP Indicator Columns

Column	Description
VWAP	Session VWAP value (blue middle line). Source: HLC/3. Anchor: Session.
VWAP Upper Band #2	+2SD band (upper gold line) — extreme overbought extension
VWAP Upper Band #1	+1SD band (upper green line) — exit zone for longs
VWAP Lower Band #1	-1SD band (lower green line) — entry zone begins here
VWAP Lower Band #2	-2SD band (lower gold line) — extreme oversold extension
VWAP Band 1-2	Boolean TRUE/FALSE. TRUE = candle low has touched or penetrated the -1SD band. This is Criterion 1 of the entry framework.

RSI Columns

Column	Description
RSI	RSI (14, close). Values below 40 on a red candle inside the zone satisfy Criterion 2.
RSI-based MA	Signal line of RSI. RSI crossing above its signal line during a bounce confirms momentum shift.

Setup Classification Columns

Value	Meaning
BEP	Bullish Engulfing Pattern — valid entry trigger when all other criteria are also met.
HELL / VOID	No trade — negative indicator. Candle does not meet entry criteria. Both values mean the same outcome.
VWAP-1	Price is in the -1SD zone. Location condition met. Awaiting RSI and BEP confirmation.
0	No zone entry. Outside the -1SD to -2SD range. No setup possible on this candle.

11. Behavioural Rules

Rule 1: TradingView confirms. Saxo executes. Never reversed under any circumstances.

Rule 2: Two out of three criteria is not a trade. All three must be confirmed.

Rule 3: No trade in the first five minutes of the session regardless of what the chart shows.

Rule 4: Classify the session by 10:00. Trend days get no trades. Stand down completely.

Rule 5: Exit targets are set before entry. They cannot be moved further away during the trade.

Rule 6: An Evening Star Doji plus overbought RSI plus declining VWAP is a mandatory exit. Not optional.

Rule 7: A losing scalp is closed at the defined stop. It does not become a longer-term hold.

Rule 8: A new trade is evaluated independently of any prior loss in the same session.

Rule 9: The average confirmed bounce is \$0.84. Exit discipline is built around this average — not the best day on record.

12. Pending Research & Validation

Variable	Status
VWAP slope vs bounce size correlation	60-day analysis in progress
Rising vs declining market bounce size	To be added to 60-day analysis
Opening flush bounce size vs mid-session bounce size	Hypothesis: opening flush produces larger bounces — validate against dataset
Piercing pattern 70%+ bounce rate	Observe and log — no live trading
Continuation engulfing pattern (above VWAP)	Observe and log — no live trading
Hammer and Morning Star bounce rate	Observe and log — no live trading
Bearish engulfing framework (short side)	Framework defined — validation pending

13. Pine Script Indicator Development Plan

1. VWAP Slope Indicator — plots 10-minute rate of VWAP change. Colour coded green (flat/rising) and red (declining).
2. VWAP Percentage Deviation — plots price distance from VWAP as a percentage.
3. Combined Entry Signal Alert — fires when all three entry criteria are simultaneously met.

Version 1.2. Rules are updated only when supported by validated data. Theoretical reasoning alone is not sufficient to modify a trading rule.