

Ref no:	SSOW12	Calders & Grandidge	
Compiled By: M. Price	Safe System of Work Lone Working		Revision 1
Effective Date: July 2022			Revision date: July 2023

CONTENTS

REVISION RECORD	1
AUTHORISATION	1
CONTENTS	2
1. PURPOSE	3
2. SCOPE	3
3. GLOSSARY	3
4. REFERENCES	3
5. RECORDS	4
6. PROCESS	4
1 GENERAL REQUIREMENTS	4
2 PROHIBITIONS ON LONE WORKING	4
3 PRE-INITIATION ACTIVITIES	5
4 DELIVERY DRIVER ARRANGEMENTS	7
5 MOBILE STAFF ARRANGEMENTS (SALES CALLS, TRAINING COURSES, POLE GOUGING ETC.)	7
6 HIGH RISK LONE WORKERS - BLACKLINE SYSTEM	8
7 HIGH RISK & TIER 2 LONE WORKERS - GBSG ARRANGEMENTS	9
8 RESPONSIBLE PERSONS AUTHORISED BY THE BUSINESS DIRECTOR	9
9 VERIFICATION OF SYSTEM EFFECTIVENESS	9
10 DUTIES OF USERS OF LONE WORKING SAFETY DEVICES	10
APPENDIX A	
BLACKLINE SYSTEM CERTIFICATE OF COMPETENCE	11

Ref no:	SSOW12	Calders & Grandidge	
Compiled By: M. Price	Safe System of Work Lone Working		Revision 1
Effective Date: July 2022			Revision date: July 2023

1. PURPOSE

- 1.1 To document the arrangements in place for safeguarding the welfare of personnel who are required to work alone (Lone Workers).

2. SCOPE

- 2.1 This Safe System of Work applies to all Lone Working personnel on site at Calders and Grandidge London Road site (including third party personnel) and all Calders and Grandidge employees who are required to work alone whilst mobile (for example lorry drivers and staff attending other locations).

3. GLOSSARY

Lone Worker	A person who is required and authorised to work alone. This includes contractors, sub-contractors, consultants etc.
Responsible Person	The person responsible for initiating a period of Lone Working. Examples include a hiring manager (in the case of contractors), a person granting a work authorisation or a manager arranging for a person to attend an off-site location for work.
Lone Working Session (Session)	Such period of time that could foreseeably give rise to a delay in a person receiving assistance in the event of them encountering distress.
	This symbol indicates an entry that contains a prohibition on an activity or practice.
	A red vertical band indicates an entry that has been amended since the last issue.

4. REFERENCES

RA190	Risk Assessment – Lone Working
Blackline System	Details available at https://www.blacklinesafety.com/
GBSG	GBSG security provider, working from Security House, High Street, Donington, Spalding, Lincolnshire, PE11 4TA

Ref no:	SSOW12	Calders & Grandidge	
Compiled By: M. Price	Safe System of Work Lone Working		Revision 1
Effective Date: July 2022			Revision date: July 2023

5 RECORDS

Record No if applicable	Title	Access, Disposal Retention, Authorised Person	Location	Minimum Retention Period	Index Method
N/A	Blackline System	Compliance Manager	Online	Real-time	-
N/A	Blackline User Training Record	Compliance Manager	Head Office	7 Years	Worker Name

6. PROCESS

1 General Requirements

- a Where any role involves an element of Lone Working, the Business Director must ensure that the risks arising are evaluated and appropriate and effective controls are applied. The vehicle for achieving this requirement is the authorisation of Responsible Persons.
- b Only fully trained and authorised personnel are permitted to undertake lone work or to initiate a Lone Working session.
- c Meticulous records must be kept for all activities relating to Lone Working – for example engagement records, permits, competence records and electronic system records. In the case of electronic system records, these must be backed up to a reliable source. All records must be stored in a form that facilitates easy retrieval.
- d  No person is permitted to initiate a Lone Working session unless they possess the necessary competence to do so and they have been explicitly authorised to do so.

2 Prohibitions on Lone Working

- a Lone Working must **never** be authorised for the following work types:
 - Working at height, where dynamic assessment indicates a high risk. For example:
 - working at height in a remote area of the site
 - Working at height for a prolonged period
 - Working at height outside of normal working hours
 - Confined Space Working.
 - Work involving high voltage electricity.
 - Hot Work.
 - Heavy manual handling activities.
 - Work requiring a Permit to Work.

Ref no:	SSOW12	Calders & Grandidge	
Compiled By: M. Price	Safe System of Work Lone Working		Revision 1
Effective Date: July 2022			Revision date: July 2023

b Additionally, the following people must **not** be authorised to work alone:

- Young workers (under 18 years of age)
- Any employee not fully competent and who has not been given Authority to Operate.
- Pregnant women or new mothers.
- Vulnerable persons.

3 Pre-Initiation Activities

a Prior to initiating a Lone Working Session, the Responsible Person must:

- Eliminate the possibility that the work can be done by using means other than Lone Working.
- Establish that the person who will be conducting the lone work is competent to do so.
- Establish that the proposed Lone Worker is physically and mentally fit to undertake such work.

b Having satisfied the requirements of 3a, the Responsible Person must assess the risks arising from the proposed lone work and ensure that arrangements are in place control and minimise those risks. To assist with this task, the Evaluation Table below contains suggested criteria to be used in the evaluation process and the resultant controls to be applied.

Please note the list is not exhaustive nor must any role meet all of the criteria within a given Tier to be allocated to that Tier. A judgement must be made by the Responsible Person concerning the Tier to be applied.

Ref no:	SSOW12	Calders & Grandidge	
Compiled By: M. Price	Safe System of Work Lone Working		Revision 1
Effective Date: July 2022			Revision date: July 2023

Evaluation Table

Tier	Guidance Criteria	Control Methodology
Tier 1	- Works alone out of hours - Danger of remaining undiscovered for greater than 30 minutes - Works in high hazardous environment (e.g. pressurized systems, steam, COSHH substances, projectiles) - Operates mobile plant outside of normal operating hours - Working on shifts/weekends (un-sociable) - Works at different elevations for example fixed gantries - Required to access live electrical cabinets - Role requires formal training and certifications - Exposed to high temperatures - Works in potential DESEAR environment - Required to be in good physical and mental health	- Blackline safety system - CCTV – GBSG - In contact with off-site security – GBSG (out of hours)
Tier 2	- Works alone within 'working hours' - Attends site briefly out of hours for checks - Danger of remaining undiscovered for up to 30 minutes - Works in high hazardous environment (e.g. pressurized systems, COSHH substances, projectiles) - Operates mobile plant outside of normal operating hours - Works at different elevations for example fixed gantries - Required to access live electrical cabinets - Role requires formal training and certifications - Exposed to high temperatures - Works in potential DESEAR environment - Required to be in good physical and mental health - Extended periods of Lone Working - Permit works	- Other personnel regularly in vicinity - Periodic supervisory checks - CCTV – GBSG - In contact with off-site security – GBSG (out of hours)
Tier 3	- Works alone off site (mobile) - Travelling on public highway	- Arrival check-Ins - Periodic check-Ins as agreed (depending on task/risk)
Tier 4	Working from home	Maintaining regular contact as agreed

Ref no:	SSOW12	Calders & Grandidge	
Compiled By: M. Price	Safe System of Work Lone Working		Revision 1
Effective Date: July 2022			Revision date: July 2023

c Some roles are permanently allocated to Tiers, due to the nature of the duties undertaken within those roles. The Business Director must ensure that arrangements are in place to review the allocation of roles to Tiers upon the following circumstances:

- Change in shift patterns
- Overtime
- Prior to organisation change
- Prior to any procedural or process change
- Prior to the removal of any other of these stated control measures
- Failure of control measures
- Following an incident involving a Lone Worker
- Prior to implementation of equipment upgrade or change (that affects a Lone Worker)

4 Delivery Driver Arrangements

a **ARRANGEMENTS TO BE CONFIRMED**

Lone working devices to be considered
During working hours – transport co-ordinator on site, tracker is permanently on
Make contact at least one a day
Site deliveries – nothing in place at the moment
Some fencing drivers will take pictures as proof
50/50 on customers being on site when deliveries happen
Some drivers load themselves late at night

5 Mobile Staff Arrangements (Sales Calls, Training Courses, Pole Gouging etc.)

- a Having satisfied the requirements of 3a, the Responsible Person must assess the risks arising from the proposed lone work and ensure that arrangements are in place control and minimise those risks, using the evaluation table as a guide.
- b The risk of a Lone Worker remaining undiscovered if they encounter difficulty is increased by two main factors:
- 1) They are 'off site' and are not under direct supervision or observation.
 - 2) There may be long periods of time in between contact with the worker.
- c The Responsible Person must ensure that mitigating measures are in place to reduce any potential adverse effects arising from the factors detailed in 5b and any other relevant factors (for example exposure to members of the public, lack of familiarity with the vehicle, breakdown contingency arrangements, provision of first aid kits etc.).
- d The periodicity of any 'Safe & Well' checks must be properly understood by all parties and rigorously adhered to for the duration of the off-site activity.

Ref no:	SSOW12	Calders & Grandidge	
Compiled By: M. Price	Safe System of Work Lone Working		Revision 1
Effective Date: July 2022			Revision date: July 2023

6	High Risk Lone Workers - Blackline System
----------	--

- a The Blackline System is a comprehensive, managed Lone Worker safety facility.
- b The unit models employed by Calders & Grandidge are the G7c, utilising multi-gas pump cartridges.
- c The Lone Worker units provide the following functionality to the user:
 - Text messaging
 - Fall detection
 - No-motion detection
 - SOS alert
 - Check-in timer
 - Configuration modes
 - Receive voice calls
 - Push-to-talk enabled
 - Multi gas detection
 - Pump enabled
 - Low warning alarm for gas
 - Under limit alarm for gas
 - High alert for gas
 - STEL alert for gas
 - TWA alert for gas
 - Over limit alert for gas
- d The G7c units are stored and charged (and gas-calibrated) in the Production Office and must be obtained from that location upon shift commencement and returned to that location and placed on charge at the end of each Lone Working shift.
- e Powering on, setting up, use and shutdown of the G7c unit must be accomplished by the operator as detailed in the Blackline G7c Training Presentation.
- f The Responsible Person must not permit any worker to use any part of the Blackline System unless that worker has been comprehensively trained in the use of the system and their understanding of the requirements has been verified.
- g The Compliance Manager must maintain accurate records with respect to workers who have been trained in the use of the Blackline System.

Ref no:	SSOW12	Calders & Grandidge	
Compiled By: M. Price	Safe System of Work Lone Working		Revision 1
Effective Date: July 2022			Revision date: July 2023

7 High Risk & Tier 2 Lone Workers - GBSG Arrangements

- a Although the Blackline System is the preferred control measure for high risk Lone Workers, a contingency arrangement is in place to ensure continued high levels of safety during any system outage involving the Blackline System. This system is also the default system to be used by Tier2 Lone Workers.
- b In the event of an outage of the Blackline System (and in all instances of Tier2 Lone Working), the Lone Worker must make contact with GBSG and make arrangements for 'Safe & Well' checks on the hour, every hour. This involves the worker calling in to GBSG every hour without fail.
- c In the event that the Lone Worker fails to call in on the hour, the GBSG Monitoring Team will call the worker within 5 minutes after the hour. If there is no response within 10 minutes of the original 'Safe & Well' call, the GBSG Team will contact the following personnel in the order given:
 - 1) Fencing & Track Supervisor 07395249229
 - 2) Compliance Manager 07740914032
 - 3) Production Manager 07702904881
- d If these attempts are unsuccessful, a GBSG mobile operative will be despatched to locate the Lone Worker.
- e Upon arrival, the GBSG Patrol will head to the Creosote Plant and shout for the operator around the building without entering the plant (or other location at which the Lone Worker was recorded as working in). If no response is obtained the GBSG Patrol will contact the emergency services. If the Lone Worker is located and emergency assistance is necessary, the GBSG Patrol will dial 999 and provide the appropriate information to the emergency services.

8 Responsible Persons Authorised by the Business Director

- a The occupants of the following roles are authorised by the Business Director to fulfil the duties of a Responsible Person, *provided that the occupant has received appropriate training and has demonstrated sufficient competence to do so*:
 - All senior management.
 - Compliance Manager.
 - Continuous Improvement Engineer.
 - Transport & Logistics Manager.
 - Production Managers.
 - Production Supervisors.

9 Verification of System Effectiveness

- a The Operations Director shall cause the effectiveness of the arrangements detailed in this document to be tested and verified at regular intervals. The person nominated to conduct such tests and the periodicity of the testing shall be as documented within the Compliance Calendar.

Ref no:	SSOW12	Calders & Grandidge	
Compiled By: M. Price	Safe System of Work Lone Working		Revision 1
Effective Date: July 2022			Revision date: July 2023

10	Duties of Users of Lone Working Safety Devices
-----------	---

- a The organisation recognises that there are unique risks that relate to Lone Workers and has implemented robust arrangements to secure the safety of these workers. The effectiveness of these arrangements relies heavily on compliance on the part of the Lone Worker(s). For this reason, all Lone Workers must:
- Familiarise themselves with the Lone Working Policy and the arrangements that are in place.
 - Undergo any necessary training for Lone Working.
 - Ensure that they fully comply with all training, procedures and instructions relating to Lone Working.
 - Where Lone Working apparatus has been issued, take good care of the equipment and use it only in accordance with their training and the relevant procedures in place at the time.
 - Report all Lone Working equipment defects (and any non-compliance with Lone Working procedures) to their supervisor or manager immediately.
- b Due to the critical nature of the arrangements for Lone Working, the following actions are highly likely to result disciplinary action being instigated:
- Wilful misuse of any Lone Working equipment or devices or emergency contact numbers.
 - Failure to use the provided equipment or devices as instructed.
 - Failure to self-report any instances of damage or negligence.

Ref no:	SSOW12	Calders & Grandidge	
Compiled By: M. Price	Safe System of Work Lone Working		Revision 1
Effective Date: July 2022			Revision date: July 2023

APPENDIX A	BLACKLINE SYSTEM CERTIFICATE OF COMPETENCE
------------	--

Candidate Statement:

I, the undersigned, confirm that I have received training on the Blackline Lone Worker safety system. Where I have raised questions, they have been answered to my complete satisfaction and I have properly understood the training that I have received.

I now feel confident to use the Blackline System in the performance of my duties and I undertake to do so strictly in accordance with the training that I have received.

Name (BLOCK CAPITALS): _____

Signature: _____

Date of signing: _____

Responsible Person/ Manager Statement:

I, the undersigned, confirm that I have delivered (or caused to be delivered) an approved course of training on the Blackline Lone Worker safety system to the above named candidate.

I am satisfied (based on the direct performance evidence and/ or documentary evidence that I have witnessed) that the candidate has attained and demonstrated the level of competence that is necessary to enable the candidate to safely and properly use the Blackline System in the performance of the lone-working element of their duties.

Name (BLOCK CAPITALS): _____

Signature: _____

Date of signing: _____