3

A B C D E

1

All comments will be made public as-is, with no edits or redactions. Please be careful to not include compersonal information, otherwise sensitive or protected information, or any information you do not include the personal information and information in the personal information in the personal

Comment Template for Responses to NIST Artifical Intelligence Risk Management Framework Request for Infromation (RFI)

General RFI Topics (Use as many lines as you like)	Response #	Responding organization	Paper Section (if applicable)	Response/Cor (Include ration
1				
Responses to Specific Request for s information (pages 11,12, 13 and 14 of the RFI)				
1. The greatest challenges in improving how AI actors manage AI-related risks – where "manage" means identify, assess, prioritize, respond to, or communicate those risks;		Corner Alliance, Inc.	CVPR 2021 Workshop on Autonomous Vehicles (https://www.youtube.com/watch?v=YZTlaiu_vWE)	In the rapidly con of AI, there are challenges in in AI actors manarisks. As with on changing fields known knowns; and unknowns; and unknowns of AI modes. Curren greatest challe management properties in a composition of model suscential examination to this weakness to measure and upon. Therefor imperative to its comprehensive schema of what wrong in a model performance, a rigorously again factors.
				This need to cl categories and failure modes a weaknesses is

nist.gov/system/files/documents/2021/08/19/ai-rmf-rfi-0017.html В \mathbf{C}

industry to imple guidance becau were to take thi own, the undert be insufficient a without reference document. Addi might include ta industry-specific applying to the as a whole. Wh semantic searcl matching, or oth necessity of prc that include acc of risk is impera user trust in a s

In addition to th anticipating mo vulnerabilities, t another challen whether or not a data is biased. large language as Transformers Even if one has art performance language proce benchmarks, or trained on datas from the edges internet. For exdataset include: representations and other webs contain incendia that poison mod performance. T having definitive dataset creatior the developmer data would ensi deployment of c datasets that pr and users can h confidence in.

In order to solve challenges, a n avenues can be Some apparent include: the dev use cases, unit team exercises challenges to id document the fu strategies to mi model risk. Prov community with opportunity to re the scenarios w go wrong could method to motiv add their voice problem. Howe

//10/24, 2:52 PM					
A A	В	C	D D	E E E E E E E E E E E E E	stands, there is central to test a objectively eval robustness for the explainability, esafety, and mor NIST is well positively and test vulnerabilities by deployment and forum to brainst spectrum of whice in the can risk mostrategies be defined in a then can risk mostrategies be defined in the development pilexample of howidentifies cornel employs rigorouprocesses in the see the CVPR 2 Workshop on A Vehicles. The kontinually updatest cases that a being proved or chances of such increased where information can crowdsourced for around the worly vulnerabilities. Of development of comprehensive Framework can across industried define their polise how they more field.
18 2. How organizations currently define and manage characteristics of Al trustworthiness and whether there are important characteristics which should be considered in the Framework besides: accuracy, explainability and interpretability, reliability, privacy,		Corner Alliance, Inc.		Explaining and Harnessing Adversarial Examples (https://arxiv.org/pdf/1412.6572.pdf) Deep Fakes: A Looming Challenge for Privacy, Democracy, and National Security (https://papers.ssrn.com/sol3/papers.cfm? abstract_id=3213954)	The "Explaining Harnessing Adv Examples" pape number of appli definitions, both included in the terms and defin follows. Confidence: Wheneural networks decision is conget thought process. Deterministic occurrence (not logical ratio user has to be a both correct and decisions. Trust: When the making process have to be valid prediction safe.

/24, 2:52 PM				stem/files/documents/2021/08/19/ai-rmf-rfi-0017.html
A robustness,	В	C	D	E
safety, security (resilience), and				
mitigation of harmful bias, or				
harmful outcomes from				
misuse of the				
AI;				

adopted? Adver diminish the val trait. Developed satisfactory test experience. Safety: Consiste as expected. G its input, guard choices that car impact the user Exhibit high reli both standard a exceptional ope conditions. Prov to a user about conditions influe decisions Ethics: Model d a code of moral defined by the t

In addition to th on explainability Fakes: A Loomi for Privacy, Der National Securi provides a usef for risks related security implica fakes powered learning (ML).

Deep Fakes de digital impersor leverages mach algorithms to in voices into vide recordings of ac and enables the realistic imperso digital whole clc deep fakes and forgeries more: Amplifies cogni truth decay. Ena enhanced explc intimidation, and sabotage. There causes and cor this disruptive to change.

Examples of MI Fakes: GANS (thispersondoes DeepMind's Wa Baidu's DeepVc commercial app Lyrebird.

What are the ris fakes? Harm to Organization (E Sabotage); Har (Distortion of de

//10/24, 2:52 PM	_			stem/files/documents/2021/08/19/ai-rmf-rn-001/.html	_
A 19	В	C	D	E	discourse; Man elections; Erodi institutions; Exa social divisions; public safety; U diplomacy; Jeol national securit Undermining joi
organizations currently define and manage principles of Al trustworthiness and whether there are important principles which should be considered in the Framework besides: transparency, fairness, and accountability;		Corner Alliance, Inc.		On the Dangers of Stochastic Parrots (https://dl.acm.org/doi/pdf/10.1145/3442188.3445922)	In Timnit Gebru Dangers of Stor Parrots," the au at length the co that researcher aware of though and ML develor authors' main a that large AI mc showing better understanding, showing better understanding, showing better of natural langu Therefore, the athe question: is pursue large mc considering the The authors the main drawback associated with namely environ financial costs, challenges, and of hegemonic w In terms of envi financial costs, underscores the energy efficient architectures ar paradigms, kno AI. Efficiency st promoted as an metric in order tenergy usage. compute used targest deep lea has increased \$\frac{1}{2}\$ (6) years, increating erits and shape a future of the development of the compute used targest deep lea has increased \$\frac{1}{2}\$ (6) years, increating erits and shape a future of the compute used targest deep lea has increased \$\frac{1}{2}\$ (6) years, increating erits and shape a future of the compute used target deep lea has increased \$\frac{1}{2}\$ (6) years, increating erits and shape a future of the compute used target deep lea has increased \$\frac{1}{2}\$ (6) years, increating erits and shape a future of the compute used target deep lea has increased \$\frac{1}{2}\$ (6) years, increating erits and shape a future of the compute used target deep lea has increased \$\frac{1}{2}\$ (6) years, increating erits and shape a future of the compute used target and shape a future of the compute used target and shape a future of the compute used target and the compute used target

7/10/24, 2:52 PM В \mathbf{C}

in 0.1 BLEU sco \$150,000 for cc plus carbon em encourage more access to NLP reduce carbon 1 authors recomn reporting trainin requirement. Ac urge governme compute clouds equitable acces researchers.

Regarding train challenges, mo: technology is bu the needs of the already have th privilege in soci to the authors. I data available c representative v often not being systems. Rathe and derogatory are encoded ald race, ethnicity, a status. Large, u Internet-based encode the dominant/heger which further ha the margins. Th recommend res allocation towar curation and do practices. They size of the data guarantee data Without a critica of dataset conte researchers risk dominant viewp increasing power further reifying i Furthermore, st do not reflect ch views. A central social movemer involves using I strategically to dominant narra attention to und social perspecti Therefore, thou practices to car and techniques more frequently in dataset deve Additionally, mc encode bias if t datasets with st associations. TI labeling males a females as nurs 7/10/24, 2:52 PM nist.gov/system/files/documents/2021/08/19/ai-rmf-rfi-0017.html В \mathbf{C}

negative sentim specific ethnic (authors recomn out systems tha "safety" of a lan for a protected curation and do are key to acco dataset develor to curate and do better language training data, a oriented data co methodology sh developed. With documentation, cannot try to un training data ch fix issues. There researchers and should budget f documentation costs of project according to the

Finally, in terms perpetuating he worldviews, Eng language mode exclusionary an risk degrading (order to particip must subscribe hegemonic orde these models a While utterance in worldviews, r privilege are ov in the training d lead to framing dehumanizing v microaggressio become automa to reduce the ris producing and a automated bias technological ed should be deve that evenly repr marginalized cc worldwide.

The authors cor posing the prob the lens of com interest: the act choose today b amplified over t our best interes make choices tl environment, co marginalized cc and proper documentation/ Due to the fact be the benefits

7/10/24, 2:52 PM				stem/files/documents/2021/08/19/ai-rmf-rfi-0017.html	
A	В	С	D	E	disadvantages amplified over t important to ma choices now in compounded be
21 22 4. The extent to which AI risks are incorporated into different organizations' overarching enterprise risk management – including, but not limited to, the management of risks related to cybersecurity, privacy, and safety;		Corner Alliance, Inc.		Explaining and Harnessing Adversarial Examples (https://arxiv.org/pdf/1412.6572.pdf) Switching Gradient Directions for Query-Efficient Black-Box Adversarial Attacks (https://arxiv.org/pdf/2009.07191.pdf) Switching Gradient Directions for Query-Efficient Black-Box Adversarial Attacks (https://arxiv.org/pdf/2009.07191.pdf) Adversarial Examples in Deep Learning Multivariate Time Series Regression (https://arxiv.org/abs/2009.11911)	Many organizat suited at incorp considerations overarching ent management. It required on how and test models mind. In particutor robustness a adversarial atta become more spractice. Adversare the major set to deep neural (DNNs) that addimperceptible popenign images misclassification. The following the provide valuable about adversaric could be incorporganizations' remanagement st. The "Explaining Harnessing Adversamples" paper overview of the training techniques describes how a change in an into catastrophic misclassification defines an adversample as a pan image that reincorrect answer confidence. For vulnerability car picture of a pan classified as a gadding a small to the data. It see neural networks susceptible to a examples due to the data. It see neural networks susceptible to a example due to the data. It see neural networks susceptible to a example susing weight optimizate computing adversamples as the valuate on tha evaluate on the evaluate on tha evaluate on the evaluate on tha evaluate on the e
					does not solve

7/10/24, 2:52 PM			nist.gov/sy	stem/files/documents/2021/08/19/ai-rmf-rfi-0017.html	
A	В	C	D	E	F
					vulnerability to a
					examples, it do
					substantially rec
					problem through regularization b
					The "Switching
					Directions for Q
					Black-Box Adve
					Attacks" paper
					practitioners ca
					adversarial trair
					strengthen mod
					adversarial exa
					provides further
					how to use a m
					generate adver-
					examples and t them in the trair
					Black-box attac
					realistic in real
					because they d
					the parameters
					of the target mc
					paper describes
					of black-box ad
					attacks, includir
					attacks and qu€
					attacks. The au
					a simple and hip efficient black-b
					attack named S
					at the time of pu
					state-of-the-art
					under L2 and L
					Transfer-based
					generate adver-
					examples by at
					trained surroga
					fool the target n
					not require que
					target model. Q attacks require
					to the target mc
					based attack se
					accessing the k
					value. Random-
					attacks use san
					random perturb
					iteration. Then,
					image is fed to
					model to compu
					value. The mod in the paper, ca
					bridges the gap
					transfer-based
					random-search
					to improve the
					efficiency. The
					contribution is t
					proposed appro
					the gradient to a
					the wrong direc
					consequently by
					potential obstac
					optimization, what loss function inc
 	/C1/-1	to/2021/08/10/oi m	6 6 001714 1	I	0/25

A	В	C	D	E	F
					much as possib
					Finally, the "Ad
					Examples in D€
					Multivariate Tim
					Regression" pro
					example of how
					examples can a implemented in
					data. Multivaria
					(MTS) regression
					in data mining a
					including financ
					cybersecurity, e
					healthcare, prog
					other areas. No
					learning is being
					solving MTS da
					problems, it is s
					and cost-critical these models d
					significant secu
					vulnerabilities.
					learning algorith
					for their suscep
					adversarial exa
					work leverages
					adversarial atta
					techniques to c
					adversarial MT
					CNNs, LSTMs, This method wa
					on Google stoc
					household pow
					consumption da
					paper's main fir
					the models are
					to adversarial a
					can lead to cata
					consequences.
					adversarial atta
					image domain i
					explored, this p contribution is t
					confirmation of
					across domains
					discussing pote
					techniques.
23					
24 5. Standards,		Corner		TextAttack: A Framework for Adversarial Attacks, Data	When it comes
frameworks,		Alliance, Inc.		Augmentation, and Adversarial Training in NLP	robustness, adv
models,				(https://arxiv.org/pdf/2005.05909.pdf)	attacks can imp
methodologies,				I coope loomed in designing Tout Attack	classification, e
tools, guidelines and best				Lessons learned in designing TextAttack (https://textattack.readthedocs.io/en/latest/1start/api-	translation. "Te>
practices, and				design-tips.html)	Attacks, Data A
principles to				acoign aponani)	and Adversarial
identify, assess,				Explainable Deep Learning: A Field Guide for the	NLP" provides a
prioritize,				Uninitiated (https://arxiv.org/abs/2004.14545)	how to develop
mitigate, or					how to utilize th
communicate Al				CAM Paper (https://arxiv.org/pdf/1512.04150.pdf)	model robustne
risk and					allowing resear
whether any				Grad-CAM Paper (https://arxiv.org/pdf/1610.02391.pdf)	and study the e
currently meet				Lotton, Tigket Hungthesia	adversarial atta
the minimum attributes				Lottery Ticket Hypothesis	hopefully allow creation of user
สแบบแชร				(https://arxiv.org/pdf/1803.03635.pdf)	open-source NI
attne://www.niet.gov/cyctam	 - 		nef #6 0017 bt1	I	10/25

В \mathbf{C} described above;

that are more ro adversarial atta therefore ready distribution. The python library fo attacks and dat augmentation, a run via the com provides pre-tra for more than 8 datasets. It intro components of namely: creatin attacks through applying constra adversarial atta including transfe from adversaria literature; and u method. These be combined to adversarial atta "attack recipes. unites 15-plus r the NLP advers literature into a framework, ther researchers to 1 the weaknesses models. TextAtt dozens of pre-ti (LSTM, CNN, a transformer-bas and supports ta summarization, translation, and from the GLUE

Alternatively, in frameworks spe explainability, "I Deep Learning: for the Uninitiat thorough discus methods for expneural networks methods it lists visualization medistillation; and methods.

Visualization manighlight the character that influence the DNNs. It answe question: to what does a specific contribute to a co

7/10/24, 2:52 PM			nist.gov/sy	stem/files/documents/2021/08/19/ai-rmf-rfi-0017.html	
A	В	C	D	E	F
					deconvolution,
					CAM, layer-wise
					propagation, an
					perturbation. W
					deconvolution,
					visualize higher
					in the input spa
					rectified linear f
					running a CNN
					CAM and Grad-
					class activation
					global average
					CNNs to indicat
					regions that we
					important to a n
					prediction for th
					is an approach which uses glot
					pooling on the I
					convolutional la
					in the soft max
					producing a hea
					indicate areas c
					for the network
					However, becau
					CAM is unable
					fully connected
					CAM is applical
					broader range (
					requiring that th
					activation functi
					the network pre
					differentiable fu
					CAM linearly cc
					importance sco
					feature map an
					through a ReLL
					relevance score
					relevance score
					up-sampled to I
					dimension as th
					to produce the
					activation map.
					example of visu
					explainability is
					wise relevant pi
					which creates a
					to represent th€
					each input featu
					output of the ne
					sensitivity metri
					the change in re
					network's outpu
					changing attribu
					input. The relev measures the s
					connection bety
					or pixel to the s
					network output.
					of layer-wise re
					propagation is [
					which assigns r
					scores to input
					based on the di
					between an inp
					reference input
	1	1	I	I	

7/10/24, 2:52 PM В \mathbf{C}

Finally, perturba feature relevand comparing netw between an inp modified copy c compues input relevance by alt removing the in and comparing in network outp the original and measures occlu sensitivity by cc the image and s the model react Alternatively, in representation (words are delet their absence ir prediction. Thes perturbations ac predictors for a output, given ce These methods visualization us propagation to v feature relevand the volume of g passed through layers during ne It is specifically image and text The downside c is the extra hun needed for verif is potentially co undesirable if a instant explanat These visualiza could be very u identifying ratio many vision-bas

The "Explainab Learning" pape describes meth distillation, whic "white-box" mad identifies the de input features. a post-training e methods where distilled into a re amenable for ex a user. Distilled like a hypothesi DNN has assign class label to ar way to achieve local approxima the practitioner simple model w input/output bel that of a DNN fo subset of input examples of loc 7/10/24, 2:52 PM nist.gov/system/files/documents/2021/08/19/ai-rmf-rfi-0017.html В \mathbf{C}

approximation. can look towarc Interpretable Me Explanations), a Shapley values analysis. Anothachieve a distill through model 1 which the practi an alternative s that mimics the behavior of a D can be done to trees, finite stat graphs, and into rule-based mod example of suc distillation is the Hypothesis to fi trainable neural

The final metho explainability pr "Explainable De paper is intrinsiwhich render ar along with the c can be done thr mechanisms, or training. Attention mechanisms lev key, value, quei learn conditiona over given inpu composing a we contextual vector downstream pro attention visuali inherent explair training adds ar explanation "tas original model t jointly trains the task along with task. For examp mean a model ι language proce explain how it a certain decision methods, while are promising a encourage expl the forefront of development.

In addition to th listed above, the Deep Learning" provides details additional topics explainability. V methods or fran se, understandi topics relative to could help prac implement thes

В \mathbf{C} their own mode these topics cor stressed at eve educational opp related to expla These topics in learning mecha debugging, adv and defense, ar and bias in DNI The "Explainable Learning" paper the topic of lear mechanisms as explain the evol model's parame back propagation this process, se meaning is assi weights and act Statistical patte convergence to state. This obse helpful to learn how layers evol training, how di converge, and i properties of ge and memorizati DNNs. The "Explainab Learning" pape describes mode as something lil stethoscope, qu importance of s influential factor DNN's learning which some info actively promote suppressed. Bc functions are us the state of the training. The same pape identifies adverand defenses a explainability. T intentionally dis judgement of a box attack occu attacker has no model paramete box attack occu parameters are avoid infiltration attacks, adversa should be a crit component of n development ar before deployin audiences.

	A	В	C	D	E	F
	A	В	C	D	E	Finally, "Explain Learning" devot to fairness and discussing diffe group fairness, fairness, demog and statistical p Emphasizing th of avoiding disp mistreatment, the identifies three which analysis be conducted. If pre-processing, alternative reprete input data the information corresponds attributed in the input data the information corresponds and a process of train practitioner should be introduce fairne constraints to the order to punish decisions and a
_						decisions and a fairness regular during post-pro- hoc fairness pro- trained model to deployability.
26	6. How current regulatory or regulatory reporting requirements (e.g., local, state, national, international) relate to the use of AI standards, frameworks, models, methodologies, tools, guidelines and best practices, and principles;				N/A	N/A
28	7. Al risk management standards, frameworks, models, methodologies, tools, guidelines and best practices, principles, and practices which NIST should consider to ensure that the Al RMF aligns		Corner Alliance, Inc.		Explainable Deep Learning (https://arxiv.org/abs/2004.14545)	The "Explainable Learning" paper number of user explanations for developing moc User experience Practitioners should the decisions of How "extendable explanation? Understanding Low level techn

A	В	C	D	E	F
with and					explanations (ir
supports other					analytics; hidde
efforts;					interactions); Hi
					explanations for
					people (function
					model; logical re
					The Impact of E
					Decisions: Time
					driving cars; miloperations); De
					(medical diagno
					(modiodi diagne
					Design Extenda
					reaching can th
					of these model
					be? How will thi
					lifecycle of a mo
					implementing e
					mechanisms moin models lead
					become more r
					Improve ROI of
29					improve reer or
30 8. How		Corner		OECD: Principles on Al	The OECD: Pri
organizations		Alliance, Inc.		(https://legalinstruments.oecd.org/en/instruments/OECD-	provides a usef
take into		·		LEGAL-0449)	on how benefits
account					carried out in a
benefits and					reduces negativ
issues related					society. Key poi
to inclusiveness					follows:
in AI design, development,					Inclusive growth
use and					development, a
evaluation –					Beneficial outco
and how Al					people and the
design and					as augmenting
development					capabilities and
may be carried					creativity, advar
out in a way					of underreprese
that reduces or					populations, rec
manages the risk of potential					inequalities, and natural environr
negative impact					Tiatural Crivilorii
on individuals,					Human-centere
groups, and					fairness: Respe
society.					law, human righ
-					democratic valu
					freedom, dignity
					privacy, and dat
					equality, fairnes
					justice, and labour Safeguards should be considered as a second constant of the constant of th
					implemented in
					situations, such
					human in the lo
					Transparency a
					Explainability: A
					disclose meanir
					information to h
					stakeholders ur interactions with
					outcomes were
					Satoonics were
					Robustness, Se
					/

7/10/24, 2:32 PM	_			stem/files/documents/2021/08/19/ai-rmi-rii-001/.ntmi	_
31	В	C	D	E	Safety: AI shoul unnecessary ris should be trace regarding datas processes, how prior decisions outcomes can the Actors should a systematic risk approaches for security, strategon Accountability: Accountability: Accountable functioning of A
9. The				N/A	N/A
appropriateness of the attributes NIST has developed for the AI Risk Management Framework. (See above, "AI RMF Development and Attributes");					
34 10. Effective				N/A	N/A
ways to structure the Framework to achieve the desired goals, including, but not limited to, integrating Al risk management processes with organizational processes for developing products and services for better outcomes in terms of trustworthiness and management of Al risks. Respondents are asked to identify any current models which would be effective. These could include – but are not limited to – the NIST Cybersecurity Framework or Privacy					

A	В	C	D	E	F
Framework, which focus o outcomes, functions, categories and also offer options for developing profiles reflecting current and desired approaches a well as tiers to describe degr of framework implementation and states an	d s o ee	C	D	N/A	N/A
advance the recruitment, hiring, development, and retention a knowledgeabl and skilled workforce necessary to perform Alrelated functions with organizations.	e in				
to which the Framework should include governance issues, including but not limited to make up of design and development teams, monitoring an evaluation, an grievance and redress.	d id	Corner Alliance, Inc.		Common Code (https://www.cnas.org/publications/reports/common-code)	Governance sh consideration to unified policies management. E consistent proor design and dev teams, monitori evaluation, and ensure a minim requirements at of impact, scoperesources. The Center for a American Secut Code report produce to consider whe governance corfor technology precommendation for the developing Risk Management include: Collaborating W

	A	В	C	D	${f E}$	F
						Countries
						Adopting A Voti
						Engaging With
						Stakeholders
						Establishing M€
						Structure And F
						Craft Standards
						For A Beneficia
						Future
						These recomme
						others listed in
						could be useful
						the structure, or
						and methods er
						the Framework
						develop teams.
39						
40						
41						
42						
43						
44						
45						
46						
47						
48						
49						
50						
51						
52						
53						
54						
55						
56						
57						
58						
59						
60						
61						
62						
63						
64						
65						
66						
67						
68						
69						
70						
71						
72 72						
73						
74 75						
75 76						
76						
77 70						
78 70						
79						
80						
81						
82						
83						
84						

	A	В	C	D	E	F
85						
86						
87						
88						
89 90						
90 91						
92						
93						
94						
95						
96						
97						
98						
99						
100						
101						
102						
103						
104						
105						
106 107						
107						
109						
110						
111						
112						
113						
114						
115						
116						
117						
118						
119 120						
121						
122						
123						
124						
125						
126						
127						
128						
129 130						
131						
131						
133						
134						
135						
136						
137						
138						
139						
140						
141 142						
142						
143						
145						
146						
147						

A		В	C	D	E	F
148						
149						
150						
151						
152						
153 154						
155						
156						
157						-
158						
159						
160	ļ					
161	•					
162						
163						
164						
165						
166						
167						
168						
169 170						
170 171						
171	ŀ					
173						
174						 -
175						
176						
177	:					
178	•					
179						
180						
181						
182						
183						
184						
185 186						
187						
188						
189						
190						
191						
192						
193						
194						
195						
196						
197						
198	•					
199						
200 201						
201 202	-					
202	ŀ					
203						
205						
206	ŀ					
207						
208						_
209						
210						

A	В	C	D	E	F
211					
212					
213					
214					
215					
216					_
217					
218					
219					
220					
221					
222					
223					
224					
225					
226					
227					
228					
229					-
230					
231					
231					
233					
234					
235					
236					
237					
238					
239					
240					
241					
242					
243					
244					
245					
246					
247					
248					
249					
250					_
251					
252					
253					
254					
255					
256					
257					
258					
259					
260					
261					
262					
263					
264					
265					
266					
267					
268					
269					
270					
271					
272					
273					

A	В	C	D	E	F
274					
275					
276					
277					
278					
279					_
280					
281					
282					
283					
284					
285					
286					
287					
288					
289					
290					
291					
292					
293					
294					
295					
296					
297					
298					
299					
300					
301					_
302					
303					
304					
305					
306					
307					
308					
309					
310					-
311					
312					
313					
314					
315					
316					
317					
318					
319					
320					
321					
322					
323					
324					
325					
326					
327					
328					
329					
330					
331					
332					
333					
334					
335					
336					
330				<u> </u>	

A	В	C	D	E	F
337					
338					
339					
340					
341					
342 343					
344					
345					
346					
347					
348					
349					
350					
351					
352					
353					
354					
355					
356					
357					
358 359					
360					
361					-
362					
363					
364					
365					
366					
367					
368					
369 370					
371					
372					
373					
374					
375					
376					
377					
378					
379					
380 381					
382					
383					_
384					
385					
386					
387					
388					
389					
390					
391 392					
392 393					
394					
395					
396					
397					
398			-		
399					

A	В	C	D	E	F
400					
401					
402					
403					
404					
405					
406 407					
407					
409					
410					
411					
412					
413					
414					
415					
416					
417					
418					
419					
420					
421 422					
422					
423					
425					
426					
427					
428					
429					
430					
431					
432					
433					
434 435					
436					
437					
438					
439					
440					
441					
442					
443					
444					
445 446					
447					
448					
449					
450					
451					
452					
453					
454					
455					
456 457					
457 458					
459					
460					
461					
462					

7/10/24, 2:52 PM				stem/files/documents/2021/08/19/ai-rmf-rfi-0017.html	
A	В	C	D	${f E}$	F
463					
464					
465					
466					
467					
468					
469					
470					
471					
472					
473					
474					
475					
476					
477					
478					
479					·
480					
481					
482					
483					
484					
485					
486					
487					
488					
489					
490					
491					
492					
493					
494					
495					
496					
497					
498					
499					
500					
501					·
502					
503					
504					
505					
506					
507					
508					
509					
510					
511					
512					
513					
514					
515					
516					
517					
518					
519					
520					
521					
522					·
523					
524					
525					_

A	В	C	D	E	F
526					
527					
528					
529					
530					
531					
532 533					
534					
535					
536					
537					
538					
539					
540					
541					
542					
543					
544					
545					
546					
547					
548					
549					
550 551					
551 552					
553					
554					
555					 -
556					
557					
558					
559					
560					
561					
562					
563					
564					
565					
566 567					
567 568					
569					
570					
571					
572					
573					
574					_
575					
576					
577					
578					
579					
580					
581					
582					
583					
584 585					
585 586					
587					
588					
500	L	l .			

A	В	C	D	E
589				
590				
591 592				
592 593				
594				
595				
596				
597				
598				
599				
600 601				
602				
603				
604				
605				
606				
607				
608				
609 610				
611				
612				
613				
614				
615				
616				
617				
618				
619 620				
621				
622				
623				
624				
625				
626				
627 628				
629				
630				
631				
632				
633				
634				
635				
636 637				
638				
639				
640				
641				
642				
643				
644				
645				
646 647				
648				
649				
650				
651				
		· · · · · · · · · · · · · · · · · · ·		

A		В	C	D	${f E}$	F
652						
653						
654						
655						
656						
657						
658						
659						
660						
661	ļ					
662						
663						
664						
665						
666	-					
667	F					
668	ŀ					
669	ŀ					
670	ŀ					
671 672	F					
672 673	}					
674						
675						
676	-					
677	ŀ					
678	ŀ					
679						
680	F					
681						
682	•					
683	ļ.					
684	Ī					
685	Ī					
686	Ī					
687						
688						
689						
690	L					
691						
692						
693	-					
694	F					
695	}					
696	}					
697 698	ŀ					
698 699	}					
700	ŀ					
701	F					
702	F					
703	-					
704	þ					
705	ŀ					
706						
707	ļ					
708	ļ					
709	ļ					
710	ļ					
711	ļ					
712	Ī					
713						
714						

A	В	C	D	E	F
715					
716					
717 718					
718 719					
720					
721					
722					
723					
724					
725					
726					
727					
728					
729 720					
730					
731 732					
732					
734					
735					
736					
737					
738					
739					
740					
741					
742					
743					
744					
745 746					
746 747					
748					
749					
750					
751					
752					
753					
754					
755					
756 757					
757 758					
756 759					
760					
761					
762					
763					
764					
765					
766					
767					
768					
769					
770 771					
771 772					
773					
774					
775					
776					
777					
		ı			

A	В	C	D	E	F
778					
779					
780 781					
782					
783					
784					
785					
786					
787					
788					
789					
790 701					
791 792					
793					
794					
795					
796					
797					
798					
799					
800 801					
802					
803					
804					
805					_
806					
807					
808					
809					
810 811					
812					
813					
814					_
815					
816					
817					
818					
819 820					
821					
822					
823					
824		_		_	
825					
826					
827 828					
828 829					-
830					
831					
832					
833					
834					
835					
836					
837 838					
839					
840					
	<u> </u>	1		<u>l</u>	

A	В	C	D	E	F
841					
842					
843					
844					
845					
846 847					
848					
849					
850					_
851					
852					
853					
854					
855					
856					
857					
858					
859					
860					
861 862					
863					
864					
865					
866					
867					
868					
869					
870					
871					
872 873					
874					
875					
876					
877					
878					
879					
880					
881					
882 883					
884					
885					
886					
887					
888					
889					
890					
891					
892					
893 894					
894 895					
896					
897					
898					
899					
900					
901					
902					
903					

A	В	C	D	E	F
904					
905					
906					
907					
908					
909 910					
911					
912					
913					
914					
915					
916					
917					
918					
919					
920					
921					
922					
923					
924					
925					
926					
927					
928 929					
930					
931					
932					
933					
934					_
935					
936					
937					
938					
939					
940					
941					
942					
943					
944					
945 946					
946 947					
947					
949					
950					_
951					
952					
953					
954					
955					
956					
957					
958					
959					
960					_
961					
962					
963 964					
964 965					_
966					
700	<u> </u>				

	A	В	C	D	${f E}$	F
967						
968						
969						
970						
971						
972						
973						
974						
975						
976						
977						
978						
979						