

Table: glossary		
Column	Data type	Constraints
idglossary	INT	•NOT NULL
name	VARCHAR	•NOT NULL
location1	INT	•NULL
location2	INT	•NULL
Global table constraints		
•PRIMARY KEY (`idglossary`)		

Table: glossary_cat		
Column	Data type	Constraints
idglossary_cat	INT	•NOT NULL
glossary_fk	INT	•NOT NULL
text_types_fk	INT	•NOT NULL
order	INT	•NOT NULL
text	VARCHAR	•NOT NULL
Global table constraints		
•PRIMARY KEY (`idglossary_cat`, `glossary_fk`, `text_types_fk`) •FOREIGN KEY (`glossary_fk`) REFERENCES `glossary` (`idglossary`) ON DELETE CASCADE ON UPDATE CASCADE •FOREIGN KEY (`text_types_fk`) REFERENCES `glossary_text_types` (`idglossary_text_types`) ON DELETE NO ACTION ON UPDATE NO ACTION		

Table: glossary_eng		
Column	Data type	Constraints
idglossary_eng	INT	•NOT NULL
glossary_fk	INT	•NOT NULL
order	INT	•NOT NULL
text	VARCHAR	•NOT NULL
text_type_fk	INT	•NOT NULL
Global table constraints		

- PRIMARY KEY (`idglossary_eng`, `glossary_fk`, `text_type_fk`)
- FOREIGN KEY (`glossary_fk`)
 - REFERENCES `glossary` (`idglossary`)
 - ON DELETE CASCADE
 - ON UPDATE CASCADE
- FOREIGN KEY (`text_type_fk`)
 - REFERENCES `glossary_text_types` (`idglossary_text_types`)
 - ON DELETE NO ACTION
 - ON UPDATE NO ACTION

Table: glossary_eus		
Column	Data type	Constraints
idglossary_eus	INT	•NOT NULL
glossary_fk	INT	•NOT NULL
text_type_fk	INT	•NOT NULL
order	INT	•NOT NULL
text	VARCHAR	•NOT NULL
Global table constraints		
<ul style="list-style-type: none"> •PRIMARY KEY (`idglossary_eus`, `glossary_fk`, `text_type_fk`) •FOREIGN KEY (`glossary_fk`) <ul style="list-style-type: none"> REFERENCES `glossary` (`idglossary`) ON DELETE CASCADE ON UPDATE CASCADE •FOREIGN KEY (`text_type_fk`) <ul style="list-style-type: none"> REFERENCES `glossary_text_types` (`idglossary_text_types`) ON DELETE NO ACTION ON UPDATE NO ACTION 		

Table: glossary_glg		
Column	Data type	Constraints
idglossary_glg	INT	•NOT NULL
glossary_fk	INT	•NOT NULL
text_type_fk	INT	•NOT NULL
order	INT	•NOT NULL
text	VARCHAR	•NOT NULL
Global table constraints		

- PRIMARY KEY (`idglossary_glg`, `glossary_fk`, `text_type_fk`)
- FOREIGN KEY (`glossary_fk`)
 - REFERENCES `glossary` (`idglossary`)
 - ON DELETE CASCADE
 - ON UPDATE CASCADE
- FOREIGN KEY (`text_type_fk`)
 - REFERENCES `glossary_text_types` (`idglossary_text_types`)
 - ON DELETE NO ACTION
 - ON UPDATE NO ACTION

Table: glossary_spa		
Column	Data type	Constraints
idglossary_spa	INT	•NOT NULL
glossary_fk	INT	•NOT NULL
text_type_fk	INT	•NOT NULL
order	INT	•NOT NULL
text	VARCHAR	•NOT NULL
Global table constraints		
<ul style="list-style-type: none"> •PRIMARY KEY (`idglossary_spa`, `glossary_fk`, `text_type_fk`) •FOREIGN KEY (`glossary_fk`) <ul style="list-style-type: none"> REFERENCES `glossary` (`idglossary`) ON DELETE CASCADE ON UPDATE CASCADE •FOREIGN KEY (`text_type_fk`) <ul style="list-style-type: none"> REFERENCES `glossary_text_types` (`idglossary_text_types`) ON DELETE NO ACTION ON UPDATE NO ACTION 		

Table: glossary_text_types		
Column	Data type	Constraints
idglossary_text_types	INT	•NOT NULL
type_name	VARCHAR	
type_code	VARCHAR	
type_desc	CHAR	
Global table constraints		
<ul style="list-style-type: none"> •PRIMARY KEY (idglossary_text_types) 		

Table: news		
Column	Data type	Constraints
idnew	INT	•NOT NULL

topic_key	VARCHAR	•NOT NULL
date	VARCHAR	•NOT NULL •DEFAULT '24-12-2023'
location1	TINYINT	•NOT NULL •DEFAULT '1'
location2	TINYINT	•NOT NULL •DEFAULT '1'
video_img	VARCHAR	•NULL •DEFAULT NULL
video_url	VARCHAR	•NULL •DEFAULT NULL
Global table constraints		
•PRIMARY KEY (`idnew`)		

Table: news_cat		
Column	Data type	Constraints
id_text_cat	INT	•NOT NULL
order	INT	•NOT NULL •DEFAULT '0'
text	VARCHAR	•NOT NULL
news_fk	INT	•NOT NULL
text_types_fk	INT	•NOT NULL
Global table constraints		
•PRIMARY KEY (`id_text_cat`, `news_fk`, `text_types_fk`) •FOREIGN KEY (`news_fk`) REFERENCES `news` (`idnew`) ON DELETE CASCADE ON UPDATE CASCADE •FOREIGN KEY (`text_types_fk`) REFERENCES `news_text_types` (`text_type_id`)		

Table: news_eng		
Column	Data type	Constraints
id_text_eng	INT	•NOT NULL
order	INT	•NOT NULL •DEFAULT '0'
text	VARCHAR	•NOT NULL
news_fk	INT	•NOT NULL

text_types_fk	INT	•NOT NULL
Global table constraints		
<ul style="list-style-type: none"> •PRIMARY KEY (`id_text_eng`, `news_fk`, `text_types_fk`) •FOREIGN KEY (`news_fk`) <ul style="list-style-type: none"> REFERENCES `news` (`idnew`) ON DELETE CASCADE ON UPDATE CASCADE •FOREIGN KEY (`text_types_fk`) <ul style="list-style-type: none"> REFERENCES `news_text_types` (`text_type_id`) 		

Table: news_eus		
Column	Data type	Constraints
id_text_eus	INT	•NOT NULL
order	INT	•NOT NULL •DEFAULT '0'
text	VARCHAR	•NOT NULL
news_fk	INT	•NOT NULL
text_types_fk	INT	•NOT NULL
Global table constraints		
<ul style="list-style-type: none"> •PRIMARY KEY (`id_text_eus`, `news_fk`, `text_types_fk`) •FOREIGN KEY (`news_fk`) <ul style="list-style-type: none"> REFERENCES `news` (`idnew`) ON DELETE CASCADE ON UPDATE CASCADE •FOREIGN KEY (`text_types_fk`) <ul style="list-style-type: none"> REFERENCES `news_text_types` (`text_type_id`) 		

Table: news_glg		
Column	Data type	Constraints
id_text_glg	INT	•NOT NULL
order	INT	•NOT NULL •DEFAULT '0'
text	VARCHAR	•NOT NULL
news_fk	INT	•NOT NULL
text_types_fk	INT	•NOT NULL
Global table constraints		

- PRIMARY KEY (`id_text_glg`, `news_fk`, `text_types_fk`)
- FOREIGN KEY (`news_fk`)
 - REFERENCES `news` (`idnew`)
 - ON DELETE CASCADE
 - ON UPDATE CASCADE
- FOREIGN KEY (`text_types_fk`)
 - REFERENCES `news_text_types` (`text_type_id`)

Table: news_spa		
Column	Data type	Constraints
id_text_spa	INT	•NOT NULL
order	INT	•NOT NULL •DEFAULT '0'
text	VARCHAR	•NOT NULL
news_fk	INT	•NOT NULL
text_types_fk	INT	•NOT NULL
Global table constraints		
<ul style="list-style-type: none"> •PRIMARY KEY (`id_text_spa`, `news_fk`, `text_types_fk`) •FOREIGN KEY (`news_fk`) <ul style="list-style-type: none"> REFERENCES `news` (`idnew`) ON DELETE CASCADE ON UPDATE CASCADE •FOREIGN KEY (`text_types_fk`) <ul style="list-style-type: none"> REFERENCES `news_text_types` (`text_type_id`) 		

Table: news_text_types		
Column	Data type	Constraints
text_type_id	INT	•NOT NULL
type_name	VARCHAR	•NOT NULL
type_code	VARCHAR	•NOT NULL •DEFAULT 'p'
Global table constraints		
•PRIMARY KEY (`text_type_id`)		

Table: related_new_items		
Column	Data type	Constraints
idrelated_new_items	INT	•NOT NULL
source_new_fk	INT	•NOT NULL

target_new_fk	INT	<ul style="list-style-type: none"> •NULL •DEFAULT NULL
target_tip_fk	INT	<ul style="list-style-type: none"> •NULL
Global table constraints		
<ul style="list-style-type: none"> •PRIMARY KEY (`idrelated_new_items`) •FOREIGN KEY (`source_new_fk`) <ul style="list-style-type: none"> REFERENCES `news` (`idnew`) ON DELETE CASCADE ON UPDATE CASCADE •FOREIGN KEY (`target_new_fk`) <ul style="list-style-type: none"> REFERENCES `news` (`idnew`) ON DELETE CASCADE ON UPDATE CASCADE •FOREIGN KEY (`target_tip_fk`) <ul style="list-style-type: none"> REFERENCES `tips` (`idTips`) ON DELETE CASCADE ON UPDATE CASCADE 		

Table: synonyms		
Column	Data type	Constraints
idsynonym	INT	<ul style="list-style-type: none"> •NOT NULL
order	INT	<ul style="list-style-type: none"> •NOT NULL
text_cat	VARCHAR	<ul style="list-style-type: none"> •NULL
text_eng	VARCHAR	<ul style="list-style-type: none"> •NULL
text_eus	VARCHAR	<ul style="list-style-type: none"> •NULL
text_glg	VARCHAR	<ul style="list-style-type: none"> •NULL
text_spa	VARCHAR	<ul style="list-style-type: none"> •NULL
glossary_fk	INT	<ul style="list-style-type: none"> •NOT NULL
Global table constraints		
<ul style="list-style-type: none"> •PRIMARY KEY (`idsynonym`) •FOREIGN KEY (`glossary_fk`) <ul style="list-style-type: none"> REFERENCES `glossary` (`idglossary`) ON DELETE NO ACTION ON UPDATE NO ACTION 		

Table: tags		
Column	Data type	Constraints
idtags	INT	<ul style="list-style-type: none"> •NOT NULL
order	INT	<ul style="list-style-type: none"> •NOT NULL
text_cat	VARCHAR	<ul style="list-style-type: none"> •NULL
text_eng	VARCHAR	<ul style="list-style-type: none"> •NULL
text_eus	VARCHAR	<ul style="list-style-type: none"> •NULL

text_glg	VARCHAR	•NULL
text_spa	VARCHAR	•NULL
news_fk	INT	•NOT NULL
Global table constraints		
•PRIMARY KEY (`idtags`) •FOREIGN KEY (`news_fk`) REFERENCES `news` (`idnew`)		

Table: tip_text_types		
Column	Data type	Constraints
idtiptexttypes	INT	•NOT NULL
type_name	VARCHAR	•NULL
type_code	VARCHAR	•NULL
Global table constraints		
•PRIMARY KEY (`idtiptexttypes`)		

Table: tips		
Column	Data type	Constraints
idTips	INT	•NOT NULL
id	VARCHAR	•NOT NULL
location1	INT	•NOT NULL
location2	INT	•NOT NULL
Global table constraints		
•PRIMARY KEY (`idTips`) •UNIQUE (`id` ASC)		

Table: tips_cat		
Column	Data type	Constraints
idtips	INT	•NOT NULL
tips_fk	INT	•NOT NULL
text_types_fk	INT	•NOT NULL
order	INT	•NOT NULL •DEFAULT 0
text	VARCHAR	•NOT NULL
Global table constraints		

- PRIMARY KEY (`idtips`, `tips_fk`, `text_types_fk`)
- FOREIGN KEY (`tips_fk`)
 - REFERENCES `tips` (`idTips`)
 - ON DELETE NO ACTION
 - ON UPDATE NO ACTION
- FOREIGN KEY (`text_types_fk`)
 - REFERENCES `tip_text_types` (`idtiptexttypes`)
 - ON DELETE NO ACTION
 - ON UPDATE NO ACTION

Table: tips_eng		
Column	Data type	Constraints
idtips	INT	•NOT NULL
tips_fk	INT	•NOT NULL
text_types_fk	INT	•NOT NULL
order	INT	•NOT NULL •DEFAULT 0
text	VARCHAR	•NOT NULL
Global table constraints		
<ul style="list-style-type: none"> •PRIMARY KEY (`idtips`, `tips_fk`, `text_types_fk`) •FOREIGN KEY (`tips_fk`) <ul style="list-style-type: none"> REFERENCES `tips` (`idTips`) ON DELETE NO ACTION ON UPDATE NO ACTION •FOREIGN KEY (`text_types_fk`) <ul style="list-style-type: none"> REFERENCES `tip_text_types` (`idtiptexttypes`) ON DELETE NO ACTION ON UPDATE NO ACTION 		

Table: tips_eus		
Column	Data type	Constraints
idtips	INT	•NOT NULL
tips_fk	INT	•NOT NULL
text_types_fk	INT	•NOT NULL
order	INT	•NOT NULL •DEFAULT 0
text	VARCHAR	•NOT NULL
Global table constraints		

- PRIMARY KEY (`idtips`, `tips_fk`, `text_types_fk`)
- FOREIGN KEY (`tips_fk`)
 - REFERENCES `tips` (`idTips`)
 - ON DELETE NO ACTION
 - ON UPDATE NO ACTION
- FOREIGN KEY (`text_types_fk`)
 - REFERENCES `tip_text_types` (`idtiptexttypes`)
 - ON DELETE NO ACTION
 - ON UPDATE NO ACTION

Table: tips_glg		
Column	Data type	Constraints
idtips	INT	•NOT NULL
tips_fk	INT	•NOT NULL
tip_text_fk	INT	•NOT NULL
order	INT	•NOT NULL •DEFAULT 0
text	VARCHAR	•NOT NULL
Global table constraints		
<ul style="list-style-type: none"> •PRIMARY KEY (`idtips`, `tips_fk`, `tip_text_fk`) •FOREIGN KEY (`tips_fk`) <ul style="list-style-type: none"> REFERENCES `tips` (`idTips`) ON DELETE NO ACTION ON UPDATE NO ACTION •FOREIGN KEY (`tip_text_fk`) <ul style="list-style-type: none"> REFERENCES `tip_text_types` (`idtiptexttypes`) ON DELETE NO ACTION ON UPDATE NO ACTION 		

Table: tips_spa		
Column	Data type	Constraints
idtips	INT	•NOT NULL
tips_idTips	INT	•NOT NULL
tip_text_fk	INT	•NOT NULL
order	INT	•NOT NULL •DEFAULT 0
text	VARCHAR	•NOT NULL
Global table constraints		

```
•PRIMARY KEY (`idtips`, `tips_idTips`, `tip_text_fk`)
•FOREIGN KEY (`tips_idTips`)
  REFERENCES `tips` (`idTips`)
  ON DELETE NO ACTION
  ON UPDATE NO ACTION
•FOREIGN KEY (`tip_text_fk`)
  REFERENCES `tip_text_types` (`idtiptexttypes`)
  ON DELETE NO ACTION
  ON UPDATE NO ACTION
```

Document generated with SQLiteStudio v3.2.1