

QUORIVIO / 0.1.0-dev

Administrator guide

Alessandro De Salvo • braket71@gmail.com

github.com/desalvo/quorivio | EUPL-1.2

2026-10-22 • IT/EN • DEVELOPMENT EDITION

System overview and lifecycle

Quorivio 0.1.0-dev is a self-hosted React/TypeScript frontend and Express/TypeScript backend with PostgreSQL persistence. WebSocket messages update live results. The public QR code grants no presenter privileges.

Development package: do not infer production validation from existence of CI workflow.

Local deployment

Set DATABASE_URL to a PostgreSQL connection string, AUTH_SECRET to a high-entropy secret of at least 32 characters, PUBLIC_BASE_URL to the correct HTTPS origin and PORT if required. Review .env.compose.example and compose.yaml before running containers.

Keep database access private and persistent; configure HTTPS at your reverse proxy.

Kubernetes and Kustomize

Run python3 tools/k8s_wizard.py --unattended --output k8s-generated --set host=quorivio.example.org. The standalone wizard also supports interactive prompts and --values. It generates distinct Namespace, ConfigMap, Deployment, Service and Ingress manifests.

Provision the Secret quorivio-app-secrets with DATABASE_URL and AUTH_SECRET separately. Provision TLS. Run kubectl kustomize k8s-generated to inspect. The wizard never applies resources.

Release pipeline / Docker Hub

The repository github.com/desalvo/quorivio provides a GitHub Actions gate for tests, builds, npm audit, leak checks and image scan. On main, approved publication targets desalvo/quorivio:latest. A Git tag publishes a Docker image under the same tag.

Configure production environment, Docker Hub username variable and Docker Hub token secret before attempting publication.

Security and operations

Keep credentials in GitHub Secrets or Kubernetes Secrets, never in tracked manifests. Monitor health/live and health/ready. Test role isolation, CSRF, WebSocket subscriptions, backup restoration and denial-of-service controls.

Current real-time broadcast is in process: use a single application replica until coordinated distribution is implemented. Do not claim AgID certification.

Planned extensions and support

AAI INFN, OIDC/SAML brokers, social login, full PowerPoint/PDF import, robust multi-replica messaging, security reviews, load tests, backups and disaster recovery drills remain open.

For verifiable implementation status inspect docs/DEVELOPMENT_STATUS.md and docs/DEVELOPMENT_STATUS.it.md.